

MEZZANINE LAYERED SHADES

Table of Contents

Features and Size Considerations

Summary.....	2
Fabric Styles and Information.....	3
Light Control and Privacy.....	4
Fabric Recommendations, Light Gap, Fabric Disclaimers, Cleaning and Care Information, Fabric Certifications.....	5
Size Considerations.....	6-7

Options

Summary.....	8
Projection Brackets.....	8
Continuous-Loop Lift.....	9
Motorized Lift.....	9
Corner Windows.....	10
Adjacent Shadings.....	10
Bay Windows.....	11

General Information

Continuous-Loop Lift and Motorized Lift.....	12
Continuous-Loop Lift Product Detail.....	12
Color Coordination Charts.....	13

Price Charts and Option Pricing

Price Group A: Crestones.....	15
Price Group B: Culebra, Glorieta, Herard, Venado.....	15
Price Group C: Cordillera.....	16
Price Group D: Bernina, Vanoise.....	16
Price Group E: Aravalli, Glorieta Sheen.....	17
Options Pricing.....	18



Features

Mezzanine Layered Shades

- Dual layers of horizontal fabric segments alternating between sheer and semi-opaque or opaque fabric
- When open and the vanes are aligned, light filters through the sheer fabric
- Shades control the amount of incoming light and the view-through with the shade partially raised or lowered
- Shades block up to 99% of UV rays when closed

Features	Benefits
Continuous-Loop Lift	<ul style="list-style-type: none"> • Cord and clutch system makes raising and lowering shade easy • Cord remains at same length, regardless of shade position • Choose left or right cord location • Color-coordinated cords • Choose from six colors of bottomrail
Motorized Lift	<ul style="list-style-type: none"> • Window treatments can be operated from virtually anywhere in the home • Easily operate hard-to-reach or large window coverings • Operate multiple window treatments simultaneously or individually
Fabric-Wrapped Cassette	<ul style="list-style-type: none"> • Fabric-wrapped cassette (standard) creates a cohesive appearance in the window
Warranty	<ul style="list-style-type: none"> • Limited Lifetime Warranty and five-year warranty on motorization components

Features

Fabric Styles and Information: Layered Shades

Style Name*	Color Name	Price Group	Opacity/ Privacy/Light Control	Fabric Composition	Oeko-Tex® Certified	Fire Retardant Rated
Aravalli	Bronze	E	Room Darkening	100% Polyester	√	√
	Crystal	E	Room Darkening	100% Polyester	√	√
	Sand	E	Room Darkening	100% Polyester	√	√
Bernina	Birch Bark	D	Light Filtering	100% Polyester	√	No
	Mussel Shell	D	Light Filtering	100% Polyester	√	No
	Shale	D	Light Filtering	100% Polyester	√	No
	Tuxedo	D	Light Filtering	100% Polyester	√	No
Cordillera	Acorn	C	Light Filtering	100% Polyester	√	No
	Coffee Bean	C	Light Filtering	100% Polyester	√	No
	Flax	C	Light Filtering	100% Polyester	√	No
	Lily White	C	Light Filtering	100% Polyester	√	No
	Rushes	C	Light Filtering	100% Polyester	√	No
	Sand Dune	C	Light Filtering	100% Polyester	√	No
Crestones	Buff	A	Light Filtering	100% Polyester	√	No
	Copper	A	Light Filtering	100% Polyester	√	No
	Essential White	A	Light Filtering	100% Polyester	√	No
	Lace	A	Light Filtering	100% Polyester	√	No
	Midnight	A	Light Filtering	100% Polyester	√	No
	Silversmith	A	Light Filtering	100% Polyester	√	No
Culebra	Lotus	B	Light Filtering	100% Polyester	√	√
	Obsidian	B	Light Filtering	100% Polyester	√	√
	Proclamation	B	Light Filtering	100% Polyester	√	√
	Wren	B	Light Filtering	100% Polyester	√	√
Glorieta	Burnished Caramel	B	Sheer	100% Polyester	√	√
	Chocolate	B	Sheer	100% Polyester	√	√
	Cityscape	B	Sheer	100% Polyester	√	√
	Icicle	B	Sheer	100% Polyester	√	√
	Ivory	B	Sheer	100% Polyester	√	√
	Noir	B	Sheer	100% Polyester	√	√
Glorieta Sheen	Glisten	E	Sheer	100% Polyester	√	No
	Zinc	E	Sheer	100% Polyester	√	No
Herard	Copper	B	Light Filtering	100% Polyester	√	No
	Essential White	B	Light Filtering	100% Polyester	√	No
	Lace	B	Light Filtering	100% Polyester	√	No
	Mercury	B	Light Filtering	100% Polyester	√	No
	Silversmith	B	Light Filtering	100% Polyester	√	No
Vanoise	Arctic Fox	D	Light Filtering	100% Polyester	√	√
	Kodiak	D	Light Filtering	100% Polyester	√	√
	Polar	D	Light Filtering	100% Polyester	√	√
	Tusk	D	Light Filtering	100% Polyester	√	√
Venado	Bisque	B	Light Filtering	100% Polyester	√	√
	Charcoal	B	Light Filtering	100% Polyester	√	√
	Dusky Mauve	B	Light Filtering	100% Polyester	√	√
	Icicle	B	Light Filtering	100% Polyester	√	√
	Lily White	B	Light Filtering	100% Polyester	√	√
	Mauve	B	Light Filtering	100% Polyester	√	√
	Raven	B	Light Filtering	100% Polyester	√	√
Regiment	B	Light Filtering	100% Polyester	√	√	

*All sheer stripes are 2" (5.1 cm), semi-opaque/opaque stripes vary from 2¼" (7 cm) – 3⅝" (8 cm) based on style. See actual samples.

Features

Light Control and Privacy

Sheer: Allows the most amount of light into the room for a minimum amount of privacy and a view to the outside. Objects in the room can be seen quite clearly through shades.

Privacy Level: Moderate

Light Filtering*: Allows light to gently filter through and provides privacy. Images and shapes may be seen through these shades, but details are not visible. Deep fabric colors provide moderate light control, while light colors provide lower light control. **Privacy Level:** Moderate

Room Darkening*: Allows some light to filter into the room and provides privacy. Objects in a lit room seen through these shades appear as vague shapes. Deep fabric colors darken a room; light colors filter and diffuse bright sunlight.

Privacy Level: Complete

Light Gaps: For optimal light and glare control, outside mount is recommended, or you may add a secondary soft window treatment (drapery or curtain) to hide the light gap on an inside mount. **Privacy Level:** Moderate

*These fabrics are translucent and their colors may be influenced by changing light conditions. Colors may appear to vary depending upon the time of day and type of lighting, as well as whether the shade is partially or fully lowered.

Features

Fabric Recommendations

Order all shades for the same room at the same time to ensure color consistency and to minimize dye lot variation. For side-by-side layered shades, request stripe alignment. Stripes can be aligned to within ¼" (0.7 cm).

NOTE: Shades must be ordered at the same time with the same fabric style and height.

Light Gap

The fabric width is narrower than the Finished Shade Width of the tube and its components. See chart below for light gap.

Control Type	Control End		Idle End	
	Inside Mount inches (cm)	Outside Mount inches (cm)	Inside Mount inches (cm)	Outside Mount inches (cm)
Continuous-Loop Lift	1½ (2.9)	1⅛ (2.7)	¾ (2)	1⅛ (1.8)
Motorized Lift	1⅛ (2.7)	1 (2.6)	¾ (2)	1⅛ (1.8)

Fabric Disclaimers

Due to the nature of the weaving process, some imperfections in the weave are normal. Fabric appearance can vary based on changing light conditions in the room.

Cleaning and Care Information

Regular light dusting with a feather duster, vacuum with low suction, or a hairdryer on a cool temperature.

Fabric Certifications

Oeko-Tex® Standard 100 certifies that our fabrics are free of PVC, halogen, lead, formaldehyde, allergenic dyes, pesticides, phenols, heavy metals and meet all VOC content limits.

oeko-tex.com



Oeko-Tex is a registered trademark of the Oeko-Tex Association.



Size Considerations

Continuous-Loop Lift and Motorized Lift Mounting Depth Illustrations

The following diagram illustrates the mounting depth requirements for shades mounted inside window casements.



Minimum Mounting Depth	$1\frac{3}{8}"$ (3.5 cm)
Minimum Mounting Depth, Flush Mount	$3\frac{5}{8}"$ (9.3 cm)

Fabric-Wrapped Cassette

Size Considerations

Continuous-Loop Lift and Motorized Lift

Style Name	Color Name	Maximum Width* inches (cm)	Maximum Height* inches (cm)
Aravalli	Bronze	96 (243.9)	52 (132.1)
	Crystal		
	Sand		
Bernina	Birch Bark	96 (243.9)	110 (279.4)
	Mussel Shell		
	Shale Tuxedo		
Cordillera	Acorn	85 (215.9)	75 (190.5)
	Coffee Bean		
	Flax		
	Lily White		
	Rushes Sand Dune		
Crestones	Buff	97 (246.4)	84 (213.4)
	Copper		
	Essential White		
	Lace		
	Midnight Silversmith		
Culebra	Lotus	95 (241.3)	110 (279.4)
	Obsidian		
	Proclamation		
	Wren		
Glorieta	Burnished Caramel	98 (249)	110 (279.4)
	Chocolate		
	Cityscape		
	Icicle		
	Ivory		
	Noir		

Style Name	Color Name	Maximum Width* inches (cm)	Maximum Height* inches (cm)
Glorieta Sheen	Glisten	98 (249)	110 (279.4)
	Zinc		
Herard	Copper	97 (246.4)	77 (195.6)
	Essential White		
	Lace		
	Mercury Silversmith		
Vanoise	Arctic Fox	91 (231.2)	95 (241.3)
	Kodiak		
	Polar		
	Tusk		
Venado	Bisque	85 (215.9)	75 (190.5)
	Charcoal		
	Dusky Mauve		
	Icicle		
	Lily White		
	Mauve Raven Regiment		

Minimum width: Continuous-loop lift 12" (30.5 cm)

Motorized lift 16" (40.7 cm)

Minimum length: 12" (30.5 cm) all control types

*If the height is shorter than the maximum, a slightly larger width may be available to order. Max width is 102" (259.1 cm).

Options

Shade Options: For Surcharges and Pricing Refer to Pricing Section

Below is a list of options for Layered Shades. All options are available in all styles and colors. See detailed descriptions on the following pages.

Control Type Options:

- Continuous-loop Lift
- Motorized Lift (See Motorization Product Information Guide)


Shade Options – Surcharge

- Motorization (See Motorization Product Information Guide)
- Palladian Window Shelf (See Cornice, Valance and Palladian Window Shelf Product Information Guide)

Shade Options – No Charge

- Bay and Corner Windows
- Cord Length (must specify different length)
- Cord Location
- Projection Brackets 3¼" (8.3 cm) and 4" (10.2 cm)
 - 3¼" (8.3 cm) projection brackets add up to 2½" (5.4 cm) extension from wall
 - 4" (10.2 cm) projection brackets add up to 2⅞" (7.4 cm) extension from wall

Projection Brackets



- **No charge**
- Available with Continuous-loop Lift and Motorized Lift with Cassette on outside mounts
- Two sizes: 3¼" (8.3 cm) and 4" (10.2 cm)
- 3¼" (8.3 cm) projection brackets add up to 2½" (5.4 cm) extension from wall
- 4" (10.2 cm) projection brackets add up to 2⅞" (7.4 cm) extension from wall

Options

Continuous-Loop Lift



- **Standard**
- Cord loop and clutch system makes raising and lowering shade easy
- Special cord loop length must be requested at time of order
- Cord remains at same length regardless of shade position
- Color-coordinated cord loop and cord guide
- Safety cord guide provides the ability to keep the cord out of the reach of children and pets to enhance safety
- Choose left or right cord location
- Outside mount is recommended for maximum light control

NOTE: Cord guide must be installed to operate shade



Inside mount light gap
Refer to Light Gap Chart

Motorized Lift



- **See Motorization Product Information Guide for additional options and pricing**
- In the down position, the shade will be closed
- Allows for easy operation of hard-to-reach or large window coverings
- Efficiently manages energy (heat gain and loss)
- Motorized lift shades are cordless and are a safer choice for homes with children or pets
- Low-voltage motorization requires no costly electrical hardwiring
- Powered with battery, solar power kits, plug-in transformer, multi-motor power supply
- Motor located on the left or right side, standard on the right

NOTE: Motorization components and accessories have a five-year limited warranty, excluding batteries.


Options

Corner Windows



Shades on Corner Windows


- **No charge**
- Made as individual shades
- Each shade will have its own control; we recommend opposite corners
- Indicate for each shade whether butt or bypass
- Bypass shade is mounted into the corner; butt shade is butted to the other shade
- Manufacturer will take appropriate deductions for proper fit; **DO NOT** order as a corner shade if you do not want manufacturer to take deductions



Measuring Information

Mounting on a Wall or Molding:

Measure the width of each window from the corner on the mounting surface (molding or wall) to the point you would like to cover.



Mounting Above the Molding:

Measure the width of each window from the corner on the mounting surface to the point you would like to cover.

Projection measurement is the distance needed to clear any molding or obstructions that the shade will be mounted above.

NOTE: The Projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear molding. All projection distances must match for correct deductions to be calculated.

Adjacent Shadings

To cover wide window openings, shadings may be installed adjacently so ends of the cassette headrail touch. The gap between the fabric panels of the adjacent shadings varies according to the control placement as shown in the table.

Control Placement for Adjacent Shades			
Control Placement		Gap	
Left Shade Control	Right Shade Control	Continuous-Loop Lift inches (cm)	Motorized Lift inches (cm)
Right	Right	1 ⁷ / ₈ (4.8)	1 ¹³ / ₁₆ (4.7)
Left	Left	1 ⁷ / ₈ (4.8)	1 ¹³ / ₁₆ (4.7)
Right	Left	2 ¹ / ₄ (5.8)	2 ⁷ / ₈ (5.4)
Left	Right	1 ¹ / ₂ (3.9)	1 ¹ / ₂ (3.9)

Side-by-Side Alignment

Stripe alignment to within 1/4" (.7 cm) is available upon request only for shades ordered at the same time with the same fabric style and height. Add note in Special Instructions.

Options


Bay Windows



Shades on Bay Windows

- **No charge**
- Made as individual shades
- Each section will have its own control
- Manufacturer will take appropriate deductions for proper fit; DO NOT order as a bay window shade if you do not want manufacturer to take deductions

Measuring Information: Three-sided Bay Window




Measure:

- L and R:** Width of each side window from the corners on the mounting surface to the point you would like to cover.
- C1:** Width of the center window on the mounting surface from corner to corner.

- Angle L-C1:** Angle between the (L) and (C1) windows.
- Angle C1-R:** Angle between the (C1) and (R) windows.
- Projection:** If needed: The depth of the trim or molding the shade will be mounted above.

Measuring Information: Four-sided Bay Window



- L and R:** Width of each side window from the corners on the mounting surface to the point you would like to cover.
- C1, C2:** Width of each center window on the mounting surface from corner to corner.

- Angle L-C1:** Angle between the (L) and (C1) windows.
- Angle C1-C2:** Angle between the (C1) and (C2) windows.
- Angle C2-R:** Angle between the (C2) and (R) windows.
- Projection:** If needed: The depth of the trim or molding the shade will be mounted above.

NOTE: The Projection (P) distance is needed to correctly calculate deductions for installations where the shades will use shims or projection brackets to clear trim or molding. All projection distances must match for correct deductions to be calculated.

For additional windows on bays with up to five sides, continue with number progression for center shade sizes (C1, C2, C3, ...) and angles (Angle C1-C2, Angle C2-C3, ...) as needed.

Measure each bay angle using a protractor or angle finder or use two business cards in each bay corner as illustrated above and fax to customer service.

The angle to use between adjacent center bay windows along a straight section of wall is 180 degrees.

General Information

Continuous-Loop Lift and Motorized Lift


Shade Operation

Light is controlled with the layers of fabric alternating between sheer and semi-opaque or opaque horizontal fabric stripes.

Open View

Align the opaque stripes to filter light and provide a view to the outside.

Continuous-Loop Lift Product Detail



General Information

Color Coordination Charts

Color coordination is shown for informational purposes only.

Style	Color Name	Bottomrail Color	Continuous-Loop Lift
Aravalli	Bronze	Sand	Tuscany
	Crystal	White Satin	Bamboo
	Sand	Cream	Bamboo
Bernina	Birch Bark	White Satin	Bamboo
	Mussel Shell	Coffee	Cocoa
	Shale	Black Satin	Pitch Black
	Tuxedo	Black Satin	Pitch Black
Cordillera	Acorn	Coffee	Cocoa
	Coffee Bean	Coffee	Cocoa
	Flax	Sand	Tuscany
	Lily White	Cream	Bamboo
	Rushes	Coffee	Cocoa
	Sand Dune	Sand	Tuscany
Crestones	Buff	Sand	Tuscany
	Copper	Coffee	Cocoa
	Essential White	White Satin	Bamboo
	Lace	White Satin	Bamboo
	Midnight	Black Satin	Pitch Black
	Silversmith	Classic Gray	Smokey Gray
Culebra	Lotus	White Satin	Bamboo
	Obsidian	Black Satin	Pitch Black
	Proclamation	Cream	Bamboo
	Wren	Cream	Tuscany
Glorieta	Burnished Caramel	Sand	Tuscany
	Chocolate	Coffee	Cocoa
	Cityscape	Classic Gray	Smokey Gray
	Icicle	White Satin	Bamboo
	Ivory	Cream	Bamboo
	Noir	Black Satin	Pitch Black
Glorieta Sheen	Glisten	White Satin	Bamboo
	Zinc	White Satin	Bamboo
Herard	Copper	Coffee	Cocoa
	Essential White	White Satin	Bamboo
	Lace	White Satin	Bamboo
	Mercury	Classic Gray	Smokey Gray
	Silversmith	Classic Gray	Smokey Gray
Vanoise	Arctic Fox	White Satin	Bamboo
	Kodiak	Coffee	Cocoa
	Polar	White Satin	Bamboo
	Tusk	Cream	Bamboo
Venado	Bisque	Sand	Tuscany
	Charcoal	Black Satin	Pitch Black
	Dusky Mauve	Coffee	Cocoa
	Icicle	White Satin	Bamboo
	Lily White	Cream	Bamboo
	Mauve	Cream	Bamboo
	Raven	Black Satin	Pitch Black
Regiment	Black Satin	Pitch Black	

Bottomrail Colors
Black Satin
Classic Gray
Coffee
Cream
Sand
White Satin

Continuous-Loop Lift Cord Colors
Bamboo
Pitch Black
Cocoa
Smokey Gray
Tuscany

Continuous-Loop Lift Lengths inches (cm)
18 (45.8)
24 (61.0)
36 (91.5)
48 (122.0)
60 (152.4)
72 (182.9)
84 (213.4)

NOTE: Certain components are only available in limited colors.

Price Charts

Price Group A

Height up to inches (cm)	Width up to inches (cm) →													
	18 (45.8)	24 (61.0)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122.0)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	102 (259.1)
30 (76.2)	\$200	246	292	338	381	424	464	500	540	583	620	660	734	771
36 (91.5)	212	255	304	356	399	439	479	519	562	605	644	684	764	802
42 (106.7)	224	271	319	372	414	454	497	540	580	629	669	712	798	838
48 (122.0)	231	283	332	384	427	471	516	559	602	651	694	736	828	869
54 (137.2)	240	295	344	396	442	485	531	577	623	672	718	764	858	901
60 (152.4)	249	304	356	408	454	500	549	595	644	697	743	792	884	928
66 (167.7)	255	311	365	418	467	516	565	617	666	718	767	816	914	960
72 (182.9)	261	322	375	431	482	531	583	635	684	743	792	844	942	989
78 (198.2)	271	332	384	442	494	546	602	654	706	764	816	868	980	1029
84 (213.4)	276	341	393	454	511	565	617	672	727	786	841	896	1006	1056

Size availability is based on Fabric. See minimum and maximum charts for specific sizes.

Colors

Crestones

Buff	4684
Copper	4682
Essential White	4685
Lace	4683
Midnight	4680
Silversmith	4681

Price Group B

Height up to inches (cm)	Width up to inches (cm) →													
	18 (45.8)	24 (61.0)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122.0)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	102 (259.1)
30 (76.2)	\$222	271	320	375	424	471	523	574	622	678	721	767	858	901
36 (91.5)	236	285	337	396	451	503	555	607	658	709	759	805	901	946
42 (106.7)	247	302	361	416	474	533	584	637	686	741	794	843	944	991
48 (122.0)	256	318	378	442	503	555	611	663	716	773	828	881	988	1037
54 (137.2)	268	332	396	462	523	579	634	688	747	808	863	919	1028	1079
60 (152.4)	280	346	413	483	541	599	660	718	776	840	898	956	1073	1127
66 (167.7)	291	361	427	500	561	622	683	744	805	872	934	994	1116	1172
72 (182.9)	302	373	442	517	582	645	706	771	835	904	968	1032	1160	1218
78 (198.2)	312	384	457	533	599	666	733	800	866	936	1002	1069	1203	1263
84 (213.4)	320	396	471	549	620	688	756	825	896	972	1038	1107	1246	1308
96 (243.9)	337	419	500	584	658	733	805	881	953	1035	1107	1183	1332	1399
110 (279.4)	358	442	529	617	695	776	855	936	1015	1099	1180	1258	1418	1489

Size availability is based on Fabric. See minimum and maximum charts for specific sizes.

Colors

Culebra

Lotus	4740
Obsidian	4743
Proclamation	4741
Wren	4742

Glorieta

Burnished Caramel	4545
Chocolate	4543
Cityscape	4542
Icicle	4544
Ivory	4540
Noir	4541

Herard

Copper	4702
Essential White	4705
Lace	4704
Mercury	4700
Silversmith	4701

Venado

Bisque	4642
Charcoal	4646
Dusky Mauve	4644
Icicle	4649
Lily White	4640
Mauve	4643
Raven	4648
Regiment	4645

Price Charts

Price Group C

Height up to inches (cm)	Width up to inches (cm) →													
	18 (45.8)	24 (61.0)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122.0)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	102 (259.1)
30 (76.2)	\$236	288	340	399	454	506	558	611	666	721	776	825	931	978
36 (91.5)	253	312	369	431	486	541	599	658	716	776	835	893	1008	1058
42 (106.7)	265	328	389	457	520	582	645	704	764	835	893	953	1071	1125
48 (122.0)	280	346	413	486	553	620	686	751	811	878	942	1002	1126	1182
54 (137.2)	297	369	442	517	587	654	721	788	852	922	988	1056	1182	
60 (152.4)	312	386	462	541	617	686	754	822	893	968	1035	1104	1243	
66 (167.7)	323	402	483	566	642	716	788	860	934	1012	1084	1157	1302	
72 (182.9)	335	419	503	591	668	744	820	896	974	1056	1131	1206	1358	
78 (198.2)	348	436	520	614	695	773	855	934	1012	1099	1177	1258	1416	

Size availability is based on Fabric. See minimum and maximum charts for specific sizes.

Colors

Cordillera

Acorn	4722
Coffee Bean	4724
Flax	4720
Lily White	4725
Rushes	4723
Sand Dune	4721

Price Group D

Height up to inches (cm)	Width up to inches (cm) →													
	18 (45.8)	24 (61.0)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122.0)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	102 (259.1)
30 (76.2)	\$256	318	375	442	503	558	617	675	735	797	858	915	1033	1085
36 (91.5)	280	346	411	477	538	599	666	726	794	860	927	991	1121	1177
42 (106.7)	294	364	433	506	579	648	721	784	855	931	997	1064	1209	1269
48 (122.0)	312	384	460	541	617	692	764	840	919	994	1066	1137	1276	1340
54 (137.2)	332	411	492	579	658	738	817	889	965	1046	1122	1195	1346	1413
60 (152.4)	346	431	515	604	692	776	855	934	1012	1099	1177	1256	1412	1483
66 (167.7)	361	451	538	634	724	811	893	977	1061	1148	1233	1314	1482	1556
72 (182.9)	375	468	564	663	756	846	934	1020	1107	1200	1287	1375	1549	1626
78 (198.2)	389	488	587	692	788	881	972	1061	1154	1249	1342	1433	1618	1699
84 (213.4)	404	506	611	718	820	913	1009	1104	1200	1302	1398	1494	1685	1769
96 (243.9)	433	546	658	776	878	982	1086	1192	1294	1404	1508	1613	1823	1914
110 (279.4)	462	584	706	828	939	1053	1165	1276	1388	1508	1619	1732	1959	2057

Size availability is based on Fabric. See minimum and maximum charts for specific sizes.

Colors

Bernina

Birch Bark	4600
Mussel Shell	4601
Shale	4602
Tuxedo	4603

Vanoise

Arctic Fox	4662
Kodiak	4663
Polar	4660
Tusk	4661

Price Charts

Price Group E

Height ↓ up to inches (cm)	Width up to inches (cm) →													
	18 (45.8)	24 (61.0)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122.0)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	102 (259.1)
30 (76.2)	\$280	343	411	483	553	614	680	747	814	881	951	1018	1144	1201
36 (91.5)	294	378	451	526	599	666	741	814	889	965	1043	1114	1259	1322
42 (106.7)	323	404	483	564	645	729	811	886	965	1053	1131	1208	1373	1442
48 (122.0)	343	427	517	611	697	788	868	956	1043	1131	1215	1296	1464	1537
54 (137.2)	369	462	558	658	751	843	931	1020	1107	1203	1291	1380	1555	1633
60 (152.4)	386	488	587	692	794	889	985	1078	1174	1274	1369	1462	1654	1737
66 (167.7)	407	512	620	729	838	936	1038	1140	1238	1345	1445	1546	1742	1829
72 (182.9)	424	538	651	767	878	985	1089	1198	1304	1416	1522	1627	1842	1934
78 (198.2)	445	561	680	805	922	1032	1145	1256	1369	1488	1598	1712	1933	2030
84 (213.4)	462	587	713	840	962	1081	1198	1317	1436	1558	1677	1794	2029	2130
96 (243.9)	500	637	773	915	1046	1174	1304	1436	1563	1700	1831	1958	2221	2332
110 (279.4)	538	686	838	988	1131	1271	1413	1555	1694	1843	1985	2124	2408	2528

Size availability is based on Fabric. See minimum and maximum charts for specific sizes.

Colors

Aravalli

Bronze 4582
 Crystal 4583
 Sand 4580

Glorieta Sheen

Glisten 4563
 Zinc 4560

Options Pricing

Options Pricing

Option	Surcharge
Bay and Corner Window Shades	No Charge
Bottomrail Color	No Charge
Fabric-Wrapped Cassette	Standard – No Charge
Continuous-Loop Lift	Standard – No Charge
Motorized Lift	See Motorization Product Information Guide for information
Projection Brackets	No Charge
Wood Cornice and Valance	See Cornice and Valance Product Information Guide for information



Graber is a brand of Springs Window Fashions, the Best Experience Company 

Graber and the Graber logo are registered trademarks of Springs Window Fashions, LLC.

19-0690-00 (05/16) 16-2461|S15-1440