

# SIMPLE SELECTIONS™

BY  GRABER.



Simple Selections by Graber offers your customers an uncomplicated mix of products, colors and options, all at a value-right price. The popular blinds and shades featured in Simple Selections are affordable, easy to clean, easy to customize to fit any window, and manufactured in 72 hours or less so you can serve your customers better.

United States  
July 2015

*For orders of 50 blinds or more, please call Customer Service for estimated delivery time.*

# 2" (5.1 cm) WOOD BLINDS

Height up to in (cm) ↓	Width up to in (cm) →								
	24 (61.0)	36 (91.5)	48 (122.0)	60 (152.4)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	100 (254.0)
36 (91.5)	\$101	139	163	218	234	284	295	332	345
42 (106.7)	111	152	181	244	265	307	333	372	387
54 (137.2)	133	180	218	288	333	384	412	469	488
66 (167.7)	158	209	263	345	399	454	488	566	589
72 (182.9)	173	224	284	375	423	483	520	585	609
78 (198.2)	180	231	294	386	451	515	558	624	649
84 (213.4)	193	247	316	392	487	548	593	668	694
96 (243.9)	214	268	349	442	547	620	671	753	782
108 (274.4)	233	298	390	493	611	687	745	839	874
120 (304.8)	257	328	432	538	674	756	821	924	960
Decorative Valance	\$6	9	12	17	21	22	24	25	27

Note: Blind widths from 9" (22.9 cm) to 11<sup>15</sup>/<sub>16</sub>" (30.3 cm) are tilt only – \$55 surcharge

**Due to weight limitations, blinds to the right of the heavy line will be automatically manufactured as two blinds on one headrail at no charge.**

## Product Specifications

- 2" (5.1 cm) slats crafted of the finest North American hardwood
- Cord tilt left or right, cord lift left or right
- Heavy duty steel headrail (2" [5.1 cm] x 2<sup>1</sup>/<sub>4</sub>" [5.7 cm])
- Rectangular bottomrail (5/8" [1.6 cm])
- Standard rout holes
- Limited Lifetime Warranty

Minimum depth required for inside mount: 3/4" (1.9 cm)

Depth requirements for flush mounting:

- No valance: 2<sup>3</sup>/<sub>16</sub>" (6.5 cm)
- Standard valance: 3<sup>1</sup>/<sub>8</sub>" (7.9 cm)
- Decorative valance: 3<sup>3</sup>/<sub>8</sub>" (8.6 cm)

## Size Specifications

Minimum blind width: 9" (22.9 cm)  
 Maximum blind width (single blind): 78" (198.1 cm)  
 Maximum blind width (multiple blinds): 100" (254.0 cm)

Minimum blind height: 10" (25.4 cm)

Maximum single blind height:

- 9" (22.9 cm) to 11<sup>15</sup>/<sub>16</sub>" (30.3 cm) width: 84" (213.4 cm)
- 12" (30.5 cm) to 48" (121.9 cm) width: 120" (304.8 cm)
- 48<sup>1</sup>/<sub>8</sub>" (122.2 cm) to 72" (182.9 cm) width: 84" (213.4 cm)
- 72<sup>1</sup>/<sub>8</sub>" (183.2 cm) to 78" (198.1 cm) width: 78" (198.1 cm)

Factory deduction for inside mount: 1/2" (1.3 cm)

Maximum single valance width: 108" (274.3 cm) inside mount; 106" (269.2 cm) outside mount. (Continuous valances wider than 96" (243.8 cm) will be two or more sections spliced together)

## Options

### Multiple Blinds on One Headrail:

- Two on one headrail (left of the heavy line): \$47 surcharge
- Three on one headrail (left of the heavy line): \$63 surcharge

### Valances:

- 2<sup>1</sup>/<sub>2</sub>" (6.4 cm) Standard Valance: No charge
- 3<sup>1</sup>/<sub>2</sub>" (8.9 cm) Decorative Valance: See price chart above for surcharge
- Valance returns: Standard valance return sizes available 1/2" (1.3 cm) – 9" (22.9 cm) (2<sup>7</sup>/<sub>8</sub>" [7.3 cm] default); full recess depth 3<sup>1</sup>/<sub>4</sub>" (8.3 cm)
- Decorative valance return sizes available 1/2" (1.3 cm) – 9" (22.9 cm) (2<sup>11</sup>/<sub>16</sub>" [6.8 cm] default); full recess depth 3<sup>7</sup>/<sub>16</sub>" [8.7 cm]

## Colors

Acorn .....	1849
Fig.....	1851
Snowstorm .....	1318
Wheatfields .....	1850
Winter.....	1837

## Replacement Valance Pricing

### Replacement Standard Valance

Width up to in (cm) →									
24 (61.0)	36 (91.5)	48 (122.0)	60 (152.4)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	108 (274.4)	
\$28	39	48	55	65	69	74	80	88	

### Replacement Decorative Valance

Width up to in (cm) →									
24 (61.0)	36 (91.5)	48 (122.0)	60 (152.4)	72 (182.9)	78 (198.2)	84 (213.4)	96 (243.9)	108 (274.4)	
\$33	45	52	60	70	74	77	85	93	

# 2" (5.1 cm) PREMIUM FAUX WOOD BLINDS

## Coconut

Height up to in (cm) ↓	Width up to in (cm) →				
	24 (61.0)	36 (91.5)	48 (122.0)	60 (152.4)	71½ (181.7)
42 (106.7)	\$115	139	193	206	244
54 (137.2)	122	146	203	218	257
66 (167.7)	131	163	218	242	285
78 (198.2)	135	171	232	255	301
96 (243.9)	N/A	197			

78⅞" (198.4 cm) – 96" (243.8 cm) height available in the following sizes. **Inside Mount:** 30⅞" (76.4 cm) – 36" (91.4 cm) wide.  
**Outside Mount:** 29⅞" (75.1 cm) – 35½" (90.2 cm) wide.

### Product Specifications

- Steel headrail and box brackets provide superior durability
- NoHoles™ slats for total privacy
- Smooth cord tilt for faster and tighter closure
- Faux wood slats are moisture proof, perfect for kitchens and bathrooms
- Cord tilt on the left side only
- Cord lift on the right side only
- Valance options include 2½" (6.4 cm) standard valance or 3½" (8.9 cm) decorative valance (no additional charge)
- Special valance width available up to 108" (274.3 cm) without returns or 106½" (270.5 cm) with returns
- ½" (1.3 cm) – 3½" (8.9 cm) returns available on outside mount (2¾" [7.0 cm] default); optional ½" (1.3 cm) – 1¾" (1.4 cm) returns available on inside mount (1" [2.5 cm] default)
- Limited Lifetime Warranty

### Size Specifications

Minimum blind width: 12½" (31.8 cm) outside mount  
 13" (33.0 cm) inside mount  
 Maximum blind width: 71½" (181.6 cm)  
 Minimum blind height: 18" (45.7 cm)  
 Maximum blind height: 78" (198.1 cm) (96" (243.8 cm) on select sizes)

Mounting depth requirements (inside mount): Minimum 1" (2.5 cm) (screw holes on the side of the bracket have to be used to get to this minimum depth)

Full Recess Depth (headrail and brackets)  
 Headrail only: 2⅞" (6.7 cm)  
 Headrail with standard valance: 3⅞" (7.9 cm)  
 Headrail with decorative valance: 3⅞" (8.7 cm)

Factory deduction for inside mount: ½" (1.3 cm)

### Colors

Coconut .....C630

### Replacement Valance Pricing

#### Replacement Standard and Decorative Valance

Width up to in (cm) →							
24 (61.0)	36 (91.5)	48 (122.0)	60 (152.4)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)
\$34	37	42	46	53	56	61	67

# 2" (5.1 cm) PREMIUM FAUX WOOD BLINDS

## Barley, Honey, Mahogany, Natural

Height up to in (cm) ↓	Width up to in (cm) →				
	24 (61.0)	36 (91.5)	48 (122.0)	60 (152.4)	71½ (181.7)
42 (106.7)	\$122	146	203	215	257
54 (137.2)	129	152	214	228	269
66 (167.7)	137	171	228	255	299
78 (198.2)	141	180	242	267	316
96 (243.9)	N/A	207			

78<sup>1</sup>/<sub>8</sub>" (198.4 cm) – 96" (243.8 cm) height available in the following sizes. **Inside Mount:** 30<sup>1</sup>/<sub>16</sub>" (76.4 cm) – 36" (91.4 cm) wide.  
**Outside Mount:** 29<sup>9</sup>/<sub>16</sub>" (75.1 cm) – 35<sup>1</sup>/<sub>2</sub>" (90.2 cm) wide.

### Product Specifications

- Steel headrail and box brackets provide superior durability
- NoHoles™ slats for total privacy
- Smooth cord tilt for faster and tighter closure
- Faux wood slats are moisture proof, perfect for kitchens and bathrooms
- Cord tilt on the left side only
- Cord lift on the right side only
- Valance options include 2½" (6.4 cm) standard valance or 3½" (8.9 cm) decorative valance (no additional charge)
- Special valance width available up to 108" (274.3 cm) without returns or 106½" (270.5 cm) with returns
- ½" (1.3 cm) – 3½" (8.9 cm) returns available on outside mount (2¾" [7.0 cm] default); optional ½" (1.3 cm) – 1¾" (1.4 cm) returns available on inside mount (1" [2.5 cm] default)
- Limited Lifetime Warranty

### Size Specifications

Minimum blind width: 12½" (31.8 cm) outside mount  
 13" (33.0 cm) inside mount  
 Maximum blind width: 71½" (181.6 cm)  
 Minimum blind height: 18" (45.7 cm)  
 Maximum blind height: 78" (198.1 cm) (96" (243.8 cm) on select sizes)  
 Mounting depth requirements (inside mount): Minimum 1" (2.5 cm) (screw holes on the side of the bracket have to be used to get to this minimum depth)  
 Full Recess Depth (headrail and brackets)  
 Headrail only: 2⅝" (6.7 cm)  
 Headrail with standard valance: 3⅞" (7.9 cm)  
 Headrail with decorative valance: 3⅞" (8.7 cm)  
 Factory deduction for inside mount: ½" (1.3 cm)

### Colors

Barley.....C912  
 Honey .....C307  
 Mahogany.....C536  
 Natural .....C007

Minimum blind width: 12½" (31.8 cm) outside mount  
 13" (33.0 cm) inside mount  
 Maximum blind width: 71½" (181.6 cm)  
 Minimum blind height: 18" (45.7 cm)  
 Maximum blind height: 78" (198.1 cm) (96" (243.8 cm) on select sizes and colors)

### Replacement Valance Pricing

#### Replacement Standard and Decorative Valance

Width up to in (cm) →							
24 (61.0)	36 (91.5)	48 (122.0)	60 (152.4)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)
\$34	37	42	46	53	56	61	67

# 2" (5.1 cm) FAUX WOOD BLINDS

## Coconut & White Silk

Height up to in (cm) ↓	Width up to in (cm) →									
	24 (61.0)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122.0)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	77½ (196.9)
30 (76.2)	\$54	64	68	78	83	89	99	106	125	128
36 (91.5)	59	70	75	82	90	97	111	117	132	145
42 (106.7)	63	73	77	87	93	108	119	128	136	158
48 (122.0)	67	76	85	93	102	119	128	143	151	175
54 (137.2)	71	82	92	103	111	128	137	155	170	197
60 (152.4)	75	89	101	110	122	137	146	165	185	212
66 (167.7)	80	94	107	119	135	146	157	176	202	232
72 (182.9)	89	101	115	129	146	157	168	188	212	247
78 (198.2)*	92	103	118	133	150	165	179	201	222	264
84 (213.4)*	99	109	126	142	161					
90 (228.6)*	106	117	133	150	171					
96 (243.9)*	109	121	138	158	178					

\*78½" (198.4 cm) – 96" (243.8 cm) height available on Coconut and White Silk in the following sizes: **Inside Mount:** 15½" (38.4 cm) – 49" (124.5 cm) wide (pricing good on 96" [243.8 cm] height up to 49" [124.5 cm] wide) **Outside Mount:** 14½" (37.1 cm) – 48½" (123.2 cm) wide

### Product Specifications

- 500 hours UV-A light fastness
  - Steel headrail (1½" [3.8 cm] x 2¼" [5.7 cm])
  - Cord tilt left, cord lift right
  - Standard rout holes
  - Valance options: 2½" (6.4 cm) Standard or 3¼" (8.3 cm) Decorative valance included in the blind price
  - Limited Lifetime Warranty
- Minimum depth required for inside mount: 1" (2.5 cm)  
 Depth requirements for flush mounting:  
 No valance: 2⅝" (6.7 cm)  
 Standard valance: 3⅞" (7.9 cm)  
 Decorative valance: 3¼" (8.3 cm)

### Size Specifications

Minimum blind width: 11½" (6.4 cm) outside mount  
 12" (30.5 cm) inside mount  
 Maximum blind width: 77½" (196.9 cm)  
 Minimum blind height: 14" (35.6 cm)  
 Maximum blind height: 78" (198.1 cm) (96" [243.8 cm] available on select widths)  
 Factory deduction for inside mount: ½" (1.3 cm)  
 Valance width: Up to 108" (274.3 cm) without returns; 106½" (270.5 cm) with returns. Splicing is not available.  
 Valance returns: ½" (1.3 cm) – 3½" (8.9 cm) returns available on outside mount (2¾" (7.0 cm) standard); optional ½" (1.3 cm) – 1¾" (4.4 cm) returns available on inside mount (1" [1.3 cm] standard).

### Colors

Coconut .....C630  
 White Silk .....C803

### Replacement Valance Pricing

#### Replacement Standard or Decorative Valance

Width up to in (cm) →											
24 (61.0)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122.0)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)
\$16	19	22	23	24	28	30	32	33	38	58	79

# 2" (5.1 cm) FAUX WOOD BLINDS

## Maple & Walnut

Height up to in (cm) ↓	Width up to in (cm) →									
	24 (61.0)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122.0)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	77½ (196.9)
30 (76.2)	\$57	67	71	82	88	93	104	111	131	134
36 (91.5)	62	73	79	87	94	102	116	124	138	152
42 (106.7)	66	77	81	91	98	113	126	134	143	166
48 (122.0)	70	80	90	98	107	126	134	150	159	184
54 (137.2)	74	87	96	108	116	134	144	163	178	207
60 (152.4)	79	93	106	115	128	144	153	173	195	222
66 (167.7)	84	99	112	126	142	153	165	185	212	243
72 (182.9)	93	106	122	135	153	165	176	198	222	260
78 (198.2)*	96	108	125	139	158	173	188	211	234	277

### Product Specifications

- 500 hours UV-A light fastness
  - Steel headrail (1½" [3.8 cm] x 2¼" [5.7 cm])
  - Cord tilt left, cord lift right
  - Standard rout holes
  - Valance options: 2½" (6.4 cm) Standard or 3¼" (8.3 cm)  
Decorative valance included in the blind price
  - Limited Lifetime Warranty
- Minimum depth required for inside mount: 1" (2.5 cm)  
Depth requirements for flush mounting:  
No valance: 2⅝" (6.7 cm)  
Standard valance: 3⅝" (7.9 cm)  
Decorative valance: 3¼" (8.3 cm)

### Size Specifications

Minimum blind width: 11½" (6.4 cm) outside mount  
12" (30.5 cm) inside mount  
Maximum blind width: 77½" (196.9 cm)  
Minimum blind height: 14" (35.6 cm)  
Maximum blind height: 78" (198.1 cm)  
Factory deduction for inside mount: ½" (1.3 cm)  
Valance width: Up to 108" (274.3 cm) without returns; 106½" (270.5 cm) with returns. Splicing is not available.  
Valance returns: ½" (1.3 cm) – 3½" (8.9 cm) returns available on outside mount (2¾" (7.0 cm) standard); optional ½" (1.3 cm) – 1¾" (4.4 cm) returns available on inside mount (1" [1.3 cm] standard).

### Colors

Maple.....C013  
Walnut .....C012

### Replacement Valance Pricing

#### Replacement Standard or Decorative Valance

Width up to in (cm) →											
24 (61.0)	32 (81.3)	36 (91.5)	42 (106.7)	48 (122.0)	54 (137.2)	60 (152.4)	66 (167.7)	72 (182.9)	84 (213.4)	96 (243.9)	108 (274.4)
\$17	19	22	23	24	28	30	33	34	39	59	81

# CELLULAR SHADES

## Light Filtering

Height up ↓ to in (cm)	Width up to in (cm) →							
	24 (61.0)	31 (78.8)	36 (91.5)	48 (122.0)	60 (152.4)	72 (182.9)	84 (213.4)	96 (243.9)
36 (91.5)	\$99	111	123	157	187	215	240	281
48 (122.0)	111	129	148	190	223	259	290	338
60 (152.4)	123	151	169	215	260	302	344	396
72 (182.9)	142	166	191	245	297	348	396	459
84 (213.4)	157	187	215	277	338	393	450	514
96 (243.9)	172	205	235	302	371	436	501	571
<b>Add Surcharge to Shade</b>								
Cordless	\$71			94				

### Product Specifications

- 3/8" (1.0 cm) Single cell honeycomb design provides added insulation
- Available as corded or cordless operating systems
- Easy-mounting hidden brackets for simple installation and a clean look
- Hidden cords provide safety and improved privacy
- Durable, color coordinated vinyl headrail (1 1/16" [4.3 cm] x 1 5/8" [4.1 cm])
- Soft fabric shades filter light
- Cord controls on right or left side
- Same fabric color on front and back of shade
- Installation hardware included
- Limited Lifetime Warranty

### Size Specifications

- Corded Shade**  
 Minimum blind width: 9" (22.9 cm) outside mount  
 9 1/2" (24.1 cm) inside mount  
 Maximum blind width: 96" (243.8 cm)  
 Minimum blind height: 9" (22.9 cm)  
 Maximum blind height: 96" (243.8 cm)
- Cordless Shade**  
 Minimum blind width: 12" (30.5 cm) outside mount  
 12 1/2" (31.8 cm) inside mount  
 Maximum blind width: 84" (213.4 cm)  
 Minimum blind height: 9" (22.9 cm)  
 Maximum blind height: 72" (182.9 cm)

### Colors

Alabaster.....	1402
Latte.....	1404
Truffle.....	1403
White.....	1401

# CELLULAR SHADES

## Blackout

Height up to in (cm) ↓	Width up to in (cm) →							
	24 (61.0)	31 (78.8)	36 (91.5)	48 (122.0)	60 (152.4)	72 (182.9)	84 (213.4)	96 (243.9)
36 (91.5)	\$120	132	146	187	220	256	283	334
48 (122.0)	132	153	177	225	266	307	345	400
60 (152.4)	146	180	201	256	312	360	408	470
72 (182.9)	170	199	227	293	355	412	470	547
84 (213.4)	187	220	256	328	400	467	534	614
96 (243.9)	204	245	278	360	441	518	595	680

<b>Add Surcharge to Shade</b>								
Cordless	\$71			94				

### Product Specifications

- 3/16" (1.4 cm) Single cell honeycomb design provides added insulation
- Available as corded or cordless operating systems
- Easy-mounting hidden brackets for simple installation and a clean look
- Hidden cords provide safety and improved privacy
- Durable, color coordinated vinyl headrail (1 1/16" [4.3 cm] x 1 5/8" [4.1 cm])
- Blackout fabrics; perfect for bedrooms or media rooms
- Cord controls on right or left side
- Neutral to the street side
- Installation hardware included
- Limited Lifetime Warranty

### Size Specifications

- Corded Shade**  
 Minimum blind width: 9" (22.9 cm) outside mount  
 9 1/2" (24.1 cm) inside mount  
 Maximum blind width: 96" (243.8 cm)  
 Minimum blind height: 9" (22.9 cm)  
 Maximum blind height: 96" (243.8 cm)
- Cordless Shade**  
 Minimum blind width: 12" (30.5 cm) outside mount  
 12 1/2" (31.8 cm) inside mount  
 Maximum blind width: 84" (213.4 cm)  
 Minimum blind height: 9" (22.9 cm)  
 Maximum blind height: 72" (182.9 cm)


### Colors

- Cocoa.....2802
- Sandstone.....2801
- White Dove.....2800



# GRABER SIMPLE SELECTIONS

## Roller/Solar Measurement Guide



**Tip:**

When ordering Graber Simple Selections roller/solar shades, your **Ordered Width** is the inside width of your window. It doesn't matter if you are ordering inside or outside mount. We will take the appropriate measures for your blind to fit inside or outside the window correctly. If you desire more overlap on outside mounted blinds, please add 1" (2.5 cm) to 2" (5.1 cm) to your inside window width measurement (ordered width). This will give you a ½" (1.6 cm) to 1" (2.5 cm) fabric overlap on each side of your window.

# VINYL ROLLER SHADES

Height up to in (cm) ↓	Width up to in (cm) →			
	30 (76.2)	45 (114.3)	60 (152.4)	72 (182.9)
54 (137.2)	\$84	112	137	159
78 (198.2)	105	142	174	204
96 (243.9)	119	164	226	238

**Note:** Only 54" (137.2 cm), 78" (198.1 cm), and 96" (243.8 cm) lengths available. If your window is a different length the excess material will stay on roller tube.

## Product Specifications

- Durable 12 mil blackout vinyl shade
- Cordless design for easy operation and safety
- Lightweight vinyl shade can be cleaned for easy maintenance
- Limited Lifetime Warranty
- Installation hardware included

## Size Specifications

- Minimum Blind Width: 15" (38.1 cm) inside mount  
13¾" (34.9 cm) outside mount
- Maximum Blind Width: 72" (182.9 cm) inside mount  
70¾" (179.7 cm) outside mount
- Flush mount requirements: 2" (5.1 cm)  
Minimum recess space: 1" (2.5 cm)

# FABRIC & NATURAL ROLLER SHADES

Height up to in (cm) ↓	Width up to in (cm) →		
	30 (76.2)	45 (114.3)	60 (152.4)
54 (137.2)	\$99	133	162
78 (198.2)	124	168	206
96 (243.9)	141	194	267

**Note:** Only 54" (137.2 cm), 78" (198.1 cm), and 96" (243.8 cm) lengths available. If your window is a different length the excess material will stay on roller tube.

## Product Specifications

- Roller shade in fabric and natural material to enhance any décor
- Natural and fabric roller come with a color coordinated continuous chain loop on right side
- Limited Lifetime Warranty
- Installation hardware included

## Size Specifications

- Minimum Blind Width: 15" (38.1 cm) inside mount  
13¾" (34.9 cm) outside mount
- Maximum Blind Width: 60" (152.4 cm) inside mount  
58¾" (149.2 cm) outside mount
- Flush mount requirements: 2⅝" (6.0 cm)  
Minimum recess space: 1½" (3.8 cm)  
Continuous chain loop: 40" (101.6 cm)

## Colors

### Vinyl Roller

White .....0001V  
Cream .....0002V  
Gray .....0008V

### Fabric Roller

Oatmeal .....0010F  
Java .....0011F

### Natural Roller

Panama .....0004N  
Havana .....0005N  
Bermuda .....0009N

# SOLAR ROLLER SHADES

## Solar Shades

Height up ↓ to in (cm) ↓	Width up to in (cm) →			
	30 (76.2)	45 (114.3)	60 (152.4)	72 (182.9)
54 (137.2)	\$103	139	170	196
78 (198.2)	129	176	215	252
96 (243.9)	147	203	252	294

**Note:** Only 54" (137.2 cm), 78" (198.1 cm), and 96" (243.8 cm) lengths available. If your window is a different length the excess material will stay on roller tube.

### Product Specifications

- Durable mesh shade blocks 85% – 90% of damaging UV rays
- Manage glare and maintain outward view
- Color coordinated continuous chain loop on right side
- Limited Lifetime Warranty
- Installation hardware included
- Same color on front and street side

### Size Specifications

Minimum Blind Width: 15" (38.1 cm) inside mount  
13¾" (34.9 cm) outside mount

Maximum Blind Width: 72" (182.9 cm) inside mount  
70¾" (179.7 cm) outside mount

Flush mount requirements: 2½" (6.4 cm)

Minimum recess space: 1½" (3.8 cm)

Continuous chain loop: 44" (111.8 cm)

# SOLAR ROLLER SHADES

## Premium Solar Shades

Height up ↓ to in (cm) ↓	Width up to in (cm) →			
	30 (76.2)	45 (114.3)	60 (152.4)	72 (182.9)
54 (137.2)	\$120	162	197	227
78 (198.2)	150	204	250	293

**Note:** Only 54" (137.2 cm) and 78" (198.1 cm) lengths available. If your window is a different length the excess material will stay on roller tube.

### Product Specifications

- Durable mesh shade blocks 85% – 90% of damaging UV rays
- Manage glare and maintain outward view
- Color coordinated continuous chain loop on right side
- Limited Lifetime Warranty
- Installation hardware included
- Same color on front and street side

### Size Specifications

Minimum Blind Width: 15" (38.1 cm) inside mount  
13¾" (34.9 cm) outside mount

Maximum Blind Width: 72" (182.9 cm) inside mount  
70¾" (179.7 cm) outside mount

Flush mount requirements: 2½" (6.4 cm)

Minimum recess space: 1½" (3.8 cm)

Continuous chain loop: 44" (111.8 cm)

## Colors

### Solar Shades

Cream.....0002S  
Chocolate.....0003S

### Premium Solar Shades

Pebble.....0006S  
Espresso.....0007S  
Charcoal.....0004S

# 1" (2.5 cm) ALUMINUM BLINDS

Height up ↓ to in (cm)	Width up to in (cm) →						
	24 (61.0)	30 (76.2)	36 (91.5)	48 (122.0)	60 (152.4)	72 (182.9)	86 (218.5)
54 (137.2)	\$64	78	89	112	135	164	202
72 (182.9)	78	93	112	140	167	202	251
84 (213.4)	89	106	126	158	192	228	283

## Product Specifications

- 1" (2.5 cm) 6-gauge (0.006") room darkening slats
- Premium, color coordinated steel headrail (1" [2.5 cm] x 1½" [3.8 cm]) and bottomrail
- Easy-mounting hidden brackets for simple installation and a clean look
- Wand tilt left, cord lift right
- Limited Lifetime Warranty

## Size Specifications

Minimum blind width:	14" (35.6 cm) outside mount 14½" (36.8 cm) inside mount
Maximum blind width:	86" (218.4 cm)
Minimum blind height:	6" (15.2 cm)
Maximum blind height:	84" (213.4 cm)
Factory deduction for inside mount:	½" (1.3 cm)
Minimum depth requirement:	
Inside mount:	¾" (1.9 cm)
Flush mount:	1¾" (4.4 cm)

## Colors

Alabaster.....	112	Char Brown.....	062
Beige Pearl.....	328	Wheat.....	710
Black.....	156	White.....	205
Brushed Aluminum.....	121		

# 1" (2.5 cm) DESIGNER VINYL BLINDS

Height up ↓ to in (cm)	Width up to in (cm) →						
	24 (61.0)	30 (76.2)	36 (91.5)	48 (122.0)	60 (152.4)	72 (182.9)	86 (218.5)
54 (137.2)	\$51	59	71	88	110	128	152
72 (182.9)	60	74	88	111	134	160	183
84 (213.4)	71	83	99	125	152	172	203

## Product Specifications

- Premium, color coordinated steel headrail (1" [2.5 cm] x 1½" [3.8 cm]) and bottomrail
- Easy-mounting hidden brackets for simple installation and a clean look
- Wand tilt left, cord lift right
- Limited Lifetime Warranty

## Size Specifications

Minimum blind width:	17" (43.2 cm) outside mount 17½" (44.5 cm) inside mount
Maximum blind width:	86" (218.4 cm)
Minimum blind height:	6" (15.2 cm)
Maximum blind height:	84" (213.4 cm)
Factory deduction for inside mount:	½" (1.3 cm)
Minimum depth requirement:	
Inside mount:	¾" (1.9 cm)
Flush mount:	1¾" (4.4 cm)

## Colors

Alabaster.....	112	Light Gray.....	193
Black.....	156	Mauve.....	123
Bronze.....	748	Wheat.....	710
Cornflower Blue.....	882	White.....	205
Hunter Green.....	184		

# 3½" (8.9 cm) VERTICAL BLINDS

## Product Specifications

- Reversible white painted steel headrail (1½" [3.8 cm] x 1¼" [3.2 cm])
- One way draw right or left
- Wand control only—wand length 27½" (69.9 cm)
- Channel panel valance with 5½" (14.0 cm) returns included
- 3-year warranty on headrail and vanes

## Size Specifications

Minimum blind width: 13" (33.0 cm)  
 Maximum blind width: 120" (304.8 cm)  
 Minimum blind height: 6" (15.2 cm)  
 Maximum blind height: 104" (264.2 cm)

Minimum depth requirements for flush mount:  
 Flush mount track: 2¾" (7.0 cm)  
 Louvers: 3¾" (9.5 cm)  
 Valance: 4⅝" (11.7 cm)

## Chart 1: Crown

Height up ↓ to in (cm) ↓	Width up to in (cm) →					Vanes
	38½ (96.9)	53 (134.7)	78 (198.2)	104 (264.2)	120 (304.8)	
48 (122.0)	\$116	144	187	282	323	2
60 (152.4)	121	156	201	305	347	3
72 (182.9)	129	164	213	323	374	3
84 (213.4)	137	175	226	344	397	3
104 (264.2)	144	183	244	370	425	3
Valance Only	\$14	17	23	36	41	

## Colors

Alabaster.....3073      Pearl White .....3075  
 Beige .....3076      White .....3056

## Chart 2: Chams, Dune, Maui

Height up ↓ to in (cm) ↓	Width up to in (cm) →					Vanes
	38½ (96.9)	53 (134.7)	78 (198.2)	104 (264.2)	120 (304.8)	
48 (122.0)	\$147	179	235	357	442	3
60 (152.4)	155	193	253	380	468	5
72 (182.9)	164	202	270	408	491	6
84 (213.4)	170	215	286	431	520	6
104 (264.2)	180	224	303	459	543	6
Valance Only	\$17	19	32	39	47	

## Colors

CHAMS	DUNE	MAUI
White.....9090	Cocoa.....3473	Basil.....3177
	Toasty Grey.....3472	Shell.....3171
		Tan.....3173
		White Silk.....3170

# 3½" (8.9 cm) VERTICAL BLINDS

## Chart 3: Curved\*, Mont Blanc, Nubuck, Suede

Height up to in (cm) ↓	Width up to in (cm) →					Vanes
	38½ (96.9)	53 (134.7)	78 (198.2)	104 (264.2)	120 (304.8)	
48 (122.0)	\$166	205	275	412	497	5
60 (152.4)	179	221	300	452	537	6
72 (182.9)	193	240	326	488	575	6
84 (213.4)	207	258	354	528	616	6
104 (264.2)	220	275	376	569	654	8
Valance Only	\$19	23	34	44	52	

## Colors

CURVED*		MONT BLANC		RUSTIC		SUEDE	
Sculptured Beige .....	9071	Bark .....	6776	Coffee .....	6910	Cocoa.....	6443
Fontana Crème .....	9076			Cream.....	6915		

\* Curved vanes are always high side right.

## Standard Track Replacement Pricing

Width up to in (cm) →				
38½ (96.9)	53 (134.7)	78 (198.2)	104 (264.2)	120 (304.8)
\$61	69	93	160	198

## 3½" (8.9 cm) Vane Stacking Chart

NO. OF VANES	C.O.	F.B.W.	NO. OF VANES	C.O.	F.B.W.	NO. OF VANES	C.O.	F.B.W.
5	12" (30.5 cm)	16" (40.6 cm)	17	43¾" (111.1 cm)	53½" (136.2 cm)	28	72¾" (183.8 cm)	88½" (225.1 cm)
6	14¾" (37.5 cm)	19½" (48.6 cm)	18	46¾" (117.8 cm)	56¾" (144.1 cm)	29	74¾" (189.9 cm)	92" (233.7 cm)
7	17¾" (44.1 cm)	22¼" (56.5 cm)	19	49" (124.5 cm)	59¾" (152.1 cm)	30	77¼" (196.2 cm)	94¼" (239.4 cm)
8	20" (50.8 cm)	25¾" (64.5 cm)	20	51¾" (131.4 cm)	63" (160 cm)	31	79¾" (202.6 cm)	98½" (250.2 cm)
9	22¾" (57.5 cm)	28½" (72.4 cm)	21	54¾" (138.1 cm)	66½" (168 cm)	32	82¼" (208.9 cm)	101¾" (258.4 cm)
10	25¼" (64.1 cm)	31¾" (79.7 cm)	22	57" (144.8 cm)	69¼" (175.9 cm)	33	85" (215.9 cm)	104¾" (266.4 cm)
11	28¼" (71.8 cm)	34¾" (88.6 cm)	23	59¾" (151.4 cm)	72¾" (184.5 cm)	34	89¾" (227.0 cm)	108" (274.3 cm)
12	30¾" (77.8 cm)	38" (96.5 cm)	24	62¼" (158.1 cm)	75¾" (192.4 cm)	35	92½" (234.0 cm)	111¼" (282.6 cm)
13	33¼" (84.5 cm)	41¾" (104.5 cm)	25	65¼" (165.7 cm)	79" (200.7 cm)	36	95¾" (242.3 cm)	114½" (290.8 cm)
14	35¾" (89.9 cm)	44¾" (112.4 cm)	26	68" (172.7 cm)	82¼" (208.9 cm)	37	98½" (249.2 cm)	117¾" (299.1 cm)
15	38½" (97.8 cm)	47¾" (120.3 cm)	27	69¾" (177.2 cm)	85¼" (216.5 cm)	38	99¾" (253.7 cm)	120" (304.8 cm)
16	41½" (104.5 cm)	50½" (128.3 cm)						