

# ***united chair***<sup>®</sup>

A GROUPE LACASSE BRAND



**USA – Price List**  
Effective January 2016

# Table of Contents

We are United Chair®/How to Use this Price List . . . . .	3
Seating Collections . . . . .	4-81
C.O.M./C.O.V. Policy . . . . .	82
Custom Fabric Form . . . . .	83
Terms and Conditions . . . . .	84-85
Control Features Matrix . . . . .	86
Control Features and Benefits . . . . .	87
Sample Order . . . . .	88-89
Warranty . . . . .	90

# Quick Reference Index

Series	Series Abbrev.	Executive / Management	Task / Conference	24-Hour	Multi-Purpose / Guest	Stools	Beam	BIFMA	GREENGUARD	Page
A-Series	A	•						*	*	4
Affinity	VC		•			•		•	•	6
Assante	AS	•						*	*	8
Atto	AT		•					*	*	9
Brylee	BR	•			•	•		•	•	10
Eqüs	EQ	•						*	*	16
Expression	M	•				•		•	•	17
Fortune	FN	•			•			•	•	19
FreeStyle	FS		•					•	•	23
Io	IO		•		•	•		•	*	24
Onyx	ON	•			•	•		•	•	30
Papillon	PP		•					*	*	36
Radar	RD		•			•		•	•	38
Saggio	SA	•						•	•	41
Savvy	SV	•		•	•	•		•	•	43
Sensato	V2	•	•		•	•		•	•	51
Stools – All Purpose	2__					•			•	55
Stools – Drafting	D					•			•	57
Stools – Industrial	1__					•		*	*	59
Stools – Medical	D					•		•	•	60
Swatt	SW				•	•		*	*	61
Veinure	VR				•	•		*	*	63
Venus	VN		•					*	*	64
Zago	ZG						•	*	*	65
Zing	ZP		•			•		•	•	69
90'S	NS		•		•	•		•	•	73
4800	FE				•			•	•	77
7700	77				•			•	•	81

\* Products under certification process.

**Important note:** Any artistic, photographic, clerical, typographical and pricing errors and omissions in this price list are subject to correction. Prices and product specifications are subject to change without notice.

## WE ARE UNITED CHAIR®

United Chair makes your workspace a better place to be, simply.

**Embrace the simplicity of a straightforward design approach.** Based on your needs, United Chair products are innovative, comfortable and functional. We are proud of them and we want to share this pride with you.

**Choose the simplicity of a high-quality service.** Putting our customers' satisfaction at the forefront of our success, we strive to provide the best client experience in the office seating business. This is why we respect sustainability principles, to be always one step ahead of this ever changing world.

So take a seat and enjoy the United Chair experience.



United Chair has achieved GREENGUARD GOLD Certification.

GREENGUARD Certified products are certified to GREENGUARD standards for low chemical emissions into indoor air during product usage. For more information, visit [ul.com/gg](http://ul.com/gg).

## HOW TO USE THIS PRICE LIST

### Find the products you need

Refer to the **Table of Contents** to find the solutions you require. For assistance in understanding the ergonomic functions of each model, please refer to page 87.

**Pictures** of various models are available on the Groupe Lacasse Website ([www.groupelacasse.com](http://www.groupelacasse.com)).

### Specify the upholstery and finishes you want

Once you've selected the products that meet your needs, refer to the appropriate upholstery and finish document that can be found on the login section of the Website and make a note of the applicable codes.

Refer to the **Sample order** sections specific to each model to ensure integrity of order.

### Submit your order

**Fax:** Groupe Lacasse LLC  
**Attn:** Order Entry  
**1-800-363-5474**

**Email:** [oecc@groupelacasse.com](mailto:oecc@groupelacasse.com)

### Contact us if you have questions

Making sure you get what you need – on time and accurately – is our first priority. Should you ever have questions, please feel free to contact our Customer Service department.

**Telephone:** 1-888-522-2773  
**Email:** [customerservice@groupelacasse.com](mailto:customerservice@groupelacasse.com)

## WHAT ABOUT SPECIAL PRODUCTS?

Groupe Lacasse stands out for its unwavering commitment to flexibility and United Chair is no exception. We can help you with non-standard seating solutions to your specific environment, your special needs and your budget. Please contact **Groupe Lacasse Quotations Department** for an assessment of your request.





## EXECUTIVE AND MANAGEMENT

### SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

### EXECUTIVE CHAIRS

SAMPLE ORDER: AX16-E3-SL23-SL23-XCON-P-PCB-CC-HWA9

#### AX16



#### Standard features

High back	<b>XCON:</b> Multifunction control
Infinite tilt lock	<b>P:</b> Pneumatic seat height
Back angle adjustment	<b>NB:</b> Nylon base
Seat depth adjustment	<b>HDW:</b> Hard dual-wheel casters
Fully upholstered back panel	<b>HWA9:</b> Height and width adjustable arms
Waterfall seat	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-20 ½	406-521	Overall height	39 ½-47 ½	1003-1207
Seat width	18 ¼	464	Overall width	24-27 ½	610-699
Seat depth	18-20	457-508	Overall depth	24-26	610-660
Back height	22-25	559-635	Width between arms	18-20 ¼	457-514
Back width	18 ¼	464			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
AX16	E3 Black	Grade 1	779	XCON Std	P Std	NB Std 177	HDW Std 26	HWA9 Std 104	CSB 52
		Grade 2	790			PCB	SDW 26	5D 104	CSW 52
		Grade 3	808				BRC 42		
		Grade 4	844				BGL 31		
		Grade 5	861				CC 99		
		Grade 6	908				CF 120		
		Grade 7	1,210						
		Grade 8	954						

#### AX15



#### Standard features

High back	<b>XCON:</b> Multifunction control
Infinite tilt lock	<b>P:</b> Pneumatic seat height
Back angle adjustment	<b>NB:</b> Nylon base
Seat depth adjustment	<b>HDW:</b> Hard dual-wheel casters
Fully upholstered back panel	
Waterfall seat	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-20 ½	406-521	Overall height	39 ½-47 ½	1003-1207
Seat width	18 ¼	464	Overall width	24	610
Seat depth	18-20	457-508	Overall depth	24-26	610-660
Back height	22-25	559-635			
Back width	18 ¼	464			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)	
AX15	E3 Black	Grade 1	727	XCON Std	P Std	NB Std 177	HDW Std 26	CSB 52
		Grade 2	738			PCB	SDW 26	CSW 52
		Grade 3	756				BRC 42	
		Grade 4	792				BGL 31	
		Grade 5	809				CC 99	
		Grade 6	856				CF 120	
		Grade 7	1,158					
		Grade 8	902					



**AX11**



**Standard features**

Medium back **XCON:** Multifunction control  
 Infinite tilt lock **P:** Pneumatic seat height  
 Back angle adjustment **NB:** Nylon base  
 Seat depth adjustment **HDW:** Hard dual-wheel casters  
 Fully upholstered back panel **HWA9:** Height and width adjustable arms  
 Waterfall seat

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	16-20 ½	406-521	Overall height	36 ½-44 ½	927-1130		
Seat width	18 ¼	464	Overall width	24-27 ½	610-699		
Seat depth	18-20	457-508	Overall depth	24-26	610-660		
Back height	19-22	483-559	Width between arms	18-20 ¼	457-514		
Back width	18 ¼	464					

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)								
AX11	E3 Black	Grade 1	727	XCON	Std	P	Std	NB	Std	HDW	Std	HWA9	Std	CSB	52							
		Grade 2	738												PCB	177	SDW	26	5D	104	CSW	52
		Grade 3	756												BRC	42						
		Grade 4	792												BGL	31						
		Grade 5	809												CC	99						
		Grade 6	856												CF	120						
		Grade 7	1,158																			
		Grade 8	902																			

**AX10**



**Standard features**

Medium back **XCON:** Multifunction control  
 Infinite tilt lock **P:** Pneumatic seat height  
 Back angle adjustment **NB:** Nylon base  
 Seat depth adjustment **HDW:** Hard dual-wheel casters  
 Fully upholstered back panel  
 Waterfall seat

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	16-20 ½	406-521	Overall height	36 ½-44 ½	927-1130		
Seat width	18 ¼	464	Overall width	24	610		
Seat depth	18-20	457-508	Overall depth	24-26	610-660		
Back height	19-22	483-559					
Back width	18 ¼	464					

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)							
AX10	E3 Black	Grade 1	675	XCON	Std	P	Std	NB	Std	HDW	Std	CSB	52						
		Grade 2	686										PCB	177	SDW	26	CSW	52	
		Grade 3	704										BRC	42					
		Grade 4	740										BGL	31					
		Grade 5	757										CC	99					
		Grade 6	804										CF	120					
		Grade 7	1,106																
		Grade 8	850																



## TASK

### SPECIFICATIONS

- All models ship assembled.
- All options available in Cal-133 option. Limited upholstery selection.
- Soft mesh backrest with fabric, vinyl or leather seat upholstery is available. First code indicates the color choice of the soft mesh material for the backrest, the second code is for the upholstered seat.
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

### TASK CHAIRS

SAMPLE ORDER: VC13-E3-MVC-CPT28-SYN-P-AB-HDW-HA

#### VC13



#### Standard features

Adjustable lumbar support	<b>SYN:</b> Synchronous tilt control
Black rugged outer polymer shell	<b>AB:</b> Nylon angel base
Tilt tension adjustment	<b>HDW:</b> Hard dual-wheel casters
Tilt lock	<b>FA:</b> Fixed arms with 10" self-skinning polyurethane armrests
Seat depth adjustment	
Pneumatic seat height	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ¼-21 ¼	415-542	Overall height	37 ¾-42 ¾	960-1086
Seat width	19	480	Overall width	27 ¾	695
Seat depth	16 ½-18 ½	420-470	Overall depth	27 ¾	695
Back height	21 ½	546	Width between arms	18	455
Back width	18 ¾	468			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)			
VC13	E3 Black	MVA Ash	Grade 1	486	SYN Std	P Std	AB Std	HDW Std	FA Std	C33 130		
		MVC Cauldron	Grade 2	502							PCB 177	SDW 26
		MVM Magma	Grade 3	520							BRC 42	
		MVY Yellowstone	Grade 4	560								
			Grade 5	576								
			Grade 6	620								
			Grade 7	986								
			Grade 8	668								

#### VC12



#### Standard features

Adjustable lumbar support	<b>SYN:</b> Synchronous tilt control
Black rugged outer polymer shell	<b>AB:</b> Nylon angel base
Tilt tension adjustment	<b>HDW:</b> Hard dual-wheel casters
Tilt lock	
Seat depth adjustment	
Pneumatic seat height	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ¼-21 ¼	415-542	Overall height	37 ¾-42 ¾	960-1086
Seat width	19	480	Overall width	27 ¾	695
Seat depth	16 ½-18 ½	420-470	Overall depth	27 ¾	695
Back height	21 ½	546			
Back width	18 ¾	468			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)			
VC12	E3 Black	MVA Ash	Grade 1	446	SYN Std	P Std	AB Std	HDW Std	C33 130		
		MVC Cauldron	Grade 2	463						PCB 177	SDW 26
		MVM Magma	Grade 3	480						BRC 42	
		MVY Yellowstone	Grade 4	520							
			Grade 5	537							
			Grade 6	580							
			Grade 7	945							
			Grade 8	628							



## STOOL

### SPECIFICATIONS

- All models ship assembled.
- All options available in Cal-133 option. Limited upholstery selection.
- Soft mesh backrest with fabric, vinyl or leather seat upholstery is available. First code indicates the color choice of the soft mesh material for the backrest, the second code is for the upholstered seat.
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

### STOOLS

SAMPLE ORDER: VC52-E3-MVC-CPT28-SYN-P-CAB-HDW-FA

#### VC52



##### Standard features

Adjustable lumbar support **SYN:** Synchronous tilt control  
 Black rugged outer polymer shell **CAB:** Cast-aluminum base  
 Tilt tension adjustment **HDW:** Hard dual-wheel casters  
 Tilt lock **FA:** Fixed arms with 10" self-skinning polyurethane armrests  
 Seat depth adjustment  
 Pneumatic seat height  
 Adjustable polished chrome footring

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	25¼-31¼	641-794	Overall height	46-52	1168-1321
Seat width	19	480	Overall width	27¾	695
Seat depth	16½-18½	420-470	Overall depth	27¾	695
Back height	21½	546	Width between arms	18	455
Back width	18¾	468			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)				
VC52	E3 Black	MVA	Ash	Grade 1 680	SYN Std	P Std	CAB Std	HDW Std	FA Std	C33 130			
		MVC	Cauldron	Grade 2 698							SCL 78	SDW 26	HA 25
		MVM	Magma	Grade 3 716							XTC 62	BRC 42	
		MVY	Yellowstone	Grade 4 757									
				Grade 5 774									
				Grade 6 818									
				Grade 7 1,195									
				Grade 8 868									

#### VC51



##### Standard features

Adjustable lumbar support **SYN:** Synchronous tilt control  
 Black rugged outer polymer shell **CAB:** Cast-aluminum base  
 Tilt tension adjustment **HDW:** Hard dual-wheel casters  
 Tilt lock  
 Seat depth adjustment  
 Pneumatic seat height  
 Adjustable polished chrome footring

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	25¼-31¼	641-794	Overall height	46-52	1168-1321
Seat width	19	480	Overall width	27¾	695
Seat depth	16½-18½	420-470	Overall depth	27¾	695
Back height	21½	546			
Back width	18¾	468			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)			
VC51	E3 Black	MVA	Ash	Grade 1 640	SYN Std	P Std	CAB Std	HDW Std	C33 130		
		MVC	Cauldron	Grade 2 656						SCL 78	SDW 26
		MVM	Magma	Grade 3 675						XTC 62	BRC 42
		MVY	Yellowstone	Grade 4 716							
				Grade 5 733							
				Grade 6 778							
				Grade 7 1,153							
				Grade 8 827							



## MANAGEMENT

### SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest and optional headrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

### MANAGEMENT CHAIRS

SAMPLE ORDER: AS11-E3-50F-50F-XCON-P-NB-SDW-HWA9-HR

#### AS11




#### Standard features

Medium back	<b>XCON:</b> Multifunction control
Infinite tilt lock	<b>P:</b> Pneumatic seat height
Forward seat pitch	<b>NB:</b> Nylon base
Back height adjustment	<b>HDW:</b> Hard dual-wheel casters
Back angle adjustment	<b>AA9:</b> Height adjustable arms
Fully upholstered back panel	
Waterfall seat	
Viscoelastic memory foam	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 3/4-22 1/2	451-572	Overall height	37 1/4-42	946-1067
Seat width	19 3/4	502	Overall width	24	610
Seat depth	19	483	Overall depth	24	610
Back height	21-24 1/2	533-622	Width between arms	17 1/4-20 1/2	438-521
Back width	19 3/4	489			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
AS11	E3 Black	Grade 1	987	XCON Std	P Std	NB Std	HDW Std	AA9 Std	HR 104
		Grade 2	998			PCB 177	SDW 26	HWA9 57	
		Grade 3	1,016				BRC 42	5D 104	
		Grade 4	1,052				BGL 31		
		Grade 5	1,069				CC 99		
		Grade 6	1,116				CF 120		
		Grade 7	1,418						
		Grade 8	1,162						

#### AS10



#### Standard features

Medium back	<b>XCON:</b> Multifunction control
Infinite tilt lock	<b>P:</b> Pneumatic seat height
Forward seat pitch	<b>NB:</b> Nylon base
Back height adjustment	<b>HDW:</b> Hard dual-wheel casters
Back angle adjustment	
Fully upholstered back panel	
Waterfall seat	
Viscoelastic memory foam	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 3/4-22 1/2	451-572	Overall height	37 1/4-42	946-1067
Seat width	19 3/4	502	Overall width	24	610
Seat depth	19	483	Overall depth	24	610
Back height	21-24 1/2	533-622			
Back width	19 3/4	489			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)	
AS10	E3 Black	Grade 1	935	XCON Std	P Std	NB Std	HDW Std	HR 104
		Grade 2	946			PCB 177	SDW 26	
		Grade 3	964				BRC 42	
		Grade 4	1,000				BGL 31	
		Grade 5	1,017				CC 99	
		Grade 6	1,064				CF 120	
		Grade 7	1,366					
		Grade 8	1,110					





## CONFERENCE

### SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest and seat cushions, the second upholstery is for the back and seat shell.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

### DUAL UPHOLSTERY APPLICATION



SAMPLE ORDER: AT12-E3-WH08-WH07-KT-P-APC-CF-BA01

#### CONFERENCE CHAIRS

SAMPLE ORDER: AT12-E3-WH08-WH07-KT-P-APC-CF-BA01

#### AT14



##### Standard features

High back  
4-position tilt lock  
Fully upholstered back panel  
Waterfall seat

**KT:** Knee-tilt control  
**P:** Pneumatic seat height  
**AB:** Nylon angel base  
**HDW:** Hard dual-wheel casters  
**BA01:** Polished chrome arms with polyurethane pads

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	20 1/2-22 3/4	521-578	Overall height	43-45 1/2	1092-1156		
Seat width	19 3/4	502	Overall width	27	686		
Seat depth	19	483	Overall depth	27	686		
Back height	26	660	Width between arms	19	483		
Back width	19 1/2	495					

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)	
AT14	E3 Black	Grade 1	1,070	Grade 5	1,152	KT	Std	P	Std	AB	Std	HDW	Std	BA01	Std
		Grade 2	1,082	Grade 6	1,199			CP	52	APC	99	SDW	26		
		Grade 3	1,099	Grade 7	1,501							BRC	42		
		Grade 4	1,136	Grade 8	1,245							BGL	31		
												CC	99		
												CF	120		

#### AT12



##### Standard features

Medium back  
4-position tilt lock  
Fully upholstered back panel  
Waterfall seat

**KT:** Knee-tilt control  
**P:** Pneumatic seat height  
**AB:** Nylon angel base  
**HDW:** Hard dual-wheel casters  
**BA01:** Polished chrome arms with polyurethane pads

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	20 1/4-22 3/4	514-578	Overall height	39 1/2-42	1003-1067		
Seat width	19 3/4	502	Overall width	27	686		
Seat depth	19	483	Overall depth	27	686		
Back height	22 1/2	572	Width between arms	19	483		
Back width	19 1/2	495					

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)	
AT12	E3 Black	Grade 1	1,008	Grade 5	1,090	KT	Std	P	Std	AB	Std	HDW	Std	BA01	Std
		Grade 2	1,019	Grade 6	1,137			CP	52	APC	99	SDW	26		
		Grade 3	1,037	Grade 7	1,438							BRC	42		
		Grade 4	1,073	Grade 8	1,182							BGL	31		
												CC	99		
												CF	120		



## MANAGEMENT

### SPECIFICATIONS

- All models ship assembled.
- Available in Cal-133. Limited option and upholstery selection.
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

#### MANAGEMENT CHAIRS

SAMPLE ORDER: BR16-E3-AE04-P-NB-HDW-LA

### BR16



#### Standard features

2:1 Synchronous control  
2-position back lock  
Integrated lumbar support  
Rugged outer polymer shell  
Waterfall seat front

**P:** Pneumatic seat height  
**NB:** Nylon base  
**HDW:** Hard dual-wheel casters  
**LA:** Loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18-22	457-560	Overall height	36 ¼-41 ¼	920-1047
Seat width	20 ½	520	Overall width	25	635
Seat depth	17 ¼	440	Overall depth	25	635
Back height	20 ½	522	Width between arms	21	530
Back width	18	471			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
<b>BR16</b>	<b>E3 Black</b>	Grade 1	<b>675</b>	<b>P</b> Std	<b>NB</b> Std	<b>HDW</b> Std	<b>C33</b> <b>130</b>
		Grade 2	<b>686</b>		<b>SB</b> <b>62</b>	<b>SDW</b> <b>26</b>	<b>UA</b> <b>52</b> <b>UP</b> <b>174</b>
		Grade 3	<b>704</b>		<b>PCB</b> <b>177</b>	<b>BRC</b> <b>42</b>	<b>UAL</b> <b>93</b> <b>UPL</b> <sup>(2)</sup> <b>227</b>
		Grade 4	<b>743</b>			<b>BGL</b> <b>31</b>	<b>UDA</b> <b>98</b>
		Grade 5	<b>759</b>				<b>UDU</b> <sup>(1)</sup> <b>158</b>
		Grade 6	<b>808</b>				
		Grade 7	<b>1,170</b>				
		Grade 8	<b>855</b>				

### BR15



#### Standard features

2:1 Synchronous control  
2-position back lock  
Integrated lumbar support  
Rugged outer polymer shell  
Waterfall seat front

**P:** Pneumatic seat height  
**NB:** Nylon base  
**HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ½-22 ½	444-571	Overall height	36 ¼-41 ¼	920-1047
Seat width	20 ½	521	Overall width	23 ½	597
Seat depth	16 ½	419	Overall depth	25	635
Back height	19 ½	495			
Back width	19 ½	495			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
<b>BR15</b>	<b>E3 Black</b>	Grade 1	<b>635</b>	<b>P</b> Std	<b>NB</b> Std	<b>HDW</b> Std <b>C33</b> <b>130</b>
		Grade 2	<b>647</b>		<b>SB</b> <b>62</b>	<b>SDW</b> <b>26</b> <b>UP</b> <b>174</b>
		Grade 3	<b>665</b>		<b>PCB</b> <b>177</b>	<b>BRC</b> <b>42</b> <b>UPL</b> <sup>(2)</sup> <b>227</b>
		Grade 4	<b>703</b>			<b>BGL</b> <b>31</b>
		Grade 5	<b>720</b>			
		Grade 6	<b>769</b>			
		Grade 7	<b>1,130</b>			
		Grade 8	<b>815</b>			

(1) **UDU:** Upholstery will match the seat (N/A in leather).

(2) **UPL:** N/A with C33 option.

**BR11**



**Standard features**

2:1 Synchronous control  
 2-position back lock  
 Integrated lumbar support  
 Rugged outer polymer shell  
 Waterfall seat front

**P:** Pneumatic seat height  
**NB:** Nylon base  
**HDW:** Hard dual-wheel casters  
**LA:** Loop arms

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	17 ½-22 ½	444-571	Overall height	35 ¼-40 ¼	895-1022		
Seat width	18	455	Overall width	23 ½	597		
Seat depth	16	405	Overall depth	23 ½	597		
Back height	19	483	Width between arms	19 ½	495		
Back width	15 ½	398					

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
<b>BR11</b>	<b>E3 Black</b>	Grade 1	<b>635</b>	<b>P</b> Std	<b>NB</b> Std	<b>HDW</b> Std	<b>LA</b> Std	<b>C33</b> <b>130</b>
		Grade 2	<b>647</b>		<b>SB</b> <b>62</b>	<b>SDW</b> <b>26</b>	<b>UA</b> <b>52</b>	<b>UP</b> <b>174</b>
		Grade 3	<b>665</b>		<b>PCB</b> <b>177</b>	<b>BRC</b> <b>42</b>	<b>UAL</b> <b>93</b>	<b>UPL</b> <sup>(2)</sup> <b>227</b>
		Grade 4	<b>703</b>			<b>BGL</b> <b>31</b>	<b>UDA</b> <b>98</b>	
		Grade 5	<b>720</b>				<b>UDU</b> <sup>(1)</sup> <b>158</b>	
		Grade 6	<b>769</b>					
		Grade 7	<b>1,130</b>					
		Grade 8	<b>815</b>					

**BR10**



**Standard features**

2:1 Synchronous control  
 2-position back lock  
 Integrated lumbar support  
 Rugged outer polymer shell  
 Waterfall seat front

**P:** Pneumatic seat height  
**NB:** Nylon base  
**HDW:** Hard dual-wheel casters

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	17 ½-22 ½	444-571	Overall height	35 ¼-40 ¼	895-1022		
Seat width	18 ½	470	Overall width	23 ½	597		
Seat depth	15 ½	394	Overall depth	23 ½	597		
Back height	18 ½	470					
Back width	17 ½	445					

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)	
<b>BR10</b>	<b>E3 Black</b>	Grade 1	<b>596</b>	<b>P</b> Std	<b>NB</b> Std	<b>HDW</b> Std	<b>C33</b> <b>130</b>
		Grade 2	<b>607</b>		<b>SB</b> <b>62</b>	<b>SDW</b> <b>26</b>	<b>UP</b> <b>174</b>
		Grade 3	<b>625</b>		<b>PCB</b> <b>177</b>	<b>BRC</b> <b>42</b>	<b>UPL</b> <sup>(2)</sup> <b>227</b>
		Grade 4	<b>664</b>			<b>BGL</b> <b>31</b>	
		Grade 5	<b>680</b>				
		Grade 6	<b>729</b>				
		Grade 7	<b>1,091</b>				
		Grade 8	<b>776</b>				

(1) **UDU:** Upholstery will match the seat (N/A in leather).  
 (2) **UPL:** N/A with C33 option.

## GUEST



### SPECIFICATIONS

- All models ship assembled.
- All options available in Cal-133. However, Cal-133 guest chairs must have upholstered back panel (UPS option). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- When E8 Metallic Silver frame is chosen, all plastic components remain black.
- BR32C guest chair comes with 2" (51 mm) hard plastic black dual-wheel casters.

#### GUEST CHAIRS WITH WALL-SAVER LEGS

SAMPLE ORDER: BR32-E3-SD10-CPT85-SP

#### BR32



##### Standard features

Ships 2 per carton  
 Integrated lumbar support  
 Stackable up to 6 high on dolly  
 Rugged outer polymer shell  
 Waterfall seat front  
 Injection-molded fixed arms  
 1", 14-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ¾	451	Overall height	32 ¾	832
Seat width	18 ½	470	Overall width	24 ¾	629
Seat depth	18	457	Overall depth	23	584
Back height	14 ½	368	Width between arms	19	483
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Other options (\$)
BR32	E3 Black	Grade 1 371 x 2 = 742	C33 130 x 2 = 260
	E8 Metallic Silver	Grade 2 383 x 2 = 766	UPS 47 x 2 = 94
		Grade 3 400 x 2 = 800	ULS <sup>(1)</sup> 93 x 2 = 186
		Grade 4 439 x 2 = 878	SP 42/chair
		Grade 5 456 x 2 = 912	
		Grade 6 504 x 2 = 1,008	
		Grade 7 866 x 2 = 1,732	
		Grade 8 551 x 2 = 1,102	

#### BR31



##### Standard features

Ships 2 per carton  
 Integrated lumbar support  
 Stackable up to 6 high on dolly  
 Rugged outer polymer shell  
 Waterfall seat front  
 1", 14-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ¾	451	Overall height	32 ¾	832
Seat width	18 ½	470	Overall width	21	533
Seat depth	18	457	Overall depth	23	584
Back height	14 ½	368			
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Other options (\$)
BR31	E3 Black	Grade 1 337 x 2 = 674	C33 130 x 2 = 260
	E8 Metallic Silver	Grade 2 348 x 2 = 696	UPS 47 x 2 = 94
		Grade 3 367 x 2 = 734	ULS <sup>(1)</sup> 93 x 2 = 186
		Grade 4 405 x 2 = 810	SP 42/chair
		Grade 5 422 x 2 = 844	
		Grade 6 470 x 2 = 940	
		Grade 7 832 x 2 = 1,664	
		Grade 8 518 x 2 = 1,036	

(1) ULS: N/A with C33 option.

**BR32C**



**Standard features**

Ships in a single pack **HDW:** Hard dual-wheel casters  
 Integrated lumbar support  
 Rugged outer polymer shell  
 Waterfall seat front  
 Injection-molded fixed arms  
 1", 14-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ¾	451	Overall height	32 ¾	832
Seat width	18 ½	470	Overall width	24 ¾	629
Seat depth	18	457	Overall depth	23	584
Back height	14 ½	368	Width between arms	19	483
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Casters (\$)	Other options (\$)
BR32C	E3 Black	Grade 1	416	<b>HDW</b> Std <b>C33</b> 130
		Grade 2	427	<b>SDW</b> 26 <b>UPS</b> 47
	Grade 3	445	<b>BRC</b> 42 <b>ULS</b> <sup>(1)</sup> 93	
	Grade 4	484		
	Grade 5	500		
	Grade 6	549		
	Grade 7	911		
	Grade 8	596		

**BR32S**



**Standard features**

Ships in a single pack  
 Integrated lumbar support  
 Rugged outer polymer shell  
 Waterfall seat front  
 Injection-molded fixed arms  
 1", 14-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18 ¾	464	Overall height	33 ¾	845
Seat width	18 ½	470	Overall width	24 ¾	629
Seat depth	18	457	Overall depth	23	584
Back height	14 ½	368	Width between arms	19	483
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Other options (\$)
BR32S	E3 Black	Grade 1	450 <b>C33</b> 130
		Grade 2	461 <b>UPS</b> 47
		Grade 3	479 <b>ULS</b> <sup>(1)</sup> 93
		Grade 4	518
		Grade 5	535
		Grade 6	582
		Grade 7	945
		Grade 8	630

**BR31S**



**Standard features**

Ships in a single pack  
 Integrated lumbar support  
 Rugged outer polymer shell  
 Waterfall seat front  
 1", 14-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18 ¾	464	Overall height	33 ¾	845
Seat width	18 ½	470	Overall width	21	533
Seat depth	18	457	Overall depth	23	584
Back height	14 ½	368			
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Other options (\$)
BR31S	E3 Black	Grade 1	416 <b>C33</b> 130
		Grade 2	427 <b>UPS</b> 47
		Grade 3	445 <b>ULS</b> <sup>(1)</sup> 93
		Grade 4	484
		Grade 5	500
		Grade 6	549
		Grade 7	911
		Grade 8	596

(1) **ULS:** N/A with C33 option.





## STOOL

### SPECIFICATIONS

- All models ship assembled.
- All options available in Cal-133. However, Cal-133 café height stools must have upholstered back panel (UPS option). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available on café height models. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- When E8 Metallic Silver frame is chosen on café height stools, all plastic components remain black.
- Control mechanism is black.
- BR51 and BR52 stools comes with 2" (51 mm) hard plastic black dual-wheel casters.

**STOOLS** SAMPLE ORDER: BR52-E3-WH01-P-HDW-LA

### BR51



Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
2:1 Synchronous control	<b>P:</b> Pneumatic seat height	Seat height	23 ½-29 ½	596-749	Overall height	41 ¼-46 ¼	1047-1174
2-position back lock	<b>HDW:</b> Hard dual-wheel casters	Seat width	18 ½	470	Overall width	23 ½	597
Adjustable polished chrome footring	<b>LA:</b> Loop arms	Seat depth	15 ½	394	Overall depth	23 ½	597
Integrated lumbar support		Back height	17 ½	445	Width between arms	19 ½	495
Rugged outer polymer shell		Back width	17 ½	445			
Waterfall seat front							
Cast-aluminum base							

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
BR51	E3 Black	Grade 1	815	<b>P</b> Std	<b>HDW</b> Std	<b>LA</b> Std	<b>C33</b> 130
		Grade 2	827	<b>SCL</b> 78	<b>SDW</b> 26	<b>UA</b> 52	<b>UP</b> 174
		Grade 3	844	<b>XTC</b> 62	<b>BRC</b> 42	<b>UAL</b> 93	<b>UPL</b> <sup>(2)</sup> 227
		Grade 4	883		<b>BGL</b> 31	<b>UDA</b> 98	
		Grade 5	900			<b>UDU</b> <sup>(1)</sup> 158	
		Grade 6	948				
		Grade 7	1,310				
		Grade 8	995				

### BR52



Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
2:1 Synchronous control	<b>P:</b> Pneumatic seat height	Seat height	23 ½-29 ½	596-749	Overall height	41 ¼-46 ¼	1047-1174
2-position back lock	<b>HDW:</b> Hard dual-wheel casters	Seat width	18 ½	470	Overall width	23 ½	597
Adjustable polished chrome footring		Seat depth	15 ½	394	Overall depth	23 ½	597
Integrated lumbar support		Back height	17 ½	445			
Rugged outer polymer shell		Back width	17 ½	445			
Waterfall seat front							
Cast-aluminum base							

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Casters (\$)	Other options (\$)	
BR52	E3 Black	Grade 1	776	<b>P</b> Std	<b>HDW</b> Std	<b>C33</b> 130
		Grade 2	787	<b>SCL</b> 78	<b>SDW</b> 26	<b>UP</b> 174
		Grade 3	805	<b>XTC</b> 62	<b>BRC</b> 42	<b>UPL</b> <sup>(2)</sup> 227
		Grade 4	843		<b>BGL</b> 31	
		Grade 5	860			
		Grade 6	909			
		Grade 7	1,271			
		Grade 8	956			

(1) **UDU:** Upholstery will match the seat (N/A in leather).  
 (2) **UPL:** N/A with C33 option.

**BR32H**



**Standard features**

Integrated lumbar support  
Rugged outer polymer shell  
Waterfall seat front  
Injection-molded fixed arms  
1", 14-gauge steel tubing

Dimensions			(in)	(mm)	Dimensions			(in)	(mm)
Seat height	31 ¾	807	Overall height	47 ¾	1214				
Seat width	18 ½	470	Overall width	25 ¼	642				
Seat depth	18	457	Overall depth	24	610				
Back height	14 ½	368	Width between arms	19 ¼	489				
Back width	19	483							

Model	Frame	Upholstery / List (\$)		Other options (\$)	
BR32H	E3 Black	Grade 1	450	C33	130
		Grade 2	461	UPS	47
	E8 Metallic Silver	Grade 3	479	ULS <sup>(1)</sup>	93
		Grade 4	518		
	Grade 5	535			
	Grade 6	582			
	Grade 7	945			
	Grade 8	630			

**BR31H**



**Standard features**

Integrated lumbar support  
Rugged outer polymer shell  
Waterfall seat front  
1", 14-gauge steel tubing

Dimensions			(in)	(mm)	Dimensions			(in)	(mm)
Seat height	31 ¾	807	Overall height	47 ¾	1214				
Seat width	18 ½	470	Overall width	21	533				
Seat depth	18	457	Overall depth	24	610				
Back height	14 ½	368							
Back width	19	483							

Model	Frame	Upholstery / List (\$)		Other options (\$)	
BR31H	E3 Black	Grade 1	444	C33	130
		Grade 2	456	UPS	47
	E8 Metallic Silver	Grade 3	473	ULS <sup>(1)</sup>	93
		Grade 4	512		
	Grade 5	528			
	Grade 6	577			
	Grade 7	939			
	Grade 8	624			

**ACCESSORIES**

**BRDY**




**Standard features**

Stacking dolly, black only  
To stack **6 BR32** or **6 BR31** models only

Dimensions			(in)	(mm)	Overall dimensions of dolly with 6 chairs			(in)	(mm)
Overall height	14 ½	368	Total height	55 ½	1410				
Overall width	24	610	Total width w/BR32	25	635				
Overall depth	28	711	Total width w/BR31	24	610				
			Total depth	36	914				

Model	List (\$)
BRDY-SP	Ships 1 per carton <b>376</b>
BRDY-DP	Ships 2 per carton <b>703</b>

**BRT-AG**



**Standard features**

Black metal connecting bars  
Kit includes 2 bars and 2 connectors  
Chairs with arms and armless can be ganged (BR32, BR31, BR32S and BR31S)

Dimensions			(in)	(mm)
Distance between arms	½	13		

Model	List (\$)
BRT-AG	<b>101</b>

(1) ULS: N/A with C33 option.



## EXECUTIVE AND CONFERENCE

### SPECIFICATIONS

- All models ship assembled.
- Upholstery selection limited to vinyl, leather and C.O.V. only.
- Vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.V.).
- C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

### EXECUTIVE CHAIRS

SAMPLE ORDER: EQ16-E3-WH01-WH01-XCON-P-AB-SDW-5D-HR

#### EQ16



#### Standard features

High back	<b>XCON:</b> Multifunction control
Infinite tilt lock	<b>P:</b> Pneumatic seat height
Forward seat pitch	<b>AB:</b> Nylon angel base
Back height adjustment	<b>HDW:</b> Hard dual-wheel casters
Back angle adjustment	<b>5D:</b> Height and width adjustable
Seat depth adjustment	arms with pivoting, front-
Fully upholstered back panel	to-back and side-to-side
Integrated lumbar support	adjustable armrests

	(in)	(mm)		(in)	(mm)
Seat height	18-22	457-559	Overall height	41 ½-44	1054-1118
Seat width	19	483	Overall width	25 ½	648
Seat depth	18	457	Overall depth	27	686
Back height	20	508	Width between arms	18	457
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)						
EQ16	E3 Black	Grade 1	983	XCON Std	P Std	AB Std	HDW Std	5D Std	CSB	52				
		Grade 2	994						CP 52	APC 99	SDW 26	AA9 31	CSW	52
		Grade 3	1,012						BRC 42	HWA9 57	HR	104		
		Grade 4	1,048						BGL 31	BA01 104				
		Grade 5	1,065						CC 99					
		Grade 6	1,112						CF 120					
		Grade 7	1,413											
		Grade 8	1,158											

#### EQ15



#### Standard features

High back	<b>XCON:</b> Multifunction control
Infinite tilt lock	<b>P:</b> Pneumatic seat height
Forward seat pitch	<b>AB:</b> Nylon angel base
Back height adjustment	<b>HDW:</b> Hard dual-wheel casters
Back angle adjustment	
Seat depth adjustment	
Fully upholstered back panel	
Integrated lumbar support	

	(in)	(mm)		(in)	(mm)
Seat height	18-22	457-559	Overall height	42 ½-44	1080-1118
Seat width	19	483	Overall width	25 ½	648
Seat depth	18	457	Overall depth	27	686
Back height	20	508			
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)					
EQ15	E3 Black	Grade 1	931	XCON Std	P Std	AB Std	HDW Std	CSB	52			
		Grade 2	942					CP 52	APC 99	SDW 26	CSW	52
		Grade 3	960					BRC 42	HR	104		
		Grade 4	996					BGL 31				
		Grade 5	1,013					CC 99				
		Grade 6	1,060					CF 120				
		Grade 7	1,361									
		Grade 8	1,106									



## MANAGEMENT

### SPECIFICATIONS

- All models ship assembled.<sup>(1)</sup>
- Soft mesh backrest with fabric, vinyl or leather seat upholstery is available. First code indicates the color choice of the soft mesh material for the backrest and optional headrest, the second code is for the upholstered seat.
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

### MANAGEMENT CHAIRS

SAMPLE ORDER: M10-E3-MME-XM36-SYN-P-APC-HDW-HR

#### M11



#### Standard features

Side tilt tension adjustment	<b>SYN:</b> 4:1 synchronous control
Seat depth adjustment	<b>P:</b> Pneumatic seat height
4-position back lock	<b>AB:</b> Nylon angel base
Height adjustable mesh back	<b>HDW:</b> Hard dual-wheel casters
	<b>WA8:</b> Width adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15 ½-19 ½	393-491	Overall height	40-44	1017-1115
Seat width	19 ½	497	Overall width	26 ¾	680
Seat depth	16 ½-18	420-460	Overall depth	26 ¾	680
Back height	22 ¾	579	Width between arms	18 ¼	463
Back width	17 ½	440			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
M11	E3 Black	MMB Balance	Grade 1	775	SYN Std	P Std	AB Std APC 99	HDW Std	WA8 Std HW8 57 BRC 42 CHW8 78 BGL 31 M3D 52 CC <sup>(2)</sup> 99 CM3D 78 CF <sup>(2)</sup> 120 M4D 78 CM4D 104	HR <sup>(1)</sup> 104
		MMC Exact	Grade 2	786				SDW 26		
		MME Elegance	Grade 3	804				BRC 42		
		MMP Perfection	Grade 4	840				BGL 31		
		MMS Passion	Grade 5	857				CC <sup>(2)</sup> 99		
			Grade 6	904				CF <sup>(2)</sup> 120		
			Grade 7	1,205						
			Grade 8	950						

#### M10



#### Standard features

Side tilt tension adjustment	<b>SYN:</b> 4:1 synchronous control
Seat depth adjustment	<b>P:</b> Pneumatic seat height
4-position back lock	<b>AB:</b> Nylon angel base
Height adjustable mesh back	<b>HDW:</b> Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15 ½-19 ½	393-491	Overall height	40-44	1017-1115
Seat width	19 ½	497	Overall width	26 ¾	680
Seat depth	16 ½-18	420-460	Overall depth	26 ¾	680
Back height	22 ¾	579			
Back width	17 ½	440			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)	
M10	E3 Black	MMB Balance	Grade 1	697	SYN Std	P Std	AB Std APC 99	HDW Std	HR <sup>(1)</sup> 104
		MMC Exact	Grade 2	708				SDW 26	
		MME Elegance	Grade 3	726				BRC 42	
		MMP Perfection	Grade 4	762				BGL 31	
		MMS Passion	Grade 5	779				CC <sup>(2)</sup> 99	
			Grade 6	826				CF <sup>(2)</sup> 120	
			Grade 7	1,127					
			Grade 8	872					

(1) The headrest requires minimal assembly.  
 (2) Available only on APC base.



## STOOL

### SPECIFICATIONS

- All models ship assembled.<sup>(1)</sup>
- Soft mesh backrest with fabric, vinyl or leather seat upholstery is available. First code indicates the color choice of the soft mesh material for the backrest and optional headrest, the second code is for the upholstered seat.
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

**STOOLS** SAMPLE ORDER: M52-E3-MME-XM36-SYN-P-AB-HDW-WA8

### M52



#### Standard features

Side tilt tension adjustment **SYN**: 4:1 synchronous control  
 Seat depth adjustment **P**: Pneumatic seat height  
 4-position back lock **AB**: Nylon angel base  
 Height adjustable mesh back **HDW**: Hard dual-wheel casters  
 Adjustable polished chrome footring **WA8**: Width adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	28 ¾-34 ¼	730-870	Overall height	49-54 ½	1240-1380
Seat width	19 ½	497	Overall width	26 ¾	680
Seat depth	16 ½-18	420-460	Overall depth	26 ¾	680
Back height	22 ¾	579	Width between arms	18 ¼	463
Back width	17 ½	440			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)						
M52	E3 Black	MMB Balance	Grade 1	827	SYN Std	P Std	AB Std	HDW Std	WA8 Std	HR <sup>(1)</sup>	104				
			Grade 2	838						SCL	78	SDW	26	HWA8	57
			Grade 3	856						XTC	62	BRC	42	CHWA8	78
			Grade 4	892								BGL	31	M3D	52
			Grade 5	909								CC <sup>(2)</sup>	99	CM3D	78
			Grade 6	956								CF <sup>(2)</sup>	120	M4D	78
			Grade 7	1,257								CM4D	104		
			Grade 8	1,002											

### M51



#### Standard features

Side tilt tension adjustment **SYN**: 4:1 synchronous control  
 Seat depth adjustment **P**: Pneumatic seat height  
 4-position back lock **AB**: Nylon angel base  
 Height adjustable mesh back **HDW**: Hard dual-wheel casters  
 Adjustable polished chrome footring

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	28 ¾-34 ¼	730-870	Overall height	49-54 ½	1240-1380
Seat width	19 ½	497	Overall width	26 ¾	680
Seat depth	16 ½-18	420-460	Overall depth	26 ¾	680
Back height	22 ¾	579			
Back width	17 ½	440			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)				
M51	E3 Black	MMB Balance	Grade 1	754	SYN Std	P Std	AB Std	HDW Std	HR <sup>(1)</sup>	104		
			Grade 2	765					SCL	78	SDW	26
			Grade 3	783					XTC	62	BRC	42
			Grade 4	820							BGL	31
			Grade 5	836							CC <sup>(2)</sup>	99
			Grade 6	883							CF <sup>(2)</sup>	120
			Grade 7	1,185								
			Grade 8	929								

(1) The headrest requires minimal assembly.

(2) Available only on APC base.






## EXECUTIVE AND MANAGEMENT

### SPECIFICATIONS

- All models ship assembled.
- All options are available in Cal-133 option. Upholstery selection is limited to Whisper vinyl in this series.
- Leather/vinyl combo is available. First code is your choice of Davenport leather color for the seat and backrest cushions. The rest of the chair is upholstered in black Whisper vinyl.
- Vinyl/vinyl dual upholstery is also available. First code is for the seat and backrest cushions. Second code is for the rest of the chair.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- No C.O.M./C.O.V. available.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

### DUAL UPHOLSTERY APPLICATION



SAMPLE ORDER: FN16-E3-WH06-WH01-XCON-P-NB-HDW-HLA-SSP

#### Vinyl and leather selection for Fortune series only:

- Grade 1: Dillon vinyl
- Grade 3: Whisper vinyl
- Grade 4: Silvertex and Cashmere vinyls
- Grade 5: Rein vinyl
- Grade 6: Leather/vinyl combo
- Grade 7: Davenport leather

### EXECUTIVE CHAIRS

SAMPLE ORDER: FN16-E3-DL01-DL01-ST-P-NB-HDW-HLA

#### FN16



#### Standard features

Tilt tension **ST:** Swivel-tilt control  
 Back height adjustment **P:** Pneumatic seat height  
 Tilt lock **NB:** Nylon base  
 Fully upholstered back panel **HDW:** Hard dual-wheel casters  
 Dual-density memory foam (seat) **HLA:** Half loop arms

#### Dimensions

	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	37-45	940-1143
Seat width	20	508	Overall width	25 ¼	641
Seat depth	18	457	Overall depth	28	711
Back height	22-25	559-635	Width between arms	20 ½	521
Back width	25 ¼	641			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
FN16	E3 Black	Grade 1	775	ST Std	P Std	NB Std	HDW Std	HLA Std	C33 <sup>(1)</sup> 130
		Grade 3	805			PCB 177	SDW 26	AA3 31	
		Grade 4	878				BRC 42	HWA3 57	
		Grade 5	910				BGL 31	3D3 31	
		Grade 6	1,015						
		Grade 7	1,424						

(1) C33: In Whisper vinyl only.

**EXECUTIVE CHAIRS**

SAMPLE ORDER: FNX16-E3-DL01-DL01-XCON-P-NB-HDW-HLA-SSP

**FN16**



**Standard features**

Tilt tension **STB:** Swivel-tilt control with back angle adjustment  
 Back height adjustment **P:** Pneumatic seat height  
 Back angle adjustment **NB:** Nylon base  
 Tilt lock **HDW:** Hard dual-wheel casters  
 Fully upholstered back panel **HLA:** Half loop arms  
 Dual-density memory foam (seat)

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	37-45	940-1143		
Seat width	20	508	Overall width	25 ¼	641		
Seat depth	18	457	Overall depth	28	711		
Back height	22-25	559-635	Width between arms	20 ½	521		
Back width	25 ¼	641					

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)
<b>FN16</b>	<b>E3 Black</b>	Grade 1	<b>849</b>	<b>STB</b>	Std	<b>P</b>	Std	<b>NB</b>	Std	<b>HDW</b>	Std	<b>HLA</b>	Std	<b>C33<sup>(1)</sup></b> <b>130</b>
		Grade 3	<b>880</b>					<b>PCB</b>	<b>177</b>	<b>SDW</b>	<b>26</b>	<b>AA3</b>	<b>31</b>	
		Grade 4	<b>953</b>							<b>BRC</b>	<b>42</b>	<b>HWA3</b>	<b>57</b>	
		Grade 5	<b>985</b>							<b>BGL</b>	<b>31</b>	<b>3D3</b>	<b>31</b>	
		Grade 6	<b>1,090</b>											
		Grade 7	<b>1,499</b>											

**FNX16**



**Standard features**

Infinite tilt lock **XCON:** Multifunction control  
 Tilt tension **P:** Pneumatic seat height  
 Back height adjustment **NB:** Nylon base  
 Independently adjustable seat and back angle **HDW:** Hard dual-wheel casters  
 Forward seat pitch adjustment **HLA:** Half loop arms  
 Fully upholstered back panel  
 Dual-density memory foam (seat)

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	37-45	940-1143		
Seat width	20	508	Overall width	25 ¼	641		
Seat depth	18	457	Overall depth	28	711		
Back height	22-25	559-635	Width between arms	20 ½	521		
Back width	25 ¼	641					

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)
<b>FNX16</b>	<b>E3 Black</b>	Grade 1	<b>958</b>	<b>XCON</b>	Std	<b>P</b>	Std	<b>NB</b>	Std	<b>HDW</b>	Std	<b>HLA</b>	Std	<b>C33<sup>(1)</sup></b> <b>130</b>
		Grade 3	<b>989</b>					<b>PCB</b>	<b>177</b>	<b>SDW</b>	<b>26</b>	<b>AA3</b>	<b>31</b>	<b>SSP<sup>(2)</sup></b> <b>80</b>
		Grade 4	<b>1,061</b>							<b>BRC</b>	<b>42</b>	<b>HWA3</b>	<b>57</b>	
		Grade 5	<b>1,093</b>							<b>BGL</b>	<b>31</b>	<b>3D3</b>	<b>31</b>	
		Grade 6	<b>1,199</b>											
		Grade 7	<b>1,608</b>											

**MANAGEMENT CHAIRS**

SAMPLE ORDER: FN11-E3-WH06-WH06-ST-P-NB-HDW-AA3

**FN11**



**Standard features**

Tilt tension **ST:** Swivel-tilt control  
 Back height adjustment **P:** Pneumatic seat height  
 Tilt lock **NB:** Nylon base  
 Fully upholstered back panel **HDW:** Hard dual-wheel casters  
 Dual-density memory foam (seat) **HLA:** Half loop arms

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	35-42	889-1067		
Seat width	20	508	Overall width	25 ¼	641		
Seat depth	18	457	Overall depth	28	711		
Back height	19-22	483-559	Width between arms	20 ½	521		
Back width	25 ¼	641					

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)
<b>FN11</b>	<b>E3 Black</b>	Grade 1	<b>734</b>	<b>ST</b>	Std	<b>P</b>	Std	<b>NB</b>	Std	<b>HDW</b>	Std	<b>HLA</b>	Std	<b>C33<sup>(1)</sup></b> <b>130</b>
		Grade 3	<b>765</b>					<b>PCB</b>	<b>177</b>	<b>SDW</b>	<b>26</b>	<b>AA3</b>	<b>31</b>	
		Grade 4	<b>837</b>							<b>BRC</b>	<b>42</b>	<b>HWA3</b>	<b>57</b>	
		Grade 5	<b>869</b>							<b>BGL</b>	<b>31</b>	<b>3D3</b>	<b>31</b>	
		Grade 6	<b>976</b>											
		Grade 7	<b>1,383</b>											

(1) **C33:** In Whisper vinyl only.  
 (2) **SSP:** N/A with **PCB**.

**FNM11**



**Standard features**

Tilt tension **STB**: Swivel-tilt control with back angle adjustment  
 Back height adjustment **P**: Pneumatic seat height  
 Back angle adjustment **NB**: Nylon base  
 Tilt lock **HDW**: Hard dual-wheel casters  
 Fully upholstered back panel **HLA**: Half loop arms  
 Dual-density memory foam (seat)

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	35-42	889-1067
Seat width	20	508	Overall width	25 ¼	641
Seat depth	18	457	Overall depth	28	711
Back height	19-22	483-559	Width between arms	20 ½	521
Back width	25 ¼	641			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
<b>FN M11</b>	<b>E3</b> Black	Grade 1 <b>809</b>	<b>STB</b> Std	<b>P</b> Std	<b>NB</b> Std	<b>HDW</b> Std	<b>HLA</b> Std	<b>C33</b> <sup>(1)</sup> <b>130</b>
		Grade 3 <b>840</b>			<b>PCB</b> 177	<b>SDW</b> 26	<b>AA3</b> 31	
		Grade 4 <b>912</b>				<b>BRC</b> 42	<b>HWA3</b> 57	
		Grade 5 <b>944</b>				<b>BGL</b> 31	<b>3D3</b> 31	
		Grade 6 <b>1,049</b>						
		Grade 7 <b>1,458</b>						

**FNX11**



**Standard features**

Infinite tilt lock **XCON**: Multifunction control  
 Tilt tension **P**: Pneumatic seat height  
 Back height adjustment **NB**: Nylon base  
 Independently adjustable seat and back angle **HDW**: Hard dual-wheel casters  
 Forward seat pitch adjustment **HLA**: Half loop arms  
 Fully upholstered back panel  
 Dual-density memory foam (seat)

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	35-42	889-1067
Seat width	20	508	Overall width	25 ¼	641
Seat depth	18	457	Overall depth	28	711
Back height	19-22	483-559	Width between arms	20 ½	521
Back width	25 ¼	641			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
<b>FN X11</b>	<b>E3</b> Black	Grade 1 <b>918</b>	<b>XCON</b> Std	<b>P</b> Std	<b>NB</b> Std	<b>HDW</b> Std	<b>HLA</b> Std	<b>C33</b> <sup>(1)</sup> <b>130</b>
		Grade 3 <b>948</b>			<b>PCB</b> 177	<b>SDW</b> 26	<b>AA3</b> 31	<b>SSP</b> <sup>(2)</sup> <b>80</b>
		Grade 4 <b>1,021</b>				<b>BRC</b> 42	<b>HWA3</b> 57	
		Grade 5 <b>1,054</b>				<b>BGL</b> 31	<b>3D3</b> 31	
		Grade 6 <b>1,159</b>						
		Grade 7 <b>1,567</b>						

(1) **C33**: In Whisper vinyl only.

(2) **SSP**: N/A with **PCB**.



## GUEST

### SPECIFICATIONS

- All models ship assembled.
- All options are available in Cal-133 option. Upholstery selection is limited to Whisper vinyl in this series.
- Leather/vinyl dual upholstery is available. First code is your choice of Davenport leather color for the seat and backrest cushions. The rest of the chair is upholstered in black Whisper vinyl.
- Vinyl/vinyl dual upholstery is also available. First code is for the seat and backrest cushions. Second code is for the rest of the chair.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two.
- No C.O.M./C.O.V. available.

#### Vinyl and leather selection for Fortune series:

Grade 1: Dillon vinyl    Grade 3: Whisper vinyl    Grade 4: Silvertex and Cashmere vinyls    Grade 5: Rein vinyl    Grade 6: Leather/vinyl combo    Grade 7: Davenport leather

### GUEST CHAIRS

SAMPLE ORDER: FN32-E3-DLV2-DLV2-HLA

#### FN32



#### Standard features

Fully upholstered back panel  
Dual-density memory foam (seat)  
Cantilevered sled base  
of 1", 12-gauge steel tubing

HLA: Half loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	20	508	Overall height	35	889
Seat width	20	508	Overall width	25 ¼	641
Seat depth	18	457	Overall depth	28	711
Back height	19	483	Width between arms	20 ½	521
Back width	25 ¼	641			

Model	Frame	Upholstery / List (\$)	Arms (\$)	Other options (\$)
FN32	E3 Black	Grade 1 734	HLA Std	C33 <sup>(1)</sup> 130
		Grade 3 765	HWA3 57	
		Grade 4 837	3D3 31	
		Grade 5 869		
		Grade 6 976		
		Grade 7 1,383		

#### FN31



#### Standard features

Fully upholstered back panel  
Dual-density memory foam (seat)  
Cantilevered sled base  
of 1", 12-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	20	508	Overall height	35	889
Seat width	20	508	Overall width	25 ¼	641
Seat depth	18	457	Overall depth	28	711
Back height	19	483			
Back width	25 ¼	641			

Model	Frame	Upholstery / List (\$)	Other options (\$)
FN31	E3 Black	Grade 1 688	C33 <sup>(1)</sup> 130
		Grade 3 720	
		Grade 4 791	
		Grade 5 824	
		Grade 6 930	
		Grade 7 1,337	

(1) C33: In Whisper vinyl only.



## TASK

### SPECIFICATIONS

- All models ship partially K.D. (minimum assembly required).
- All options are available in Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

### TASK CHAIRS

SAMPLE ORDER: FS11-E3-DN08-DN08-P-AB-HDW-3D7

#### FS11



#### Standard features

Synchronous seat control  
5-position tilt lock  
Fully upholstered back panel  
Waterfall seat  
Integrated lumbar support  
Tilt tension

**P:** Pneumatic seat height  
**AB:** Nylon angel base  
**HDW:** Hard dual-wheel casters  
**3D7:** Height adjustable arms with pivoting armrests

#### Dimensions

	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15¾-19¾	467-492	Overall height	36-40	914-1016
Seat width	18¾	476	Overall width	27	686
Seat depth	17¾	451	Overall depth	28¼	718
Back height	23¼	591	Width between arms	18	457
Back width	17¾	448			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
FS11	E3 Black	Grade 1	574	P Std	AB Std	HDW Std	C33 130
		Grade 2	584			SDW 26	
		Grade 3	603			BRC 42	
		Grade 4	642			HLA 15	
		Grade 5	658			AA3 31	
		Grade 6	706			HWA3 57	
		Grade 7	1,069				
		Grade 8	754				

#### FS10



#### Standard features

Synchronous seat control  
5-position tilt lock  
Fully upholstered back panel  
Waterfall seat  
Integrated lumbar support  
Tilt tension

**P:** Pneumatic seat height  
**AB:** Nylon angel base  
**HDW:** Hard dual-wheel casters

#### Dimensions

	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15¾-19¾	467-492	Overall height	36-40	914-1016
Seat width	18¾	476	Overall width	27	686
Seat depth	17¾	451	Overall depth	28¼	718
Back height	23¼	591			
Back width	17¾	448			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)	
FS10	E3 Black	Grade 1	489	P Std	AB Std	C33 130	
		Grade 2	500				HDW Std
		Grade 3	519				SDW 26
		Grade 4	556				BRC 42
		Grade 5	574				
		Grade 6	622				
		Grade 7	984				
		Grade 8	670				

= ASSEMBLY REQUIRED





## CONFERENCE

### SPECIFICATIONS

- All models ship assembled.
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

**POLYPROPYLENE CONFERENCE CHAIRS, UPHOLSTERED SEAT PAD**

SAMPLE ORDER: I014-E3-IS01-AE11-ST-P-APC-CC

**I014**



Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Polypropylene shell	<b>ST:</b> Swivel-tilt control	Seat height	19¾	502	Overall height	29-33	737-838
Matching polypropylene arms	<b>P:</b> Pneumatic seat height	Seat width	17½	445	Overall width	26	660
Upholstered seat pad	<b>AB:</b> Nylon angel base	Seat depth	16	406	Overall depth	26	660
Upright back lock	<b>HDW:</b> Hard dual wheel casters	Back height	15½	394	Width between arms	20	508
		Back width	19¾	502			

Model	Frame	Polypropylene shell colors	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)
I014	E3 Black	IS01 White	Grade 1 728	ST Std	P Std	AB Std	HDW Std
		IS03 Black	Grade 2 739				SDW 26
		IS06 Red	Grade 3 757				BRC 42
			Grade 4 794				BGL 31
			Grade 5 810				CC 99
			Grade 6 857				CF 120
			Grade 7 1,159				
			Grade 8 903				

**I013**



Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Polypropylene shell	<b>ST:</b> Swivel-tilt control	Seat height	19¾	502	Overall height	29-33	737-838
Upholstered seat pad	<b>P:</b> Pneumatic seat height	Seat width	17½	445	Overall width	26	660
Upright back lock	<b>AB:</b> Nylon angel base	Seat depth	16	406	Overall depth	26	660
	<b>HDW:</b> Hard dual wheel casters	Back height	15½	394			
		Back width	19¾	502			

Model	Frame	Polypropylene shell colors	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)
I013	E3 Black	IS01 White	Grade 1 676	ST Std	P Std	AB Std	HDW Std
		IS03 Black	Grade 2 687				SDW 26
		IS06 Red	Grade 3 705				BRC 42
			Grade 4 742				BGL 31
			Grade 5 758				CC 99
			Grade 6 805				CF 120
			Grade 7 1,107				
			Grade 8 851				

**I012**



Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Polypropylene shell	<b>ST:</b> Swivel-tilt control	Seat height	19¾	502	Overall height	29-33	737-838
Matching polypropylene arms	<b>P:</b> Pneumatic seat height	Seat width	17½	445	Overall width	26	660
	<b>AB:</b> Nylon angel base	Seat depth	16	406	Overall depth	26	660
	<b>HDW:</b> Hard dual wheel casters	Back height	15½	394	Width between arms	20	508
		Back width	19¾	502			

Model	Frame / Legs	Polypropylene shell colors	List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	
<b>I012</b>	<b>E3</b> Black	<b>IS01</b> White	<b>650</b>	<b>ST</b> Std	<b>P</b> Std	<b>AB</b> Std	<b>HDW</b> Std	
		<b>IS03</b> Black					<b>APC</b> <b>99</b>	<b>SDW</b> <b>26</b>
		<b>IS06</b> Red						<b>BRC</b> <b>42</b>
								<b>BGL</b> <b>31</b>
							<b>CC</b> <b>99</b>	
							<b>CF</b> <b>120</b>	

**I011**



Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Polypropylene shell	<b>ST:</b> Swivel-tilt control	Seat height	19¾	502	Overall height	29-33	737-838
Upright back lock	<b>P:</b> Pneumatic seat height	Seat width	17½	445	Overall width	26	660
	<b>AB:</b> Nylon angel base	Seat depth	16	406	Overall depth	26	660
	<b>HDW:</b> Hard dual wheel casters	Back height	15½	394			
		Back width	19¾	502			

Model	Frame / Legs	Polypropylene shell colors	List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	
<b>I011</b>	<b>E3</b> Black	<b>IS01</b> White	<b>598</b>	<b>ST</b> Std	<b>P</b> Std	<b>AB</b> Std	<b>HDW</b> Std	
		<b>IS03</b> Black					<b>APC</b> <b>99</b>	<b>SDW</b> <b>26</b>
		<b>IS06</b> Red						<b>BRC</b> <b>42</b>
								<b>BGL</b> <b>31</b>
							<b>CC</b> <b>99</b>	
							<b>CF</b> <b>120</b>	



## GUEST

### SPECIFICATIONS

- All models ship assembled.
- Stacking chairs should be ordered by number of cartons desired.
- C.O.M./C.O.V. available. Please refer to page 82.

**POLYPROPYLENE GUEST CHAIRS, UPHOLSTERED SEAT PAD**

SAMPLE ORDER: I034-WD-IS01-AE11-QP

I034		Standard features		Dimensions (in)		Dimensions (mm)	
		Ships 4 by carton		ML: Metal legs	Seat height	18 ½	470
		Polypropylene shell			Seat width	17 ½	445
		Matching polypropylene arms			Seat depth	16	406
		Upholstered seat pad			Back height	15 ½	394
		Stacks 4 high			Back width	19 ¾	502
		Overall height		32	813		
		Overall width		23 ½	597		
		Overall depth		20 ½	521		
		Width between arms		20	508		

Model	Legs (\$)	Polypropylene shell colors	Upholstery / List (\$)	Other Options (\$)
I034	ML Std	ISO1 White	Grade 1 415 x 4 = 1,660	QP Std
	WD 83 x 4 = 332	ISO3 Black	Grade 2 426 x 4 = 1,704	DP 21/chair
		ISO6 Red	Grade 3 444 x 4 = 1,776	SP 42/chair
			Grade 4 480 x 4 = 1,920	
			Grade 5 497 x 4 = 1,988	
			Grade 6 544 x 4 = 2,176	
			Grade 7 846 x 4 = 3,384	
			Grade 8 590 x 4 = 2,360	

I033		Standard features		Dimensions (in)		Dimensions (mm)	
		Ships 4 by carton		ML: Metal legs	Seat height	18 ½	470
		Polypropylene shell			Seat width	17 ½	445
		Upholstered seat pad			Seat depth	16	406
		Stacks 4 high			Back height	15 ½	394
					Back width	19 ¾	502
		Overall height		32	813		
		Overall width		20	508		
		Overall depth		20 ½	521		

Model	Legs (\$)	Polypropylene shell colors	Upholstery / List (\$)	Other Options (\$)
I033	ML Std	ISO1 White	Grade 1 394 x 4 = 1,576	QP Std
	WD 83 x 4 = 332	ISO3 Black	Grade 2 406 x 4 = 1,624	DP 21/chair
		ISO6 Red	Grade 3 423 x 4 = 1,692	SP 42/chair
			Grade 4 460 x 4 = 1,840	
			Grade 5 476 x 4 = 1,904	
			Grade 6 523 x 4 = 2,092	
			Grade 7 825 x 4 = 3,300	
			Grade 8 569 x 4 = 2,276	


**I032**



Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Ships 4 by carton <b>ML: Metal legs</b>		Seat height	18 ½	470	Overall height	32	813
Polypropylene shell		Seat width	17 ½	445	Overall width	23 ½	597
Matching polypropylene arms		Seat depth	16	406	Overall depth	20 ½	521
Stacks 6 high		Back height	15 ½	394	Width between arms	20	508
		Back width	19 ¾	502			

Model	Legs (\$)	Polypropylene shell colors	List (\$)	Other Options (\$)
<b>I032</b>	<b>ML</b> Std	<b>IS01</b> White	<b>311 x 4 = 1,244</b>	<b>QP</b> Std
	<b>WD 83 x 4 = 332</b>	<b>IS03</b> Black		<b>DP</b> 21/chair
		<b>IS06</b> Red		<b>SP</b> 42/chair

**I031**



Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Ships 4 by carton <b>ML: Metal legs</b>		Seat height	18 ½	470	Overall height	32	813
Polypropylene shell		Seat width	17 ½	445	Overall width	20	508
Stacks 6 high		Seat depth	16	406	Overall depth	20 ½	521
		Back height	15 ½	394			
		Back width	19 ¾	502			

Model	Legs (\$)	Polypropylene shell colors	List (\$)	Other Options (\$)
<b>I031</b>	<b>ML</b> Std	<b>IS01</b> White	<b>290 x 4 = 1,160</b>	<b>QP</b> Std
	<b>WD 83 x 4 = 332</b>	<b>IS03</b> Black		<b>DP</b> 21/chair
		<b>IS06</b> Red		<b>SP</b> 42/chair



## STOOL


### SPECIFICATIONS

- All models ship assembled.
- Only available with metal legs.
- C.O.M./C.O.V. available. Please refer to page 82.

**POLYPROPYLENE CAFÉ HEIGHT STOOLS, UPHOLSTERED SEAT PAD**

SAMPLE ORDER: I034H-ML-IS06-SL12


### I034H



Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Polypropylene shell	ML: Metal legs	Seat height	30 ½	775	Overall height	44	1118
Matching polypropylene arms		Seat width	17 ½	445	Overall width	23 ½	597
Upholstered seat pad		Seat depth	16	406	Overall depth	20 ½	521
		Back height	15 ½	394	Width between arms	20	508
		Back width	19 ¾	502			

Model	Legs	Polypropylene shell colors	Upholstery / List (\$)		
I034H	ML	Std	IS01 White	Grade 1	806
			IS03 Black	Grade 2	817
			IS06 Red	Grade 3	835
				Grade 4	872
				Grade 5	888
				Grade 6	935
				Grade 7	1,237
				Grade 8	981

### I033H




Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Polypropylene shell	ML: Metal legs	Seat height	30 ½	775	Overall height	44	1118
Upholstered seat pad		Seat width	17 ½	445	Overall width	20	508
		Seat depth	16	406	Overall depth	20 ½	521
		Back height	15 ½	394			
		Back width	19 ¾	502			

Model	Legs	Polypropylene shell colors	Upholstery / List (\$)		
I033H	ML	Std	IS01 White	Grade 1	780
			IS03 Black	Grade 2	791
			IS06 Red	Grade 3	809
				Grade 4	846
				Grade 5	862
				Grade 6	909
				Grade 7	1,211
				Grade 8	955




**I032H**



Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Polypropylene shell	<b>ML:</b> Metal legs	Seat height	30 ½	775	Overall height	44	1118
Matching polypropylene arms		Seat width	17 ½	445	Overall width	23 ½	597
		Seat depth	16	406	Overall depth	20 ½	521
		Back height	15 ½	394	Width between arms	20	508
		Back width	19 ¾	502			

Model	Legs		Polypropylene shell colors	List (\$)
<b>I032H</b>	<b>ML</b>	Std	<b>IS01</b> White <b>IS03</b> Black <b>IS06</b> Red	<b>676</b>

**I031H**



Standard features		Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Polypropylene shell	<b>ML:</b> Metal legs	Seat height	30 ½	775	Overall height	44	1118
		Seat width	17 ½	445	Overall width	20	508
		Seat depth	16	406	Overall depth	20 ½	521
		Back height	15 ½	394			
		Back width	19 ¾	502			

Model	Legs		Polypropylene shell colors	List (\$)
<b>I031H</b>	<b>ML</b>	Std	<b>IS01</b> White <b>IS03</b> Black <b>IS06</b> Red	<b>650</b>

## EXECUTIVE AND MANAGEMENT



### SPECIFICATIONS

- All models ship assembled.
- Eco-friendly conception, designed for recycling. Identification of recyclable components.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

### EXECUTIVE CHAIRS

SAMPLE ORDER: ON16-E3-CPT85-CPT85-FTL-NB-HDW-AA5

#### ON16



#### Standard features

Waterfall seat  
Back height adjustment  
Seat depth adjustment  
Pneumatic seat height

**FTL:** Synchronous control with forward tilt, 4-position back lock  
**NB:** Nylon base  
**HDW:** Hard dual-wheel casters  
**FA:** Fixed arms with 10" PVC armrests

#### Dimensions

	(in)	(mm)
Seat height	16 3/8-20 3/4	416-526
Seat width	19	483
Seat depth	16 1/2-17 3/4	418-451
Back height	22 7/8-24	583-610
Back width	18	457

#### Dimensions

	(in)	(mm)
Overall height	37 1/4-44 3/4	946-1137
Overall width	25 1/2	648
Overall depth	24 1/2	622
Width between arms	17 1/4	435

Model	Frame	Upholstery / List (\$)		Control (\$)		Base (\$)		Casters (\$)		Arms (\$)	
ON16	E3 Black	Grade 1	658	FTL	Std	NB	Std	HDW	Std	FA	Std
		Grade 2	670			SB	62	SDW	26	AA5	31
		Grade 3	687			PCB	177	BRC	42	RPA	73
		Grade 4	726					BGL	31		
		Grade 5	743								
		Grade 6	790								
		Grade 7	1,153								
		Grade 8	838								

#### ON15



#### Standard features

Waterfall seat  
Back height adjustment  
Seat depth adjustment  
Pneumatic seat height

**FTL:** Synchronous control with forward tilt, 4-position back lock  
**NB:** Nylon base  
**HDW:** Hard dual-wheel casters

#### Dimensions

	(in)	(mm)
Seat height	16 3/8-20 3/4	416-526
Seat width	19	483
Seat depth	16 1/2-17 3/4	418-451
Back height	22 7/8-24	583-610
Back width	18	457

#### Dimensions

	(in)	(mm)
Overall height	37 1/4-44 3/4	946-1137
Overall width	23 3/4	603
Overall depth	24 1/2	622

Model	Frame	Upholstery / List (\$)		Control (\$)		Base (\$)		Casters (\$)	
ON15	E3 Black	Grade 1	619	FTL	Std	NB	Std	HDW	Std
		Grade 2	630			SB	62	SDW	26
		Grade 3	648			PCB	177	BRC	42
		Grade 4	686					BGL	31
		Grade 5	703						
		Grade 6	752						
		Grade 7	1,114						
		Grade 8	799						

**ON11**



**Standard features**

Waterfall seat  
 Back height adjustment  
 Seat depth adjustment  
 Pneumatic seat height

**FTL:** Synchronous control with forward tilt, 4-position back lock  
**NB:** Nylon base  
**HDW:** Hard dual-wheel casters  
**FA:** Fixed arms with 10" PVC armrests

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	16 3/8-20 3/4	416-526	Overall height	33 7/8-41 3/8	860-1051		
Seat width	19	483	Overall width	25 1/2	648		
Seat depth	16 3/8-17 1/2	416-444	Overall depth	24 1/2	622		
Back height	19 7/8-22	505-559	Width between arms	17 3/8	435		
Back width	17 3/4	451					

Model	Frame	Upholstery / List (\$)		Control (\$)		Base (\$)		Casters (\$)		Arms (\$)	
<b>ON11</b>	<b>E3 Black</b>	Grade 1	<b>613</b>	<b>FTL</b>	Std	<b>NB</b>	Std	<b>HDW</b>	Std	<b>FA</b>	Std
		Grade 2	<b>624</b>			<b>SB</b>	<b>62</b>	<b>SDW</b>	<b>26</b>	<b>AA5</b>	<b>31</b>
		Grade 3	<b>643</b>			<b>PCB</b>	<b>177</b>	<b>BRC</b>	<b>42</b>	<b>RPA</b>	<b>73</b>
		Grade 4	<b>680</b>					<b>BGL</b>	<b>31</b>		
		Grade 5	<b>698</b>								
		Grade 6	<b>746</b>								
		Grade 7	<b>1,108</b>								
		Grade 8	<b>794</b>								

**ON10**



**Standard features**

Waterfall seat  
 Back height adjustment  
 Seat depth adjustment  
 Pneumatic seat height

**FTL:** Synchronous control with forward tilt, 4-position back lock  
**NB:** Nylon base  
**HDW:** Hard dual-wheel casters

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	16 3/8-20 3/4	416-526	Overall height	33 7/8-41 3/8	860-1051		
Seat width	19	483	Overall width	23 3/4	603		
Seat depth	16 3/8-17 1/2	416-444	Overall depth	24 1/2	622		
Back height	19 7/8-22	505-559					
Back width	17 3/4	451					

Model	Frame	Upholstery / List (\$)		Control (\$)		Base (\$)		Casters (\$)	
<b>ON10</b>	<b>E3 Black</b>	Grade 1	<b>574</b>	<b>FTL</b>	Std	<b>NB</b>	Std	<b>HDW</b>	Std
		Grade 2	<b>584</b>			<b>SB</b>	<b>62</b>	<b>SDW</b>	<b>26</b>
		Grade 3	<b>603</b>			<b>PCB</b>	<b>177</b>	<b>BRC</b>	<b>42</b>
		Grade 4	<b>642</b>					<b>BGL</b>	<b>31</b>
		Grade 5	<b>658</b>						
		Grade 6	<b>706</b>						
		Grade 7	<b>1,069</b>						
		Grade 8	<b>754</b>						



## GUEST

### SPECIFICATIONS

- All models ship assembled.
- Eco-friendly conception, designed for recycling. Identification of recyclable components.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available on ON33, ON33C, ON34 and ON34C models. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- When E8 Metallic Silver frame finish is chosen, all plastic components remain black.
- ON31C, ON32C, ON33C and ON34C come with 2" (51 mm) hard plastic black dual-wheel casters.

#### POLYPROPYLENE BACK AND UPHOLSTERED SEAT GUEST CHAIRS

SAMPLE ORDER: ON32C-E8-ONWH-XM12-HDW-SP

#### ON32




##### Standard features

Ships 2 per carton  
Stacks 6 high  
Polypropylene back shell  
Upholstered seat  
Back flex of 2" (51 mm)  
1", 13-gauge round steel tubing  
Steel tubular frame arms  
Self-skinning polyurethane armrests  
High-density polyethylene floor glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	32	819
Seat width	18 ¾	476	Overall width	23	584
Seat depth	18 ¼	463	Overall depth	24 ½	622
Back height	15 ¼	387	Width between arms	19 ½	495
Back width	17	432			

Model	Frame	Polypropylene shell colors	Upholstery / List (\$)	Other options (\$)
ON32	E3 Black	ONBK Black	Grade 1 348 x 2 = 696	SP 42/chair
	E8 Metallic Silver	ONPT Platinum	Grade 2 360 x 2 = 720	
		ONWH White	Grade 3 378 x 2 = 756	
			Grade 4 416 x 2 = 832	
			Grade 5 433 x 2 = 866	
			Grade 6 482 x 2 = 964	
			Grade 7 843 x 2 = 1,686	
			Grade 8 528 x 2 = 1,056	

#### ON32C



##### Standard features

Ships 2 per carton **HDW: Hard dual-wheel casters**  
Stacks 4 high  
Polypropylene back shell  
Upholstered seat  
Back flex of 2" (51 mm)  
1", 13-gauge round steel tubing  
Steel tubular frame arms  
Self-skinning polyurethane armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	32	819
Seat width	18 ¾	476	Overall width	23	584
Seat depth	18 ¼	463	Overall depth	24	610
Back height	15 ¼	387	Width between arms	19 ½	495
Back width	17	432			

Model	Frame	Polypropylene shell colors	Upholstery / List (\$)	Casters (\$)	Other options (\$)
ON32C	E3 Black	ONBK Black	Grade 1 371 x 2 = 742	HDW Std SDW 26 x 2 = 52	SP 42/chair
	E8 Metallic Silver	ONPT Platinum	Grade 2 383 x 2 = 766		
		ONWH White	Grade 3 400 x 2 = 800		
			Grade 4 439 x 2 = 878		
			Grade 5 456 x 2 = 912		
			Grade 6 504 x 2 = 1,008		
			Grade 7 866 x 2 = 1,732		
			Grade 8 551 x 2 = 1,102		

**ON31**




**Standard features**

Ships 2 per carton  
 Stacks 6 high  
 Polypropylene back shell  
 Upholstered seat  
 Back flex of 2" (51 mm)  
 1", 13-gauge round steel tubing  
 High-density polyethylene floor glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	32	819
Seat width	18¾	476	Overall width	20½	517
Seat depth	18¼	463	Overall depth	24½	622
Back height	15¼	387			
Back width	17	432			

Model	Frame	Polypropylene shell colors	Upholstery / List (\$)	Other options (\$)
ON31	E3 Black	ONBK Black	Grade 1 304 x 2 = 608	SP 42/chair
		ONPT Platinum	Grade 2 315 x 2 = 630	
	E8 Metallic Silver	ONWH White	Grade 3 333 x 2 = 666	
			Grade 4 371 x 2 = 742	
			Grade 5 388 x 2 = 776	
			Grade 6 437 x 2 = 874	
			Grade 7 799 x 2 = 1,598	
			Grade 8 484 x 2 = 968	

**ON31C**



**Standard features**

Ships 2 per carton **HDW:** Hard dual-wheel casters  
 Stacks 6 high  
 Polypropylene back shell  
 Upholstered seat  
 Back flex of 2" (51 mm)  
 1", 13-gauge round steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	32	819
Seat width	18¾	476	Overall width	20½	517
Seat depth	18¼	463	Overall depth	24	610
Back height	15¼	387			
Back width	17	432			

Model	Frame	Polypropylene shell colors	Upholstery / List (\$)	Casters (\$)	Other options (\$)
ON31C	E3 Black	ONBK Black	Grade 1 327 x 2 = 654	HDW Std SDW 26 x 2 = 52	SP 42/chair
		ONPT Platinum	Grade 2 337 x 2 = 674		
	E8 Metallic Silver	ONWH White	Grade 3 356 x 2 = 712		
			Grade 4 394 x 2 = 788		
			Grade 5 411 x 2 = 822		
			Grade 6 459 x 2 = 918		
			Grade 7 822 x 2 = 1,644		
			Grade 8 506 x 2 = 1,012		

**ON34**




**Standard features**

Ships 2 per carton  
 Stacks 6 high  
 Upholstered seat and back  
 Back flex of 2" (51 mm)  
 1", 13-gauge round steel tubing  
 Steel tubular frame arms  
 Self-skinning polyurethane armrests  
 High-density polyethylene floor glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	32¾	857
Seat width	18¾	476	Overall width	23	584
Seat depth	18¼	463	Overall depth	24½	622
Back height	16	406	Width between arms	19½	495
Back width	18	457			

Model	Frame	Upholstery / List (\$)	Other options (\$)
ON34	E3 Black	Grade 1 405 x 2 = 810	SP 42/chair
		Grade 2 416 x 2 = 832	
	E8 Metallic Silver	Grade 3 434 x 2 = 868	
		Grade 4 472 x 2 = 944	
		Grade 5 489 x 2 = 978	
		Grade 6 538 x 2 = 1,076	
		Grade 7 900 x 2 = 1,800	
		Grade 8 584 x 2 = 1,168	

**ON34C**



**Standard features**

Ships 2 per carton **HDW:** Hard dual-wheel casters  
 Stacks 4 high  
 Upholstered seat and back  
 Back flex of 2" (51 mm)  
 1", 13-gauge round steel tubing  
 Steel tubular frame arms  
 Self-skinning polyurethane armrests

**Dimensions**

	(in)	(mm)
Seat height	18	457
Seat width	18 ¾	476
Seat depth	18 ¼	463
Back height	16	406
Back width	18	457

**Dimensions**

	(in)	(mm)
Overall height	32 ¾	857
Overall width	23	584
Overall depth	24	610
Width between arms	19 ½	495

Model	Frame	Upholstery / List (\$)	Casters (\$)	Other options (\$)
<b>ON34C</b>	<b>E3</b> Black	Grade 1 427 x 2 = 854	<b>HDW</b> Std	<b>SP</b> 42/chair
	<b>E8</b> Metallic Silver	Grade 2 439 x 2 = 878	<b>SDW</b> 26 x 2 = 52	
		Grade 3 457 x 2 = 914		
		Grade 4 495 x 2 = 990		
		Grade 5 512 x 2 = 1,024		
		Grade 6 561 x 2 = 1,122		
		Grade 7 922 x 2 = 1,844		
		Grade 8 607 x 2 = 1,214		

**ON33**



**Standard features**

Ships 2 per carton  
 Stacks 6 high  
 Upholstered seat and back  
 Back flex of 2" (51 mm)  
 1", 13-gauge round steel tubing  
 High-density polyethylene floor glides

**Dimensions**


	(in)	(mm)
Seat height	18	457
Seat width	18 ¾	476
Seat depth	18 ¼	463
Back height	16	406
Back width	18	457

**Dimensions**

	(in)	(mm)
Overall height	32 ¾	857
Overall width	20 ½	517
Overall depth	24 ½	622

Model	Frame	Upholstery / List (\$)	Other options (\$)
<b>ON33</b>	<b>E3</b> Black	Grade 1 360 x 2 = 720	<b>SP</b> 42/chair
	<b>E8</b> Metallic Silver	Grade 2 371 x 2 = 742	
		Grade 3 389 x 2 = 778	
		Grade 4 427 x 2 = 854	
		Grade 5 444 x 2 = 888	
		Grade 6 493 x 2 = 986	
		Grade 7 855 x 2 = 1,710	
		Grade 8 540 x 2 = 1,080	

**ON33C**



**Standard features**

Ships 2 per carton **HDW:** Hard dual-wheel casters  
 Stacks 6 high  
 Upholstered seat and back  
 Back flex of 2" (51 mm)  
 1", 13-gauge round steel tubing

**Dimensions**

	(in)	(mm)
Seat height	18	457
Seat width	18 ¾	476
Seat depth	18 ¼	463
Back height	16	406
Back width	18	457

**Dimensions**

	(in)	(mm)
Overall height	32 ¾	857
Overall width	20 ½	517
Overall depth	24	610

Model	Frame	Upholstery / List (\$)	Casters (\$)	Other options (\$)
<b>ON33C</b>	<b>E3</b> Black	Grade 1 383 x 2 = 766	<b>HDW</b> Std	<b>SP</b> 42/chair
	<b>E8</b> Metallic Silver	Grade 2 394 x 2 = 788	<b>SDW</b> 26 x 2 = 52	
		Grade 3 412 x 2 = 824		
		Grade 4 450 x 2 = 900		
		Grade 5 467 x 2 = 934		
		Grade 6 515 x 2 = 1,030		
		Grade 7 878 x 2 = 1,756		
		Grade 8 563 x 2 = 1,126		



## STOOL

### SPECIFICATIONS

- All models ship assembled.
- Eco-friendly conception, designed for recycling. Identification of recyclable components.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

### STOOLS

SAMPLE ORDER: ON52-E3-SL01-SL01-FTL-P-CAB-HDW-AA5

#### ON52



#### Standard features

Waterfall seat	<b>FTL:</b> Synchronous control
Back height adjustment	with forward tilt,
Seat depth adjustment	4-position back lock
Pneumatic seat height	<b>CAB:</b> Cast-aluminum base
Adjustable polished chrome footring	<b>HDW:</b> Hard dual-wheel casters
	<b>FA:</b> Fixed arms with 10" PVC armrests

	Dimensions (in)	Dimensions (mm)		Dimensions (in)	Dimensions (mm)
Seat height	26 1/2-32 3/16	673-818	Overall height	45 7/8-54 1/2	1166-1384
Seat width	19	483	Overall width	25 1/2	648
Seat depth	16 3/8-17 1/2	416-444	Overall depth	24 1/2	622
Back height	19 7/8-22	505-559	Width between arms	17 3/8	435
Back width	17 3/4	451			

Model	Frame	Upholstery / List (\$)	Control	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	
ON52	E3 Black	Grade 1	787	FTL Std	P Std	CAB Std	HDW Std	FA Std
		Grade 2	799		SCL 78		SDW 26	AA5 31
		Grade 3	816		XTC 62		BRC 42	RPA 73
		Grade 4	855				BGL 31	
		Grade 5	872					
		Grade 6	920					
		Grade 7	1,282					
		Grade 8	967					

#### ON51



#### Standard features

Waterfall seat	<b>FTL:</b> Synchronous control
Back height adjustment	with forward tilt,
Seat depth adjustment	4-position back lock
Pneumatic seat height	<b>CAB:</b> Cast-aluminum base
Adjustable polished chrome footring	<b>HDW:</b> Hard dual-wheel casters

	Dimensions (in)	Dimensions (mm)		Dimensions (in)	Dimensions (mm)
Seat height	26 1/2-32 3/16	673-818	Overall height	45 7/8-54 1/2	1166-1384
Seat width	19	483	Overall width	25 1/2	648
Seat depth	16 3/8-17 1/2	416-444	Overall depth	24 1/2	622
Back height	19 7/8-22	505-559			
Back width	17 3/4	451			

Model	Frame	Upholstery / List (\$)	Control	Cylinder (\$)	Base (\$)	Casters (\$)	
ON51	E3 Black	Grade 1	748	FTL Std	P Std	CAB Std	HDW Std
		Grade 2	759		SCL 78		SDW 26
		Grade 3	777		XTC 62		BRC 42
		Grade 4	815				BGL 31
		Grade 5	832				
		Grade 6	881				
		Grade 7	1,243				
		Grade 8	928				






## CONFERENCE

### SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl, leather/fabric and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest and arms, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters in chrome finish.

## DUAL UPHOLSTERY APPLICATION


SAMPLE ORDER: PP14-E3-DN05-DN05-ST-CP-PCB-CF



### CONFERENCE CHAIRS

SAMPLE ORDER: PP14-E3-DN05-DN05-ST-CP-PCB-CF

### PP14



#### Standard features

High back  
Upright back lock  
Integrated lumbar support

**ST:** Swivel-tilt control  
**CP:** Chrome pneumatic cylinder  
**PCB:** Polished chrome base  
**CC:** Chrome hard dual-wheel casters

#### Dimensions

	(in)	(mm)
Seat height	24 ½-30	622-762
Seat width	16	406
Seat depth	19 ½	495
Back height	24 ½	622
Back width	22	559

#### Dimensions

	(in)	(mm)
Overall height	40 ½-46	1029-1168
Overall width	30 ¼	768
Overall depth	26	660
Width between arms	19	483

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)	
PP14	E3 Black	Grade 1	1,560	ST Std	CP Std	PCB Std	CC Std	CSB 52
		Grade 2	1,571				CF 120	CSW 52
		Grade 3	1,589				BGL 31	
		Grade 4	1,626					
		Grade 5	1,642					
		Grade 6	1,689					
		Grade 7	1,991					
		Grade 8	1,735					

**PP12**




**Standard features**

Medium back **ST:** Swivel-tilt control  
 Upright back lock **CP:** Chrome pneumatic cylinder  
 Integrated lumbar support **PCB:** Polished chrome base  
**CC:** Chrome hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	21 ½-27	546-686	Overall height	37 ½-43	953-1092
Seat width	16	406	Overall width	30 ¼	768
Seat depth	19 ½	495	Overall depth	26	660
Back height	21 ½	546	Width between arms	19	483
Back width	22	559			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)	
PP12	E3 Black	Grade 1	1,456	ST Std	CP Std	PCB Std	CC Std	CSB 52
		Grade 2	1,467				CF 120	CSW 52
		Grade 3	1,485				BGL 31	
		Grade 4	1,522					
		Grade 5	1,538					
		Grade 6	1,585					
		Grade 7	1,887					
		Grade 8	1,631					

**PP4**



**Standard features**

Low back **ST:** Swivel-tilt control  
 Upright back lock **CP:** Chrome pneumatic cylinder  
 Integrated lumbar support **PCB:** Polished chrome base  
**CC:** Chrome hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18 ½-24	470-610	Overall height	34 ½-40	876-1016
Seat width	16	406	Overall width	30 ¼	768
Seat depth	19 ½	495	Overall depth	26	660
Back height	18 ½	470	Width between arms	19	483
Back width	22	559			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)	
PP4	E3 Black	Grade 1	1,352	ST Std	CP Std	PCB Std	CC Std	CSB 52
		Grade 2	1,363				CF 120	CSW 52
		Grade 3	1,381				BGL 31	
		Grade 4	1,418					
		Grade 5	1,434					
		Grade 6	1,481					
		Grade 7	1,783					
		Grade 8	1,527					



## TASK

### SPECIFICATIONS

- All models ship assembled.
- All options are available in Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

### TASK CHAIRS

SAMPLE ORDER: RD16-E3-AM24-AM24-XCON-P-NB-HDW-AA5

#### RD16




#### Standard features

Tilt tension **XCON:** Multifunction control  
 Black rugged outer polymer shell **P:** Pneumatic seat height  
 Integrated lumbar support **NB:** Nylon base  
 Waterfall seat front **HDW:** Hard dual-wheel casters  
 Back height adjustment **AA5:** Height adjustable arms  
 Independently adjustable seat and back angle  
 Infinite tilt lock

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15-20	381-508	Overall height	36-43	914-1092
Seat width	19	483	Overall width	29	737
Seat depth	17	432	Overall depth	25 ½	648
Back height	22 ½-24	572-609	Width between arms	18	457
Back width	17 ½	445			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
RD16	E3 Black	Grade 1	613	XCON Std	P Std	NB Std	HDW Std	AA5 Std	SSP <sup>(1)</sup> 80
		Grade 2	624			SB 62	SDW 26	HLA 15	UP 174
		Grade 3	643			PCB 177	BRC 42	3D5 31	C33 130
		Grade 4	680			BGL 31	HWA5 57		
		Grade 5	698						
		Grade 6	746						
		Grade 7	1,108						
		Grade 8	794						

#### RD15



#### Standard features

Tilt tension **XCON:** Multifunction control  
 Black rugged outer polymer shell **P:** Pneumatic seat height  
 Integrated lumbar support **NB:** Nylon base  
 Waterfall seat front **HDW:** Hard dual-wheel casters  
 Back height adjustment  
 Independently adjustable seat and back angle  
 Infinite tilt lock

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15-20	381-508	Overall height	36-43	914-1092
Seat width	19	483	Overall width	26	660
Seat depth	17	432	Overall depth	25 ½	648
Back height	22 ½-24	572-609			
Back width	17 ½	445			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)	
RD15	E3 Black	Grade 1	538	XCON Std	P Std	NB Std	HDW Std	SSP <sup>(1)</sup> 80
		Grade 2	549			SB 62	SDW 26	UP 174
		Grade 3	567			PCB 177	BRC 42	C33 130
		Grade 4	605			BGL 31		
		Grade 5	622					
		Grade 6	671					
		Grade 7	1,033					
		Grade 8	718					

(1) SSP: Comes with cast-aluminum base.

**RD11**




**Standard features**

Tilt tension **STB:** Swivel-tilt control with  
 Black rugged outer polymer shell back angle adjustment  
 Integrated lumbar support **P:** Pneumatic seat height  
 Waterfall seat front **NB:** Nylon base  
 Back height adjustment **HDW:** Hard dual-wheel casters  
 Tilt lock **AA5:** Height adjustable arms

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	15-20	381-508	Overall height	36-43	914-1092		
Seat width	19	483	Overall width	29	737		
Seat depth	17	432	Overall depth	25 ½	648		
Back height	22 ½-24	572-609	Width between arms	18	457		
Back width	17 ½	445					

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)			
<b>RD11</b>	<b>E3 Black</b>	Grade 1	<b>568</b>	Grade 5	<b>652</b>	<b>STB</b>	Std	<b>P</b>	Std	<b>NB</b>	Std	<b>HDW</b>	Std	<b>AA5</b>	Std	<b>UP</b>	<b>174</b>
		Grade 2	<b>579</b>	Grade 6	<b>701</b>			<b>SB</b>	<b>62</b>	<b>SDW</b>	<b>26</b>	<b>HLA</b>	<b>15</b>	<b>C33</b>		<b>130</b>	
		Grade 3	<b>597</b>	Grade 7	<b>1,063</b>			<b>PCB</b>	<b>177</b>	<b>BRC</b>	<b>42</b>	<b>3D5</b>	<b>31</b>				
		Grade 4	<b>635</b>	Grade 8	<b>748</b>					<b>BGL</b>	<b>31</b>	<b>HWA5</b>	<b>57</b>				

**RD10**



**Standard features**

Tilt tension **STB:** Swivel-tilt control with  
 Black rugged outer polymer shell back angle adjustment  
 Integrated lumbar support **P:** Pneumatic seat height  
 Waterfall seat front **NB:** Nylon base  
 Back height adjustment **HDW:** Hard dual-wheel casters  
 Tilt lock

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	15-20	381-508	Overall height	36-43	914-1092		
Seat width	19	483	Overall width	26	660		
Seat depth	17	432	Overall depth	25 ½	648		
Back height	22 ½-24	572-609					
Back width	17 ½	445					

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)	
<b>RD10</b>	<b>E3 Black</b>	Grade 1	<b>493</b>	Grade 5	<b>577</b>	<b>STB</b>	Std	<b>P</b>	Std	<b>NB</b>	Std	<b>HDW</b>	Std	<b>UP</b>	<b>174</b>
		Grade 2	<b>504</b>	Grade 6	<b>625</b>			<b>SB</b>	<b>62</b>	<b>SDW</b>	<b>26</b>	<b>HLA</b>	<b>15</b>	<b>C33</b>	<b>130</b>
		Grade 3	<b>522</b>	Grade 7	<b>988</b>			<b>PCB</b>	<b>177</b>	<b>BRC</b>	<b>42</b>				
		Grade 4	<b>561</b>	Grade 8	<b>673</b>					<b>BGL</b>	<b>31</b>				

**RD6**



**Standard features**

Tilt tension **ST:** Swivel-tilt control  
 Black rugged outer polymer shell **P:** Pneumatic seat height  
 Integrated lumbar support **NB:** Nylon base  
 Waterfall seat front **HDW:** Hard dual-wheel casters  
 Tilt lock **AA5:** Height adjustable arms

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	15 ¾-20 ¼	400-514	Overall height	33-37 ½	838-953		
Seat width	19	483	Overall width	29	737		
Seat depth	16 ¼	413	Overall depth	25 ½	648		
Back height	18 ½	470	Width between arms	18	457		
Back width	16 ½	419					

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)			
<b>RD6</b>	<b>E3 Black</b>	Grade 1	<b>512</b>	Grade 5	<b>596</b>	<b>ST</b>	Std	<b>P</b>	Std	<b>NB</b>	Std	<b>HDW</b>	Std	<b>AA5</b>	Std	<b>UP</b>	<b>174</b>
		Grade 2	<b>523</b>	Grade 6	<b>645</b>			<b>SB</b>	<b>62</b>	<b>SDW</b>	<b>26</b>	<b>HLA</b>	<b>15</b>	<b>C33</b>		<b>130</b>	
		Grade 3	<b>541</b>	Grade 7	<b>1,007</b>			<b>PCB</b>	<b>177</b>	<b>BRC</b>	<b>42</b>	<b>3D5</b>	<b>31</b>				
		Grade 4	<b>579</b>	Grade 8	<b>692</b>					<b>BGL</b>	<b>31</b>	<b>HWA5</b>	<b>57</b>				

**RD5**



**Standard features**

Tilt tension **ST:** Swivel-tilt control  
 Black rugged outer polymer shell **P:** Pneumatic seat height  
 Integrated lumbar support **NB:** Nylon base  
 Waterfall seat front **HDW:** Hard dual-wheel casters  
 Tilt lock

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	15 ¾-20 ¼	400-514	Overall height	33-37 ½	838-953		
Seat width	19	483	Overall width	26	660		
Seat depth	16 ¼	413	Overall depth	25 ½	648		
Back height	18 ½	470					
Back width	16 ½	419					

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Arms (\$)		Other options (\$)	
<b>RD5</b>	<b>E3 Black</b>	Grade 1	<b>437</b>	Grade 5	<b>521</b>	<b>ST</b>	Std	<b>P</b>	Std	<b>NB</b>	Std	<b>HDW</b>	Std	<b>UP</b>	<b>174</b>
		Grade 2	<b>448</b>	Grade 6	<b>569</b>			<b>SB</b>	<b>62</b>	<b>SDW</b>	<b>26</b>	<b>HLA</b>	<b>15</b>	<b>C33</b>	<b>130</b>
		Grade 3	<b>466</b>	Grade 7	<b>932</b>			<b>PCB</b>	<b>177</b>	<b>BRC</b>	<b>42</b>				
		Grade 4	<b>504</b>	Grade 8	<b>617</b>					<b>BGL</b>	<b>31</b>				



## STOOL

### SPECIFICATIONS

- All models ship assembled.
- All options are available in Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

**STOOLS** SAMPLE ORDER: RD51-E3-AM24-AM24-SW-P-CAB-HDW

### RD52



#### Standard features


Black rugged outer polymer shell  
 Integrated lumbar support  
 Waterfall seat front  
 Seat depth adjustment  
 Adjustable polished chrome footring

**SW:** Swivel only control  
**P:** Pneumatic seat height  
**CAB:** Cast-aluminum base  
**HDW:** Hard dual-wheel casters  
**AA5:** Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23 ¼-28 ¾	591-730	Overall height	41 ½-47	1054-1194
Seat width	19	483	Overall width	29 ¾	756
Seat depth	16 ½-18 ½	413-470	Overall depth	30	762
Back height	19	483	Width between arms	18	457
Back width	16 ½	419			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
RD52	E3 Black	Grade 1	613	SW Std	P Std	CAB Std	HDW Std	AA5 Std	UP 174
		Grade 2	624		SCL 78		SDW 26	HLA 15	C33 130
		Grade 3	643		XTC 62		BRC 42	3D5 31	
		Grade 4	680				BGL 31	HWA5 57	
		Grade 5	698						
		Grade 6	746						
		Grade 7	1,108						
		Grade 8	794						

### RD51



#### Standard features

Black rugged outer polymer shell  
 Integrated lumbar support  
 Waterfall seat front  
 Seat depth adjustment  
 Adjustable polished chrome footring

**SW:** Swivel only control  
**P:** Pneumatic seat height  
**CAB:** Cast-aluminum base  
**HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23 ¼-28 ¾	591-730	Overall height	41 ½-47	1054-1194
Seat width	19	483	Overall width	26 ¾	679
Seat depth	16 ½-18 ½	413-470	Overall depth	30	762
Back height	19	483			
Back width	16 ½	419			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)	
RD51	E3 Black	Grade 1	538	SW Std	P Std	CAB Std	HDW Std	UP 174
		Grade 2	549		SCL 78		SDW 26	C33 130
		Grade 3	567		XTC 62		BRC 42	
		Grade 4	605				BGL 31	
		Grade 5	622					
		Grade 6	671					
		Grade 7	1,033					
		Grade 8	718					



## MANAGEMENT

### SPECIFICATIONS

- All models ship assembled.
- SA10 and SA11 models with FA arms are available with Cal-133 option. Limited upholstery selection.
- Soft mesh backrest with fabric, vinyl or leather seat upholstery is available for SA13 and SA12 models. First code indicates the color choice of the soft mesh material for backrest; the second upholstery code is for the seat.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available on SA11 and SA10 models. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

#### MANAGEMENT CHAIRS WITH MESH BACK

SAMPLE ORDER: SA13-E3-MNE-AE16-FP-NB-HDW-FA

#### SA13



##### Standard features

Integrated lumbar support  
 Black rugged outer polymer shell  
 Tilt tension adjustment  
 4-position tilt lock  
 Back height adjustment  
 Seat depth adjustment  
 Pneumatic seat height

**SYN:** Synchronous tilt control  
**NB:** Nylon base  
**HDW:** Hard dual-wheel casters  
**FA:** Fixed arms with 9" self-skinning polyurethane armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15 3/4-20 1/16	400-526	Overall height	36 1/4-43 5/8	920-1108
Seat width	18 3/4	476	Overall width	25 1/4	641
Seat depth	16 1/32-17 3/4	415-451	Overall depth	25	635
Back height	21 3/16-22 15/16	538-583	Width between arms	20 3/16	513
Back width	18 1/4	464			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
SA13	E3 Black	MGR Grigio	Grade 1	815	SYN Std	NB Std	HDW Std	FA Std	T N/C
			Grade 2	827	FP 46	PCB 177	SDW 26	HA 29	
		MNE Nero	Grade 3	844			BRC 42	4D 57	
			Grade 4	883			BGL 31		
			Grade 5	900					
			Grade 6	948					
			Grade 7	1,310					
			Grade 8	995					

#### SA12



##### Standard features

Integrated lumbar support  
 Black rugged outer polymer shell  
 Tilt tension adjustment  
 4-position tilt lock  
 Back height adjustment  
 Seat depth adjustment  
 Pneumatic seat height

**SYN:** Synchronous tilt control  
**NB:** Nylon base  
**HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15 3/4-20 1/16	400-526	Overall height	36 1/4-43 5/8	920-1108
Seat width	18 3/4	476	Overall width	25	635
Seat depth	16 1/32-17 3/4	415-451	Overall depth	25	635
Back height	21 3/16-22 15/16	538-583			
Back width	18 1/4	464			

Model	Frame	Mesh	Upholstery / List (\$)	Control (\$)	Base (\$)	Casters (\$)	Other options (\$)	
SA12	E3 Black	MGR Grigio	Grade 1	731	SYN Std	NB Std	HDW Std	T N/C
			Grade 2	743	FP 46	PCB 177	SDW 26	
		MNE Nero	Grade 3	760			BRC 42	
			Grade 4	799			BGL 31	
			Grade 5	815				
			Grade 6	864				
			Grade 7	1,226				
			Grade 8	911				

**SA11**



**Standard features**

Integrated lumbar support **SYN:** Synchronous tilt control  
 Black rugged outer polymer shell **NB:** Nylon base  
 Tilt tension adjustment **HDW:** Hard dual-wheel casters  
 4-position tilt lock **FA:** Fixed arms with 9" self-skinning  
 Back height adjustment polyurethane armrests  
 Seat depth adjustment  
 Pneumatic seat height

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15 3/4-20 11/16	400-526	Overall height	36 1/4-43 5/8	920-1108
Seat width	18 3/4	476	Overall width	25 1/4	641
Seat depth	16 11/32-17 3/4	415-451	Overall depth	25	635
Back height	21 3/16-22 15/16	538-583	Width between arms	20 3/16	513
Back width	18 1/4	464			

Model	Frame	Upholstery / List (\$)	Control (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
SA11	E3 Black	Grade 1	749	<b>SYN</b> Std	<b>NB</b> Std	<b>HDW</b> Std	<b>FA</b> Std	<b>T</b> N/C
		Grade 2	760	<b>FP</b> 46	<b>PCB</b> 177	<b>SDW</b> 26	<b>HA</b> 29	<b>C33</b> 130
		Grade 3	779			<b>BRC</b> 42	<b>4D</b> 57	
		Grade 4	818			<b>BGL</b> 31		
		Grade 5	836					
		Grade 6	887					
		Grade 7	1,264					
		Grade 8	936					

**SA10**



**Standard features**

Integrated lumbar support **SYN:** Synchronous tilt control  
 Black rugged outer polymer shell **NB:** Nylon base  
 Tilt tension adjustment **HDW:** Hard dual-wheel casters  
 4-position tilt lock  
 Back height adjustment  
 Seat depth adjustment  
 Pneumatic seat height

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15 3/4-20 11/16	400-526	Overall height	36 1/4-43 5/8	920-1108
Seat width	18 3/4	476	Overall width	25	635
Seat depth	16 11/32-17 3/4	415-451	Overall depth	25	635
Back height	21 3/16-22 15/16	538-583			
Back width	18 1/4	464			

Model	Frame	Upholstery / List (\$)	Control (\$)	Base (\$)	Casters (\$)	Other options (\$)	
SA10	E3 Black	Grade 1	661	<b>SYN</b> Std	<b>NB</b> Std	<b>HDW</b> Std	<b>T</b> N/C
		Grade 2	673	<b>FP</b> 46	<b>PCB</b> 177	<b>SDW</b> 26	<b>C33</b> 130
		Grade 3	692			<b>BRC</b> 42	
		Grade 4	731			<b>BGL</b> 31	
		Grade 5	749				
		Grade 6	799				
		Grade 7	1,175				
		Grade 8	849				





## EXECUTIVE AND MANAGEMENT

### SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

### EXECUTIVE HIGH-PERFORMANCE CHAIRS

SAMPLE ORDER: SVX16-E3-CPT06C-CPT06C-P-SB-SDW-3D3-C33

#### SVX16



#### Standard features

Swivel-tilt control  
Tilt tension  
Infinite tilt lock  
Independently adjustable seat and back angle  
Fully upholstered back panel  
Forward seat pitch adjustment  
Patented adjustable lumbar

**P:** Pneumatic seat height  
**NB:** Nylon base  
**HDW:** Hard dual-wheel casters  
**AA3:** Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	42 ¾-47 ½	1086-1207
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	25 ½	648	Width between arms	18 ¼	464
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)				
SVX16	E3 Black	Grade 1	705	P Std	NB Std	HDW Std	SSP	80			
		Grade 2	716				SB 62	SDW 26	HLA 15	C33	130
		Grade 3	732				PCB 177	BRC 42	FLA 15	PBG <sup>(1)</sup>	46
		Grade 4	768					BGL 31	HWA3	57	
		Grade 5	783						3D3	31	
		Grade 6	827						RPA	73	
		Grade 7	1,159								
		Grade 8	870								

#### SVX15



#### Standard features

Swivel-tilt control  
Tilt tension  
Infinite tilt lock  
Independently adjustable seat and back angle  
Fully upholstered back panel  
Forward seat pitch adjustment  
Patented adjustable lumbar

**P:** Pneumatic seat height  
**NB:** Nylon base  
**HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	42 ¾-47 ½	1086-1207
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	25 ½	648			
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)				
SVX15	E3 Black	Grade 1	649	P Std	NB Std	HDW Std	SSP	80		
		Grade 2	659				SB 62	SDW 26	C33	130
		Grade 3	676				PCB 177	BRC 42	PBG <sup>(1)</sup>	46
		Grade 4	710					BGL 31		
		Grade 5	726							
		Grade 6	771							
		Grade 7	1,102							
		Grade 8	813							

(1) PBG: N/A with C33 option.

**SVX11**



**Standard features**

Swivel-tilt control **P:** Pneumatic seat height  
 Tilt tension **NB:** Nylon base  
 Infinite tilt lock **HDW:** Hard dual-wheel casters  
 Independently adjustable seat and back angle **AA3:** Height adjustable arms  
 Fully upholstered back panel  
 Forward seat pitch adjustment  
 Patented adjustable lumbar

Dimensions (in)			Dimensions (mm)		
Seat height	17-21 ¾	432-552	Overall height	38 ¾-43 ½	984-1105
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	21 ½	546	Width between arms	18 ¼	464
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
SVX11	E3 Black	Grade 1	P Std	NB Std	HDW Std	AA3 Std	SSP 80
		Grade 2		SB 62	SDW 26	HLA 15	C33 130
		Grade 3		PCB 177	BRC 42	FLA 15	PBG <sup>(1)</sup> 46
		Grade 4			BGL 31	HWA3 57	
		Grade 5				3D3 31	
		Grade 6				RPA 73	
		Grade 7		1,087			
		Grade 8		790			

**SVX10**



**Standard features**

Swivel-tilt control **P:** Pneumatic seat height  
 Tilt tension **NB:** Nylon base  
 Infinite tilt lock **HDW:** Hard dual-wheel casters  
 Independently adjustable seat and back angle  
 Fully upholstered back panel  
 Forward seat pitch adjustment  
 Patented adjustable lumbar

Dimensions (in)			Dimensions (mm)		
Seat height	17-21 ¾	432-552	Overall height	38 ¾-43 ½	984-1105
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	21 ½	546			
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
SVX10	E3 Black	Grade 1	P Std	NB Std	HDW Std	SSP 80
		Grade 2		SB 62	SDW 26	C33 130
		Grade 3		PCB 177	BRC 42	PBG <sup>(1)</sup> 46
		Grade 4			BGL 31	
		Grade 5				
		Grade 6				
		Grade 7		1,029		
		Grade 8		732		

EXECUTIVE CHAIRS

**SV16**



**Standard features**

Tilt tension **STB:** Swivel-tilt control with back angle adjustment  
 Tilt lock  
 Fully upholstered back panel **P:** Pneumatic seat height  
 Patented adjustable lumbar **NB:** Nylon base  
**HDW:** Hard dual-wheel casters  
**AA3:** Height adjustable arms

Dimensions (in)			Dimensions (mm)		
Seat height	17-21 ¾	432-552	Overall height	42 ½-47 ¼	1080-1200
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	25	635	Width between arms	18 ¼	464
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
SV16	E3 Black	Grade 1	STB Std	P Std	NB Std	HDW Std	AA3 Std	C33 130
		Grade 2			SB 62	SDW 26	HLA 15	PBG <sup>(1)</sup> 46
		Grade 3			PCB 177	BRC 42	FLA 15	
		Grade 4				BGL 31	HWA3 57	
		Grade 5					3D3 31	
		Grade 6						
		Grade 7		1,128				
		Grade 8		839				

(1) PBG: N/A with C33 option.

**SV15**



**Standard features**

Tilt tension	<b>STB:</b> Swivel-tilt control with back angle adjustment
Tilt lock	<b>P:</b> Pneumatic seat height
Fully upholstered back panel	<b>NB:</b> Nylon base
Patented adjustable lumbar	<b>HDW:</b> Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	42 ½-47 ¼	1080-1200
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	25	635			
Back width	19	483			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
<b>SV15</b>	<b>E3 Black</b>	Grade 1	<b>618</b>	<b>STB</b> Std	<b>P</b> Std	<b>NB</b> Std <b>SB</b> 62	<b>HDW</b> Std <b>SDW</b> 26 <b>C33</b> 130
		Grade 2	<b>628</b>			<b>PCB</b> 177	<b>PBG</b> (1) 46
		Grade 3	<b>645</b>				<b>BRC</b> 42
		Grade 4	<b>680</b>				<b>BGL</b> 31
		Grade 5	<b>696</b>				
		Grade 6	<b>739</b>				
		Grade 7	<b>1,071</b>				
		Grade 8	<b>783</b>				

MANAGEMENT SWIVEL-TILT CHAIRS

**SV11**



**Standard features**

Tilt tension	<b>ST:</b> Swivel-tilt control
Tilt lock	<b>P:</b> Pneumatic seat height
Fully upholstered back panel	<b>NB:</b> Nylon base
Patented adjustable lumbar	<b>HDW:</b> Hard dual-wheel casters
	<b>AA3:</b> Height adjustable arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	37 ½-42 ¼	953-1073
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533	Width between arms	18 ¼	464
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
<b>SV11</b>	<b>E3 Black</b>	Grade 1	<b>562</b>	<b>ST</b> Std	<b>P</b> Std	<b>NB</b> Std <b>SB</b> 62	<b>HDW</b> Std <b>SDW</b> 26 <b>AA3</b> Std	<b>C33</b> 130
		Grade 2	<b>573</b>			<b>PCB</b> 177	<b>HLA</b> 15 <b>PBG</b> (1) 46	
		Grade 3	<b>590</b>				<b>FLA</b> 15	
		Grade 4	<b>626</b>				<b>BRC</b> 42 <b>HWA3</b> 57	
		Grade 5	<b>642</b>				<b>BGL</b> 31 <b>3D3</b> 31	
		Grade 6	<b>687</b>					
		Grade 7	<b>1,029</b>					
		Grade 8	<b>732</b>					

**SV10**



**Standard features**

Tilt tension	<b>ST:</b> Swivel-tilt control
Tilt lock	<b>P:</b> Pneumatic seat height
Fully upholstered back panel	<b>NB:</b> Nylon base
Patented adjustable lumbar	<b>HDW:</b> Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-21 ¾	432-552	Overall height	37 ½-42 ¼	953-1073
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533			
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
<b>SV10</b>	<b>E3 Black</b>	Grade 1	<b>503</b>	<b>ST</b> Std	<b>P</b> Std	<b>NB</b> Std <b>SB</b> 62	<b>HDW</b> Std <b>SDW</b> 26 <b>C33</b> 130
		Grade 2	<b>515</b>			<b>PCB</b> 177	<b>PBG</b> (1) 46
		Grade 3	<b>531</b>				<b>BRC</b> 42
		Grade 4	<b>567</b>				<b>BGL</b> 31
		Grade 5	<b>583</b>				
		Grade 6	<b>629</b>				
		Grade 7	<b>970</b>				
		Grade 8	<b>673</b>				

(1) **PBG:** N/A with C33 option.

**SV6**



**Standard features**

Swivel-tilt control with back angle adjustment  
 Tilt tension  
 Tilt lock  
 Fully upholstered back panel  
 Patented adjustable lumbar

**P:** Pneumatic seat height  
**NB:** Nylon base  
**HDW:** Hard dual-wheel casters  
**AA3:** Height adjustable arms

**Dimensions**

	(in)	(mm)
Seat height	16 ¼-21 ¼	425-540
Seat width	21 ½	546
Seat depth	17 ½	445
Back height	21	533
Back width	18 ½	470

**Dimensions**

	(in)	(mm)
Overall height	37 ½-42 ¼	953-1073
Overall width	27	686
Overall depth	26	660
Width between arms	18 ¼	464

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
<b>SV6</b>	<b>E3 Black</b>	Grade 1	<b>589</b>	<b>P</b> Std	<b>NB</b> Std	<b>HDW</b> Std	<b>AA3</b> Std <b>SSP</b> <b>80</b>
		Grade 2	<b>599</b>		<b>SB</b> <b>62</b>	<b>SDW</b> <b>26</b>	<b>HLA</b> <b>15</b> <b>C33</b> <b>130</b>
		Grade 3	<b>616</b>		<b>PCB</b> <b>177</b>	<b>BRC</b> <b>42</b>	<b>FLA</b> <b>15</b> <b>PBG</b> <sup>(1)</sup> <b>46</b>
		Grade 4	<b>652</b>			<b>BGL</b> <b>31</b>	<b>HWA3</b> <b>57</b>
		Grade 5	<b>668</b>				<b>3D3</b> <b>31</b>
		Grade 6	<b>713</b>				
		Grade 7	<b>1,056</b>				
		Grade 8	<b>758</b>				

**SV5**



**Standard features**

Swivel-tilt control with back angle adjustment  
 Tilt tension  
 Tilt lock  
 Fully upholstered back panel  
 Patented adjustable lumbar

**P:** Pneumatic seat height  
**NB:** Nylon base  
**HDW:** Hard dual-wheel casters

**Dimensions**

	(in)	(mm)
Seat height	16 ¼-21 ¼	425-540
Seat width	21 ½	546
Seat depth	17 ½	445
Back height	21	533
Back width	18 ½	470

**Dimensions**

	(in)	(mm)
Overall height	37 ½-42 ¼	953-1073
Overall width	25	635
Overall depth	26	660

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
<b>SV5</b>	<b>E3 Black</b>	Grade 1	<b>530</b>	<b>P</b> Std	<b>NB</b> Std	<b>HDW</b> Std <b>SSP</b> <b>80</b>
		Grade 2	<b>541</b>		<b>SB</b> <b>62</b>	<b>SDW</b> <b>26</b> <b>C33</b> <b>130</b>
		Grade 3	<b>557</b>		<b>PCB</b> <b>177</b>	<b>BRC</b> <b>42</b> <b>PBG</b> <sup>(1)</sup> <b>46</b>
		Grade 4	<b>594</b>			<b>BGL</b> <b>31</b>
		Grade 5	<b>609</b>			
		Grade 6	<b>655</b>			
		Grade 7	<b>996</b>			
		Grade 8	<b>700</b>			

(1) **PBG:** N/A with C33 option.



## 24-HOUR

### SPECIFICATIONS

- Savvy 24-hour models are rated for 24 hours/7 days use.
- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- Heavy-duty cylinder and knee-tilt control.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

### 24-HOUR EXECUTIVE CHAIRS

SAMPLE ORDER: SV26-E3-SD10-SD10-P-PCB-HDW-RPA

#### SV26



#### Standard features

Knee-tilt control  
Tilt tension  
5-position tilt lock with forward seat pitch adjustment  
Fully upholstered back panel  
Patented adjustable lumbar

**P:** Pneumatic seat height  
**NB:** Nylon base  
**HDW:** Hard dual-wheel casters  
**HLA:** Half loop arms

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	18-22 ½	457-572	Overall height	42-47	1067-1194		
Seat width	21 ½	546	Overall width	27	686		
Seat depth	17 ½	445	Overall depth	26	660		
Back height	25	635	Width between arms	20	508		
Back width	19	483					

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)							
SV26	E3 Black	Grade 1	816	P Std	NB Std	HDW Std	HLA Std	C33	130					
		Grade 2	827							SB 62	SDW 26	RPA 73	PBG <sup>(1)</sup>	46
		Grade 3	844							PCB 177	BRC 42			
		Grade 4	880								BGL 31			
		Grade 5	896											
		Grade 6	941											
		Grade 7	1,283											
		Grade 8	986											

#### SV25



#### Standard features

Knee-tilt control  
Tilt tension  
5-position tilt lock with forward seat pitch adjustment  
Fully upholstered back panel  
Patented adjustable lumbar

**P:** Pneumatic seat height  
**NB:** Nylon base  
**HDW:** Hard dual-wheel casters

Dimensions		(in)	(mm)	Dimensions		(in)	(mm)
Seat height	18-22 ½	457-572	Overall height	42-47	1067-1194		
Seat width	21 ½	546	Overall width	25	635		
Seat depth	17 ½	445	Overall depth	26	660		
Back height	25	635					
Back width	19	483					

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)						
SV25	E3 Black	Grade 1	753	P Std	NB Std	HDW Std	C33	130				
		Grade 2	763						SB 62	SDW 26	PBG <sup>(1)</sup>	46
		Grade 3	780						PCB 177	BRC 42		
		Grade 4	816							BGL 31		
		Grade 5	832									
		Grade 6	878									
		Grade 7	1,220									
		Grade 8	922									

(1) PBG: N/A with C33 option.

**SV24**



**Standard features**

Knee-tilt control **P:** Pneumatic seat height  
 Tilt tension **NB:** Nylon base  
 5-position tilt lock with forward seat pitch adjustment **HDW:** Hard dual-wheel casters  
 Fully upholstered back panel **HLA:** Half loop arms  
 Patented adjustable lumbar

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18-22 ½	457-572	Overall height	38-43	965-1092
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533	Width between arms	20	508
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
SV24	E3 Black	Grade 1	710	<b>P</b> Std	<b>NB</b> Std	<b>HDW</b> Std	<b>HLA</b> Std <b>C33</b> 130
		Grade 2	721		<b>SB</b> 62	<b>SDW</b> 26	<b>RPA</b> 73 <b>PBG</b> <sup>(1)</sup> 46
		Grade 3	738		<b>PCB</b> 177	<b>BRC</b> 42	
		Grade 4	774			<b>BGL</b> 31	
		Grade 5	790				
		Grade 6	835				
		Grade 7	1,177				
		Grade 8	880				

**SV23**



**Standard features**

Knee-tilt control **P:** Pneumatic seat height  
 Tilt tension **NB:** Nylon base  
 5-position tilt lock with forward seat pitch adjustment **HDW:** Hard dual-wheel casters  
 Fully upholstered back panel  
 Patented adjustable lumbar

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18-22 ½	457-572	Overall height	38-43	965-1092
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533			
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
SV23	E3 Black	Grade 1	647	<b>P</b> Std	<b>NB</b> Std	<b>HDW</b> Std <b>C33</b> 130
		Grade 2	657		<b>SB</b> 62	<b>SDW</b> 26 <b>PBG</b> <sup>(1)</sup> 46
		Grade 3	674		<b>PCB</b> 177	<b>BRC</b> 42
		Grade 4	710			<b>BGL</b> 31
		Grade 5	726			
		Grade 6	772			
		Grade 7	1,114			
		Grade 8	816			

(1) **PBG:** N/A with C33 option.



## GUEST

### SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.

### GUEST CHAIRS

SAMPLE ORDER: SV32-E3-50F-50F-HLA

#### SV32



#### Standard features

Cantilevered sled base of 1", 12-gauge steel tubing  
 Fully upholstered back panel  
**HLA:** Half loop arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	38	965
Seat width	21 ½	546	Overall width	27	686
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533	Width between arms	20	508
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Arms (\$)	Other options (\$)
SV32	E3 Black	Grade 1 497	HLA Std	C33 130
		Grade 2 509	FLA 15	PBG <sup>(1)</sup> 46
		Grade 3 525		
		Grade 4 563		
		Grade 5 578		
		Grade 6 625		
		Grade 7 973		
		Grade 8 671		

#### SV31



#### Standard features

Cantilevered sled base of 1", 12-gauge steel tubing  
 Fully upholstered back panel

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	38	965
Seat width	21 ½	546	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	21	533			
Back width	18 ½	470			

Model	Frame	Upholstery / List (\$)	Other options (\$)
SV31	E3 Black	Grade 1 422	C33 130
		Grade 2 433	PBG <sup>(1)</sup> 46
		Grade 3 450	
		Grade 4 487	
		Grade 5 503	
		Grade 6 549	
		Grade 7 898	
		Grade 8 595	

(1) PBG: N/A with C33 option.





## STOOLS

### SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

STOOLS SAMPLE ORDER: SV52-E3-SL25-SL25-P-HDW-HLA

<b>SV52</b>	<b>Standard features</b>	<b>Dimensions (in) (mm)</b>	<b>Dimensions (in) (mm)</b>
	Swivel only control Adjustable polished chrome footring Fully upholstered back panel Patented adjustable lumbar Cast-aluminum base	<b>P:</b> Pneumatic seat height <b>HDW:</b> Hard dual-wheel casters <b>AA3:</b> Height adjustable arms	Seat height 24-29½ 610-749 Seat width 21½ 546 Seat depth 17½ 445 Back height 21 533 Back width 18½ 470



Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Casters (\$)	Arms (\$)	Other options (\$)
<b>SV52</b>	<b>E3 Black</b>	Grade 1 <b>693</b>	<b>P</b> Std	<b>HDW</b> Std	<b>AA3</b> Std	<b>C33</b> <b>130</b>
		Grade 2 <b>703</b>	<b>SCL</b> <b>78</b>	<b>SDW</b> <b>26</b>	<b>HLA</b> <b>15</b>	<b>PBG</b> <sup>(1)</sup> <b>46</b>
		Grade 3 <b>721</b>	<b>XTC</b> <b>62</b>	<b>BRC</b> <b>42</b>	<b>FLA</b> <b>15</b>	
		Grade 4 <b>757</b>		<b>BGL</b> <b>31</b>	<b>HWA3</b> <b>57</b>	
		Grade 5 <b>774</b>			<b>3D3</b> <b>31</b>	
		Grade 6 <b>820</b>				
		Grade 7 <b>1,168</b>				
		Grade 8 <b>865</b>				

<b>SV51</b>	<b>Standard features</b>	<b>Dimensions (in) (mm)</b>	<b>Dimensions (in) (mm)</b>
	Swivel only control Adjustable polished chrome footring Fully upholstered back panel Patented adjustable lumbar Cast-aluminum base	<b>P:</b> Pneumatic seat height <b>HDW:</b> Hard dual-wheel casters	Seat height 24-29½ 610-749 Seat width 21½ 546 Seat depth 17½ 445 Back height 21 533 Back width 18½ 470



Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Casters (\$)	Other options (\$)
<b>SV51</b>	<b>E3 Black</b>	Grade 1 <b>632</b>	<b>P</b> Std	<b>HDW</b> Std	<b>C33</b> <b>130</b>
		Grade 2 <b>644</b>	<b>SCL</b> <b>78</b>	<b>SDW</b> <b>26</b>	<b>PBG</b> <sup>(1)</sup> <b>46</b>
		Grade 3 <b>660</b>	<b>XTC</b> <b>62</b>	<b>BRC</b> <b>42</b>	
		Grade 4 <b>698</b>		<b>BGL</b> <b>31</b>	
		Grade 5 <b>713</b>			
		Grade 6 <b>760</b>			
		Grade 7 <b>1,109</b>			
		Grade 8 <b>806</b>			

(1) **PBG:** N/A with C33 option.

## EXECUTIVE, MANAGEMENT AND CONFERENCE

### SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.



### EXECUTIVE CHAIRS

SAMPLE ORDER: V216-E3-AE10-AE10-NB-HDW-4D

#### V216




#### Standard features

Synchronous control **NB:** Nylon base  
 Side tilt tension adjustment **HDW:** Hard dual-wheel casters  
 Patented adjustable lumbar support **4D:** Height adjustable arms with pivoting, front-to-back and side-to-side 9" armrests  
 Seat depth adjustment  
 Fully upholstered back panel  
 Back angle adjustment  
 Pneumatic seat height

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 1/2-21	419-533	Overall height	41 1/2-46	1054-1168
Seat width	19 1/2	495	Overall width	26 1/2-28 1/2	673-724
Seat depth	16 1/2-18 3/4	419-476	Overall depth	26 1/2	673
Back height	26	660	Width between arms	17 1/2-19 1/2	445-495
Back width	16 3/4	425			

Model	Frame	Upholstery / List (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
V216	E3 Black	Grade 1	831	<b>NB</b> Std	<b>HDW</b> Std	<b>4D</b> Std	<b>C33</b> 130
		Grade 2	842	<b>SB</b> 62	<b>SDW</b> 26		
		Grade 3	860	<b>PCB</b> 177	<b>BRC</b> 42		
		Grade 4	896		<b>BGL</b> 31		
		Grade 5	913				
		Grade 6	960				
		Grade 7	1,262				
		Grade 8	1,006				

#### V215



#### Standard features

Synchronous control **NB:** Nylon base  
 Side tilt tension adjustment **HDW:** Hard dual-wheel casters  
 Patented adjustable lumbar support  
 Seat depth adjustment  
 Fully upholstered back panel  
 Back angle adjustment  
 Pneumatic seat height

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 1/2-21	419-533	Overall height	41 1/2-46	1054-1168
Seat width	19 1/2	495	Overall width	26	660
Seat depth	16 1/2-18 3/4	419-476	Overall depth	26 1/2	673
Back height	26	660			
Back width	16 3/4	425			

Model	Frame	Upholstery / List (\$)	Base (\$)	Casters (\$)	Other options (\$)	
V215	E3 Black	Grade 1	775	<b>NB</b> Std	<b>HDW</b> Std	<b>C33</b> 130
		Grade 2	786	<b>SB</b> 62	<b>SDW</b> 26	
		Grade 3	804	<b>PCB</b> 177	<b>BRC</b> 42	
		Grade 4	840		<b>BGL</b> 31	
		Grade 5	857			
		Grade 6	904			
		Grade 7	1,205			
		Grade 8	950			

**V211**



Standard features	
Synchronous control	<b>NB:</b> Nylon base
Side tilt tension adjustment	<b>HDW:</b> Hard dual-wheel casters
Patented adjustable lumbar support	<b>4D:</b> Height adjustable arms with pivoting, front-to-back and side-to-side 9" armrests
Seat depth adjustment	
Fully upholstered back panel	
Back angle adjustment	
Pneumatic seat height	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	37 ¾-42 ¼	959-1073
Seat width	19 ½	495	Overall width	26 ½-28 ½	673-724
Seat depth	16 ½-18 ¾	419-476	Overall depth	26 ½	673
Back height	22 ½	572	Width between arms	17 ½-19 ½	445-495
Back width	16 ¾	425			

Model	Frame	Upholstery / List (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
<b>V211</b>	<b>E3 Black</b>	Grade 1	742	<b>NB</b> Std	<b>HDW</b> Std	<b>4D</b> Std	<b>C33</b> 130
		Grade 2	753	<b>SB</b> 62	<b>SDW</b> 26		
		Grade 3	771	<b>PCB</b> 177	<b>BRC</b> 42		
		Grade 4	807		<b>BGL</b> 31		
		Grade 5	824				
		Grade 6	870				
		Grade 7	1,172				
		Grade 8	916				

**V210**



Standard features	
Synchronous control	<b>NB:</b> Nylon base
Side tilt tension adjustment	<b>HDW:</b> Hard dual-wheel casters
Patented adjustable lumbar support	
Seat depth adjustment	
Fully upholstered back panel	
Back angle adjustment	
Pneumatic seat height	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	37 ¾-42 ¼	959-1073
Seat width	19 ½	495	Overall width	26	660
Seat depth	16 ½-18 ¾	419-476	Overall depth	26 ½	673
Back height	22 ½	572			
Back width	16 ¾	425			

Model	Frame	Upholstery / List (\$)	Base (\$)	Casters (\$)	Other options (\$)	
<b>V210</b>	<b>E3 Black</b>	Grade 1	680	<b>NB</b> Std	<b>HDW</b> Std	<b>C33</b> 130
		Grade 2	692	<b>SB</b> 62	<b>SDW</b> 26	
		Grade 3	709	<b>PCB</b> 177	<b>BRC</b> 42	
		Grade 4	746		<b>BGL</b> 31	
		Grade 5	762			
		Grade 6	809			
		Grade 7	1,111			
		Grade 8	855			

**V214**



Standard features	
Swivel only control	<b>NB:</b> Nylon base
Fully upholstered back panel	<b>HDW:</b> Hard dual-wheel casters
Pneumatic seat height	<b>FA:</b> Fixed arms with self-skinning polyurethane 9" armrests
Integrated lumbar support	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	34 ¼-38 ¾	870-984
Seat width	19 ½	495	Overall width	27	686
Seat depth	16 ¾	425	Overall depth	26 ½	673
Back height	20 ¾	527	Width between arms	18	457
Back width	16 ¾	425			

Model	Frame	Upholstery / List (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
<b>V214</b>	<b>E3 Black</b>	Grade 1	619	<b>NB</b> Std	<b>HDW</b> Std	<b>FA</b> Std	<b>C33</b> 130
		Grade 2	630	<b>SB</b> 62	<b>SDW</b> 26		
		Grade 3	648	<b>PCB</b> 177	<b>BRC</b> 42		
		Grade 4	684		<b>BGL</b> 31		
		Grade 5	701				
		Grade 6	748				
		Grade 7	1,049				
		Grade 8	794				



## GUEST

### SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.

#### GUEST CHAIRS WITH CANTILEVERED SLED BASE

SAMPLE ORDER: V232-E3-AE10-AE10-FA

#### V232



##### Standard features

Cantilevered sled base of 1",  
12-gauge steel tubing  
Fully upholstered back panel  
Integrated lumbar support

**FA:** Fixed arms with self-skinning  
polyurethane 9" armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ¾	451	Overall height	35 ½	902
Seat width	19 ½	495	Overall width	27	686
Seat depth	16 ¾	425	Overall depth	26 ½	673
Back height	20 ¾	527	Width between arms	18	457
Back width	16 ¾	425			

Model	Frame	Upholstery / List (\$)	Arms (\$)	Other options (\$)
V232	E3 Black	Grade 1	558	FA Std C33 130
		Grade 2	571	
		Grade 3	590	
		Grade 4	628	
		Grade 5	646	
		Grade 6	696	
		Grade 7	1,015	
		Grade 8	745	

#### V231



##### Standard features

Cantilevered sled base of 1",  
12-gauge steel tubing  
Fully upholstered back panel  
Integrated lumbar support

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ¾	451	Overall height	35 ½	902
Seat width	19 ½	495	Overall width	19 ½	495
Seat depth	16 ¾	425	Overall depth	26 ½	673
Back height	20 ¾	527			
Back width	16 ¾	425			

Model	Frame	Upholstery / List (\$)	Other options (\$)
V231	E3 Black	Grade 1	478 C33 130
		Grade 2	491
		Grade 3	510
		Grade 4	549
		Grade 5	567
		Grade 6	617
		Grade 7	939
		Grade 8	666



## STOOLS

### SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

### STOOLS

SAMPLE ORDER: V252-E3-SL23-SL23-P-HDW-FA

#### V252



#### Standard features

Swivel only control  
Adjustable polished chrome footring  
Fully upholstered back panel  
Cast-aluminum base  
Integrated lumbar support

**P:** Pneumatic seat height  
**HDW:** Hard dual-wheel casters  
**FA:** Fixed arms with self-skinning polyurethane 9" armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24 ¼-30	613-762	Overall height	43-48 ¾	1092-1238
Seat width	19 ½	495	Overall width	27	686
Seat depth	16 ¾	425	Overall depth	26 ½	673
Back height	20 ¾	527	Width between arms	18	457
Back width	16 ¾	425			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Casters (\$)	Arms (\$)	Other options (\$)
<b>V252</b>	<b>E3</b> Black	Grade 1	<b>763</b>	<b>P</b> Std	<b>HDW</b> Std	<b>C33</b> <b>130</b>
		Grade 2	<b>776</b>	<b>SCL</b> <b>78</b>	<b>SDW</b> <b>26</b>	
		Grade 3	<b>794</b>	<b>XTC</b> <b>62</b>	<b>BRC</b> <b>42</b>	
		Grade 4	<b>832</b>		<b>BGL</b> <b>31</b>	
		Grade 5	<b>849</b>			
		Grade 6	<b>898</b>			
		Grade 7	<b>1,212</b>			
		Grade 8	<b>945</b>			

#### V251



#### Standard features

Swivel only control  
Adjustable polished chrome footring  
Fully upholstered back panel  
Cast-aluminum base  
Integrated lumbar support

**P:** Pneumatic seat height  
**HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24 ¼-30	613-762	Overall height	43-48 ¾	1092-1238
Seat width	19 ½	495	Overall width	19 ½	495
Seat depth	16 ¾	425	Overall depth	26 ½	673
Back height	20 ¾	527			
Back width	16 ¾	425			

Model	Frame	Upholstery / List (\$)	Cylinder (\$)	Casters (\$)	Other options (\$)	
<b>V251</b>	<b>E3</b> Black	Grade 1	<b>697</b>	<b>P</b> Std	<b>HDW</b> Std	<b>C33</b> <b>130</b>
		Grade 2	<b>708</b>	<b>SCL</b> <b>78</b>	<b>SDW</b> <b>26</b>	
		Grade 3	<b>727</b>	<b>XTC</b> <b>62</b>	<b>BRC</b> <b>42</b>	
		Grade 4	<b>764</b>		<b>BGL</b> <b>31</b>	
		Grade 5	<b>782</b>			
		Grade 6	<b>831</b>			
		Grade 7	<b>1,144</b>			
		Grade 8	<b>878</b>			



## ALL PURPOSE

### SPECIFICATIONS

- All models ship assembled.
- When E8 Metallic Silver or E6 Medium Grey frame is chosen, all plastic components remain black.
- Footring color matches frame color.

#### ALL PURPOSE STOOLS

SAMPLE ORDER: 211S-E8-RG3

#### 211S



##### Standard features

Low range  
Hardboard seat top  
Footring  
Flat metal glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-25	432-635	Overall height	17-25	432-635
Seat diameter	14	356	Overall width	14 ½	368
			Overall depth	14 ½	368

Model	Frame/Footing	List (\$)	Other options (\$)
211S	E3 Black	201	RG3 42
	E6 Medium Grey		
	E8 Metallic Silver		

#### 211T




##### Standard features

High range  
Hardboard seat top  
Footring  
Flat metal glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	24-32	610-813	Overall height	24-32	610-813
Seat diameter	14	356	Overall width	17	432
			Overall depth	17	432

Model	Frame/Footing	List (\$)	Other options (\$)
211T	E3 Black	224	RG3 42
	E6 Medium Grey		
	E8 Metallic Silver		

#### 221M




##### Standard features

Mid range  
Hardboard seat top  
Manual height adjustment  
Swivel seat  
Footring  
Nylon glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	22-27 ½	559-699	Overall height	22-27 ½	559-699
Seat diameter	14	356	Overall width	17	432
			Overall depth	17	432

Model	Frame/Footing	List (\$)	Casters (\$)	Other options (\$)
221M	E3 Black	287	CAS 27 BRC 42	CFR 46
	E6 Medium Grey			
	E8 Metallic Silver			

**221T**




Standard features
High range
Hardboard seat top
Manual height adjustment
Swivel seat
Footring
Nylon glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	26 ¾-32 ¼	679-819	Overall height	26 ¾-32 ¼	679-819
Seat diameter	14	356	Overall width	17	432
			Overall depth	17	432

Model	Frame/Footing	List (\$)	Casters (\$)	Other options (\$)
221T	E3 Black	310	CAS 27	CFR 46
	E6 Medium Grey		BRC 42	
	E8 Metallic Silver			

**223M**




Standard features
Mid range
Hardboard seat top
Metal back
Manual height adjustment
Swivel seat
Footring
Nylon glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	22-27 ½	559-699	Overall height	34 ½-42	876-1067
Seat diameter	14	356	Overall width	17	432
Back height	6 ¾	162	Overall depth	17-20 ¼	432-514
Back width	12 ½	318			

Model	Frame/Footing	List (\$)	Casters (\$)	Other options (\$)
223M	E3 Black	327	CAS 27	CFR 46
	E6 Medium Grey		BRC 42	
	E8 Metallic Silver			

**223T**



Standard features
High range
Hardboard seat top
Metal back
Manual height adjustment
Swivel seat
Footring
Nylon glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	26 ¾-32 ¼	679-819	Overall height	39 ¼-46 ¾	997-1187
Seat diameter	14	356	Overall width	17	432
Back height	6 ¾	162	Overall depth	17-20 ¼	432-514
Back width	12 ½	318			

Model	Frame/Footing	List (\$)	Casters (\$)	Other options (\$)
223T	E3 Black	349	CAS 27	CFR 46
	E6 Medium Grey		BRC 42	
	E8 Metallic Silver			






## DRAFTING

### SPECIFICATIONS


- All models ship partially K.D. (minimum assembly required).
- Fabric/fabric, vinyl/fabric and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest (when applicable) and seat sides, the second upholstery is for the seat top only.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- When E8 Metallic Silver frame is chosen, all plastic components remain black.



### DRAFTING STOOLS

SAMPLE ORDER: D41L-E8-DN02-AE13-4LB-SDW

#### D41L



#### Standard features

Low range **4LB: 4-legged steel base**  
 Polished chrome footring  
 Manual height adjustment  
 Swivel seat  
 Nylon glides

#### Dimensions

	(in)	(mm)
Seat height	19-27	483-686
Seat width	17	432
Seat depth	16	406
Back height	10	254
Back width	15	381

#### Dimensions


	(in)	(mm)
Overall height	31-42	787-1067
Overall width	17	432
Overall depth	17	432

Model	Frame	Upholstery / List (\$)	Base (\$)	Casters (\$)
D41L	E3 Black	Grade 1 476	4LB Std	SDW 26
	E6 Medium Grey	Grade 2 490	5LB 29	BRC 42
	E8 Metallic Silver	Grade 3 511		HRC 73
		Grade 4 551		SRC 73
		Grade 5 574		
		Grade 6 636		
		Grade 7 1,046		
		Grade 8 699		



= ASSEMBLY REQUIRED

**D41H**




Standard features	
High range	<b>4LB:</b> 4-legged steel base
Polished chrome footring	
Manual height adjustment	
Swivel seat	
Nylon glides	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	25-33	635-838	Back width	15	381
Seat width	17	432	Overall height	36-47	914-1194
Seat depth	16	406	Overall width	17	432
Back height	10	254	Overall depth	17	432

Model	Frame	Upholstery / List (\$)	Base (\$)	Casters (\$)
<b>D41H</b>	<b>E3</b> Black	Grade 1 <b>499</b>	<b>4LB</b> Std	<b>SDW</b> <b>26</b>
	<b>E6</b> Medium Grey	Grade 2 <b>513</b>	<b>5LB</b> <b>29</b>	<b>BRC</b> <b>42</b>
	<b>E8</b> Metallic Silver	Grade 3 <b>534</b>		<b>HRC</b> <b>73</b>
		Grade 4 <b>574</b>		<b>SRC</b> <b>73</b>
		Grade 5 <b>597</b>		
		Grade 6 <b>659</b>		
		Grade 7 <b>1,069</b>		
		Grade 8 <b>722</b>		



**D45L**




Standard features	
Low range	<b>4LB:</b> 4-legged steel base
Polished chrome footring	
Manual height adjustment	
Swivel seat	
Nylon glides	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	19-27	483-686	Overall height	19-29	483-737
Seat diameter	16 ¼	413	Overall width	17	432
			Overall depth	17	432

Model	Frame	Upholstery / List (\$)	Base (\$)	Casters (\$)
<b>D45L</b>	<b>E3</b> Black	Grade 1 <b>367</b>	<b>4LB</b> Std	<b>SDW</b> <b>26</b>
	<b>E6</b> Medium Grey	Grade 2 <b>381</b>	<b>5LB</b> <b>29</b>	<b>BRC</b> <b>42</b>
	<b>E8</b> Metallic Silver	Grade 3 <b>401</b>		<b>HRC</b> <b>73</b>
		Grade 4 <b>442</b>		<b>SRC</b> <b>73</b>
		Grade 5 <b>465</b>		
		Grade 6 <b>527</b>		
		Grade 7 <b>937</b>		
		Grade 8 <b>590</b>		



**D45H**



Standard features	
High range	<b>4LB:</b> 4-legged steel base
Polished chrome footring	
Manual height adjustment	
Swivel seat	
Nylon glides	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	25-33	635-838	Overall height	25-33	635-838
Seat diameter	16 ¼	413	Overall width	17	432
			Overall depth	17	432

Model	Frame	Upholstery / List (\$)	Base (\$)	Casters (\$)
<b>D45H</b>	<b>E3</b> Black	Grade 1 <b>390</b>	<b>4LB</b> Std	<b>SDW</b> <b>26</b>
	<b>E6</b> Medium Grey	Grade 2 <b>404</b>	<b>5LB</b> <b>29</b>	<b>BRC</b> <b>42</b>
	<b>E8</b> Metallic Silver	Grade 3 <b>424</b>		<b>HRC</b> <b>73</b>
		Grade 4 <b>465</b>		<b>SRC</b> <b>73</b>
		Grade 5 <b>488</b>		
		Grade 6 <b>551</b>		
		Grade 7 <b>960</b>		
		Grade 8 <b>613</b>		



= ASSEMBLY REQUIRED



## INDUSTRIAL

### SPECIFICATIONS

- All models ship assembled.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

#### INDUSTRIAL STOOLS

SAMPLE ORDER: 179S-E3-SW-P-NB-BRC

#### 179S



##### Standard features

Contoured polyurethane back and seat  
Manual back height adjustment

**SW:** Swivel only control  
**P:** Pneumatic seat height  
**HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	15-20	381-508	Overall height	15-20	381-508
Seat width	18	457	Overall width	24	610
Seat depth	17	432	Overall depth	24	610
Back height	12	305			
Back width	16½	419			

Model	Frame	List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)
179S	E3 Black	723	SW Std	P Std	NB Std PCB 177	HDW Std SDW 26 BRC 42 BGL 31

#### 179M



##### Standard features

Contoured polyurethane back and seat  
Manual back height adjustment  
Adjustable polished chrome footring

**SW:** Swivel only control  
**P:** Pneumatic seat height  
**HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23-33 ½	584-851	Overall height	23-33 ½	584-851
Seat width	18	457	Overall width	24	610
Seat depth	17	432	Overall depth	24	610
Back height	12	305			
Back width	16½	419			

Model	Frame	List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)
179M	E3 Black	827	SW Std	XTC Std	NB Std PCB 177	HDW Std SDW 26 BRC 42 BGL 31



## MEDICAL

### SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option. Limited vinyl selection.
- Upholstery selection limited to vinyls and C.O.V. only.
- C.O.V. available. Please refer to page 82.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

#### MEDICAL STOOLS

SAMPLE ORDER: D63-PC-PA84-SW-SCL-PCB-SDW

#### D63




##### Standard features

**SW:** Swivel only control  
**P:** Hand lever pneumatic seat height adjustment  
**PCB:** Polished chrome base  
**HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-22 ¼	432-565	Overall height	17-22 ¼	432-565
Seat diameter	16 ¼	413	Overall width	23 ¼	591
			Overall depth	24 ¼	616

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)	
<b>D63</b>	<b>PC</b> Polished Chrome	Grade 1: Vinyls <b>315</b>	Grade 6: Vinyls <b>472</b>	<b>SW</b>	Std	<b>P</b>	Std	<b>PCB</b>	Std	<b>HDW</b>	Std	<b>C33</b>	<b>130</b>
		Grade 3: Vinyls <b>348</b>	Grade 8: Vinyls <b>534</b>			<b>SCL</b>	<b>151</b>			<b>SDW</b>	<b>26</b>		
		Grade 4: Vinyls <b>388</b>								<b>BRC</b>	<b>42</b>		
		Grade 5: Vinyls <b>411</b>								<b>BGL</b>	<b>31</b>		

#### DB63



##### Standard features


Upholstered back

**SW:** Swivel only control  
**P:** Hand lever pneumatic seat height adjustment  
**PCB:** Polished chrome base  
**HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-22 ¼	432-565	Overall height	28-35	711-889
Seat diameter	16 ¼	413	Overall width	23 ¼	591
Back height	10	254	Overall depth	24 ¼	616
Back width	15 ¼	387			

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)	
<b>DB63</b>	<b>PC</b> Polished Chrome	Grade 1: Vinyls <b>427</b>	Grade 6: Vinyls <b>584</b>	<b>SW</b>	Std	<b>P</b>	Std	<b>PCB</b>	Std	<b>HDW</b>	Std	<b>C33</b>	<b>130</b>
		Grade 3: Vinyls <b>461</b>	Grade 8: Vinyls <b>646</b>			<b>SCL</b>	<b>151</b>			<b>SDW</b>	<b>26</b>		
		Grade 4: Vinyls <b>500</b>								<b>BRC</b>	<b>42</b>		
		Grade 5: Vinyls <b>523</b>								<b>BGL</b>	<b>31</b>		

#### D65



##### Standard features

**SW:** Swivel only control  
**P:** Ring-activated pneumatic seat height adjustment  
**PCB:** Polished chrome base  
**HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17-22 ¼	432-565	Overall height	17-22 ¼	432-565
Seat diameter	16 ¼	413	Overall width	23 ¼	591
			Overall depth	24 ¼	616

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)	
<b>D65</b>	<b>PC</b> Polished Chrome	Grade 1: Vinyls <b>394</b>	Grade 6: Vinyls <b>551</b>	<b>SW</b>	Std	<b>P</b>	Std	<b>PCB</b>	Std	<b>HDW</b>	Std	<b>C33</b>	<b>130</b>
		Grade 3: Vinyls <b>427</b>	Grade 8: Vinyls <b>612</b>			<b>SCL</b>	<b>151</b>			<b>SDW</b>	<b>26</b>		
		Grade 4: Vinyls <b>467</b>								<b>BRC</b>	<b>42</b>		
		Grade 5: Vinyls <b>489</b>								<b>BGL</b>	<b>31</b>		

#### D63X



##### Standard features

**SW:** Swivel only control  
**P:** Ring-activated pneumatic seat height adjustment  
**PCB:** Polished chrome base  
**HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	20-27	508-686	Overall height	16-21	406-533
Seat diameter	15	381	Overall width	24	610
			Overall depth	24	610

Model	Frame	Upholstery / List (\$)		Control (\$)		Cylinder (\$)		Base (\$)		Casters (\$)		Other options (\$)	
<b>D63X</b>	<b>PC</b> Polished Chrome	Grade 1: Vinyls <b>858</b>	Grade 6: Vinyls <b>987</b>	<b>SW</b>	Std	<b>CP</b>	Std	<b>PCB</b>	Std	<b>HDW</b>	Std		
		Grade 3: Vinyls <b>887</b>	Grade 8: Vinyls <b>1,033</b>							<b>SDW</b>	<b>26</b>		
		Grade 4: Vinyls <b>924</b>								<b>BRC</b>	<b>42</b>		
		Grade 5: Vinyls <b>940</b>								<b>BGL</b>	<b>31</b>		



## GUEST AND STOOL


### SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.

### GUEST CHAIRS

SAMPLE ORDER: SW31-E3-RI26-RI26-DP

#### SW32



#### Standard features

Ships 4 per carton  
Fully upholstered back panel  
7/8", 16-gauge, round steel tubing  
Metal floor glides  
Injection-molded arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	33 1/4	845
Seat width	20 1/2	521	Overall width	22	559
Seat depth	19	483	Overall depth	21	533
Back height	14 1/2	368	Width between arms	18 1/2	470
Back width	20 1/2	521			

Model	Frame	Upholstery / List (\$)	Other options (\$)
SW32	E3 Black	Grade 1 321 x 4 = 1,284	QP Std
		Grade 2 330 x 4 = 1,320	DP 21/chair
		Grade 3 342 x 4 = 1,368	SP 42/chair
		Grade 4 369 x 4 = 1,476	
		Grade 5 381 x 4 = 1,524	
		Grade 6 415 x 4 = 1,660	
		Grade 7 675 x 4 = 2,700	
		Grade 8 449 x 4 = 1,796	

#### SW31




#### Standard features

Ships 4 per carton  
Fully upholstered back panel  
7/8", 16-gauge, round steel tubing  
Metal floor glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	33 1/4	845
Seat width	20 1/2	521	Overall width	22	559
Seat depth	19	483	Overall depth	21	533
Back height	14 1/2	368			
Back width	20 1/2	521			

Model	Frame	Upholstery / List (\$)	Other options (\$)
SW31	E3 Black	Grade 1 298 x 4 = 1,192	QP Std
		Grade 2 307 x 4 = 1,228	DP 21/chair
		Grade 3 319 x 4 = 1,276	SP 42/chair
		Grade 4 346 x 4 = 1,384	
		Grade 5 358 x 4 = 1,432	
		Grade 6 392 x 4 = 1,568	
		Grade 7 652 x 4 = 2,608	
		Grade 8 426 x 4 = 1,704	

**SW32C**



**Standard features**


Ships 2 per carton **HDW:** Hard dual-wheel casters  
 Fully upholstered back panel  
 3/8", 16-gauge, round steel tubing  
 Injection-molded arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18	457	Overall height	33 1/4	845
Seat width	20 1/2	521	Overall width	22	559
Seat depth	19	483	Overall depth	21	533
Back height	14 1/2	368	Width between arms	18 1/2	470
Back width	20 1/2	521			

Model	Frame	Upholstery / List (\$)	Casters (\$)	Other options (\$)
SW32C	E3 Black	Grade 1	406 x 2 = 812	HDW Std DP Std
		Grade 2	417 x 2 = 834	SDW 26 x 2 = 52 SP 42/chair
		Grade 3	435 x 2 = 870	
		Grade 4	471 x 2 = 942	
		Grade 5	488 x 2 = 976	
		Grade 6	535 x 2 = 1,070	
		Grade 7	836 x 2 = 1,672	
		Grade 8	580 x 2 = 1,160	

CAFÉ HEIGHT STOOL

**SW32H**



**Standard features**

Fully upholstered back panel  
 3/8", 16-gauge, round steel tubing  
 Metal floor glides  
 Injection-molded arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	34 1/2	876	Overall height	58	1473
Seat width	19	483	Overall width	22	559
Seat depth	19	483	Overall depth	21	533
Back height	14 1/2	368	Width between arms	18 1/2	470
Back width	20 1/2	521			

Model	Frame	Upholstery / List (\$)	
SW32H	E3 Black	Grade 1	572
		Grade 2	583
		Grade 3	601
		Grade 4	638
		Grade 5	654
		Grade 6	701
		Grade 7	1,003
		Grade 8	747



## GUEST AND STOOL

### SPECIFICATIONS

- All models ship assembled.

#### GUEST CHAIRS

SAMPLE ORDER: VR31-PC-CEY-QP

#### VR31



##### Standard features

Ships 4 per carton **PC:** Polished chrome frame  
 Tubular steel frame  
 Wood maple veneer

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 ½	445	Overall height	34	864
Seat width	15 ¾	400	Overall width	20	508
Seat depth	15	381	Overall depth	18 ½	470
Back height	17	432			
Back width	15 ¾	400			

Model	Frame	Wood finish	List (\$)	Other options (\$)
VR31	PC Polished chrome	BAK Black CEY Cherry NAP Natural OMC Espresso WHT White	404 x 4 = 1,616	QP Std DP 21/chair SP 42/chair

#### VR31M



##### Standard features

Ships 4 per carton **PC:** Polished chrome frame  
 Tubular steel frame  
 Wood maple veneer

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	29	737	Overall height	33	838
Seat width	16	406	Overall width	18	457
Seat depth	16	406	Overall depth	19	483
Back height	17	432			
Back width	18 ½	470			

Model	Frame	Wood finish	List (\$)	Other options (\$)
VR31M	PC Polished chrome	BAK Black CEY Cherry NAP Natural OMC Espresso WHT White	404 x 4 = 1,616	QP Std DP 21/chair SP 42/chair HH 78/chair

#### CAFÉ HEIGHT STOOL

#### VR31H



##### Standard features

Tubular steel frame **PC:** Polished chrome frame  
 Wood maple veneer

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	29 ¼	743	Overall height	34 ½	876
Seat width	15 ½	394	Overall width	15 ½	394
Seat depth	15 ½	394	Overall depth	20 ½	521
Back height	6	152			
Back width	15 ½	394			

Model	Frame	Wood finish	List (\$)
VR31H	PC Polished chrome	BAK Black CEY Cherry NAP Natural OMC Espresso WHT White	598




## CONFERENCE

### SPECIFICATIONS


- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

### VENUS BACKREST STYLES

BACKREST SHAPES




CX




DO


BACKREST SEAM CHOICES




C1




C2



C3



C4



C5

### CONFERENCE CHAIRS

SAMPLE ORDER: VN14-E3-XM59-XM59-ST-P-NB-BRC-BU01-CX-C1

#### VN14



#### Standard features

High back  
Infinite tilt lock  
Fully upholstered back panel  
Integrated lumbar support

**ST:** Swivel-tilt control  
**P:** Pneumatic seat height  
**NB:** Nylon base  
**HDW:** Hard dual-wheel casters  
**BU01:** Polyurethane loop arms

#### Dimensions

	(in)	(mm)
Seat height	19 ¼-24 ½	489-622
Seat width	20 ½	521
Seat depth	19 ¾	502
Back height	27 ¾	705
Back width	19 ¾	502

#### Dimensions

	(in)	(mm)
Overall height	44 ¾-50	1137-1270
Overall width	24	610
Overall depth	24	610
Width between arms	19 ¼	489

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Back shape	Back seam	Other options (\$)	
VN14	E3 Black	Grade 1	931	ST Std	P Std	NB Std	HDW Std	BU01 Std	CX N/C	C1 N/C	CSB 52
		Grade 2	942		CP 52	PCB 177	SDW 26	BU02 78	DO N/C	C2 26	CSW 52
		Grade 3	960				BRC 42	BA01 104		C3 73	
		Grade 4	996				BGL 31			C4 88	
		Grade 5	1,013				CC 99			C5 99	
		Grade 6	1,060				CF 120				
		Grade 7	1,361								
		Grade 8	1,106								

#### VN12



#### Standard features

Mid back  
Infinite tilt lock  
Fully upholstered back panel  
Integrated lumbar support

**ST:** Swivel-tilt control  
**P:** Pneumatic seat height  
**NB:** Nylon base  
**HDW:** Hard dual-wheel casters  
**BU01:** Polyurethane loop arms

#### Dimensions

	(in)	(mm)
Seat height	19 ¼-24 ½	489-622
Seat width	20 ½	521
Seat depth	19 ¾	502
Back height	22 ¼	565
Back width	19 ¾	502

#### Dimensions

	(in)	(mm)
Overall height	39 ¼-44 ¼	997-1124
Overall width	24	610
Overall depth	24	610
Width between arms	19 ¼	489

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Back shape	Back seam	Other options (\$)	
VN12	E3 Black	Grade 1	879	ST Std	P Std	NB Std	HDW Std	BU01 Std	CX N/C	C1 N/C	CSB 52
		Grade 2	890		CP 52	PCB 177	SDW 26	BU02 78	DO N/C	C2 26	CSW 52
		Grade 3	908				BRC 42	BA01 104		C3 73	
		Grade 4	944				BGL 31			C4 88	
		Grade 5	961				CC 99			C5 99	
		Grade 6	1,008				CF 120				
		Grade 7	1,309								
		Grade 8	1,054								







## BEAM-SEATING

### SPECIFICATIONS

- All items ship assembled. Final assembly of layout is required. Hardware included.
- Privacy screen (ZGPS1) is not available in vinyl, leather or Crypton upholstery.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available for the 2-piece shell (ZG2S). First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Tables available in current Lacasse thermofused laminate selection.


## ZAGO SOLUTIONS


For more Zago ideas, visit [www.grouperlacasse.com](http://www.grouperlacasse.com).





**BEAMS**

SAMPLE ORDER: ZG1P-E8

	<b>ZG1P</b>	<b>Standard features</b>	<b>Dimensions</b>	<b>(in)</b>	<b>(mm)</b>	
		1-seat beam Nylon floor glides 14-gauge steel structure	Overall height Overall width Overall depth	16 24 23	406 610 584	
	<b>Model</b>	<b>Frame</b>				<b>List (\$)</b>
	ZG1P	E8 Metallic Silver E9 Nu Nickel				614


	<b>ZG2P</b>	<b>Standard features</b>	<b>Dimensions</b>	<b>(in)</b>	<b>(mm)</b>	
		2-seat beam Nylon floor glides 14-gauge steel structure	Overall height Overall width Overall depth	16 48 23	406 1219 584	
	<b>Model</b>	<b>Frame</b>				<b>List (\$)</b>
	ZG2P	E8 Metallic Silver E9 Nu Nickel				780


	<b>ZG3P</b>	<b>Standard features</b>	<b>Dimensions</b>	<b>(in)</b>	<b>(mm)</b>	
		3-seat beam Nylon floor glides 14-gauge steel structure	Overall height Overall width Overall depth	16 72 23	406 1828 584	
	<b>Model</b>	<b>Frame</b>				<b>List (\$)</b>
	ZG3P	E8 Metallic Silver E9 Nu Nickel				894

	<b>ZG4P</b>	<b>Standard features</b>	<b>Dimensions</b>	<b>(in)</b>	<b>(mm)</b>	
		4-seat beam Nylon floor glides 14-gauge steel structure	Overall height Overall width Overall depth	16 96 23	406 2438 584	
	<b>Model</b>	<b>Frame</b>				<b>List (\$)</b>
	ZG4P	E8 Metallic Silver E9 Nu Nickel				1,201

**SEATS**

SAMPLE ORDER: ZG10-CPT85-QP

	<b>ZG10</b>	<b>Standard features</b>	<b>Dimensions</b>	<b>(in)</b>	<b>(mm)</b>	<b>Dimensions on beam</b>	<b>(in)</b>	<b>(mm)</b>
		Fully upholstered ottoman	Seat thickness Seat width Seat depth	2 21 20	51 533 508	Seat height	19	480
	<b>Model</b>	<b>Upholstery / List (\$)</b>			<b>Other options (\$)</b>			
	ZG10	Grade 1 234 x 4 = 936 Grade 2 245 x 4 = 980 Grade 3 263 x 4 = 1,052 Grade 4 300 x 4 = 1,200	Grade 5 316 x 4 = 1,264 Grade 6 363 x 4 = 1,452 Grade 7 665 x 4 = 2,660 Grade 8 409 x 4 = 1,636	QP N/C TP 16/seat DP 21/seat SP 42/seat				

	<b>ZG2S</b>	<b>Standard features</b>	<b>Dimensions</b>	<b>(in)</b>	<b>(mm)</b>	<b>Dimensions on beam</b>	<b>(in)</b>	<b>(mm)</b>
		2-piece shell Fully upholstered Flex effect	Seat thickness Seat width Seat depth Back height Back width	2 20 1/2 18 17 20	51 521 457 432 508	Overall height Seat height	34 1/4 19	870 480
	<b>Model</b>	<b>Frame</b>	<b>Upholstery / List (\$)</b>		<b>Other options (\$)</b>			
	ZG2S	E8 Metallic Silver E9 Nu Nickel	Grade 1 468 x 4 = 1,872 Grade 2 479 x 4 = 1,916 Grade 3 497 x 4 = 1,988 Grade 4 534 x 4 = 2,136	Grade 5 550 x 4 = 2,200 Grade 6 597 x 4 = 2,388 Grade 7 899 x 4 = 3,596 Grade 8 643 x 4 = 2,572	QP N/C TP 16/seat DP 21/seat SP 42/seat			

**Lacasse thermofused laminate finishes**

<b>ACA</b> – Mahogany	<b>CER</b> – Cherry	<b>FOS</b> – Fossil	<b>GVR</b> – Frost	<b>NTL</b> – Natural Cherry	<b>TWT</b> – Tuscany Walnut
<b>BUC</b> – Bourbon Cherry	<b>CLY</b> – Clay	<b>GAN</b> – Anthracite Grey	<b>HZN</b> – Hazelnut	<b>PCM</b> – Parchment	<b>WGR</b> – Willow Grey
<b>CAR</b> – Caramello	<b>DCH</b> – Dark Chocolate	<b>GGI</b> – Grigio	<b>NCN</b> – Crystal Black	<b>RBY</b> – Ruby	
<b>CCL</b> – Classic Chocolate	<b>ERH</b> – Hard Rock Maple	<b>GIN</b> – Ginger	<b>NRM</b> – Natural Maple	<b>SNO</b> – Snow	

**ZG21T**




**Standard features**

Thermofused laminate square table, 1" thick  
Hardware included

Dimensions	(in)	(mm)	Dimensions on beam	(in)	(mm)
Width	21	533	Overall height	17	432
Depth	21	533			

Model	Laminate finish	List (\$)	Other options (\$)
<b>ZG21T</b>		<b>364 x 4 = 1,456</b>	<b>QP</b> N/C <b>TP</b> 16/unit <b>DP</b> 21/unit <b>SP</b> 42/unit

**ZG90T**




**Standard features**

Thermofused laminate 90-degree table, 1" thick  
Connecting beam included  
Hardware included

Dimensions	(in)	(mm)	Dimensions on beam	(in)	(mm)
Width	43 ¼	1099	Overall height	17	432
Depth	23	584			

Model	Frame	Laminate finish	List (\$)
<b>ZG90T</b>	<b>E8</b> Metallic Silver <b>E9</b> Nu Nickel		<b>884</b>

**ZG120T**



**Standard features**

Thermofused laminate 120-degree table, 1" thick  
Connecting beam included  
Hardware included

Dimensions	(in)	(mm)	Dimensions on beam	(in)	(mm)
Width	29 ½	749	Overall height	17	432
Depth	21 ½	349			

Model	Frame	Laminate finish	List (\$)
<b>ZG120T</b>	<b>E8</b> Metallic Silver <b>E9</b> Nu Nickel		<b>676</b>

**ZG360T**




**Standard features**

Thermofused laminate tri-directional table, 1" thick  
Connecting beam included  
Hardware included

Dimensions	(in)	(mm)	Dimensions on beam	(in)	(mm)
Width	30 ¼	768	Overall height	17	432
Depth	27	685			

Model	Frame	Laminate finish	List (\$)
<b>ZG360T</b>	<b>E8</b> Metallic Silver <b>E9</b> Nu Nickel		<b>884</b>

**ZG921T**




**Standard features**

Thermofused laminate rectangular table, 1" thick  
Connecting beam included  
Hardware included

Dimensions	(in)	(mm)	Dimensions on beam	(in)	(mm)
Width	21	533	Overall height	17	432
Depth	10	254			

Model	Frame	Laminate finish	List (\$)
<b>ZG921T</b>	<b>E8</b> Metallic Silver <b>E9</b> Nu Nickel		<b>312</b>

**ZGPS1**



**Standard features**

Privacy screen  
Ready to install  
Hardware included

**Dimensions**

	(in)	(mm)
Height	48	1219
Width	21	533
Thickness	1	25

**Dimensions on beam**

	(in)	(mm)
Overall height	56 ¼	1380
Overall depth	23 ¾	603

Model	Frame	Upholstery / List (\$)	Other options (\$)
ZGPS1	E8 Metallic Silver	Grade 1 728 x 4 = 2,912	QP N/C
	E9 Nu Nickel	Grade 2 739 x 4 = 2,956	TP 16/unit
		Grade 3 757 x 4 = 3,028	DP 21/unit
		Grade 4 794 x 4 = 3,176	SP 42/unit
		Grade 5 810 x 4 = 3,240	
		Grade 6 857 x 4 = 3,428	
		Grade 7 1,159 x 4 = 4,636	
		Grade 8 903 x 4 = 3,612	

**ZG1A**



**Standard features**

Arm with polyurethane armcap  
Painted steel structure  
Hardware included

**Dimensions**

	(in)	(mm)
Height	13 ½	362
Width	7	178
Depth	16	406

**Dimensions on beam**

	(in)	(mm)
Overall height	26 ¼	667

Model	Frame	List (\$)	Other options (\$)
ZG1A	E8 Metallic Silver	364 x 5 = 1,820	5P N/C
	E9 Nu Nickel		QP 10/unit
			TP 16/unit
			DP 21/unit
			SP 42/unit

**ZG1F**




**Standard features**

Single metal floor anchor  
Includes 2 anchors and hardware

Model	Frame	List (\$)
ZG1F	E8 Metallic Silver	83
	E9 Nu Nickel	

**ZG2F**




**Standard features**

Double metal floor anchor  
Includes 2 anchors and hardware

Model	Frame	List (\$)
ZG2F	E8 Metallic Silver	104
	E9 Nu Nickel	

**ZG1E**



**Standard features**

Electric outlet  
Hardware included

Model	Frame	List (\$)
ZG1E	E8 Metallic Silver	530
	E9 Nu Nickel	



## TASK

### SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

### HIGH-PERFORMANCE CHAIRS

SAMPLE ORDER: ZPX11-E3-53F-53F-XCON-P-NB-SDW-HWA3

#### ZPX11




##### Standard features

Tilt tension **XCON:** Multifunction control  
 Back height adjustment **P:** Pneumatic seat height  
 Back angle adjustment with infinite lock **NB:** Nylon base  
 Fully upholstered back panel **HDW:** Hard dual-wheel casters  
 Free-floating seat tilt with infinite lock **HWA3:** Height and width adjustable arms  
 Heavy-duty tilt tension control

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-21	406-533	Overall height	34-39	864-991
Seat width	20½	521	Overall width	25½	648
Seat depth	17	432	Overall depth	24½	622
Back height	16½-20	419-508	Width between arms	18¼	464
Back width	18	457			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)					
ZPX11	E3 Black	Grade 1	568	XCON Std	P Std	NB Std	HDW Std	HWA3 Std	C33	130			
		Grade 2	579						SB 62	SDW 26	3D3 31	SSP	80
		Grade 3	597						PCB 177	BRC 42		PBG <sup>(1)</sup>	46
		Grade 4	635							BGL 31			
		Grade 5	652										
		Grade 6	714										
		Grade 7	1,116										
		Grade 8	775										

#### ZPX10



##### Standard features

Tilt tension **XCON:** Multifunction control  
 Back height adjustment **P:** Pneumatic seat height  
 Back angle adjustment with infinite lock **NB:** Nylon base  
 Fully upholstered back panel **HDW:** Hard dual-wheel casters  
 Free-floating seat tilt with infinite lock  
 Heavy-duty tilt tension control

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-21	406-533	Overall height	34-39	864-991
Seat width	20½	521	Overall width	24½	622
Seat depth	17	432	Overall depth	24½	622
Back height	16½-20	419-508			
Back width	18	457			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)					
ZPX10	E3 Black	Grade 1	497	XCON Std	P Std	NB Std	HDW Std	C33	130			
		Grade 2	509						SB 62	SDW 26	SSP	80
		Grade 3	526						PCB 177	BRC 42	PBG <sup>(1)</sup>	46
		Grade 4	565							BGL 31		
		Grade 5	581									
		Grade 6	644									
		Grade 7	1,045									
		Grade 8	704									

(1) PBG: N/A with C33 option.

**ZP11**




Standard features				Dimensions (in)			Dimensions (mm)		
Tilt lock	<b>ST:</b> Swivel-tilt control	Seat height	16-21	406-533	Overall height	34-39	864-991		
Tilt tension	<b>P:</b> Pneumatic seat height	Seat width	20 ½	521	Overall width	25 ½	648		
Back height adjustment	<b>NB:</b> Nylon base	Seat depth	17 ½	445	Overall depth	24 ½	622		
Fully upholstered back panel	<b>HDW:</b> Hard dual-wheel casters	Back height	16 ½-20	419-508	Width between arms	18 ¼	464		
	<b>PA3:</b> Solid steel arms with 9" pads	Back width	18	457					

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
ZP11	E3 Black	Grade 1	383	ST Std	P Std	NB Std	HDW Std	PA3 Std	C33 130
		Grade 2	394			SB 62	SDW 26	AA3 31	PBG <sup>(1)</sup> 46
		Grade 3	412			PCB 177	BRC 42	HWA3 57	
		Grade 4	450				BGL 31	3D3 31	
		Grade 5	467						
		Grade 6	528						
		Grade 7	930						
		Grade 8	590						

**ZP10**



Standard features				Dimensions (in)			Dimensions (mm)		
Tilt lock	<b>ST:</b> Swivel-tilt control	Seat height	16-21	406-533	Overall height	34-39	864-991		
Tilt tension	<b>P:</b> Pneumatic seat height	Seat width	20 ½	521	Overall width	24 ½	622		
Back height adjustment	<b>NB:</b> Nylon base	Seat depth	17 ½	445	Overall depth	24 ½	622		
Fully upholstered back panel	<b>HDW:</b> Hard dual-wheel casters	Back height	16 ½-20	419-508					
		Back width	18	457					

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)	
ZP10	E3 Black	Grade 1	337	ST Std	P Std	NB Std	HDW Std	C33 130
		Grade 2	348			SB 62	SDW 26	PBG <sup>(1)</sup> 46
		Grade 3	367			PCB 177	BRC 42	
		Grade 4	405				BGL 31	
		Grade 5	422					
		Grade 6	484					
		Grade 7	885					
		Grade 8	544					

**ZP6**




Standard features				Dimensions (in)			Dimensions (mm)		
Back height adjustment	<b>SW:</b> Swivel only control	Seat height	16-21	406-533	Overall height	34-39	864-991		
Back depth adjustment	<b>P:</b> Pneumatic seat height	Seat width	20 ½	521	Overall width	25 ½	648		
Fully upholstered back panel	<b>NB:</b> Nylon base	Seat depth	17 ½	445	Overall depth	24	610		
	<b>HDW:</b> Hard dual-wheel casters	Back height	16 ½-20	419-508	Width between arms	18 ¼	464		
	<b>PA3:</b> Solid steel arms with 9" pads	Back width	18	457					

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
ZP6	E3 Black	Grade 1	360	SW Std	P Std	NB Std	HDW Std	PA3 Std	C33 130
		Grade 2	371			SB 62	SDW 26	AA3 31	PBG <sup>(1)</sup> 46
		Grade 3	389			PCB 177	BRC 42	HWA3 57	
		Grade 4	405				BGL 31	3D3 31	
		Grade 5	422						
		Grade 6	484						
		Grade 7	885						
		Grade 8	544						

**ZP5**



Standard features				Dimensions (in)			Dimensions (mm)		
Back height adjustment	<b>SW:</b> Swivel only control	Seat height	16-21	406-533	Overall height	34-39	864-991		
Back depth adjustment	<b>P:</b> Pneumatic seat height	Seat width	20 ½	521	Overall width	23	584		
Fully upholstered back panel	<b>NB:</b> Nylon base	Seat depth	17 ½	445	Overall depth	24	610		
	<b>HDW:</b> Hard dual-wheel casters	Back height	16 ½-20	419-508					
		Back width	18	457					

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)	
ZP5	E3 Black	Grade 1	315	SW Std	P Std	NB Std	HDW Std	C33 130
		Grade 2	327			SB 62	SDW 26	PBG <sup>(1)</sup> 46
		Grade 3	344			PCB 177	BRC 42	
		Grade 4	383				BGL 31	
		Grade 5	399					
		Grade 6	461					
		Grade 7	863					
		Grade 8	522					

(1) PBG: N/A with C33 option.

**ZP2**



**Standard features**

Back depth adjustment **SW**: Swivel only control  
 Fully upholstered back panel **P**: Pneumatic seat height  
**NB**: Nylon base  
**HDW**: Hard dual-wheel casters  
**PA3**: Solid steel arms with 9" pads

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-21	406-533	Overall height	34-39	864-991
Seat width	20½	521	Overall width	25½	648
Seat depth	17½	445	Overall depth	24	610
Back height	16½-20	419-508	Width between arms	18¼	464
Back width	18	457			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
<b>ZP2</b>	<b>E3 Black</b>	Grade 1	<b>327</b>	<b>SW</b> Std	<b>P</b> Std	<b>NB</b> Std	<b>HDW</b> Std	<b>PA3</b> Std	<b>C33</b> <b>130</b>
		Grade 2	<b>337</b>			<b>SB</b> <b>62</b>	<b>SDW</b> <b>26</b>	<b>AA3</b> <b>31</b>	<b>PBG</b> <sup>(1)</sup> <b>46</b>
		Grade 3	<b>356</b>			<b>PCB</b> <b>177</b>	<b>BRC</b> <b>42</b>	<b>HWA3</b> <b>57</b>	
		Grade 4	<b>394</b>				<b>BGL</b> <b>31</b>	<b>3D3</b> <b>31</b>	
		Grade 5	<b>411</b>						
		Grade 6	<b>472</b>						
		Grade 7	<b>874</b>						
		Grade 8	<b>534</b>						

**ZP1**



**Standard features**

Back depth adjustment **SW**: Swivel only control  
 Fully upholstered back panel **P**: Pneumatic seat height  
**NB**: Nylon base  
**HDW**: Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16-21	406-533	Overall height	34-39	864-991
Seat width	20½	521	Overall width	23	584
Seat depth	17½	445	Overall depth	24	610
Back height	16½-20	419-508			
Back width	18	457			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)	
<b>ZP1</b>	<b>E3 Black</b>	Grade 1	<b>281</b>	<b>SW</b> Std	<b>P</b> Std	<b>NB</b> Std	<b>HDW</b> Std	<b>C33</b> <b>130</b>
		Grade 2	<b>292</b>			<b>SB</b> <b>62</b>	<b>SDW</b> <b>26</b>	<b>PBG</b> <sup>(1)</sup> <b>46</b>
		Grade 3	<b>311</b>			<b>PCB</b> <b>177</b>	<b>BRC</b> <b>42</b>	
		Grade 4	<b>348</b>				<b>BGL</b> <b>31</b>	
		Grade 5	<b>366</b>					
		Grade 6	<b>427</b>					
		Grade 7	<b>829</b>					
		Grade 8	<b>488</b>					

(1) **PBG**: N/A with C33 option.



## STOOL

### SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

### STOOLS

SAMPLE ORDER: ZP52-E3-PA10-PA10-SW-XTC-SB-HDW-AA3

#### ZP52



#### Standard features

Back height adjustment	<b>SW:</b> Swivel only control
Back depth adjustment	<b>P:</b> Pneumatic seat height
Fully upholstered back panel	<b>SB:</b> Steel base
Foot support	<b>HDW:</b> Hard dual-wheel casters <b>PA3:</b> Solid steel arms with 9" pads

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23-28 ½	584-724	Overall height	38-46 ½	965-1181
Seat width	20 ½	521	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	16 ½-20	419-508	Width between arms	19	483
Back width	17	432			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
ZP52	E3 Black	Grade 1	484	SW Std	P Std	SB Std	HDW Std	PA3 Std	CFR <sup>(1)</sup> 46
		Grade 2	495		SCL 78		SDW 26	AA3 31	C33 130
		Grade 3	513		XTC 62		BRC 42	HWA3 57	PBG <sup>(2)</sup> 46
		Grade 4	551				BGL 31	3D3 31	
		Grade 5	568						
		Grade 6	630						
		Grade 7	1,032						
		Grade 8	691						

#### ZP51



#### Standard features

Back height adjustment	<b>SW:</b> Swivel only control
Back depth adjustment	<b>P:</b> Pneumatic seat height
Fully upholstered back panel	<b>SB:</b> Steel base
Foot support	<b>HDW:</b> Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23-28 ½	584-724	Overall height	38-46 ½	965-1181
Seat width	20 ½	521	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	16 ½-20	419-508			
Back width	17	432			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)	
ZP51	E3 Black	Grade 1	439	SW Std	P Std	SB Std	HDW Std	CFR <sup>(1)</sup> 46
		Grade 2	450		SCL 78		SDW 26	C33 130
		Grade 3	468		XTC 62		BRC 42	PBG <sup>(2)</sup> 46
		Grade 4	506				BGL 31	
		Grade 5	523					
		Grade 6	584					
		Grade 7	987					
		Grade 8	646					

(1) **IMPORTANT** – CFR: Footrest will be changed for a footring, chrome finish.

(2) **PBG:** N/A with C33 option.





## TASK

### SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

### TASK CHAIRS

SAMPLE ORDER: NSX11-E3-CPT37-CPT37-XCON-P-NB-HDW-HWA4

#### NSX11




#### Standard features

Infinite tilt lock	<b>XCON:</b> Multifunction control
Tilt tension	<b>P:</b> Pneumatic seat height
Free-floating seat tilt	<b>NB:</b> Nylon base
Back height adjustment	<b>HDW:</b> Hard dual-wheel casters
Independently adjustable seat and back angle	<b>HWA4:</b> Height and width adjustable arms
Fully upholstered back panel	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	31 ¾-38 ¼	806-971
Seat width	21	533	Overall width	25	635
Seat depth	18	457	Overall depth	34	864
Back height	18-21 ½	457-546	Width between arms	18 ¼	464
Back width	17 ½	445			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)								
NSX11	E3 Black	Grade 1	619	XCON Std	P Std	NB Std	HDW Std	SSP	80							
		Grade 2	630					SB 62	SDW 26	C33	130					
		Grade 3	648									PCB 177	BRC 42	PBG <sup>(1)</sup>	46	
		Grade 4	686													BGL 31
		Grade 5	703													
		Grade 6	764													
		Grade 7	1,167													
		Grade 8	826													

#### NSX10



#### Standard features

Infinite tilt lock	<b>XCON:</b> Multifunction control
Tilt tension	<b>P:</b> Pneumatic seat height
Free-floating seat tilt	<b>NB:</b> Nylon base
Back height adjustment	<b>HDW:</b> Hard dual-wheel casters
Independently adjustable seat and back angle	
Fully upholstered back panel	

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	16 ½-21	419-533	Overall height	31 ¾-38 ¼	806-971
Seat width	21	533	Overall width	25	635
Seat depth	18	457	Overall depth	34	864
Back height	18-21 ½	457-546			
Back width	17 ½	445			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)									
NSX10	E3 Black	Grade 1	537	XCON Std	P Std	NB Std	HDW Std	SSP	80							
		Grade 2	548					SB 62	SDW 26	C33	130					
		Grade 3	566									PCB 177	BRC 42	PBG <sup>(1)</sup>	46	
		Grade 4	604													BGL 31
		Grade 5	621													
		Grade 6	683													
		Grade 7	1,085													
		Grade 8	744													

(1) PBG: N/A with C33 option.

**NS2**



**Standard features**

Back height adjustment **SW:** Swivel only control  
 Back depth adjustment **P:** Pneumatic seat height  
 Fully upholstered back panel **NB:** Nylon base  
**HDW:** Hard dual-wheel casters  
**UA:** Fixed arms with upholstered armrests

**Dimensions**

	(in)	(mm)
Seat height	17-21 ¼	432-540
Seat width	20 ½	521
Seat depth	17 ½	445
Back height	17 ½-21	445-533
Back width	17	432

**Dimensions**

	(in)	(mm)
Overall height	32 ½-40 ¼	826-1022
Overall width	23 ½	597
Overall depth	25	635
Width between arms	19	483

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)
<b>NS2</b>	<b>E3 Black</b>	Grade 1	<b>366</b>	<b>SW</b> Std	<b>P</b> Std	<b>NB</b> Std <b>HDW</b> Std	<b>UA</b> Std	<b>C33</b> <b>130</b>
		Grade 2	<b>376</b>			<b>SB</b> <b>62</b> <b>SDW</b> <b>26</b>	<b>PA4</b> <b>29</b>	<b>PBG<sup>(1)</sup></b> <b>46</b>
		Grade 3	<b>395</b>			<b>PCB</b> <b>177</b> <b>BRC</b> <b>42</b>	<b>AA4</b> <b>31</b>	
		Grade 4	<b>433</b>			<b>BGL</b> <b>31</b>	<b>HWA4</b> <b>57</b>	
		Grade 5	<b>450</b>				<b>3D4</b> <b>31</b>	
		Grade 6	<b>512</b>					
		Grade 7	<b>913</b>					
		Grade 8	<b>573</b>					

**NS1**



**Standard features**

Back height adjustment **SW:** Swivel only control  
 Back depth adjustment **P:** Pneumatic seat height  
 Fully upholstered back panel **NB:** Nylon base  
**HDW:** Hard dual-wheel casters

**Dimensions**

	(in)	(mm)
Seat height	17-21 ¼	432-540
Seat width	20 ½	521
Seat depth	17 ½	445
Back height	17 ½-21	445-533
Back width	17	432

**Dimensions**

	(in)	(mm)
Overall height	32 ½-40 ¼	826-1022
Overall width	23 ½	597
Overall depth	25	635

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)
<b>NS1</b>	<b>E3 Black</b>	Grade 1	<b>315</b>	<b>SW</b> Std	<b>P</b> Std	<b>NB</b> Std <b>HDW</b> Std	<b>C33</b> <b>130</b>
		Grade 2	<b>327</b>			<b>SB</b> <b>62</b> <b>SDW</b> <b>26</b>	<b>PBG<sup>(1)</sup></b> <b>46</b>
		Grade 3	<b>344</b>			<b>PCB</b> <b>177</b> <b>BRC</b> <b>42</b>	
		Grade 4	<b>383</b>			<b>BGL</b> <b>31</b>	
		Grade 5	<b>399</b>				
		Grade 6	<b>461</b>				
		Grade 7	<b>863</b>				
		Grade 8	<b>522</b>				

(1) **PBG:** N/A with C33 option.



## GUEST

### SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG) option. Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.

#### GUEST CHAIRS

SAMPLE ORDER: NS32-E3-SR05-SR05-PA4

#### NS32



##### Standard features

Back height adjustment  
 Seat depth adjustment  
 Fully upholstered back panel  
 Cantilevered sled base of 1", 12-gauge steel tubing

**UA:** Fixed arms with upholstered armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18 ¼	464	Overall height	34 ¾	883
Seat width	20 ½	521	Overall width	23 ½	597
Seat depth	18 ¼	464	Overall depth	23 ½	597
Back height	16 ½	419	Width between arms	19	483
Back width	17	432			

Model	Frame	Upholstery / List (\$)	Arms (\$)	Other options (\$)
NS32	E3 Black	Grade 1	371	UA Std C33 130
		Grade 2	383	PA4 29 PBG <sup>(1)</sup> 46
		Grade 3	400	AA4 31
		Grade 4	439	
		Grade 5	456	
		Grade 6	518	
		Grade 7	919	
		Grade 8	578	

#### NS31



##### Standard features

Back height adjustment  
 Seat depth adjustment  
 Fully upholstered back panel  
 Cantilevered sled base of 1", 12-gauge steel tubing

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	18 ¼	464	Overall height	34 ¾	870
Seat width	20 ½	521	Overall width	23 ½	597
Seat depth	18 ¼	464	Overall depth	23 ½	597
Back height	16 ½	419			
Back width	17	432			

Model	Frame	Upholstery / List (\$)	Other options (\$)
NS31	E3 Black	Grade 1	320 C33 130
		Grade 2	332 PBG <sup>(1)</sup> 46
		Grade 3	349
		Grade 4	388
		Grade 5	405
		Grade 6	467
		Grade 7	868
		Grade 8	527

(1) PBG: N/A with PBG option.



## STOOL

### SPECIFICATIONS

- All models ship assembled.
- All options available with Cal-133 option except plastic back guard (PBG). Limited upholstery selection.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.
- Control mechanism is black.
- All models come with 2" (51 mm) hard plastic black dual-wheel casters.

### STOOLS

SAMPLE ORDER: NS52-E3-SL19-SL19-SW-XTC-SB-HDW-UA

#### NS52



#### Standard features

Back height adjustment **SW:** Swivel only control  
 Foot support **P:** Pneumatic seat height  
 Back depth adjustment **SB:** Steel base  
 Fully upholstered back panel **HDW:** Hard dual-wheel casters  
**UA:** Fixed arms with upholstered armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23-28 ½	584-724	Overall height	38-46 ½	965-1181
Seat width	20 ½	521	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	16 ½-20	419-508	Width between arms	19	483
Back width	17	432			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Arms (\$)	Other options (\$)	
NS52	E3 Black	Grade 1	478	SW Std	P Std	SB Std	HDW Std	UA Std	CFR <sup>(1)</sup> 46
		Grade 2	489		SCL 78		SDW 26	PA4 29	C33 130
		Grade 3	508		XTC 62		BRC 42	AA4 31	PBG <sup>(2)</sup> 46
		Grade 4	546				BGL 31	HWA4 57	
		Grade 5	563					3D4 31	
		Grade 6	624						
		Grade 7	1,025						
		Grade 8	685						

#### NS51



#### Standard features

Back height adjustment **SW:** Swivel only control  
 Foot support **P:** Pneumatic seat height  
 Back depth adjustment **SB:** Steel base  
 Fully upholstered back panel **HDW:** Hard dual-wheel casters

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	23-28 ½	584-724	Overall height	38-46 ½	965-1181
Seat width	20 ½	521	Overall width	25	635
Seat depth	17 ½	445	Overall depth	26	660
Back height	16 ½-20	419-508			
Back width	17	432			

Model	Frame	Upholstery / List (\$)	Control (\$)	Cylinder (\$)	Base (\$)	Casters (\$)	Other options (\$)	
NS51	E3 Black	Grade 1	427	SW Std	P Std	SB Std	HDW Std	CFR <sup>(1)</sup> 46
		Grade 2	439		SCL 78		SDW 26	C33 130
		Grade 3	457		XTC 62		BRC 42	PBG <sup>(2)</sup> 46
		Grade 4	495				BGL 31	
		Grade 5	512					
		Grade 6	574					
		Grade 7	976					
		Grade 8	634					

(1) **IMPORTANT** – CFR: Footrest will be changed for a footring, chrome finish.

(2) **PBG:** N/A with C33 option.



## STACK

### SPECIFICATIONS

- All models ship assembled.
- Stacking chairs should be ordered by number of cartons desired.
- Arm to armless chairs will gang.
- Chairs will not stack with optional bookrack and/or with tablet arm.
- P33 option meets Cal-133 compliance. Limited polypropylene (black FS33 only) and upholstery selection.
- C.O.M./C.O.V. available. Please refer to page 82.

### POLYPROPYLENE BACK AND SEAT STACK CHAIRS

SAMPLE ORDER: FE02-PC-FS01

#### FE02



#### Standard features

Ships 4 per carton  
 3/16" solid steel frame  
 Polypropylene shell  
 Black polypropylene armrests

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17	432	Overall height	31	787
Seat width	17 1/2	445	Overall width	22	559
Seat depth	17 1/4	438	Overall depth	22 1/2	572
Back height	13 1/2	343	Width between arms	19 3/8	492
Back width	17 1/2	445			

Model	Frame	Polypropylene shell color	List (\$)	Other options (\$)	
FE02	E3 Black	FS01 White	202 x 4 = 808	DP	21/chair
		FS03 Black		SP	42/chair
	PC Polished Chrome	FS04 Navy		P33 <sup>(2)</sup>	45/chair
		FS06 Red			
		FS08 Yellow			
		FS14 Gray			
		FS15 Orange			
		FS21 Green			
		FS27 Blue			
		FS33 Black Cal-133 <sup>(1)</sup>			

#### FE01



#### Standard features

Ships 4 per carton  
 3/16" solid steel frame  
 Polypropylene shell

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17	432	Overall height	31	787
Seat width	17 1/2	445	Overall width	17 1/2	445
Seat depth	17 1/4	438	Overall depth	22 1/2	572
Back height	13 1/2	343			
Back width	17 1/2	445			

Model	Frame	Polypropylene shell color	List (\$)	Other options (\$)	
FE01	E3 Black	FS01 White	142 x 4 = 568	DP	21/chair
		FS03 Black		SP	42/chair
	PC Polished Chrome	FS04 Navy		P33 <sup>(2)</sup>	45/chair
		FS06 Red			
		FS08 Yellow			
		FS14 Gray			
		FS15 Orange			
		FS21 Green			
		FS27 Blue			
		FS33 Black Cal-133 <sup>(1)</sup>			

(1) FS33: Requires P33 option.

(2) P33: FS33 only.

**FE04**



**Standard features**

Ships 2 per carton  
 7/16" solid steel frame  
 Polypropylene shell  
 Black polypropylene armrests

**Dimensions**

	(in)	(mm)
Seat height	17	432
Seat width	17 1/2	445
Seat depth	17 1/4	438
Back height	13 1/2	343
Back width	17 1/2	445

**Dimensions**

	(in)	(mm)
Overall height	31	787
Overall width	22	559
Overall depth	22 1/2	572
Width between arms	19 3/8	492

Model	Frame	Polypropylene shell color	Upholstery / List (\$)	Other options (\$)	
FE04	E3 Black	FS01 White	Grade 1	290 x 2 = 580	SP 42/chair
		FS03 Black	Grade 2	309 x 2 = 618	P33 <sup>(2)</sup> 45/chair
	PC Polished chrome	FS04 Navy	Grade 3	332 x 2 = 664	
		FS06 Red	Grade 4	359 x 2 = 718	
		FS08 Yellow	Grade 5	387 x 2 = 774	
		FS14 Gray	Grade 6	449 x 2 = 898	
		FS15 Orange	Grade 7	859 x 2 = 1,718	
		FS21 Green	Grade 8	512 x 2 = 1,024	
		FS27 Blue			
		FS33 Black Cal-133 <sup>(1)</sup>			

**FE03**



**Standard features**

Ships 2 per carton  
 7/16" solid steel frame  
 Polypropylene shell

**Dimensions**

	(in)	(mm)
Seat height	17	432
Seat width	17 1/2	445
Seat depth	17 1/4	438
Back height	13 1/2	343
Back width	17 1/2	445

**Dimensions**

	(in)	(mm)
Overall height	31	787
Overall width	17 1/2	445
Overall depth	22 1/2	572

Model	Frame	Polypropylene shell color	Upholstery / List (\$)	Other options (\$)	
FE03	E3 Black	FS01 White	Grade 1	231 x 2 = 462	SP 42/chair
		FS03 Black	Grade 2	249 x 2 = 498	P33 <sup>(2)</sup> 45/chair
	PC Polished chrome	FS04 Navy	Grade 3	271 x 2 = 542	
		FS06 Red	Grade 4	300 x 2 = 600	
		FS08 Yellow	Grade 5	327 x 2 = 654	
		FS14 Gray	Grade 6	390 x 2 = 780	
		FS15 Orange	Grade 7	800 x 2 = 1,600	
		FS21 Green	Grade 8	452 x 2 = 904	
		FS27 Blue			
		FS33 Black Cal-133 <sup>(1)</sup>			

**FE06**



**Standard features**

Ships 2 per carton  
 7/16" solid steel frame  
 Polypropylene shell  
 Polypropylene armrests

**Dimensions**

	(in)	(mm)
Seat height	17	432
Seat width	17 1/2	445
Seat depth	17 1/4	438
Back height	13 1/2	343
Back width	17 1/2	445


**Dimensions**

	(in)	(mm)
Overall height	31	787
Overall width	22	559
Overall depth	22 1/2	572
Width between arms	19 3/8	492

Model	Frame	Polypropylene shell color	Upholstery / List (\$)	Other options (\$)	
FE06	E3 Black	FS01 White	Grade 1	262 x 2 = 524	SP 42/chair
		FS03 Black	Grade 2	280 x 2 = 560	P33 <sup>(2)</sup> 45/chair
	PC Polished chrome	FS04 Navy	Grade 3	303 x 2 = 606	
		FS06 Red	Grade 4	331 x 2 = 662	
		FS08 Yellow	Grade 5	358 x 2 = 716	
		FS14 Gray	Grade 6	421 x 2 = 842	
		FS15 Orange	Grade 7	831 x 2 = 1,662	
		FS21 Green	Grade 8	483 x 2 = 966	
		FS27 Blue			
		FS33 Black Cal-133 <sup>(1)</sup>			

(1) FS33: Requires P33 option.  
 (2) P33: FS33 only.

**FE05**



**Standard features**

Ships 2 per carton  
 7/16" solid steel frame  
 Polypropylene shell

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17	432	Overall height	31	787
Seat width	17 1/2	445	Overall width	22	559
Seat depth	17 1/4	438	Overall depth	22 1/2	572
Back height	13 1/2	343			
Back width	17 1/2	445			

Model	Frame	Polypropylene shell color	Upholstery / List (\$)		Other options (\$)	
FE05	E3 Black	FS01 White	Grade 1	202 x 2 = 404	SP	42/chair
	PC Polished chrome	FS03 Black	Grade 2	220 x 2 = 440	P33 <sup>(2)</sup>	45/chair
		FS04 Navy	Grade 3	243 x 2 = 486		
		FS06 Red	Grade 4	270 x 2 = 540		
		FS08 Yellow	Grade 5	298 x 2 = 596		
		FS14 Gray	Grade 6	362 x 2 = 724		
		FS15 Orange	Grade 7	771 x 2 = 1,542		
		FS21 Green	Grade 8	423 x 2 = 846		
		FS27 Blue				
		FS33 Black Cal-133 <sup>(1)</sup>				

**ACCESSORIES**

**FEDY**



**Standard features**

Stacking dolly, black only  
 Enamel steel frame  
 To stack 40 FE01 or 40 FE02 models only

Dimensions	(in)	(mm)	Overall dimensions of dolly with 40 chairs		(in)	(mm)
Overall width	23 1/2	597	Total height	69	1753	
Overall depth	28 1/2	724	Total width	24	610	
			Total depth	38	965	

Model	List (\$)
FEDY	574

**UPFEDY**




**Standard features**

Stacking dolly, black only  
 Enamel steel frame  
 To stack 22 FE03, FE04, FE05, or FE06 models

Dimensions	(in)	(mm)	Overall dimensions of dolly with 22 chairs		(in)	(mm)
Overall width	21 1/4	540	Total height	66	1676	
Overall depth	28 1/2	724	Total width	21 1/4	540	
			Total depth	34	864	

Model	List (\$)
UPFEDY	574

**FEBR**




**Standard features**


Chrome bookrack  
 Field installation  
 Bookrack snaps on and off  
 Does not allow permanent attachment


Model	List (\$)
FEBR	84

(1) FS33: Requires P33 option.  
 (2) P33: FS33 only.

**ACCESSORIES**

<b>FETL</b>		<b>Standard features</b>	<b>Dimensions</b>	<b>(in)</b>	<b>(mm)</b>	
		Tablet arm (left) For FE01, FE03 and FE05 only	Tablet width	10 ½	267	
		Field installation	Overall width	11 ½	292	
		Chrome frame with black writing surface	Overall depth	20 ½	521	
		Tablet arm flips up but does not articulate				
<b>Model</b>						<b>List (\$)</b>
<b>FETL</b>						<b>166</b>

<b>FETR</b>		<b>Standard features</b>	<b>Dimensions</b>	<b>(in)</b>	<b>(mm)</b>	
		Tablet arm (right) For FE01, FE03 and FE05 only	Tablet width	10 ½	267	
		Field installation	Overall width	11 ½	292	
		Chrome frame with black writing surface	Overall depth	20 ½	521	
		Tablet arm flips up but does not articulate				
<b>Model</b>						<b>List (\$)</b>
<b>FETR</b>						<b>166</b>

<b>FEGANG</b>		<b>Standard features</b>				
		Ganging kit				
		Field installation				
		Gangs 2 chairs without arms together. Arm to armless models will gang together				
		Chair with a tablet arm adjacent to another tablet arm cannot be ganged together				
<b>Model</b>						<b>List (\$)</b>
<b>FEGANG</b>						<b>23</b>





GUEST

SPECIFICATIONS

- All models ship assembled.
- Fabric/fabric, fabric/vinyl and vinyl/vinyl dual upholstery is available. First upholstery is for the backrest, the second upholstery is for the seat.
- If dual upholstery combination is from two different grades, list price is the highest grade of the two (includes C.O.M. and C.O.V.).
- C.O.M./C.O.V. available. Please refer to page 82.

GUEST CHAIRS

SAMPLE ORDER: 7732-E3-AE21-AE21-SP

7732



Standard features

- Ships 4 per carton
- Fully upholstered back panel
- 3/8", 16-gauge, round steel tubing
- Metal floor glides
- Injection-molded arms

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 1/2	445	Overall height	31	787
Seat width	18	457	Overall width	23 3/4	603
Seat depth	17 1/2	445	Overall depth	21	533
Back height	14 1/2	368	Width between arms	20 3/4	527
Back width	17 1/2	445			

Model	Frame	Upholstery / List (\$)	Other options (\$)
7732	E3 Black	Grade 1 321 x 4 = 1,284	QP Std
		Grade 2 330 x 4 = 1,320	DP 21/chair
		Grade 3 342 x 4 = 1,368	SP 42/chair
		Grade 4 369 x 4 = 1,476	
		Grade 5 381 x 4 = 1,524	
		Grade 6 415 x 4 = 1,660	
		Grade 7 675 x 4 = 2,700	
		Grade 8 449 x 4 = 1,796	

7731



Standard features

- Ships 4 per carton
- Fully upholstered back panel
- 3/8", 16-gauge, round steel tubing
- Metal floor glides

Dimensions	(in)	(mm)	Dimensions	(in)	(mm)
Seat height	17 1/2	445	Overall height	31	787
Seat width	18	457	Overall width	20	508
Seat depth	17 1/2	445	Overall depth	21	533
Back height	14 1/2	368			
Back width	17 1/2	445			

Model	Frame	Upholstery / List (\$)	Other options (\$)
7731	E3 Black	Grade 1 298 x 4 = 1,192	QP Std
		Grade 2 307 x 4 = 1,228	DP 21/chair
		Grade 3 319 x 4 = 1,276	SP 42/chair
		Grade 4 346 x 4 = 1,384	
		Grade 5 358 x 4 = 1,432	
		Grade 6 392 x 4 = 1,568	
		Grade 7 652 x 4 = 2,608	
		Grade 8 426 x 4 = 1,704	

77DY



Standard features

- Stacking dolly, to stack 6 chairs

Dimensions	(in)	(mm)	Overall dimensions of dolly with 6 chairs	(in)	(mm)
Overall height	40	1016	Total height	53	1347
Overall width	29	737	Total width	29	737
Overall depth	33	838	Total depth	36	915

Model	List (\$)
77DY	691

## C.O.M./C.O.V. Policy

### Fabric approval

All C.O.M./C.O.V. materials must be approved for use by Groupe Lacasse/ United Chair manufacturing facilities. In order to determine pre-approval, please contact the C.O.M./C.O.V. coordinator at 1-888-522-2773.

To solicit approval, 2 samples (minimum of 8" x 8") need to be forwarded along with the material's specifications to a United Chair manufacturing facility to the attention of the C.O.M./C.O.V. coordinator; our Customer Service representative will direct you with shipping information. If California # 117 compliant, the certification must accompany the material. Please ensure that the custom fabric form is completely filled out and sent to the C.O.M./C.O.V. coordinator or the test cannot be processed. The ORIENTATION section is especially important; if it fails to be completed the material will be applied as it comes off the roll.

Once the C.O.M./C.O.V. material has been tested, you will be contacted by the C.O.M./C.O.V. coordinator with the results. Upon approval, you will be directed as to any additional yardage requirements beyond the published C.O.M./C.O.V. yardage. To determine amount of upholstery needed, please refer to the C.O.M./C.O.V. designation (model specific) in the product description section of the website ([www.grounelacasse.com](http://www.grounelacasse.com)). Yardage is based on 54" width roll. **Some directional or patterned material may require additional yardage.**

All materials are to be received from the vendor clearly marked with your purchase order number, VENDOR-PATTERN-COLOR and yardage. There should not be more than one piece per roll. Back orders or partial shipments will not be accepted. Rolls must not exceed 50 lbs. All C.O.M./C.O.V. material must be shipped prepaid to our manufacturing facilities. **DO NOT** ship C.O.M./C.O.V. material without positive test results.

Once approved, please forward your purchase order to the C.O.M./C.O.V. coordinator (fax #: 1-888-248-1865) and the upholstery to the specified address. Surplus material, unused material or material that cannot be identified will be discarded after 60 days. C.O.M./C.O.V. upholstery is subject to final approval upon arrival. It is the responsibility of the customer or customer's vendor to inspect material for bias and/or flaws prior to shipment to Groupe Lacasse / United Chair.

### Disclaimer

The Seller reserves the right to approve all C.O.M./C.O.V. prior to acceptance. Even after preliminary approval, the Seller reserves the right to reject C.O.M./C.O.V. if tests or early production results indicate the material will not meet the Seller's quality standards or excessive unforeseen costs will be incurred. For accepted C.O.M./C.O.V., the Seller assumes no responsibility for its appearance, quality, durability, colorfastness or any other attributes after application to a United Chair product. The Seller will determine any additional yardage, labor charges or surcharges that may be required as a condition of C.O.M./C.O.V. acceptance.

Purchase orders will not be processed until material has been approved and production cannot be scheduled until upholstery has been received. Upon completing these steps, your ship date will be determined. The Seller may split an order at the customer's request and may be subject to a minimum order charge.

The Seller is not responsible for excess C.O.M./C.O.V. from completed orders unless express agreement has been reached in advance. The customer is responsible for the return of any excess material. C.O.M./C.O.V. orders may not be changed or cancelled after acknowledgement.

Please consult the C.O.M./C.O.V. coordinator (1-888-522-2773) with any questions regarding this process.

### Pricing

C.O.M. (FABRIC): is priced at Grade 2.

C.O.V. (VINYL): is priced at Grade 3.

For internal use only

Tracking #

Date



# Custom Fabric Form

All information below needs to be supplied in order to process your request and two test swatches (minimum 8" x 8") must be sent. Additional material may be requested. Please include this form and a Cal-117 certification (if applicable) to all test requests. If fabric is reversible, please indicate up side with a color swatch. Remember that fabric (C.O.M.) is priced at grade 2 and vinyl (C.O.V.) is priced at grade 3. Contact the C.O.M. coordinator with any questions.

Please fax this form to United Chair C.O.M./C.O.V. coordinator at 1-888-248-1865. (Send only if testing is required)

## General information

Date of request	Bill to address
Customer name	
Contact person	
Phone #	
E-mail address	

## Textile information

Test #	Results		Supplier	Pattern name	Pattern #	Color
	Passed	Failed				
1.						
2.						
3.						
4.						
5.						

For internal use only

	Please check		Orientation		Reversible fabric?		Is fabric Cal-117?		Backer type (If applicable)
	Fabric	Vinyl	Off the roll	Railroaded	Yes	No	Yes	No	
1.									
2.									
3.									
4.									
5.									

## Other comments

---



---



---

# Terms and Conditions

## Order placement

Groupe Lacasse LLC requires that all orders must be submitted in writing as represented by a valid purchase order on company letterhead, which includes the total list and net dollars. This is to ensure that orders are complete, to avoid errors, and to avoid duplication. Please order product by number in order to avoid any possible error. Telephone orders will not be processed for production without proper written confirmation. Groupe Lacasse LLC will not be responsible for errors, omissions and order duplication due to non-compliance with this procedure.

## Ordering information

The following information is required to process an order:

### Customer information

Sold/Ship to address  
Purchase order number  
Authorized signature  
Contact name and phone  
Consignee contact name and phone  
Tagging instructions  
Bid/Quote # if applicable  
Product pricing (list/net)  
Order total (list/net)  
Preferred delivered date  
(Specific delivery date not guaranteed)

### Product information

Quantity  
Product numbers including options  
Fabric and colors (all surfaces)

## Order changes

Any change to an original purchase order must be received in writing no later than 48 hours after receipt of the original order. Any change to the original order after 48 hours, if approved, will result in production rescheduling. The cost variances will have to be approved by our Customer Service before production rescheduling.

## Order cancellations

Cancellations must be requested in writing no later than 48 hours after receipt of the original order and are subject to approval by Groupe Lacasse LLC. Cancellations cannot be accepted otherwise.

## Order acknowledgment

Orders will be acknowledged by Groupe Lacasse LLC. Please refer to the acknowledgment copy to make sure it agrees with your original purchase order. When corresponding, please refer to the acknowledgment number.

## Returns

Products are made-to-order and may not be cancelled or returned. For warranty issues, please contact Customer Service. The Seller reserves the right to recall any defective items for evaluation.

## Surcharges

### Expedited Transportation

No shipments have guaranteed delivery time and/or date. Time-sensitive deliveries that require expedited carrier service will result in additional charges that will be passed on to the consignee (dealer).

## Prices

All prices listed are suggested retail prices, F.O.B. our factory, St-Pie, Quebec, Canada. Orders are accepted subject to prices and taxes prevailing at the time of shipment. Prices and taxes are subject to change without notice. If shipping date requested is more than 90 days from date of order, Groupe Lacasse LLC shall have the right to use the published list prices effective at the time of shipment.

### Chargeable Parts Orders

Contact customer service for availability. Orders under \$10 are subject to a \$15 minimum parts order charge. The small order charge does not apply to replacement parts orders. Service parts prices are subject to change without notice or approval. A \$15 NET freight charge will be applied on all chargeable part orders, outside US.

Price list dated January 2016 supersedes all other published price lists.

Prices shown in price book have priority to electronic catalog contents.

## Terms

Terms of sale are net 30 days to firms who have established satisfactory credit; otherwise we reserve the right to request cash in advance. Interest on past due accounts shall be 2% per month (24% per year). Should the Buyer fail to fulfill the above-mentioned terms of payment, Groupe Lacasse LLC reserves the right to defer further shipments until the Buyer has satisfied all solvency criteria and terms of payment as determined by Groupe Lacasse LLC. Any product sold shall remain the property of Groupe Lacasse LLC and shall remain the Seller's property until paid for in full. The Buyer agrees to perform all acts which may be necessary to protect and assure retention of title to such products by Groupe Lacasse LLC until such time as goods have been paid for in full.

### Credit

Credit may be established for sales on open account by submitting satisfactory references. A line of credit will be set by our credit department. We may change or cancel credit terms at our discretion and request advance payment at our option. A delay in providing credit information may delay order entry and the shipping date of an order. The Seller reserves the right to delay or cancel any shipment to a customer whose account balance is over the credit limit and/or past due. We do not ship C.O.D. Inactive account of more than one (1) year will result in a reevaluation of the account.

### Applicable prices

List prices and discounts are subject to change without notice or approval. Applicable prices are those in effect at the time of the receipt of an order; we reserve the right to use the published list prices effective at the time of shipment if the requested ship date is more than 90 days after the order receipt date. Prices shown in price book have priority to electronic catalog contents.

### Services

List prices apply to products only. If, as a result of customer request, the dealer or authorized representative provides planning/design services, storage, special handling, set-up, or installation, the customer will be charged at the local dealer or authorized representative's standard rate.

## Quotations

Quotations are valid for a period of thirty (30) days.

## Changes

All illustrations, specifications and prices in this book are based on the latest product information available at the time of publication. The right is reserved to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

## Delivery

The scheduled delivery week is specified on our acknowledgment. Groupe Lacasse LLC is not liable for delay or failure to deliver goods due to causes beyond its control. Groupe Lacasse LLC will only make on site deliveries for a full truckload (2,400 cubic feet). An unloading dock must be available to accommodate 53 feet trailers and address is subject to approval. Unloading at destination is the responsibility of the purchaser. Our standard carriers do not have liftgates. Request for liftgates can often be accommodated but will result in extra fees.

Time sensitive deliveries that require expedited carrier service will result in additional charges that will be passed onto the consignee (dealer).

Under no circumstance will Groupe Lacasse deliver goods in a residential area. Groupe Lacasse cannot accommodate inside deliveries.


### Ship dates and delays

If the Seller cannot ship products due to causes beyond its reasonable control (such as casualty, acts of nature, labor disputes, or accident; inability to obtain necessary labor, material or transportation; changes requested by the customer), the ship date will be extended to compensate for the delay as determined by the Seller.

### Routing

Unless otherwise specified by the buyer and agreed to by Groupe Lacasse LLC, the latter reserves the right to select the route, method of shipment and carrier. Customer requests for special carrier, method of shipment and/or routing will be shipped freight collect.

## Transportation policy



"Zone 0" shipments are FCA plant.

"Zone 1", "Zone 2", "Zone 3", "Zone 4" and "Zone 5" pricing includes freight cost to your geographical location.

On orders less than \$2,000 net (regardless of brand and/or shipping point) we will add a \$50 small order fee in "Zone 1". For "Zone 2", "Zone 3", "Zone 4" and "Zone 5", the small order fee is \$100.

Orders under **\$25 net** are subject to a \$20 small order fee (instead of 50\$ or 100\$) regardless of the shipping zone.

Freight charges beyond the continental United States are the purchaser's responsibility. Shipments beyond the continental United States must deliver to a freight forwarder or forwarding carrier of your choice. It is the customer's responsibility to provide this information on purchase orders.

## Storage

In the event the purchaser request postponement of shipment beyond the scheduled shipping week after the goods have become work in process, or are ready to be shipped, Groupe Lacasse LLC can take arrangements to store the goods but at the purchaser's risk and expense. Such transfer to storage shall be deemed delivery to purchaser for all purposes including invoicing and payment.

## Freight claims

All FCA destination claims will be handled and filed by the Seller. In order to expedite any credit due, your help and assistance is required. Please adhere to the following guidelines.

The merchandise is carefully packed and thoroughly inspected before leaving the warehouse. Responsibility for its safe delivery is assumed by the carrier upon acceptance of the shipment. Claims for loss or damage sustained in transit must therefore be made to Groupe Lacasse LLC as follows:

### A. Concealed loss or damage

Concealed loss or damage means loss or damage that does not become apparent until the merchandise has been unpacked. The contents may be damaged in transit due to rough handling even though the carton may not show external damage. When damage is discovered upon unpacking, a written request must be made to Groupe Lacasse Customer Service within 15 days of the receiving date. No disposition will be taken until approved by the manufacturer.

**IMPORTANT:** Groupe Lacasse's policy in concealed damage is to replace the part or complete product if necessary at no charge to the dealer. However, it is the responsibility of the dealer to provide installation of the replaced part or complete product. Therefore, no labor fees will be accepted on concealed damages.

### B. Visible damage or shortage

Any external evidence of damage or shortage must be noted on the freight bill or express receipts and signed by the carrier's agent. Failure to adequately describe such external evidence of damage or shortage may result in refusing to honor a damage claim. When damage or shortage is discovered, a written request must be made to Groupe Lacasse Customer Service within 5 days of the receiving date.

For claims, please contact **Groupe Lacasse Customer Service** by phone at **1-888-522-2773** or by fax at **1-888-248-1865**.

## Product

### A. Use and installation of products

The Seller recommends that its products be installed according to its written installation procedures. The customer agrees to use the Seller's products properly; not to remove or alter safety devices, warnings, or operation instructions placed on products by the Seller and to instruct employees as to the proper care and use of the products according to printed instructions. Installers can be contracted through one of the Seller's dealer or affiliate on a separately negotiated basis.

### B. Service

Service requests for design, installation, relocation, storage, trade-in, etc. are handled by the local authorized dealer. Contact the local authorized dealer for more details.

### C. California Bulletins #117 and #133 (Seating)

Many models in this price list can be made to comply with State of California Technical Bulletin #133. The standard fire-retardant foam supplied meets the specification of State of California Technical Bulletin #117. Consult Customer Service for the latest models and upcharges.

### D. Design

We reserve the right to make changes in product offering, design and materials as well as discontinuance of parts and units when such action is deemed to be an improvement in design or function.

# Control Features Matrix


		1) 360-degree swivel	2) Back angle	3) Back depth adjustment	4) Back height adjustment	5) Forward seat tilt	6) High-performance control	7) Independently adjustable back and seat angle	8) Knee-tilt control	9) Lumbar adjustment	10) Pneumatic seat height	11) Sliding seat pan	12) Swivel-tilt control	13) Synchronous control	14) Tilt lock	15) Tilt tension
A-SERIES	ALL	X	X		X	X	X				X	X			Infinite	X
AFFINITY	VC13-12	X								X	X	X		X	Upright	X
	VC52-51	X								X	X	X		X	Upright	X
ASSANTE	ALL	X	X		X	X	X				X				Infinite	X
ATTO	ALL	X							X		X				4-position	X
BRYLEE	BR16-15	X									X			X	2-position	X
	BR11-10	X									X			X	2-position	X
	BR51-52	X									X			X	2-position	X
EQÜS	EQ16-15	X	X		X	X	X				X	X			Infinite	X
EXPRESSION	M11-10	X			X						X	X		X	4-position	X
	M52-51	X			X						X	X		X	4-position	X
FORTUNE	FN16-11	X			X						X		X		X	X
	FNM16-11	X	X		X						X		X		X	X
	FNX16-11	X			X	X	X	X			X	Opt.			Infinite	X
FREESTYLE	FS11-10	X									X			X	5-position	X
ONYX	ON16-15	X			X	X					X	X		X	4-position	X
PAPILLON	PP14	X									X		X		Upright	X
	PP12	X									X		X		Upright	X
	PP4	X									X		X		Upright	X
RADAR	RD16-15	X			X			X			X	Opt.	X		Infinite	X
	RD11-10	X	X		X						X		X		X	X
	RD6-5	X									X		X		X	X
	RD52-51	X		X							X					
SAGGIO	ALL	X			X					X	X		X	4-position	X	
SAVVY	SVX16-15	X				X	X	X		X	X	Opt.	X		Infinite	X
	SVX11-10	X				X	X	X		X	X	Opt.	X		Infinite	X
	SV16-15	X	X							X	X		X		X	X
	SV11-10	X	X							X	X		X		X	X
	SV6-5	X	X							X	X		X		X	X
	SV24-23	X				X			X	X	X				5-position	X
	SV26-25	X				X			X	X	X				5-position	X
	SV52-51	X								X	X					
SENSATO	V216-215	X								X	X	X		X	Infinite	X
	V211-210	X								X	X	X		X	Infinite	X
	V214	X									X					
	V252-251	X									X					
VENUS	ALL	X								X		X		Upright	X	
ZING	ZP11-10	X			X						X		X		X	X
	ZP6-5	X		X	X						X		X		X	X
	ZP2-1	X		X							X					
	ZPX11-10	X			X		X	X			X	Opt.			Infinite	X
	ZP52-51	X		X	X						X					
90'S	NSX11-10	X			X		X	X			X	Opt.			Infinite	X
	NS2-1	X		X	X						X					
	NS52-51	X		X	X						X					

# Control Features & Benefits

You spend a lot of time sitting in your chair, so why not make it as comfortable as possible?  
Our seating solutions are designed to give you the support you need to be more productive... and to feel great hour after hour!



**1. 360-Degree Swivel**  
Seat of chair rotates through 360° allowing access to desired areas within reach. Helps avoid twisting of torso.



**2. Back Angle**  
Allows the user to select a back angle and lock it into a desired position. Helps reduce disc pressure and relaxes back muscles.



**3. Back Depth Adjustment**  
Change the depth of the seat by adjusting the back in or out. Helps accommodate user's build, enhances comfort.



**4. Back Height Adjustment**  
Adjust the back up and down for proper positioning of the lumbar support. Helps reduce back pain by providing an optimum lumbar support.



**5. Forward Seat Tilt**  
Allows chair to tilt forward, changing the angle of your thighs in relation to the floor. Increases comfort while reducing pressure when doing intensive forward leaning tasks.



**6. High-Performance Control**  
Includes a swivel/tilt with tension control, independently adjustable seat and back angle with infinite lock (any position) and forward pitch control. Enhances comfort and provides optimum supportive working position.



**7. Independently Adjustable Seat and Back Angle**  
Adjust the seat and back angle of the chair independently of each other. For optimum custom fit, helps reduce pressure on the thighs and relaxes back muscles.



**8. Knee-Tilt Control**  
Knee-tilt movement from a pivot point positioned at the front of the seat. Allows the user to fully recline while keeping feet comfortably on the floor. Maintains stability while avoiding pressure under the thighs.



**9. Lumbar Adjustment**  
Allows the user to custom fit the chair by adjusting the lumbar support for optimum comfort.



**10. Pneumatic Seat Height**  
Adjust the seat height up and down to allow your feet to rest flat on the floor. Avoids pressure under the thighs and eases blood circulation.




**11. Seat depth adjustment**  
Change the depth of the seat forward and back or lock in a desired position. Accommodates the length of your thighs and keeps your back in contact with the backrest while avoiding pressure behind your knees.



**12. Swivel-Tilt Control**  
Chair tilts from a pivot point directly above the base center and allows the user to lean back in a seating position.



**13. Synchronous Control**  
Automatically adjust the seat and back angle while maintaining a recline ratio. Provides optimum back support and minimal seat rise. Enhances comfort and encourages dynamic body movement.



**14. Tilt Lock**  
Lock the seat and back in an upright position.  
**Infinite Tilt Lock**  
Lock the tilt movement in any position to accommodate the user's working posture. Allows the user to lock the chair in a comfortable working position.



**15. Tilt Tension**  
Allows the user to adjust the resistance with which the chair reclines or tilts. The user can rock the chair comfortably, without heavy pushing, reducing muscle fatigue.

**Sample Order:**

Model    Frame    Upholstery 1    Upholstery 2    Cylinder / Control    Base    Casters    Arms    Option    Option


**1. Controls**

- |  |   |                                   |
|--|---|-----------------------------------|
| <b>FP</b> Synchronous tilt control with forward seat pitch adjustment, 3 lockable positions ( <i>Saggio only</i> ) | <b>KT</b> Knee-tilt control                               | <b>SYN</b> Synchronous control    |
| <b>FTL</b> Synchronous control with forward tilt, 4-position back lock ( <i>Onyx only</i> )                        | <b>ST</b> Swivel-tilt control                             | <b>XCON</b> Multifunction control |
|  | <b>STB</b> Swivel-tilt control with back angle adjustment |                                   |
|  | <b>SW</b> Swivel only control                             |                                   |


**2. Cylinders**

- |   |  |
|---|--|
| <b>CP</b> Pneumatic seat height cylinder, chrome finish ( <i>Atto, Equis, Papillon and Venus only</i> ) | <b>SCL</b> Mid-range pneumatic seat height (20"-27") cylinder      |
| <b>P</b> Pneumatic seat height cylinder   | <b>XTC</b> Extra-tall pneumatic seat height cylinder (20"-31 1/2") |


**3. Bases**




**AB**  
Black nylon angel base




**APC**  
Chrome angel base




**CAB**  
Black cast-aluminum base




**NB**  
Black nylon base




**PCB**  
Polished chrome base



**SB**  
Black steel base with plastic cover



**4LB**  
4-legged base




**5LB**  
5-legged base


**4. Casters**



**BGL**  
Bell-shaped glides, black




**BRC**  
Braking casters, black



**CAS** Soft casters for All Purpose Stools, black  
**HDW** Hard dual-wheel casters, black  
**SDW** Soft dual-wheel casters (non-marking), black



*For AB base*



*For APC base*

**CC** Hard dual-wheel casters, chrome  
**CF** Soft dual-wheel casters, chrome



*For All Purpose Stools*

**HRC** 2" hard rubber single-wheel casters  
**SRC** 2" soft rubber single-wheel casters

**RG3** 3/4" chrome glides for All Purpose Stools

**6. Other Options**

- |   |  |   |  |
|---|--|---|--|
| <b>5P</b> Five pack                       | <b>CSB</b> Contrast stitching, black           | <b>P33</b> California 133 compliant ( <i>For 4800 Series in black FS33 only</i> ) | <b>ULS</b> Fully upholstered leather back panel for guest and café height models |
| <b>C1</b> Seam option #1 ( <i>Venus</i> ) | <b>CSW</b> Contrast stitching, white           | <b>PBG</b> Plastic back guard   | <b>UP</b> Fully upholstered back panel   |
| <b>C2</b> Seam option #2 ( <i>Venus</i> ) | <b>CX</b> Convex back shape ( <i>Venus</i> )   | <b>PC</b> Polished chrome frame   | <b>UPL</b> Fully upholstered leather back panel                                  |
| <b>C3</b> Seam option #3 ( <i>Venus</i> ) | <b>DO</b> Straight back shape ( <i>Venus</i> ) | <b>QP</b> Quad pack   | <b>UPS</b> Fully upholstered back panel for guest models                         |
| <b>C4</b> Seam option #4 ( <i>Venus</i> ) | <b>DP</b> Double pack                          | <b>SP</b> Single pack   | <b>T</b> Extra thick seat ( <i>Saggio only</i> )                                 |
| <b>C5</b> Seam option #5 ( <i>Venus</i> ) | <b>HH</b> Handle ( <i>Veinure</i> )            | <b>SSP</b> Sliding seat pan   | <b>WD</b> Wood legs ( <i>lo</i> )  |
| <b>C33</b> California 133 compliant       | <b>HR</b> Headrest                             | <b>TP</b> Triple pack   |  |
| <b>CFR</b> Polished chrome footring       | <b>ML</b> Metal legs ( <i>lo</i> )             |   |  |




## 5a. Fixed Arms



For Atto, Eqūs, Venus

### BA01


Polished chrome arms with black polyurethane pads



For Eqūs, Venus

### BU01


Loop arms



For Venus

### BU02


Loop arms



For Affinity, Onyx (except Guest), Saggio, Sensato

### FA

Fixed arms



For FreeStyle, Savvy

### FLA


Full-loop arms



For Fortune, FreeStyle, Radar, Savvy

### HLA


Half-loop arms



For Brylee BR16/15/11/10/52/51

### LA/UA/UAL


Loop arms, with upholstered armrests in fabric/vinyl (UA) or leather (UAL)



For Zing, 90'S

### PA\_

Non-adjustable solid steel arms




For 90'S

### UA

Non-adjustable solid steel arms with 9" upholstered armrests


## 5b. Adjustable Arms



For Assante, Atto, Eqūs, Fortune (except Guest), FreeStyle, Onyx (except Guest), Radar, Savvy, Zing, 90'S

### AA\_


Height adjustable arms



For Expression

### CHW\_ (Chrome accent) HW\_ (Black)


Height and width adjustable arms



For Expression

### CM3D (Chrome accent) M3D (Black)


Height and width adjustable arms with pivoting armrests



For Expression

### CM4D (Chrome accent) M4D (Black)


Height and width adjustable arms with pivoting, front-to-back and side-to-side armrests



For Affinity, Saggio

### HA


Height adjustable arms



For A-Series, Assante, Eqūs, Expression, Fortune, FreeStyle, Radar, Savvy, Zing, 90'S

### HWA\_


Height and width adjustable arms



For Onyx (except Guest), Savvy

### RPA


Height and width arms with pivoting armrests



For Brylee BR16/15/11/10/52/51

### UDA/UDU


Height adjustable arms with 9" armrests (UDU: with upholstered armrests)



For Expression

### WA\_


Width adjustable arms



For Fortune, FreeStyle, Radar, Savvy, Zing, 90'S

### 3D\_


Height adjustable arms with pivoting armrests



For Saggio, Sensato

### 4D\_

Height adjustable arms with pivoting, front-to-back and side-to-side armrests



For A-Series, Assante, Eqūs

### 5D

Height and width adjustable arms with pivoting, front-to-back and side-to-side armrests

## 5c. Armrests (All black)



### 3/Bead

9" self-skinning polyurethane armrests



### 4/Rectangular

9" self-skinning polyurethane armrests



### 5/Cascade

10" PVC skin over polyurethane armrests



### 7/Curved

9" self-skinning polyurethane armrests



### 8/Shade

9" self-skinning polyurethane armrests



### 9/Drop

10" self-skinning polyurethane armrests



### U

9" upholstered armrests

# Warranty

The following warranty applies to United Chair products manufactured after September 1<sup>st</sup>, 2014. This warranty is given to the initial buyer and is valid for as long as the product is owned by the original buyer. The warranty, which runs from the date of manufacture, covers defects in materials and craftsmanship found during normal usage of products during the applicable warranty period.

## Warranty:

Groupe Lacasse LLC warrants its products, from the date of invoice, to be free from defects in material and workmanship for as long as the original purchaser owns it; proof of delivery being the only official document accepted by Groupe Lacasse LLC for any claim. This warranty is subject to the limitations, exclusions and other provisions below:

Lifetime except those listed below. Weight limit: 310 lbs. (141 kg).

United Chair Products	Applicable Warranty Period
All Purpose Stools	10 years*
4800 Series + related accessories	10 years*
Upholstery	Standard and Graded-in: 5 years*. C.O.M./C.O.V./SPL/Lacasse - To Supply Material Program: Not covered under warranty.
Foam	5 years*
Painted Surfaces	5 years*
Casters/Glides	10 years*
Arm Pads	5 years*
Mechanism	10 years*
Cylinder	10 years*
Savvy 24h	5 years*
All other components	Lifetime
Dollies	10 years*

Labor, delivery charges and service not covered under warranty.

This warranty does not apply to “normal wear and tear”, abuse, damage caused by a carrier, damaged caused by transport of product from one site or location to another and alterations to the product not expressly authorized by the Seller. It also does not apply to “Customer’s Own Material”, “Lacasse – To Supply Material” and “SPL” fabric, (i.e., material specified by the buyer that is not a standard United Chair product offering) used in the manufacture of United Chair products. The Seller does not warrant the matching of color, grain or texture except to within commercially-acceptable standards. For the purposes of warranty claims, upholstery fabrics that have been dropped from United Chair stocked fabric program will be supported for 6 months from the date of discontinuation. For fabrics that are no longer available from the manufacturer, substitute fabrics will be used for warranty claims.

A product will not be considered defective, and it will not be subject to the warranty, if the product is not installed or used as recommended in the Seller’s written planning, installation or user guides. The warranty does not apply to any United Chair seating product that is used by an individual weighing over 310 lbs. (141 kg). Warranty will be void if identification label is removed under the chair or if a proof of purchase cannot be supplied, such as an order number or an invoice.

Except as stated above, the Seller does not make any express or implied warranties as to any product and in particular does not make any warranty of fitness for any particular purpose except for use as standard office furniture. The remedies described above are the buyer’s exclusive remedies for any product defect. The Seller shall not be liable for consequential, economic, indirect, punitive or incidental damages arising from any product defect.

\*The applicable warranty period assumes that the product is used an average of not more than 40 hours per week. If a product is used more than this, the applicable warranty period shall be reduced in proportion to the increased usage. For example, if casters are used an average of 50 hours per week, the applicable warranty period for the casters shall be reduced to four years.





***united chair***<sup>®</sup>

A GROUPE LACASSE BRAND

GROUPE  
**LACASSE**

1 888 522.2773 [www.groupelacasse.com](http://www.groupelacasse.com)