



Dedicated to Design.
Committed to Quality.

2017 Seating Catalog

Foundation and bimos Lines
Specifications and Pricing



2017 Seating Catalog

Thank you for considering BioFit Engineered Products as your ergonomic seating solutions source. We encourage you to refer to the following company background and product information to help you learn more about us and why BioFit seating is a smart choice for today's work and learning environments.

Why Buy BioFit?

Globally recognized corporate brand leaders, major hospitals, universities and small businesses alike turn to BioFit for innovative, high performance ergonomic seating, tables and accessories. We offer:

- Over 70 years' background improving the workplace experience
- Award-winning solutions for healthcare, technology, education, lab, industrial, office and custom applications
- Designs with user comfort, health and wellbeing in mind
- Modular construction, enabling numerous configurations of a single product series to meet specific needs
- Standard components that many manufacturers offer only as options with costly upcharges
- Durable products that meet or exceed rigorous industry standards, built for 24/7 use
- A 13-year warranty on nearly all products and seating pneumatics warranted for the lifetime of the chair
- Value-added services including onsite sample and Ship Now! rush seating programs
- A personable, highly experienced customer support team – ensuring you get what you need



Build Your Own Chair (BYOC)

BioFit revolutionized the seating industry with the launch of the BYOC nearly a decade ago. Due to the modular construction of our products, users can create, get a quote and order seating for their unique requirements. Scan this QR code and try it yourself.



13-Year Warranty

Most all BioFit products are warranted to the original purchaser against mechanical or structural failure due to defective material or workmanship for 13 years of normal, multi-shift use. Pneumatic cylinders are covered for the functional lifetime of the chair or stool. Scan this QR code for full details.



Ship Now! Quick Ship Program

Need chairs or footrests fast? With our Ship Now! program, you can order limited quantities of models from our most popular series and your order will ship within 2 business days, pending credit approval. Look for the Ship Now! logo and green quick reference dot as you browse this book for applicable models.



ANSI/BIFMA Rated, LEED® Compliant

BioFit seating complies with ANSI/BIFMA X5.1-2002 product safety and performance standards guidelines as established by the Business and Institutional Furniture Manufacturers Association. BioFit seating is also LEED compliant.



How to Order

1. Provide the quantity, manufacturing code and any accessories for each item. Refer to the manufacturing code protocol on the following page for user-friendly instructions on identifying to code of the product(s) you select. Manufacturing codes for standard and optional components can be located on each product page.
2. Provide upholstery and metal part finish selections.
3. Provide complete bill-to and ship-to addresses.

Order Changes and Cancellations

Once entered in our system orders may not be changed, cancelled or delayed without BioFit's consent. This will be determined depending on the stage of production and BioFit must be indemnified from loss. Thus the buyer will be responsible for material, labor or storage costs of changed, cancelled or delayed shipments. Once the merchandise has been shipped, the buyer is obligated to accept delivery from the carrier. Special care should be taken when ordering Ship Now models to assure accuracy because they may ship the same day they are placed thus cancellations or changes may not be possible under any circumstances.

Returns

BioFit reserves the right to refuse return of any merchandise unless it is determined to be BioFit's responsibility. Any merchandise accepted for return must have prior written authorization and may be subject to a 25% restocking charge.

Shipment Information

The delivered prices shown in this price list include surface transportation by BioFit's choice of carrier to anywhere in the lower 48 states. Shipments to Alaska, Hawaii, Puerto Rico or for export will be shipped to the lower 48 port of departure specified by you, the BioFit distributor, who will be responsible for the shipment from that point.

Please note for orders that are less than \$3,500.00 list, there will be a \$10.00 per carton handling fee implemented.

Blanket wrapped, air-freight, other special delivery methods, or other special services (such as inside delivery, metro charge, lift gate, limited access, notify before delivery, etc.) will still be available at extra cost and will be quoted on a case-by-case basis.

Please contact our Logistics department for further information at **800.597.0246**.

Terms

Prices are F.O.B. Payment - .5% 10, net 30, with interest applicable at the rate of 1.5% per month after 30 days.

Upholsteries and Sizes


For standard upholstery options, see our printed color selector or scan the QR code in the margin to access the online version. Contact BioFit for client's own material (COM) pricing. Please note that orders calling for COM may be cancelled by BioFit, if, in its sole opinion, material is not sufficiently workable.

Sales Policy

Possession of this price list does not necessarily suggest an offer to sell.

Minimum Order

BioFit does not have a minimum order.



Manufacturing Code Protocol for bimos and Foundation Seating Lines

When placing an order, you will be requested to provide the manufacturing code(s) for the models you choose. The instructions below outline how to easily determine the codes for bimos and Foundation line seating products using combinations of alphabetic and alpha-numeric designators for key components used to construct each product.

Please contact BioFit customer service at biofit@biofit.com or 800.597.0246 if you have questions or encounter any difficulty determining a product code.

Foundation Line Manufacturing Code Example: Avenue Series AER-L-RC-EXE-PSAS

The first letter denotes the seat style: Seat style “**A**” is used in our example.

The second letter denotes the backrest: Backrest style “**E**” is used in our example.

The third letter denotes the base style. Base style “**R**” is used in our example.

Note: With a few exceptions for specialty products, BioFit offers four base styles as noted here:

- A** = Cast Aluminum
- W** = Wide Aluminum
- R** = Reinforced Composite
- S** = Tubular Steel

The letter after the base styles designation, in this case, **L**, denotes the seat height adjustment range:

- L** = Low
- M** = Medium
- H** = High

Following the seat height adjustment range is a 2- or 4-letter code denoting the caster or glide style. In this case, **RC** denotes dual-wheel resistance casters. Note that RC casters offer added safety as they will not roll easily if the chair or stool is unoccupied. Casters such as these are normally offered as added-cost options on competitive seating products.

Subsequent letters or combinations of letters denote optional components. Those used in our example include executive-style seat control (**EXE**) and height-adjustable self-skinned urethane arms (**PSAS**).

Refer to the Options and Performance Package Configurations Legends on the following page for a complete list of option and performance package codes, and individual product series spreads for unique options and performance packages available on specific models.



bimos Line Manufacturing Code Example for Trend Series Seating: TRENDW-M-2000

The name of the series appears at the beginning of the code; in this case, **TREND**.

The letter following the series name denotes the base style; in this case, **W** (Wide Aluminum).

The letter after the base style designation denotes the seat height adjustment range; in this case, **M** (Medium).

The combination of 4 digits following the base style denotes the seat and backrest upholstery option; in this case, **2000** (Urethane). Refer to bimos product spreads for all available base and upholstery options for specific models.



Optional Components & Performance Package Legends

Optional Components Legend

Seats

Option code replaces 1st letter of manufacture code.



A – Saddle-shaped, contoured seat with waterfall front, 21” wide x 19” deep x 3” thick



S – Ergonomic seat with waterfall front, 21” wide x 17” deep x 3” thick; intended for use by individuals of shorter stature



SLD – Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place



ASC – Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever; only available on ISO 3 and ISO 4 performance packages models without arms

Backrests

Option code replaces 2nd letter of manufacture code.



M – Larger ergonomic backrest, 18” wide x 19” high, for both lower and upper back support; available on chairs with a seat height no higher than 32”



A – Narrow, 8” wide x 12” high, spinal support with lumbar curve

Footrings



AFP – Adjustable height, 22” diameter, oval tube construction on solid polished cast aluminum spoke; adjusts easily without knobs or levers



ATF – Adjustable height, 20” diameter, cast aluminum; recommended for models with seat heights greater than 22”; not available on low seat height models or models with S base

Armrests



ARS – Height and width adjustable with self-skinned urethane pads; not available with ISO 3 or ISO 4 performance packages



ARU – Height and width adjustable with upholstered pads; not available with ISO 3 or ISO 4 performance packages



PSAS – Height adjustable with self-skinned urethane pads



PSAU – Height adjustable with upholstered pads

Casters and Glides



HG – 2” high Polyamide glides



GFR – Wide, dual-wheel casters for grated floors; not available with ESD performance packages



LKRO – Conductive dual-wheel casters that lock when seat is occupied



LRO – Dual-wheel casters that lock when seat is occupied



MLR – Dual-wheel, soft manual locking



RC – Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models



RK – Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied

Upholstery

COM – Customer's own material

Grade 2

Grade 3

Grade 4

Grade 5

Fire Retardant

C133 – Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered. Contact BioFit for details.

Miscellaneous

FM – Memory foam

SW – Skid wrapping

TKB – Tamper-proof non-removable backrest bar

URS – Round seat, self-skinned urethane, 14” diameter, 1.5” thick; not for clean room use

VU – Upholstered underwrap to match seat upholstery

WS – Round, maple wood seat, 14” diameter, 1.5” thick; not for clean room use

Z – Pullover seat cushion, 1.5” thick; available in Grade 2, 3 & 4 upholstery

Seat Controls



FFAC – Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place



EXE – Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position; only available on models with maximum seat height of 26” or less




Performance Package Legend

Category	ISO Class	Clean Room Class	MFG Code
ESD	N/A	N/A	K
Clean Room	ISO 6	1000	1000
	ISO 5	100	VUV
	ISO 4	10	C10
	ISO 4	10	N10 (breathable nylon)
	ISO 4	10	CR10*
	ISO 3	1	C1

Category	ISO Class	Clean Room Class	MFG Code
Combination Clean Room/ESD	ISO 6/ESD	1000	1000-K
	ISO 5/ESD	100	VUV-K
	ISO 4/ESD	10	C10-K
	ISO 4/ESD	10	CR10-K*
	ISO 3/ESD	1	C1-K

* Codes apply to performance packages for non-upholstered seating.

Product Locator

bimos Line	Trend Series / 8-9		Fin / 9 		Eton (ET) Series / 24-25		
	Unitec Series / 10-11			Sewn Seams FC Series / 26-27			
	Sintec Series / 12-13			Sewn Seams FL Series / 28-29			
Foundation Line	Avenue (AE) Series / 14-15			Sewn Seams HC Series / 30-31			
	Amherst (AM) Series / 16-17			Sewn Seams HL Series / 32-33			
	Belize (BE) Series / 18-19			Vacuum Formed FC Series / 34-35			
	Bridgeport (BT) Series / 20-21			Vacuum Formed FL Series / 36-37			
	Elite (EE) Series / 22-23			Vacuum Formed HC Series / 38-39			

Performance Package and Ship Now! Quick Reference Legend

We've made it easy to locate products available with clean room and static control/ESD performance packages as well as those available under the BioFit Ship Now! quick ship program. Just look for the color coded dots in each series box in the product locator and at the top of pertinent product series pages per the adjacent legend:

Quick Reference Legend

● = Clean Room ● = ESD ● = ShipNow

Vacuum Formed HL Series / 40-41		●
Zephyr AP & FP Series / 42-43		
ExecErgo Series / 44-45		
ArmorSeat (GG) Series / 46-47		● ● ●
UniqueU Series / 48-49		● ● ●
Skoop (KX) Series / 50-51		●
Willow (WW) Series / 52-53		
Intensive Plus / 54		
Aramis 2A and 2A Vacuum Formed Stools / 55		

Rexford (RX) Series / 56-57		●
Rexford Vacuum Formed (RX-VF) Series / 58-59		
Regent (RT) Series / 60-61		●
Regent Vacuum Formed Series (RT-VF) / 62-63		●
Traxx (TX) Series / 64-65		● ●
Cerex (CX) Series / 66-67		●
Pogo (TXY) Series / 68-71		
GX Series Sit/Stands / 72		
Footrest (FS-1 & FS-2) / 72		● ●
Ajax (AJ) Series Stool / 73		●
TXG Series Stool / 73		●

bimos by BioFit™ Collection: Trend

Profile: This series combines full ergonomic functionality, versatility and a stance that make it a practical seating solution for a variety of tasks and workspaces. Standard features are shown below.

Work Environments:

- Healthcare
- Laboratory
- Industrial
- Education
- Office



Trend seating is available in 3 seat height ranges and 5 upholstery options. Representative examples are shown on this page.



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range, cloth upholstered seat and backrest. Baseline manufacturing code TRENDW-L-6062



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range, urethane seat and backrest. Baseline manufacturing code TRENDW-L-2000



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range, vinyl seat and backrest. Baseline manufacturing code TRENDW-L-0551



W Base
 Medium Seat Range
 Black Cloth Upholstery
 Standard Adjustable Footring
 TRENDW-M-5800

High Seat Range
 Black Cloth Upholstery
 Standard Adjustable Footring
 TRENDW-H-5800



W Base
 Medium Seat Range
 Blue Cloth Upholstery
 Standard Adjustable Footring
 TRENDW-M-6062

High Seat Range
 Blue Cloth Upholstery
 Standard Adjustable Footring
 TRENDW-H-6062



W Base
 Medium Seat Range
 Urethane Seat and Backrest
 Standard Adjustable Footring
 TRENDW-H-2000

High Seat Range
 Urethane Seat and Backrest
 Standard Adjustable Footring
 TRENDW-M-2000



W Base
 Medium Seat Range
 Black Vinyl Upholstery
 Standard Adjustable Footring
 TRENDW-M-0551

High Seat Range
 Black Vinyl Upholstery
 Standard Adjustable Footring
 TRENDW-H-0551

bimos by BioFit™ Collection: Trend Options & List Pricing

Optional Components & List Prices					
Category	MFG Code	Description	List Price	Notes	
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$18	Adjusts easily without knobs or levers; not available with low height models; replaces standard ATF foot ring	
	ATF	Adjustable height, 20" diameter, cast aluminum	NC	Standard on all medium and high height models. Not available with low height models	
Casters & Glides	HG	2" high Polyamide glides	NC		
	LRO	Dual-wheel casters that lock when seat is occupied	\$80		
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	Standard on all models	
Upholstery		Blue and black vinyl and cloth and black self-skinned urethane options available		Refer to the Seat Height Adjustment Range and Price chart below for pricing per upholstery type	

Seat Height Ranges, Manufacturing Codes, Upholstery Options & Baseline List Prices

bimos by BioFit™ Collection: Trend					
Seat Height	MFG Code	Seat-Height Adjustment Range	Base Style	Upholstery Type: Color/Code	List Price
Low	TRENDW-L-(5800 or 6062)	19" – 24"	Wide Aluminum	Cloth: Black/5800 or Blue/6062	\$787
Low	TRENDW-L-(0551 or 0562)	19" – 24"	Wide Aluminum	Vinyl: Black/0551 or Blue/0562	\$851
Low	TRENDW-L-2000	18" – 23"	Wide Aluminum	Urethane: 2000	\$912
Medium	TRENDW-M-(5800 or 6062)	22" – 29"	Wide Aluminum	Cloth: Black/5800 or Blue/6062	\$904
Medium	TRENDW-M-(5800 or 6062)	22" – 29"	Wide Aluminum	Vinyl: Black/0551 or Blue/0562	\$968
Medium	TRENDW-M-2000	21" – 28"	Wide Aluminum	Urethane: 2000	\$1,029
High	TRENDW-H-(5800 or 6062)	24" – 34"	Wide Aluminum	Cloth: Black/5800 or Blue/6062	\$919
High	TRENDW-H-(0551 or 0562)	24" – 34"	Wide Aluminum	Vinyl: Black/0551 or Blue/0562	\$983
High	TRENDW-H-2000	23" – 33"	Wide Aluminum	Urethane: 2000	\$1,044

All specifications are nominal. This series is unavailable in Ship Now! program.

bimos by BioFit™ Collection: Fin

Profile: A revolutionary ergonomic solution to age-old issues associated with prolonged standing in the workplace or anyplace where sitting down is not an option. Standard features are shown below.

Quick Reference Legend

● = ShipNow

Work Environments:

- Healthcare
- Laboratory
- Industrial
- Education
- Hospitality
- Retail

Passes both Criteria A and B of CAL-133 Burn Test.

Pneumatic seat height with adjustment range of 24.5" – 33.5".

Column inclined 4° to promote positive working posture.

Standard with interchangeable glides to suit any type of floor.

Brushed aluminum base.

Fingertip-controlled seat height adjustment.

19.25" wide X 5.75" deep, swiveling polyurethane seat with handles.

Seat swivels up to 20° to help keep work close at hand.

Integrated handles facilitate easy relocation.

bimos by BioFit™ Collection: Fin			
Seat Height	Manufacture Code	Seat-Height Adjustment Range	List Price
Medium to High	FIN	24.5" – 33.5"	\$627

All specifications are nominal. Model available in Ship Now! program.

bimos by BioFit™ Collection: Unitec

Profile: With the same proven engineering as other bimos by BioFit Collection models, the Unitec offers a solution for smaller organizations or those just starting out. Standard features are shown below.

Quick Reference Legend

● = ShipNow*

Work Environments:

- Healthcare
- Education
- Laboratory
- Office
- Industrial

Unitec seating is available in 3 base styles, 3 seat height ranges and 5 upholstery options. Representative examples are shown on this page.

Baseline manufacturing code for model shown is UNITECW-M-6062 ▼

Upholstery options include black or blue cloth (shown), black or blue vinyl or black self-skinned urethane.

Spacious 17.75" high x 16.5" height-adjustable backrest (urethane backrest is 14.5" high X 17.25" wide).

Seamless protective backrest panel.

18" wide x 18" deep, ergonomic seat (urethane seat is 17.25" wide x 16.5" deep).

Soft-touch pneumatic seat height control.

Adjustable footring standard on medium and high seat-height models (unavailable on low seat height configurations).

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with medium seat height version.

High-profile, Euro-look 28.7" diameter wide aluminum (W style) base; T-shape construction for added strength and easy cleanability.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range with black cloth upholstery. Baseline manufacturing code UNITECW-L-5800



Model shown with 25.6" diameter high-profile reinforced composite (R style) base, low seat height range, urethane seat and backrest. Baseline manufacturing code UNITECR-L-2000



Model shown with 25.6" diameter high-profile cast aluminum base (A style) base, low seat height range with blue vinyl upholstery. Baseline manufacturing code UNITECA-L-0562



A Base
Medium Seat Range
Blue Cloth Upholstery
Standard Adjustable Footring
UNITECA-M-6062

High Seat Range
Blue Cloth Upholstery
Standard Adjustable Footring
UNITECA-H-6062



A Base
Medium Seat Range
Urethane Seat and Backrest
Standard Adjustable Footring
UNITECA-M-2000

High Seat Range
Urethane Seat and Backrest
Standard Adjustable Footring
UNITECA-H-2000



R Base
Medium Seat Range
Blue Vinyl Upholstery
Standard Adjustable Footring
UNITECR-M-0562

High Seat Range
Blue Vinyl Upholstery
Standard Adjustable Footring
UNITECR-H-0562



W Base
Medium Seat Range
Black Vinyl Upholstery
Standard Adjustable Footring
UNITECW-M-0551

High Seat Range
Black Vinyl Upholstery
Standard Adjustable Footring
UNITECW-H-0551

bimos by BioFit™ Collection: Unitec Options & List Pricing

Optional Components, & List Prices					
Category	MFG Code	Description	List Price	Notes	
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$18	Adjusts easily without knobs or levers; not available with low height models; replaces standard ATF foot ring	
	ATF	Adjustable height, 20" diameter, cast aluminum	NC	Standard on all medium and high height models. Not available with low height models	
Casters & Glides	HG	2" high Polyamide glides	NC		
	LRO	Dual-wheel casters that lock when seat is occupied	\$80		
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	Standard on all models	
Upholstery		Blue and black vinyl and cloth and black self-skinned urethane options available		Refer to the Seat Height Adjustment Range and Price chart below for pricing per upholstery type	

Seat Height Ranges, Manufacturing Codes, Upholstery Options & Baseline List Prices

bimos by BioFit™ Collection: Unitec						
Seat Height	MFG Code	Seat-Height Adjustment Range	Base Style	Upholstery Type: Color/Code		List Price
Low	UNITECA-L-(5800 or 6062)	16"– 21.25"	Cast Aluminum	Cloth: Black/5800 or Blue/6062		\$500
Low	UNITECA-L-(0551 or 0562)	16"– 21.25"	Cast Aluminum	Vinyl: Black/0551 or Blue/0562		\$500
Low	UNITECA-L-2000	15.5"– 20.75"	Cast Aluminum	Urethane: 2000		\$547
Medium	UNITECA-M-(5800 or 6062)	18.5"– 26"	Cast Aluminum	Cloth: Black/5800 or Blue/6062		\$617
Medium	UNITECA-M-(0551 or 0562)	18.5"– 26"	Cast Aluminum	Vinyl: Black/0551 or Blue/0562		\$617
Medium	UNITECA-M-2000	18"– 25.5"	Cast Aluminum	Urethane: 2000		\$664
High	UNITECA-H-(5800 or 6062)	21.5"– 31.5"	Cast Aluminum	Cloth: Black/5800 or Blue/6062		\$632
High	UNITECA-H-(0551 or 0562)	21.5"– 31.5"	Cast Aluminum	Vinyl: Black/0551 or Blue/0562		\$632
High	UNITECA-H-2000	21"– 31"	Cast Aluminum	Urethane: 2000		\$679
Low	UNITECR-L-(5800 or 6062)	16"– 21.25"	Reinforced Composite	Cloth: Black/5800 or Blue/6062		\$482
Low	UNITECR-L-(0551 or 0562)	16"– 21.25"	Reinforced Composite	Vinyl: Black/0551 or Blue/0562		\$482
Low	UNITECR-L-2000	15.5"– 20.75"	Reinforced Composite	Urethane: 2000		\$529
Medium	UNITECR-M-(5800 or 6062)	18.5"– 26"	Reinforced Composite	Cloth: Black/5800 or Blue/6062		\$599
Medium	UNITECR-M-(0551 or 0562)	18.5"– 26"	Reinforced Composite	Vinyl: Black/0551 or Blue/0562		\$599
Medium	UNITECR-M-2000	18"– 25.5"	Reinforced Composite	Urethane: 2000		\$646
High	UNITECR-H-(5800 or 6062)	21.5"– 31.5"	Reinforced Composite	Cloth: Black/5800 or Blue/6062		\$614
High	UNITECR-H-(0551 or 0562)	21.5"– 31.5"	Reinforced Composite	Vinyl: Black/0551 or Blue/0562		\$614
High	UNITECR-H-2000	21"– 31"	Reinforced Composite	Urethane: 2000		\$661
Low	UNITECW-L-(5800 or 6062)	16"– 21.25"	Wide Aluminum	Cloth: Black/5800 or Blue/6062		\$559
Low	UNITECW-L-(0551 or 0562)	16"– 21.25"	Wide Aluminum	Vinyl: Black/0551 or Blue/0562		\$559
Low	UNITECW-L-2000	15.5"– 20.75"	Wide Aluminum	Urethane: 2000		\$606
Medium	UNITECW-M-(5800 or 6062)	18.5"– 26"	Wide Aluminum	Cloth: Black/5800 or Blue/6062		\$676
Medium	UNITECW-M-(0551 or 0562)	18.5"– 26"	Wide Aluminum	Vinyl: Black/0551 or Blue/0562		\$676
Medium	UNITECW-M-2000	18"– 25.5"	Wide Aluminum	Urethane: 2000		\$723
High	UNITECW-H-(5800 or 6062)	21.5"– 31.5"	Wide Aluminum	Cloth: Black/5800 or Blue/6062		\$691
High	UNITECW-H-(0551 or 0562)	21.5"– 31.5"	Wide Aluminum	Vinyl: Black/0551 or Blue/0562		\$691
High	UNITECW-H-2000	21"– 31"	Wide Aluminum	Urethane: 2000		\$738

All specifications are nominal. *Only models with 0551 black vinyl upholstery available in Ship Now! program.

bimos by BioFit™ Collection: Sintec

Profile: A top seller globally, this model is extremely adaptable – highlighted by removable seat and backrest pads for multipurpose use and proven BioFit durability. Standard features are shown below.

Work Environments:

- Healthcare
- Laboratory
- Industrial
- Education
- Office



Sintec seating is available in 36 configurations. Representative examples are shown on this page.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range, vinyl upholstered seat and backrest pads. Baseline manufacturing code SINTECW-L-UPH



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range, urethane seat and backrest pads. Baseline manufacturing code SINTECR-L-PU



Model shown with 25.6" diameter high-profile cast aluminum base (**A style**) base, low seat height range, without seat and backrest pads. Baseline manufacturing code SINTECA-L



W Base
Medium Seat Range
Vinyl Seat and Backrest Pads
Standard Adjustable Footring
SINTECW-M-UPH [VINYL]

High Seat Range
Vinyl Seat and Backrest Pads
Standard Adjustable Footring
SINTECW-H-UPH [VINYL]



R Base
Medium Seat Range
Urethane Seat and Backrest Pads
Standard Adjustable Footring
SINTECR-M-PU [URETHANE]

High Seat Range
Urethane Seat and Backrest Pads
Standard Adjustable Footring
SINTECR-H-PU [URETHANE]



A Base
Medium Seat Range
Cloth Seat and Backrest Pads
Standard Adjustable Footring
SINTECA-M-UPH [CLOTH]

High Seat Range
Cloth Seat and Backrest Pads
Standard Adjustable Footring
SINTECA-H-UPH [CLOTH]



W Base
Medium Seat Range
No Seat or Backrest Pads
Standard Adjustable Footring
SINTECW-M

High Seat Range
No Seat or Backrest Pads
Standard Adjustable Footring
SINTECW-H

bimos by BioFit™ Collection: Sintec Options & List Pricing

Optional Components, Upholstery & List Prices					
Category	MFG Code	Description	List Price	Notes	
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$18	Adjusts easily without knobs or levers; not available with low height models; replaces standard ATF foot ring	
	ATF	Adjustable height, 20" diameter, cast aluminum	NC	Standard on all medium and high height models. Not available with low height models	
Casters & Glides	HG	2" high Polyamide glides	NC		
	LRO	Dual-wheel casters that lock when seat is occupied	\$80		
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	Standard on all models	
Upholstery	Refer to the BioFit Upholstery Selector Brochure on biofit.com			Contact BioFit for details	
Fire Retardant	Passes both Criteria A and B of CAL-133 Burn Test when special upholstery, foam or barriers (as needed) are used			Upholstery choices may be limited. Minimums of Grade 2/ Grade 3 fabric and Grade 3 vinyl are offered. Contact BioFit for details	

Seat Height Ranges, Manufacturing Codes & Baseline List Prices					
bimos by BioFit™ Collection: Sintec					
Seat Height	MFG Code	Seat-Height Adjustment Range	Base Style	Upholstery Type	List Price
Low	SINTECA-L-UPH	17"– 22"	Cast Aluminum	Cloth	\$814
Low	SINTECA-L-UPH	17"– 22"	Cast Aluminum	Vinyl	\$814
Low	SINTECA-L-PU	17"– 22"	Cast Aluminum	Urethane	\$922
Low	SINTECA-L	16"– 21"	Cast Aluminum	No pads	\$637
Medium	SINTECA-M-UPH	19"– 26"	Cast Aluminum	Cloth	\$931
Medium	SINTECA-M-UPH	19"– 26"	Cast Aluminum	Vinyl	\$931
Medium	SINTECA-M-PU	19"– 26"	Cast Aluminum	Urethane	\$1,039
Medium	SINTECA-M	18"– 25"	Cast Aluminum	No pads	\$754
High	SINTECA-H-UPH	22"– 32"	Cast Aluminum	Cloth	\$946
High	SINTECA-H-UPH	22"– 32"	Cast Aluminum	Vinyl	\$946
High	SINTECA-H-PU	22"– 32"	Cast Aluminum	Urethane	\$1,054
High	SINTECA-H	21"– 31"	Cast Aluminum	No pads	\$769
Low	SINTECR-L-UPH	17"– 22"	Reinforced Composite	Cloth	\$796
Low	SINTECR-L-UPH	17"– 22"	Reinforced Composite	Vinyl	\$796
Low	SINTECR-L-PU	17"– 22"	Reinforced Composite	Urethane	\$904
Low	SINTECR-L	16"– 21"	Reinforced Composite	No pads	\$619
Medium	SINTECR-M-UPH	19"– 26"	Reinforced Composite	Cloth	\$913
Medium	SINTECR-M-UPH	19"– 26"	Reinforced Composite	Vinyl	\$913
Medium	SINTECR-M-PU	19"– 26"	Reinforced Composite	Urethane	\$1,021
Medium	SINTECR-M	18"– 25"	Reinforced Composite	No pads	\$736
High	SINTECR-H-UPH	22"– 32"	Reinforced Composite	Cloth	\$928
High	SINTECR-H-UPH	22"– 32"	Reinforced Composite	Vinyl	\$928
High	SINTECR-H-PU	22"– 32"	Reinforced Composite	Urethane	\$1,036
High	SINTECR-H	21"– 31"	Reinforced Composite	No pads	\$751
Low	SINTECW-L-UPH	17"– 22"	Wide Aluminum	Cloth	\$873
Low	SINTECW-L-UPH	17"– 22"	Wide Aluminum	Vinyl	\$873
Low	SINTECW-L-PU	17"– 22"	Wide Aluminum	Urethane	\$981
Low	SINTECW-L	16"– 21"	Wide Aluminum	No pads	\$696
Medium	SINTECW-M-UPH	19"– 26"	Wide Aluminum	Cloth	\$990
Medium	SINTECW-M-UPH	19"– 26"	Wide Aluminum	Vinyl	\$990
Medium	SINTECW-M-PU	19"– 26"	Wide Aluminum	Urethane	\$1,098
Medium	SINTECW-M	18"– 25"	Wide Aluminum	No pads	\$813
High	SINTECW-H-UPH	22"– 32"	Wide Aluminum	Cloth	\$1,005
High	SINTECW-H-UPH	22"– 32"	Wide Aluminum	Vinyl	\$1,005
High	SINTECW-H-PU	22"– 32"	Wide Aluminum	Urethane	\$1,113
High	SINTECW-H	21"– 31"	Wide Aluminum	No pads	\$828

All specifications are nominal. Contact BioFit regarding additional upholstery options. This series is unavailable in Ship Now! program.

Avenue (AE) Series

Profile: This series features saddle-shaped seats and ergonomic backrests for comfort and productivity, and a range of options to meet your needs and budget. Standard features are shown below.

Quick Reference Legend

● = Clean Room ● = ESD

Work Environments:

- Healthcare
- Clean Room
- Laboratory
- Industrial
- Static Control/ESD
- Education
-
- Office

Many cloth and vinyl upholstery styles available.

15.5" wide x 14.5" high backrest with lumbar support and protective panel.

Baseline manufacturing code for model shown is AEA-L-RC

Black powder-coated paint finish standard on metal parts.

Saddle-shaped, contoured 21" wide x 19" deep x 3" thick seat with waterfall front and internal seatboard bumperguard.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code AEW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code AER-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code AES-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code: AEA-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code: AES-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: AEA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: AEA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: AER-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: AER-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: AEW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: AEW-H-RC-ATF

Avenue (AE) Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$105	Not available with ISO 3 or ISO 4 performance packages
	ARU	Height and width adjustable with upholstered pads	\$132	Not available with ISO 3 or ISO 4 performance packages
	PSAS	Height adjustable with self-skinned urethane pads	\$105	
	PSAU	Height adjustable with upholstered pads	\$132	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$93	\$191 on ISO 5 performance package configurations
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$139	Only available on models with maximum seat height of 26" or less
	ASC	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$194	Only available on ISO 3 and ISO 4 performance package models without arms
	SLD	Seat slider bracket allows seat depth adjustment range of up to 2.5" w/locking positions every 0.5"; add to the standard task, FFAC or EXE controls	\$102	Available only on models with R or W bases with low or medium seat height ranges (26" or less); not recommended on clean room models
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages
	LKRO	Conductive dual-wheel casters that lock when seat is occupied	\$80	
	LRO	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Upholstery	COM	Customer's own material	NC	Contact BioFit for details
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3		\$56	
	Grade 4		\$91	
	Grade 5		\$166	
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	
	TKB	Tamper-proof non-removable backrest bar	\$12	
	VU	Upholstered underwrap to match seat upholstery	\$32	
	FM	Memory Foam	\$36	

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
ESD		K	\$227*
Clean Room	ISO 6	1000	\$158
	ISO 5	VUV	\$242
	ISO 4	C10	\$420*
	ISO 4	N10 (breathable nylon)	\$420*
	ISO 3	C1	\$420*
Optional Chrome-plated metal parts		C	\$45†

* Not available with R style base † Add additional \$56 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Avenue (AES) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	AES-L-RC	18"– 22"	\$600
Medium	AES-M-RC	21"– 28"	\$616
High	AES-H-RC	25"– 32"	\$626
Avenue (AEA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	AEA-L-RC	17"– 22"	\$608
Medium	AEA-M-RC	19"– 26"	\$640
High	AEA-H-RC	22"– 32"	\$656

Avenue (AER) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	AER-L-RC	17"– 22"	\$590
Medium	AER-M-RC	19"– 26"	\$622
High	AER-H-RC	22"– 32"	\$638
Avenue (AEW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	AEW-L-RC	17"– 22"	\$667
Medium	AEW-M-RC	19"– 26"	\$699
High	AEW-H-RC	22"– 32"	\$715

Amherst (AM) Series

Profile: A larger saddle-shaped seat and backrest add up to enhanced user performance, plus a variety of options available to suit your environment and budget needs. Standard features are shown below.

Quick Reference Legend

● = Clean Room ● = ESD

Work Environments:

- Healthcare
- Clean Room
- Laboratory
- Industrial
- Static Control/ESD
- Education
-
- Office

Many cloth and vinyl upholstery styles available.

Baseline manufacturing code for model shown is AMA-L-RC ▶

18" wide x 19" high backrest with lumbar support and plastic protective panel.

Saddle-shaped, contoured 21" wide x 19" deep x 3" thick seat with waterfall front and internal seatboard bumperguard.

Black powder-coated paint finish standard on metal parts.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code AMW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code AMR-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code AMS-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code: AMS-M-RC

High Seat Range
Manufacturing Code: AMS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: AMA-M-RC-ATF

High Seat Range
Manufacturing Code: AMA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: AMR-M-RC-ATF

High Seat Range
Manufacturing Code: AMR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: AMW-M-RC-ATF

High Seat Range
Manufacturing Code: AMW-H-RC-ATF

Amherst (AM) Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$105	Not available with ISO 3 or ISO 4 performance packages
	ARU	Height and width adjustable with upholstered pads	\$132	Not available with ISO 3 or ISO 4 performance packages
	PSAS	Height adjustable with self-skinned urethane pads	\$105	
	PSAU	Height adjustable with upholstered pads	\$132	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$93	\$191 on ISO 5 performance package configurations
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$139	Only available on models with maximum seat height of 26" or less
	ASC	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$194	Only available on ISO 3 and ISO 4 performance package models without arms
	SLD	Seat slider bracket allows seat depth adjustment range of up to 2.5" w/locking positions every 0.5"; add to the standard task, FFAC or EXE controls	\$102	Available only on models with R or W bases with low or medium seat height ranges (26" or less); not recommended on clean room models
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages
	LKRO	Conductive dual-wheel casters that lock when seat is occupied	\$80	
	LRO	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Upholstery	COM	Customer's own material	NC	Contact BioFit for details
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3		\$56	
	Grade 4		\$91	
	Grade 5		\$166	
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	
	TKB	Tamper-proof non-removable backrest bar	\$12	
	VU	Upholstered underwrap to match seat upholstery	\$32	
	FM	Memory Foam	\$36	

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
ESD		K	\$227*
Clean Room	ISO 6	1000	\$158
	ISO 5	VUV	\$242
	ISO 4	C10	\$420*
	ISO 4	N10 (breathable nylon)	\$420*
	ISO 3	C1	\$420*

Category	Class	MFG Code	List Price
Clean Room/ESD	ISO 6/ESD	1000-K	\$227*
	ISO 5/ESD	VUV-K	\$309*
	ISO 4/ESD	C10-K	\$484*
	ISO 3/ESD	C1-K	\$484*
Optional Chrome-plated metal parts		C	\$45†

* Not available with R style base † Add additional \$56 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Amherst (AMS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	AMS-L-RC	18"– 22"	\$656
Medium	AMS-M-RC	21"– 28"	\$672
High	AMS-H-RC	25"– 32"	\$682

Amherst (AMA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	AMA-L-RC	17"– 22"	\$664
Medium	AMA-M-RC	19"– 26"	\$696
High	AMA-H-RC	22"– 32"	\$712

Amherst (AMR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	AMR-L-RC	17"– 22"	\$646
Medium	AMR-M-RC	19"– 26"	\$678
High	AMR-H-RC	22"– 32"	\$694

Amherst (AMW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	AMW-L-RC	17"– 22"	\$723
Medium	AMW-M-RC	19"– 26"	\$755
High	AMW-H-RC	22"– 32"	\$771

Belize (BE) Series

Profile: The right chair for just about any environment—ergonomic for long days and durable for long-term performance. Available under Ship Now! quick-ship program. Standard features are shown below.



Quick Reference Legend

● = Clean Room ● = ESD ● = ShipNow

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Static Control/ESD
- Industrial
- Education
- Office

Many cloth and vinyl upholstery styles available.

Baseline manufacturing code for model shown is BEA-L-RC ▶

15.5" wide x 14.5" high backrest with lumbar support and plastic protective panel.

Black powder-coated paint finish standard on metal parts.

Concave 18.5" wide x 16.5" deep x 3" thick seat with internal seatboard bumperguard.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code BEW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code BER-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code BES-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code: BEA-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code: BEA-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: BEA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: BEA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: BER-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: BER-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: BEW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: BEW-H-RC-ATF

Belize (BE) Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Seats	A ¹	Saddle-shaped, contoured with waterfall front; 21" wide x 19" deep X 3" thick	\$105	
	S ¹	Ergonomic with waterfall front; 21" wide x 17" deep X 3" thick	\$76	Intended for use by those of shorter stature
Backrests	M	Larger ergonomic backrest 18" wide x 19" high provides upper & lower back support	\$56	Available on models with a seat height no higher than 32"
	A ⁵	Narrow, 8" wide x 12" high; spinal support with lumbar curve	(\$7)	
Armrests	ARS ¹	Height and width adjustable with self-skinned urethane pads	\$105	Not available with ISO 3 or ISO 4 performance packages
	ARU ¹	Height and width adjustable with upholstered pads	\$132	Not available with ISO 3 or ISO 4 performance packages
	PSAS	Height adjustable with self-skinned urethane pads	\$105	
	PSAU ¹	Height adjustable with upholstered pads	\$132	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$93	\$191 on ISO 5 performance package configurations
	EXE ¹	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$139	Only available on models with maximum seat height of 26" or less
	ASC ¹	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$194	Only available on ISO 3 and ISO 4 performance package units without arms
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR ¹	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages
	LKRO ¹	Conductive dual-wheel casters that lock when seat is occupied	\$80	
	LRO ¹	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR ¹	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Upholstery	COM ¹	Customer's own material	NC	Contact BioFit for details
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3 ¹		\$56	
	Grade 4 ¹		\$91	
	Grade 5 ¹		\$166	
Fire Retardant	C133 ¹	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	
	TKB ¹	Tamper-proof non-removable backrest bar	\$12	
	VU ¹	Upholstered underwrap to match seat upholstery	\$32	

¹Options not available under Ship Now! program.

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
ESD		K	\$227*
Clean Room	ISO 6	1000	\$158
	ISO 5	VUV	\$242
	ISO 4	C10	\$420*
	ISO 4	N10 (breathable nylon)	\$420*
	ISO 3	C1	\$420*

Category	Class	MFG Code	List Price
Clean Room/ESD	ISO 6/ESD	1000-K	\$227*
	ISO 5/ESD	VUV-K	\$309*
	ISO 4/ESD	C10-K	\$484*
	ISO 3/ESD	C1-K	\$484*
Optional Chrome-plated metal parts		C	\$45†

* Not available with R style base † Add additional \$56 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Belize (BES) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	BES-L-RC	18"– 22"	\$495
Medium	BES-M-RC	21"– 28"	\$511
High	BES-H-RC	25"– 32"	\$521

Belize (BEA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	BEA-L-RC	17"– 22"	\$503
Medium	BEA-M-RC	19"– 26"	\$535
High	BEA-H-RC	22"– 32"	\$551

Belize (BER) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	BER-L-RC	17"– 22"	\$485
Medium	BER-M-RC	19"– 26"	\$517
High	BER-H-RC	22"– 32"	\$533

Belize (BEW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	BEW-L-RC	17"– 22"	\$562
Medium	BEW-M-RC	19"– 26"	\$594
High	BEW-H-RC	22"– 32"	\$610

All specifications are nominal. Contact BioFit regarding upholstery options. Series available in Ship Now! program.

**With Grade 2 upholstery

Bridgeport (BT) Series

Ergonomic functionality, a streamlined backrest and Ship Now! quick-ship availability make Bridgeport Series chairs a popular solution for multiple workspaces. Standard features are shown below.

Quick Reference Legend

● = Clean Room ● = ESD ● = ShipNow

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Static Control/ESD
- Industrial
- Education
- Office



Baseline manufacturing code for model shown is **BTA-L-RC**

Many cloth and vinyl upholstery styles available.

14.5" wide x 9.5" backrest with lumbar support and plastic protective panel.

Black powder-coated paint finish standard on metal parts.

Concave 18.5" wide x 16.5" deep x 3" thick seat with internal seatboard bumperguard.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code **BTW-L-RC**



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code **BTR-L-RC**



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code **BTS-L-RC**



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code:
BTS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code:
BTS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
BTA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
BTA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
BTR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
BTR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
BTW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
BTW-H-RC-ATF

Bridgeport (BT) Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Seats	A [§]	Saddle-shaped, contoured with waterfall front; 21" wide x 19" deep X 3" thick	\$105	
	S [§]	Ergonomic with waterfall front; 21" wide x 17" deep X 3" thick	\$76	Intended for use by those of shorter stature
Backrests	M	Larger ergonomic backrest 18" wide x 19" high provides upper & lower back support	\$86	Available on models with a seat height no higher than 32"
	A [§]	Narrow, 8" wide x 12" high; spinal support with lumbar curve	\$23	
Armrests	ARS [§]	Height and width adjustable with self-skinned urethane pads	\$105	Not available with ISO 3 or ISO 4 performance packages
	ARU [§]	Height and width adjustable with upholstered pads	\$132	Not available with ISO 3 or ISO 4 performance packages
	PSAS	Height adjustable with self-skinned urethane pads	\$105	
	PSAU [§]	Height adjustable with upholstered pads	\$132	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$93	\$191 on ISO 5 performance package configurations
	EXE [§]	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$139	Only available on models with maximum seat height of 26" or less
	ASC [§]	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$194	Only available on ISO 3 and ISO 4 performance package units without arms
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR [§]	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages
	LKRO [§]	Conductive dual-wheel casters that lock when seat is occupied	\$80	
	LRO [§]	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR [§]	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Upholstery	COM [§]	Customer's own material	NC	Contact BioFit for pricing
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3 [§]		\$56	
	Grade 4 [§]		\$91	
	Grade 5 [§]		\$166	
Fire Retardant	C133 [§]	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	
	TKB [§]	Tamper-proof non-removable backrest bar	\$12	
	VU [§]	Upholstered underwrap to match seat upholstery	\$32	

[§]Options not available under Ship Now! program.

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
ESD		K	\$227*
Clean Room	ISO 6	1000	\$158
	ISO 5	VUV	\$242
	ISO 4	C10	\$420*
	ISO 4	N10 (breathable nylon)	\$420*
	ISO 3	C1	\$420*

Category	Class	MFG Code	List Price
Clean Room/ESD	ISO 6/ESD	1000-K	\$227*
	ISO 5/ESD	VUV-K	\$309*
	ISO 4/ESD	C10-K	\$484*
	ISO 3/ESD	C1-K	\$484*
Optional Chrome-plated metal parts		C	\$45†

* Not available with R style base † Add additional \$56 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Bridgeport (BTS) - Tubular Steel

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	BTS-L-RC	18" – 22"	\$465
Medium	BTS-M-RC	21" – 28"	\$481
High	BTS-H-RC	25" – 32"	\$491

Bridgeport (BTA) - Cast Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	BTA-L-RC	17" – 22"	\$473
Medium	BTA-M-RC	19" – 26"	\$505
High	BTA-H-RC	22" – 32"	\$521

Bridgeport (BTR) - Reinforced Composite

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	BTR-L-RC	17" – 22"	\$455
Medium	BTR-M-RC	19" – 26"	\$487
High	BTR-H-RC	22" – 32"	\$503

Bridgeport (BTW) - Wide Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	BTW-L-RC	17" – 22"	\$532
Medium	BTW-M-RC	19" – 26"	\$564
High	BTW-H-RC	22" – 32"	\$580

All specifications are nominal. Contact BioFit regarding upholstery options. Series available in Ship Now! program.

** With Grade 2 upholstery

Elite (EE) Series

Profile: Built to meet clean room demands, functional design and versatility make Elite ideal for nearly any workspace. Available under Ship Now! quick-ship program. Standard features are shown below.

Quick Reference Legend

● = Clean Room ● = ESD ● = ShipNow

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Static Control/ESD
- Industrial
- Education
- Office



Many cloth and vinyl upholstery styles available.

Baseline manufacturing code for model shown is EEA-L-RC

15.5" wide x 14.5" high backrest with lumbar support and plastic protective panel.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code EEW-L-RC

Black powder-coated paint finish standard on metal parts.

Ergonomic 18.5" wide x 17" deep x 3" thick seat with four-way contouring and internal seat board bumperguard.



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code EER-L-RC

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option.



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code EES-L-RC

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code:
EES-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code:
EES-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
EEA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
EEA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
EER-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
EER-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
EEW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
EEW-H-RC-ATF

Elite (EE) Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Seats	A ¹	Saddle-shaped, contoured with waterfall front; 21" wide x 19" deep X 3" thick	\$50	
	S ¹	Ergonomic with waterfall front; 21" wide x 17" deep X 3" thick	\$21	Intended for use by those of shorter stature
Backrests	M	Larger ergonomic backrest 18" wide x 19" high provides upper & lower back support	\$56	Available on models with a seat height no higher than 32"
	A ⁵	Narrow, 8" wide x 12" high; spinal support with lumbar curve	(-\$7)	
Armrests	ARS ¹	Height and width adjustable with self-skinned urethane pads	\$105	Not available with ISO 3 or ISO 4 performance packages
	ARU ¹	Height and width adjustable with upholstered pads	\$132	Not available with ISO 3 or ISO 4 performance packages
	PSAS	Height adjustable with self-skinned urethane pads	\$105	
	PSAU ¹	Height adjustable with upholstered pads	\$132	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$93	\$191 on ISO 5 performance package configurations
	EXE ¹	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$139	Only available on models with maximum seat height of 26" or less
	ASC ¹	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$194	Only available on ISO 3 and ISO 4 performance package units without arms
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR ¹	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages
	LKRO ¹	Conductive dual-wheel casters that lock when seat is occupied	\$80	
	LRO ¹	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR ¹	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Upholstery	COM ¹	Customer's own material	NC	Contact BioFit for details
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3 ¹		\$56	
	Grade 4 ¹		\$91	
	Grade 5 ¹		\$166	
Fire Retardant	C133 ¹	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	
	TKB ¹	Tamper-proof non-removable backrest bar	\$12	
	VU ¹	Upholstered underwrap to match seat upholstery	\$32	
	FM ¹	Memory Foam	\$36	

¹Options not available under Ship Now! program.

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
ESD		K	\$227*
Clean Room	ISO 6	1000	\$158
	ISO 5	VUV	\$242
	ISO 4	C10	\$420*
	ISO 4	N10 (breathable nylon)	\$420*
	ISO 3	C1	\$420*

Category	Class	MFG Code	List Price
Clean Room/ESD	ISO 6/ESD	1000-K	\$227*
	ISO 5/ESD	VUV-K	\$309*
	ISO 4/ESD	C10-K	\$484*
	ISO 3/ESD	C1-K	\$484*
Optional Chrome-plated metal parts		C	\$45†

* Not available with R style base † Add additional \$56 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Elite (EES) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	EES-L-RC	18" – 22"	\$550
Medium	EES-M-RC	21" – 28"	\$566
High	EES-H-RC	25" – 32"	\$576

Elite (EEA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	EEA-L-RC	17" – 22"	\$558
Medium	EEA-M-RC	19" – 26"	\$590
High	EEA-H-RC	22" – 32"	\$606

Elite (EER) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	EER-L-RC	17" – 22"	\$540
Medium	EER-M-RC	19" – 26"	\$572
High	EER-H-RC	22" – 32"	\$588

Elite (EEW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	EEW-L-RC	17" – 22"	\$617
Medium	EEW-M-RC	19" – 26"	\$649
High	EEW-H-RC	22" – 32"	\$665

All specifications are nominal. Contact BioFit regarding upholstery options. Series available in Ship Now! program.

** With Grade 2 upholstery

Eton (ET) Series

Profile: A wide array of options enable the Eton to be configured for a range of workspaces. Readily available under the BioFit Ship Now! quick-ship program. Standard features are shown below.

Quick Reference Legend

● = Clean Room ● = ESD ● = ShipNow

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Static Control/ESD
- Industrial
- Education
- Office



Many cloth and vinyl upholstery styles available.

Baseline manufacturing code for model shown is ETA-L-RC ▶

14.5" wide x 9.5" high backrest with lumbar support and plastic protective panel.

Black powder-coated paint finish standard on metal parts.

Ergonomic 18.5" wide x 17" deep x 3" thick seat with four-way contouring and internal seat board bumperguard.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code ETW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code ETR-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code ETS-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code: ETS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code: ETS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: ETA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: ETA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: ETR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: ETR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: ETW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: ETW-H-RC-ATF

Eton (ET) Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Seats	A ³	Saddle-shaped, contoured with waterfall front; 21" wide x 19" deep X 3" thick	\$50	
	S ³	Ergonomic with waterfall front; 21" wide x 17" deep X 3" thick	\$21	Intended for use by those of shorter stature
Backrests	M	Larger ergonomic backrest 18" wide x 19" high provides upper & lower back support	\$86	Available on models with a seat height no higher than 32"
	A ³	Narrow, 8" wide x 12" high; spinal support with lumbar curve	\$23	
Armrests	ARS ³	Height and width adjustable with self-skinned urethane pads	\$105	Not available with ISO 3 or ISO 4 performance packages
	ARU ³	Height and width adjustable with upholstered pads	\$132	Not available with ISO 3 or ISO 4 performance packages
	PSAS	Height adjustable with self-skinned urethane pads	\$105	
	PSAU ³	Height adjustable with upholstered pads	\$132	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$93	\$191 on ISO 5 performance package configurations
	EXE ³	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$139	Only available on models with maximum seat height of 26" or less
	ASC ³	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$194	Only available on ISO 3 and ISO 4 performance package units without arms
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR ³	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages
	LKRO ³	Conductive dual-wheel casters that lock when seat is occupied	\$80	
	LRO ³	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR ³	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Upholstery	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
	COM ³	Customer's own material	NC	Contact BioFit for details
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3 ³		\$56	
	Grade 4 ³		\$91	
Fire Retardant	Grade 5 ³		\$166	
	C133 ³	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	
	TKB ³	Tamper-proof non-removable backrest bar	\$12	
	VU ³	Upholstered underwrap to match seat upholstery	\$32	
	FM ³	Memory Foam	\$36	

³Options not available under Ship Now! program.

Performance Packages & List Pricing

Category	Class	MFG Code	List Price
ESD		K	\$227*
Clean Room	ISO 6	1000	\$158
	ISO 5	VUV	\$242
	ISO 4	C10	\$420*
	ISO 4	N10 (breathable nylon)	\$420*
	ISO 3	C1	\$420*

Category	Class	MFG Code	List Price
Clean Room/ESD	ISO 6/ESD	1000-K	\$227*
	ISO 5/ESD	VUV-K	\$309*
	ISO 4/ESD	C10-K	\$484*
	ISO 3/ESD	C1-K	\$484*
Optional Chrome-plated metal parts		C	\$45†

* Not available with R style base † Add additional \$56 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Eton (ETS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	ETS-L-RC	18"– 22"	\$520
Medium	ETS-M-RC	21"– 28"	\$536
High	ETS-H-RC	25"– 32"	\$546

Eton (ETA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	ETA-L-RC	17"– 22"	\$528
Medium	ETA-M-RC	19"– 26"	\$560
High	ETA-H-RC	22"– 32"	\$576

Eton (ETR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	ETR-L-RC	17"– 22"	\$510
Medium	ETR-M-RC	19"– 26"	\$542
High	ETR-H-RC	22"– 32"	\$558

Eton (ETW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	ETW-L-RC	17"– 22"	\$587
Medium	ETW-M-RC	19"– 26"	\$619
High	ETW-H-RC	22"– 32"	\$635

All specifications are nominal. Contact BioFit regarding upholstery options. Series available in Ship Now! program.

** With Grade 2 upholstery

Sewn Seams FC Series

Profile: This series is highlighted by sewn seams upholstery to minimize foam compression and enhance long-term user comfort. Customizable with numerous options. Standard features are shown below.

Quick Reference Legend

● = ESD

Work Environments:

- Healthcare
- Static Control/ESD
- Industrial
- Education
- Office



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range. Baseline manufacturing code FCW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (R style) base, low seat height range. Baseline manufacturing code FCR-L-RC



Model shown with 23" diameter tubular steel (S style) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code FCS-L-RC



S Base
S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code:
FCS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code:
FCS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
FCA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
FCA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
FCR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
FCR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
FCW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
FCW-H-RC-ATF

Sewn Seams FC Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Armrest	ARS	Height and width adjustable with self-skinned urethane pads	\$105	
	ARU	Height and width adjustable with upholstered pads	\$132	
	PSAS	Height adjustable with self-skinned urethane pads	\$105	
	PSAU	Height adjustable with upholstered pads	\$132	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$93	
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$139	Only available on models with maximum seat height of 26" or less
	SLD	Seat slider bracket allows seat depth adjustment range of up to 2.5" w/locking positions every 0.5"; add to the standard task, FFAC or EXE controls	\$102	Available only on models with R or W bases with low or medium seat height ranges (26" or less); not recommended on clean room models
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages
	LKRO	Conductive dual-wheel casters that lock when seat is occupied	\$80	
	LRO	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Upholstery	COM	Customer's own material	NC	Contact BioFit for details
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3		\$56	
	Grade 4		\$91	
	Grade 5		\$166	
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	
	TKB	Tamper-proof non-removable backrest bar	\$12	
	VU	Upholstered underwrap to match seat upholstery	\$32	
	FM	Memory Foam	\$67	

Performance Packages & List Pricing		
Category	MFG Code	List Price
ESD	K	\$227*
Optional Chrome plated metal parts	C	\$45†

* Not available with R style base † Add additional \$56 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Sewn Seams FC (FCS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	FCS-L-RC	18"– 22"	\$739
Medium	FCS-M-RC	21"– 28"	\$754
High	FCS-H-RC	25"– 32"	\$764

Sewn Seams FC (FCA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	FCA-L-RC	17"– 22"	\$746
Medium	FCA-M-RC	19"– 26"	\$778
High	FCA-H-RC	22"– 32"	\$794

Sewn Seams FC (FCR) - Reinforced Composite			
Chair Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	FCR-L-RC	17"– 22"	\$728
Medium	FCR-M-RC	19"– 26"	\$760
High	FCR-H-RC	22"– 32"	\$776

Sewn Seams FC (FCW) - Wide Aluminum			
Chair Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	FCW-L-RC	17"– 22"	\$805
Medium	FCW-M-RC	19"– 26"	\$837
High	FCW-H-RC	22"– 32"	\$853

All specifications are nominal. Contact BioFit regarding upholstery options. Series unavailable in Ship Now! program.

** With Grade 2 upholstery

Sewn Seams FL Series

Profile: This series is highlighted by a larger seat and upholstery with sewn seams to minimize cushion foam compression – enhancing comfort, performance and looks. Standard features are shown below.

Quick Reference Legend

● = ESD

Work Environments:

- Healthcare
- Static Control/ESD
- Industrial
- Education
- Office



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range. Baseline manufacturing code FLW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (R style) base, low seat height range. Baseline manufacturing code FLR-L-RC



Model shown with 23" diameter tubular steel (S style) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code FLS-L-RC



Sewn Seams FL Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Armrest	ARS	Height and width adjustable with self-skinned urethane pads	\$105	
	ARU	Height and width adjustable with upholstered pads	\$132	
	PSAS	Height adjustable with self-skinned urethane pads	\$105	
	PSAU	Height adjustable with upholstered pads	\$132	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$93	
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$139	Only available on models with maximum seat height of 26" or less
	SLD	Seat slider bracket allows seat depth adjustment range of up to 2.5" w/locking positions every 0.5"; add to the standard task, FFAC or EXE controls	\$102	Available only on models with R or W bases with low or medium seat height ranges (26" or less); not recommended on clean room models
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages
	LKRO	Conductive dual-wheel casters that lock when seat is occupied	\$80	
	LRO	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied - standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Upholstery	COM	Customer's own material	NC	Contact BioFit for details
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3		\$56	
	Grade 4		\$91	
	Grade 5		\$166	
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	
	TKB	Tamper-proof non-removable backrest bar	\$12	
	VU	Upholstered underwrap to match seat upholstery	\$32	
	FM	Memory Foam	\$67	

Performance Packages & List Pricing		
Category	MFG Code	List Price
ESD	K	\$227*
Optional Chrome plated metal parts	C	\$45†

* Not available with R style base † Add additional \$56 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices			
Sewn Seams FL (FLS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	FLS-L-RC	18" - 22"	\$680
Medium	FLS-M-RC	21" - 28"	\$695
High	FLS-H-RC	25" - 32"	\$705
Sewn Seams FL (FLA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	FLA-L-RC	17" - 22"	\$687
Medium	FLA-M-RC	19" - 26"	\$719
High	FLA-H-RC	22" - 32"	\$735
Sewn Seams FL (FLR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	FLR-L-RC	17" - 22"	\$669
Medium	FLR-M-RC	19" - 26"	\$701
High	FLR-H-RC	22" - 32"	\$717
Sewn Seams FL (FLW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	FLW-L-RC	17" - 22"	\$746
Medium	FLW-M-RC	19" - 26"	\$778
High	FLW-H-RC	22" - 32"	\$794

All specifications are nominal. Contact BioFit regarding upholstery options. Series unavailable in Ship Now! program.

** With Grade 2 upholstery

Sewn Seams HC Series

Profile: Upholstery with sewn seams, a larger backrest and a four-way contoured seat combine to deliver enhanced user comfort throughout the work day. Standard features are shown below.

Quick Reference Legend

● = ESD

Work Environments:

- Healthcare
- Static Control/ESD
- Industrial
- Education
- Office

Baseline manufacturing code for model shown is HCA-L-RC

Many cloth and vinyl upholstery styles available.

18" wide x 19" high backrest with lumbar support, sewn seams and plastic protective panel.

Ergonomic 18.5" wide x 17" deep x 3" thick seat with sewn seams, waterfall front and internal seat board bumperguard.

Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (A style) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.

Black powder-coated paint finish standard on metal parts.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range. Baseline manufacturing code HCW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (R style) base, low seat height range. Baseline manufacturing code HCR-L-RC



Model shown with 23" diameter tubular steel (S style) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code HCS-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code:
HCS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code:
HCS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
HCA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
HCA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
HCR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
HCR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
HCW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
HCW-H-RC-ATF

Sewn Seams HC Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Armrest	ARS	Height and width adjustable with self-skinned urethane pads	\$105	
	ARU	Height and width adjustable with upholstered pads	\$132	
	PSAS	Height adjustable with self-skinned urethane pads	\$105	
	PSAU	Height adjustable with upholstered pads	\$132	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$93	
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$139	Only available on models with maximum seat height of 26" or less
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages
	LKRO	Conductive dual-wheel casters that lock when seat is occupied	\$80	
	LRO	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Upholstery	COM	Customer's own material	NC	Contact BioFit for details
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3		\$56	
	Grade 4		\$91	
	Grade 5		\$166	
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	
	TKB	Tamper-proof non-removable backrest bar	\$12	
	VU	Upholstered underwrap to match seat upholstery	\$32	
	FM	Memory Foam	\$67	

Performance Packages & List Pricing		
Category	MFG Code	List Price
ESD	K	\$227*
Optional Chrome plated metal parts	C	\$45†

* Not available with R style base † Add additional \$56 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices			
Sewn Seams HC (HCS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	HCS-L-RC	18"– 22"	\$688
Medium	HCS-M-RC	21"– 28"	\$703
High	HCS-H-RC	25"– 32"	\$713
Sewn Seams HC (HCA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	HCA-L-RC	17"– 22"	\$695
Medium	HCA-M-RC	19"– 26"	\$727
High	HCA-H-RC	22"– 32"	\$743
Sewn Seams HC (HCR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	HCR-L-RC	17"– 22"	\$677
Medium	HCR-M-RC	19"– 26"	\$709
High	HCR-H-RC	22"– 32"	\$725
Sewn Seams HC (HCW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	HCW-L-RC	17"– 22"	\$754
Medium	HCW-M-RC	19"– 26"	\$786
High	HCW-H-RC	22"– 32"	\$802

All specifications are nominal. Contact BioFit regarding upholstery options. Series unavailable in Ship Now! program.

** With Grade 2 upholstery

Sewn Seams HL Series

Profile: This series is highlighted by upholstery with sewn seams that minimize foam compression of seat and backrest cushions to enhance comfort, performance and looks. Standard features are shown below.

Quick Reference Legend

● = ESD

Work Environments:

- Healthcare
- Education
- Static Control/ESD
- Office
- Industrial

Baseline manufacturing code for model shown is HLA-L-RC

Many cloth and vinyl upholstery styles available.

15.5" wide x 14.5" high backrest with lumbar support, sewn seams and plastic protective panel.

Ergonomic 18.5" wide x 17" deep x 3" thick seat with sewn seams, waterfall front and internal seat board bumperguard.

Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Black powder-coated paint finish standard on metal parts.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code HLW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code HLR-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code HLS-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code:
HLS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code:
HLS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
HLA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
HLA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
HLR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
HLR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
HLW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
HLW-H-RC-ATF

Sewn Seams HL Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Armrest	ARS	Height and width adjustable with self-skinned urethane pads	\$105	
	ARU	Height and width adjustable with upholstered pads	\$132	
	PSAS	Height adjustable with self-skinned urethane pads	\$105	
	PSAU	Height adjustable with upholstered pads	\$132	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$93	
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$139	Only available on models with maximum seat height of 26" or less
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages
	LKRO	Conductive dual-wheel casters that lock when seat is occupied	\$80	
	LRO	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Upholstery	COM	Customer's own material	NC	Contact BioFit for details
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3		\$56	
	Grade 4		\$91	
	Grade 5		\$166	
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	
	TKB	Tamper-proof non-removable backrest bar	\$12	
	VU	Upholstered underwrap to match seat upholstery	\$32	
	FM	Memory Foam	\$67	

Performance Packages & List Pricing		
Category	MFG Code	List Price
ESD	K*	\$227*
Optional Chrome plated metal parts	C	\$45†

* Not available with R style base † Add additional \$56 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices			
Sewn Seams HL (HLS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HLS-L-RC	18"– 22"	\$628
Medium	HLS-M-RC	21"– 28"	\$644
High	HLS-H-RC	25"– 32"	\$654
Sewn Seams HL (HLA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HLA-L-RC	17"– 22"	\$636
Medium	HLA-M-RC	19"– 26"	\$668
High	HLA-H-RC	22"– 32"	\$684
Sewn Seams HL (HLR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HLR-L-RC	17"– 22"	\$618
Medium	HLR-M-RC	19"– 26"	\$650
High	HLR-H-RC	22"– 32"	\$666
Sewn Seams HL (HLW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HLW-L-RC	17"– 22"	\$695
Medium	HLW-M-RC	19"– 26"	\$727
High	HLW-H-RC	22"– 32"	\$743

All specifications are nominal. Contact BioFit regarding upholstery options. Series unavailable in Ship Now! program.

** With Grade 2 upholstery

Vacuum Formed FC Series

Profile: This series is highlighted by seamless, vacuum-formed upholstery to reduce liquid and bacterial infiltration. Customizable with numerous options. Standard features are shown below.

Quick Reference Legend

● = Clean Room

Work Environments:

- Healthcare
- Clean Room
- Laboratory
- Education

Baseline manufacturing code for model shown is FCA-L-RC-VF ▶

Slate blue and black vinyl upholsteries are standard.

18" wide x 19" high backrest with lumbar support and plastic protective panel.

Saddle-shaped, contoured 21" wide x 19" deep x 3" thick seat with waterfall front and internal seat board bumperguard.

Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Black powder-coated paint finish standard on metal parts.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (A style) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range. Baseline manufacturing code FCW-L-RC-VF



Model shown with 25.6" diameter high-profile reinforced composite (R style) base, low seat height range. Baseline manufacturing code FCR-L-RC-VF



Model shown with 23" diameter tubular steel (S style) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code FCS-L-RC-VF

 <p>S Base Standard Affixed Footring Medium Seat Range Manufacturing Code: FCS-M-RC-VF</p> <p>Standard Affixed Footring High Seat Range Manufacturing Code: FCS-H-RC-VF</p>	 <p>A Base Optional Adjustable Footring Medium Seat Range Manufacturing Code: FCA-M-RC-VF-ATF</p> <p>Optional Adjustable Footring High Seat Range Manufacturing Code: FCA-H-RC-VF-ATF</p>	 <p>R Base Optional Adjustable Footring Medium Seat Range Manufacturing Code: FCR-M-RC-VF-ATF</p> <p>Optional Adjustable Footring High Seat Range Manufacturing Code: FCR-H-RC-VF-ATF</p>	 <p>W Base Optional Adjustable Footring Medium Seat Range Manufacturing Code: FCW-M-RC-VF-ATF</p> <p>Optional Adjustable Footring High Seat Range Manufacturing Code: FCW-H-RC-VF-ATF</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Vacuum Formed FC Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Armrest	ARS	Height and width adjustable with self-skinned urethane pads	\$105	
	ARU	Height and width adjustable with upholstered pads	\$132	
	PSAS	Height adjustable with self-skinned urethane pads	\$105	
	PSAU	Height adjustable with upholstered pads	\$132	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$93	Price is \$191 for ISO 5/VUV configurations
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$139	Only available on models with maximum seat height of 26" or less
	ASC	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$194	Only available on ISO 3 and ISO 4 performance packages without armrests
	SLD	Seat slider bracket allows seat depth adjustment range of up to 2.5" w/locking positions every 0.5"; add to the standard task, FFAC or EXE controls	\$102	Available only on models with R or W bases with low or medium seat height ranges (26" or less); not recommended on clean room models
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages
	LRO	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	
	TKB	Tamper-proof non-removable backrest bar	\$12	
	FM	Memory Foam	\$67	

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
Clean Room	ISO 6	1000	\$158
	ISO 5	VUV	\$242
	ISO 4*	C10	\$420
	ISO 3*	C1	\$420
Optional Chrome-plated metal parts		C	\$45†

* Not available with R style base † Add additional \$56 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Vacuum Formed FC (FCS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	FCS-L-RC-VF	18"– 22"	\$739
Medium	FCS-M-RC-VF	21"– 28"	\$754
High	FCS-H-RC-VF	25"– 32"	\$764

Vacuum Formed FC (FCA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	FCA-L-RC-VF	17"– 22"	\$746
Medium	FCA-M-RC-VF	19"– 26"	\$778
High	FCA-H-RC-VF	22"– 32"	\$794

Vacuum Formed FC (FCR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	FCR-L-RC-VF	17"– 22"	\$728
Medium	FCR-M-RC-VF	19"– 26"	\$760
High	FCR-H-RC-VF	22"– 32"	\$776

Vacuum Formed FC (FCW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	FCW-L-RC-VF	17"– 22"	\$805
Medium	FCW-M-RC-VF	19"– 26"	\$837
High	FCW-H-RC-VF	22"– 32"	\$853

All specifications are nominal. Series unavailable in Ship Now! program.

** With Grade 2 upholstery

Vacuum Formed FL Series

Profile: Highlighted by seamless, vacuum-formed upholstery to reduce liquid and bacterial infiltration, this series also offers a smaller backrest to maximize elbow room. Standard features are shown below.

Quick Reference Legend

● = Clean Room

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Education



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range. Baseline manufacturing code FLW-L-RC-VF



Model shown with 25.6" diameter high-profile reinforced composite (R style) base, low seat height range. Baseline manufacturing code FLR-L-RC-VF



Model shown with 23" diameter tubular steel (S style) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code FLS-L-RC-VF



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code: FLS-M-RC-VF

Standard Affixed Footring
High Seat Range
Manufacturing Code: FLS-H-RC-VF



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: FLA-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: FLA-H-RC-VF-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: FLR-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: FLR-H-RC-VF-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: FLW-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: FLW-H-RC-VF-ATF

Vacuum Formed FL Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Armrest	ARS	Height and width adjustable with self-skinned urethane pads	\$105	
	ARU	Height and width adjustable with upholstered pads	\$132	
	PSAS	Height adjustable with self-skinned urethane pads	\$105	
	PSAU	Height adjustable with upholstered pads	\$132	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$93	Price is \$191 for ISO 5/VUV configurations
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$139	Only available on models with maximum seat height of 26" or less
	ASC	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$194	Only available on ISO 3 and ISO 4 performance packages without armrests
	SLD	Seat slider bracket allows seat depth adjustment range of up to 2.5" w/locking positions every 0.5"; add to the standard task, FFAC or EXE controls	\$102	Available only on models with R or W bases with low or medium seat height ranges (26" or less); not recommended on clean room models
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages
	LRO	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	
	TKB	Tamper-proof non-removable backrest bar	\$12	
	FM	Memory Foam	\$67	

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
Clean Room	ISO 6	1000	\$158
	ISO 5	VUV	\$242
	ISO 4*	C10	\$420
	ISO 3*	C1	\$420
Optional Chrome-plated metal parts		C	\$45†

* Not available with R style base † Add additional \$56 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Vacuum Formed FL (FLS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	FLS-L-RC-VF	18"– 22"	\$680
Medium	FLS-M-RC-VF	21"– 28"	\$695
High	FLS-H-RC-VF	25"– 32"	\$705

Vacuum Formed FL (FLA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	FLA-L-RC-VF	17"– 22"	\$687
Medium	FLA-M-RC-VF	19"– 26"	\$719
High	FLA-H-RC-VF	22"– 32"	\$735

Vacuum Formed FL (FLR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	FLR-L-RC-VF	17"– 22"	\$669
Medium	FLR-M-RC-VF	19"– 26"	\$701
High	FLR-H-RC-VF	22"– 32"	\$717

Vacuum Formed FL (FLW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	FLW-L-RC-VF	17"– 22"	\$746
Medium	FLW-M-RC-VF	19"– 26"	\$778
High	FLW-H-RC-VF	22"– 32"	\$794

All specifications are nominal. Series unavailable in Ship Now! program.

** With Grade 2 upholstery

Vacuum Formed HC Series

Profile: This series is highlighted by seamless, vacuum-formed upholstery to reduce liquid and bacterial infiltration. Customizable with numerous options. Standard features are shown below.

Quick Reference Legend

● = Clean Room

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Education

Baseline manufacturing code for model shown is HCA-L-RC-VF ▶

Slate blue and black vinyl upholsteries are standard.

18" wide x 19" high backrest with lumbar support and plastic protective panel.

Black powder-coated paint finish standard on metal parts.

Ergonomic 18.5" wide x 17" deep x 3" thick seat with waterfall front and internal seat board bumperguard.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (A style) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (W style) base, low seat height range. Baseline manufacturing code HCW-L-RC-VF



Model shown with 25.6" diameter high-profile reinforced composite (R style) base, low seat height range. Baseline manufacturing code HCR-L-RC-VF



Model shown with 23" diameter tubular steel (S style) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code HCS-L-RC-VF



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code: HCS-M-RC-VF

Standard Affixed Footring
High Seat Range
Manufacturing Code: HCS-H-RC-VF



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: HCA-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: HCA-H-RC-VF-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: HCR-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: HCR-H-RC-VF-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: HCW-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: HCW-H-RC-VF-ATF

Vacuum Formed HC Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Armrest	ARS	Height and width adjustable with self-skinned urethane pads	\$105	
	ARU	Height and width adjustable with upholstered pads	\$132	
	PSAS	Height adjustable with self-skinned urethane pads	\$105	
	PSAU	Height adjustable with upholstered pads	\$132	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$93	Price is \$191 for ISO 5/VUV configurations
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$139	Only available on models with maximum seat height of 26" or less
	ASC	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$194	Only available on ISO 3 and ISO 4 performance packages without armrests
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages
	LRO	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	
	TKB	Tamper-proof non-removable backrest bar	\$12	
	FM	Memory Foam	\$67	

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
Clean Room	ISO 6	1000	\$158
	ISO 5	VUV	\$242
	ISO 4*	C10	\$420
	ISO 3*	C1	\$420
Optional Chrome-plated metal parts		C	\$45†

* Not available with R style base † Add additional \$56 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Vacuum Formed HC (HCS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HCS-L-RC-VF	18"– 22"	\$688
Medium	HCS-M-RC-VF	21"– 28"	\$703
High	HCS-H-RC-VF	25"– 32"	\$713

Vacuum Formed HC (HCA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HCA-L-RC-VF	17"– 22"	\$695
Medium	HCA-M-RC-VF	19"– 26"	\$727
High	HCA-H-RC-VF	22"– 32"	\$743

Vacuum Formed HC (HCR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HCR-L-RC-VF	17"– 22"	\$677
Medium	HCR-M-RC-VF	19"– 26"	\$709
High	HCR-H-RC-VF	22"– 32"	\$725

Vacuum Formed HC (HCW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HCW-L-RC-VF	17"– 22"	\$754
Medium	HCW-M-RC-VF	19"– 26"	\$786
High	HCW-H-RC-VF	22"– 32"	\$802

All specifications are nominal. Series unavailable in Ship Now! program.

** With Grade 2 upholstery

Vacuum Formed HL Series

Profile: Highlighted by seamless, vacuum-formed upholstery to reduce liquid and bacterial infiltration, this series also offers a smaller backrest to maximize elbow room. Standard features are shown below.

Quick Reference Legend

● = Clean Room

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Education

Baseline manufacturing code for model shown is HLA-L-RC-VF ▶

Slate blue and black vinyl upholstery are standard.

15.5" wide x 14.5" high backrest with lumbar support and plastic protective panel.

Black powder-coated paint finish standard on metal parts.

Ergonomic 18.5" wide x 17" deep x 3" thick seat with waterfall front and internal seat board bumperguard.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Meets CAL 117 fire retardant standards. Treatment to meet CAL TB 133 available as an option.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code HLW-L-RC-VF



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code HLR-L-RC-VF



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code HLS-L-RC-VF



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code: HLS-M-RC-VF

Standard Affixed Footring
High Seat Range
Manufacturing Code: HLS-H-RC-VF



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: HLA-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: HLA-H-RC-VF-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: HLR-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: HLR-H-RC-VF-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: HLW-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: HLW-H-RC-VF-ATF

Vacuum Formed HL Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Armrest	ARS	Height and width adjustable with self-skinned urethane pads	\$105	
	ARU	Height and width adjustable with upholstered pads	\$132	
	PSAS	Height adjustable with self-skinned urethane pads	\$105	
	PSAU	Height adjustable with upholstered pads	\$132	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$93	Price is \$191 for ISO 5/VUV configurations
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$139	Only available on models with maximum seat height of 26" or less
	ASC	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$194	Only available on ISO 3 and ISO 4 performance packages without armrests
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages
	LRO	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	
	TKB	Tamper-proof non-removable backrest bar	\$12	
	FM	Memory Foam	\$67	

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
Clean Room	ISO 6	1000	\$158
	ISO 5	VUV	\$242
	ISO 4*	C10	\$420
	ISO 3*	C1	\$420
Optional Chrome-plated metal parts		C	\$45†

* Not available with R style base † Add additional \$56 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Vacuum Formed HL (HLS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HLS-L-RC-VF	18"– 22"	\$628
Medium	HLS-M-RC-VF	21"– 28"	\$644
High	HLS-H-RC-VF	25"– 32"	\$654

Vacuum Formed HL (HLA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HLA-L-RC-VF	17"– 22"	\$636
Medium	HLA-M-RC-VF	19"– 26"	\$668
High	HLA-H-RC-VF	22"– 32"	\$684

Vacuum Formed HL (HLR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HLR-L-RC-VF	17"– 22"	\$618
Medium	HLR-M-RC-VF	19"– 26"	\$650
High	HLR-H-RC-VF	22"– 32"	\$666

Vacuum Formed HL (HLW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	Price**
Low	HLW-L-RC-VF	17"– 22"	\$695
Medium	HLW-M-RC-VF	19"– 26"	\$727
High	HLW-H-RC-VF	22"– 32"	\$743

All specifications are nominal. Series unavailable in Ship Now! program.

** With Grade 2 upholstery

Zephyr AP & FP Series

Profile: An airy mesh back and choice of comfort-enhancing saddle-shaped seats provide an executive experience for users the entire work day and beyond. Standard features are shown below.

Work Environments:

- Office
- Healthcare
- Education

Manufacturing code for model shown:
APW-M-RC-ATF-PSAS ▼

Manufacturing code for model shown:
FPR-M-RC-ATF-PSAS ▼

Saddle-shaped, contoured 21" wide x 19" deep x 3" thick seat with waterfall front and internal seat board bumperguard. Many cloth and vinyl upholstery styles available for the **AP** seat.

Both models feature roomy 19" wide x 24" high nylon mesh ergonomic backs with composite frames, adjustable lumbar support and back height adjustment.

Black powder-coated paint finish on metal parts is standard on both models.

Both models feature an executive-style control with pneumatic seat height adjustment, backrest-tilt adjustment, seat-tilt adjustment and spring-tension control knob.

Available with optional armrests.

Saddle-shaped, contoured 21" wide x 19" deep x 3" thick seat with sewn seams, waterfall front and internal seat board bumperguard. The **FP** seat is available in cloth upholstery.

Pneumatics available to provide low and medium seat height ranges to accommodate a variety of tasks. Models shown are medium seat height versions.

Both models meet CAL TB 117. Treatment to meet CAL 133 is optionally available.

Adjustable footring is standard on both models with medium seat height range pneumatic.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Available in 28.7" diameter high-profile wide aluminum (**W style**) or 25.6" diameter reinforced composite (**R style**).



Zephyr AP with R Base
Low Seat Range
No Footring
Optional Armrests
Manufacturing Code:
APR-L-RC-PSAS

Medium Seat Range
Adjustable Footring
Optional Armrests
Manufacturing Code:
APR-M-RC-ATF-PSAS



Zephyr AP with W Base
Low Seat Range
Optional Armrests
Manufacturing Code:
APW-L-RC-PSAS



Zephyr FP with W Base
Low Seat Range
No Footring
Optional Armrests
Manufacturing Code:
FPW-L-RC-PSAS

Medium Seat Range
Adjustable Footring
Optional Armrests
Manufacturing Code:
FPW-M-RC-ATF-PSAS



Zephyr FP with R Base
Medium Seat Range
Adjustable Footring
Optional Armrests
Manufacturing Code:
FPR-M-RC-ATF-PSAS

Zephyr AP & FP Series Options & List Pricing

Optional Components, Upholstery, Finishes & List Price				
Category	MFG Code	Description	List Price	Notes
Paint Finish	C	Chrome-plated pneumatic	\$41	
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$105	
	ARU	Height and width adjustable with upholstered pads	\$132	
	PSAS	Height adjustable with self-skinned urethane pads	\$105	
	PSAU	Height adjustable with upholstered pads	\$132	
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$18	Adjusts easily without knobs or levers
	ATF	Adjustable height, 20" diameter, cast aluminum	NC	Standard on all medium models; not available with low height models
Upholstery	COM	Customer's own material	NC	Contact BioFit for details
	Grade 2		NC	Comes standard. Contact BioFit for other options. FP only available in cloth
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered		Contact BioFit for details

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Zephyr (APW) - Wide Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price*
Low	APW-L-RC	17" - 22"	\$824
Medium	APW-M-RC-ATF	19" - 26"	\$941

Zephyr (APR) - Reinforced Composite

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price*
Low	APR-L-RC	17" - 22"	\$747
Medium	APR-M-RC-ATF	19" - 26"	\$864

Zephyr (FPW) - Wide Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price*
Low	FPW-L-RC	17" - 22"	\$850
Medium	FPW-M-RC-ATF	19" - 26"	\$967

Zephyr (FPR) - Reinforced Composite

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price*
Low	FPR-L-RC	17" - 22"	\$773
Medium	FPR-M-RC-ATF	19" - 26"	\$890

All specifications are nominal. Contact BioFit regarding additional paint finish and upholstery options. Series unavailable in Ship Now! program.

* With Grade 2 upholstery

ExecErgo Series

Profile: The models in this series deliver performance and ergonomic functionality in a range of styles to outfit the corner office or the entire organization. Standard features for each design are shown below.

Work Environments:

- Office
- Healthcare
- Education

Avalon

Backrest: 20" wide X 30" high, contoured and molded, with lumbar support and built-in headrest.

Seat: Saddle-shaped, contoured, 21" wide x 19" deep 3" thick seat with waterfall front and internal seat board bumperguard.

Pneumatic: Provides seat height adjustment range of 17" – 22" to accommodate a variety of tasks.

Manufacturing code: AVR-L-RC-EXE-PSAS



Scepter

Backrest: 20" wide X 23" high, contoured and molded, with lumbar support.

Seat: Saddle-shaped, contoured, 21" wide x 19" deep 3" thick seat with waterfall front and internal seat board bumperguard.

Pneumatic: Provides seat height adjustment range of 17" – 22" to accommodate a variety of tasks.

Manufacturing code: ASR-L-RC-EXE-PSAS



Avenue

Backrest: 15.5" wide X 14.5" high with lumbar support and plastic protective panel.

Seat: Saddle-shaped, contoured, 21" wide x 19" deep x 3" thick seat with waterfall front and internal seat board bumperguard.

Pneumatic: Provides seat height adjustment range of 17" – 22" to accommodate a variety of tasks.

Manufacturing code: AER-L-RC-EXE-PSAS



FCR Sewn Seams

Backrest: 18" wide X 19" high with sewn seams, lumbar support and plastic protective panel.

Seat: Saddle-shaped, contoured, with sewn seams; 21" wide x 19" deep x 3" thick seat with waterfall front and internal seat board bumperguard.

Pneumatic: Provides seat height adjustment range of 17" – 22" to accommodate a variety of tasks.

Manufacturing code: FCR-L-RC-EXE-PSAS



HLR Sewn Seams

Backrest: 18.5" wide X 14.5" high with sewn seams, lumbar support and plastic protective panel.

Seat: Saddle-shaped, contoured, with sewn seams; 18.5" wide x 17" deep x 3" thick seat with waterfall front and internal seat board bumperguard.

Pneumatic: Provides seat height adjustment range of 17" – 22" to accommodate a variety of tasks.

Manufacturing code: HLR-L-RC-EXE-PSAS



All models feature:

- Euro-look, high-profile 25.6" diameter reinforced composite (**R style**) base with T-shape construction for added strength and easy cleanability
- Executive Tilt Control featuring seat- and backrest-height adjustment, backrest tilt, seat and backrest swivel that tilts in unison; tilt tension control knob and single lever seat tilt lock
- Height-adjustable armrests with self-skinned urethane pads
- Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors

ExecErgo Series Options & List Pricing

Optional Components & List Prices

Category	MFG Code	Description	List Price	Notes
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	NC	
	ARU	Height and width adjustable with upholstered pads	\$27	
	PSAU	Height adjustable with upholstered pads	\$27	
Caster	LRO	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR	Dual-wheel, soft manual locking	\$27	
Upholstery	COM	Customer's own material	NC	Contact BioFit for details
	Grade 2	Comes standard	NC	Comes standard; contact BioFit for other upholstery options
Fire Retardant	C133	Special upholsteries, foam or barriers (as needed) to meet CAL TB 133 and Boston Fire Code. Upholstery Choices may be limited. Minimums of Grade 2/Grade 3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	
	FM	Memory Foam	\$36 on Avalon, Scepter and Avenue; \$67 on FCR and HLR	

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

ExecErgo Series				
Model	Seat Height	Manufacturing Code	Seat-Height Adjustment Range	List Price*
Avalon	Low	AVR-L-RC-EXE-PSAS	17"– 22"	\$951
Scepter	Low	ASR-L-RC-EXE-PSAS	17"– 22"	\$906
Avenue	Low	AER-L-RC-EXE-PSAS	17"– 22"	\$834
FCR Sewn Seams	Low	FCR-L-RC-EXE-PSAS	17"– 22"	\$972
HLR Sewn Seams	Low	HLR-L-RC-EXE-PSAS	17"– 22"	\$862

All specifications are nominal. Contact BioFit regarding upholstery options. Series unavailable in Ship Now! program. *With Grade 2 upholstery

Enhance your Ergonomic Experience

BioFit footrests can help to increase comfort and performance while relieving stress on the thighs.



See page 72 for details.

ArmorSeat (GG) Series

Profile: Rugged multipurpose seating with antimicrobial properties and UV inhibitor standard in every seat and backrest. Available under Ship Now! quick-ship program. Standard features are shown below.

Quick Reference Legend

● = Clean Room ● = ESD ● = ShipNow

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Static Control/ESD
- Industrial
- Education
- Office



Baseline manufacturing code for model shown is GGA-L-RC ▶

Black powder-coated paint finish standard on metal parts.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 6°, backrest tilt and backrest height adjustment.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Standard seat and backrest colors include black, navy and burgundy. Custom colors also available.

16" wide x 10.75" high backrest with lumbar support, UV inhibitor and antimicrobial properties.

Ergonomic 17.5" wide x 15.5" deep with waterfall front, UV inhibitor and antimicrobial properties.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code GGW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code GGR-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code GGS-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code: GGS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code: GGS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: GGA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: GGA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: GGR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: GGR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: GGW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: GGW-H-RC-ATF

ArmorSeat (GG) Series Options & List Pricing

Optional Components & List Prices				
Category	MFG Code	Description		Notes
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$93	\$191 on ISO 4/CR10 performance package configurations
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR [‡]	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages
	LKRO [‡]	Conductive dual-wheel casters that lock when seat is occupied	\$80	
	LRO [‡]	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR [‡]	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	
	TKB	Tamper-proof non-removable backrest bar	\$12	

[‡]Optional components noted unavailable in Ship Now! program. Only black seat and backrest available under Ship Now! Burgundy and navy seats and backrests require standard lead time.

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
ESD		K	\$149*
Clean Room	ISO 6	1000	\$101
	ISO 4	CR10	\$152*
Optional Chrome-plated metal parts		C	\$45†

* Not available with R style base † Add additional \$56 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices			
ArmorSeat GG (GGS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	GGS-L-RC	17"– 21"	\$420
Medium	GGS-M-RC	20"– 27"	\$436
High	GGS-H-RC	24"– 31"	\$446
ArmorSeat GG (GGA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	GGA-L-RC	16"– 21"	\$428
Medium	GGA-M-RC	18"– 25"	\$460
High	GGA-H-RC	21"– 31"	\$476
ArmorSeat GG (GGR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	GGR-L-RC	16"– 21"	\$410
Medium	GGR-M-RC	18"– 25"	\$442
High	GGR-H-RC	21"– 31"	\$458
ArmorSeat GG (GGW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	GGW-L-RC	16"– 21"	\$487
Medium	GGW-M-RC	18"– 25"	\$519
High	GGW-H-RC	21"– 31"	\$535

All specifications are nominal. Available in Ship Now! program.

UniqueU (UU) Series

Profile: These durable chairs have easy-to-clean seats and backrests that resist water, chemicals, paints and more.

Available under Ship Now! quick-ship program. Standard features are shown below.

Quick Reference Legend

● = Clean Room ● = ESD ● = ShipNow

Work Environments:

- Healthcare
- Industrial
- Laboratory
- Education
- Clean Room
- Office
- Static Control/ESD



Baseline manufacturing code for model shown is UUA-L-RC ▶

Black powder-coated paint finish standard on metal parts.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest height adjustment.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.



16.5" wide x 12.5" self-skinned urethane backrest with .09375" ventilating ribs and integral lumbar support.

18.5" wide x 17" deep x 1.5 thick self-skinned urethane seat with waterfall front, shaped rear edge and .09375" ventilating ribs.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code UUU-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code UUR-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code UUS-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code:
UUS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code:
UUS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
UUA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
UUA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
UUR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
UUR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
UUW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
UUW-H-RC-ATF

UniqueU (UU) Series Options & List Pricing

Optional Components & List Prices				
Category	MFG Code	Description	List Price	Notes
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place; of note, seat can tilt forward	\$93	
Armrests	ARS [†]	Height and width adjustable with self-skinned urethane pads	\$215	Not available with FFAC seat control
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR [†]	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages
	LKRO [†]	Conductive dual-wheel casters that lock when seat is occupied	\$80	
	LRO [†]	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR [†]	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	
	TKB [†]	Tamper-proof non-removable backrest bar	\$12	

[†]Options not available under Ship Now! program.

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
ESD		K	\$149*
Clean Room	ISO 6	1000	\$101
Clean Room/ESD	ISO 6/ESD	1000-K	\$154*
Optional Chrome-plated metal parts		C	\$45†

* Not available with R style base † Add additional \$56 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices			
UniqueU (UUS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	UUS-L-RC	17"– 21"	\$500
Medium	UUS-M-RC	20"– 27"	\$516
High	UUS-H-RC	24"– 31"	\$526
UniqueU (UUA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	UUA-L-RC	16"– 21"	\$508
Medium	UUA-M-RC	18"– 25"	\$540
High	UUA-H-RC	21"– 31"	\$556
UniqueU (UUR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	UUR-L-RC	16"– 21"	\$490
Medium	UUR-M-RC	18"– 25"	\$522
High	UUR-H-RC	21"– 31"	\$538
UniqueU (U UW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	U UW-L-RC	16"– 21"	\$567
Medium	U UW-M-RC	18"– 25"	\$599
High	U UW-H-RC	21"– 31"	\$615

All specifications are nominal. Available in Ship Now! program.

Skoop (KX) Series

Profile: An edgy alternative to traditional multipurpose seating, combining color and contour with ergonomic performance and LEED® compliance. Standard features are shown below.

Quick Reference Legend

● = Clean Room

Work Environments:

- Laboratory
- Clean Room
- Industrial
- Education

Baseline manufacturing code for model shown is KXA-L-RC ▶

18.5" wide x 17" deep x 18.5" high one-piece high-density polypropylene shell.

Soft Touch™ pneumatic seat height adjustment.

Standard colors include Newport Burgundy, Nordic Black, Highland Green, Pacific (dark) Blue, Caribbean Orange and Mediterranean (light) Blue.

Black powder-coated paint finish standard on metal parts.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code KXW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code KXR-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code KXS-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code:
KXS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code:
KXS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
KXA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
KXA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
KXR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
KXR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
KXW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
KXW-H-RC-ATF

Skoop (KX) Series Options & List Pricing

Optional Components & List Prices

Category	MFG Code	Description	List Price	Notes
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages
	LRO	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	

Performance Packages & List Pricing

Category	Class	MFG Code	List Price
Clean Room	ISO 5	VUV	\$90
Optional Chrome-plated metal parts		C	\$41†

† Add additional \$39 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Skoop KX (**KXS**) - Tubular Steel

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	KXS-L-RC	17"– 21"	\$363
Medium	KXS-M-RC	20"– 27"	\$379
High	KXS-H-RC	24"– 31"	\$389

Skoop KX (**KXA**) - Cast Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	KXA-L-RC	16"– 21"	\$371
Medium	KXA-M-RC	18"– 25"	\$403
High	KXA-H-RC	21"– 31"	\$419

Skoop KX (**KXR**) - Reinforced Composite

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	KXR-L-RC	16"– 21"	\$353
Medium	KXR-M-RC	18"– 25"	\$385
High	KXR-H-RC	21"– 31"	\$401

Skoop KX (**KXW**) - Wide Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	KXW-L-RC	16"– 21"	\$430
Medium	KXW-M-RC	18"– 25"	\$462
High	KXW-H-RC	21"– 31"	\$478

All specifications are nominal. Unavailable under Ship Now! program.

Willow (WW) Series

Profile: Chairs in this series are constructed of naturally beautiful and durable genuine American maple, combining proven functionality with elegant design. Standard features are shown below.

Work Environments:

- Healthcare
- Industrial
- Laboratory
- Education

Baseline manufacturing code for model shown is WWA-L-RC ▶

Black powder-coated paint finish standard on metal parts.

Task control with Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 6°, backrest tilt and backrest height adjustment.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.



14.5" wide x 8.75" high x 0.25" thick, 5-ply maple plywood backrest.

16.5" wide x 15.25" deep x 0.5" thick, 7-ply maple plywood with waterfall front.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code WWA-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code WWR-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code WWS-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code:
WWS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code:
WWS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
WWA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
WWA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
WWR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
WWR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
WWW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
WWW-H-RC-ATF

Willow (WW) Series Options & List Pricing

Optional Components, Finishes & List Prices				
Category	MFG Code	Description	List Price	Notes
Paint Finish	C	Chrome-plated metal parts	\$45†	†Add additional \$56 for units with S style base
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages
	LRO	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Willow WW (WWS) - Tubular Steel

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	WWS-L-RC	16"– 20"	\$516
Medium	WWS-M-RC	19"– 26"	\$532
High	WWS-H-RC	23"– 30"	\$542

Willow WW (WWA) - Cast Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	WWA-L-RC	15"– 20"	\$524
Medium	WWA-M-RC	17"– 24"	\$556
High	WWA-H-RC	20"– 30"	\$572

Willow WW (WWR) - Reinforced Composite

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	WWR-L-RC	15"– 20"	\$506
Medium	WWR-M-RC	17"– 24"	\$538
High	WWR-H-RC	20"– 30"	\$554

Willow WW (WWW) - Wide Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	WWW-L-RC	15"– 20"	\$583
Medium	WWW-M-RC	17"– 24"	\$615
High	WWW-H-RC	20"– 30"	\$631

All specifications are nominal. Unavailable under Ship Now! program.

Intensive Plus

Profile: Highlighted by a 500-lb. capacity and executive-style comfort, this series is designed for continuous, 24/7/365 use and backed by a 5-year warranty. Standard features are shown below.

Work Environments:

- Healthcare
- Office
- Industrial
- Education



Options & List Pricing				
Category	MFG Code	Description	List Price	Note
Armrests	ISAS	Height adjustable with self-skinned urethane pads	\$110	
	ISAU	Height adjustable with upholstered pads	\$139	
Upholstery	COM	Customer's own material	NC	Contact BioFit for details
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered		Contact BioFit for details

Seat Height Ranges, Manufacturing Codes & List Prices

Intensive Plus			
Seat Height	Manufacturing Code	Seat-Height Adjustment Range	List Price*
Medium	FSP2025-IP-IPR	20"– 25"	\$1,556
Medium	FSP2025-IP	20"– 25"	\$1,556

*With Grade 2 upholstery. Contact BioFit regarding other upholstery options.
All specifications are nominal. BioFit's Intensive Plus chairs are warranted to the original purchaser against mechanical or structural failure due to defective material or workmanship for 5 years of normal use. Pneumatic cylinders are covered for the functional lifetime of the chair. Product unavailable in Ship Now! program.

Aramis 2A and 2A Vacuum Formed Stools

Profile: Long a popular choice in the healthcare market, these stools offer hands-free seat height adjustment. Standard features are shown below.

Work Environments:

- Healthcare
- Laboratory
- Education
- Industrial

Manufacturing code for model shown is 2A10-C-CRC ▼

Round 16" diameter upholstered seat with 3.5" thick high-resilience foam cushioning.

Vacuum-formed upholstery to prevent bacterial and fluid infiltration. Available in Slate Blue or Black

Pneumatics available to provide low and medium seat height ranges to accommodate many tasks.

Chrome-plated finish on metal parts.

◀ Manufacturing code for model shown is 2A10-C-CRC-VF

Dual-wheel casters designed for hard floors.

Foot-activated pneumatic seat height adjustment.

5-legged cast aluminum base with 23" leg spread.

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

MFG Code	Seat-Height Adjustment Range	List Price
2A10-C-CRC	18"– 23"	\$617
2A20-C-CRC	22"– 29"	\$634

MFG Code	Seat-Height Adjustment Range	List Price
2A10-C-CRC-VF	18"– 23"	\$617
2A20-C-CRC-VF	22"– 29"	\$634

All specifications are nominal. Stools in this series unavailable in Ship Now! program.

BioFit Carts Make Material Transport Easy.

We offer a full line of carts featuring all-steel construction and a 13-year warranty for libraries, schools, offices and more.



Contact us for details.
www.biofit.com | 800.597.0246

Rexford (RX) Series

Profile: Models in this series provide an ergonomic seating solution in a variety of workplace and learning spaces.

Standard features are shown below.

Quick Reference Legend

● = ESD

Work Environments:

- Healthcare
- Laboratory
- Static Control/ESD
- Industrial
- Education



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code RXW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code RXR-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code RXS-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code: RXS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code: RXS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: RXA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: RXA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: RXR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: RXR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: RXW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: RXW-H-RC-ATF

Rexford (RX) Series Options & List Pricing

Optional Components, Upholstery & List Prices				
Category	MFG Code	Description	List Price	Notes
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages
	LKRO	Conductive dual-wheel casters that lock when seat is occupied	\$80	
	LRO	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Upholstery	COM		NC	Contact BioFit for details
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3		\$28	
	Grade 4		\$46	
	Grade 5		\$83	
Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	
	VU	Upholstered underwrap to match seat upholstery	\$32	

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
ESD		K	\$227*
Optional Chrome-plated metal parts		C	\$41†

* Not available with R style base † Add additional \$39 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices			
Rexford RX (RXS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	RXS-L-RC	18"– 22"	\$377
Medium	RXS-M-RC	21"– 28"	\$393
High	RXS-H-RC	25"– 32"	\$403
Rexford RX (RXA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	RXA-L-RC	17"– 22"	\$385
Medium	RXA-M-RC	19"– 26"	\$417
High	RXA-H-RC	22"– 32"	\$433
Rexford RX (RXR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	RXR-L-RC	17"– 22"	\$367
Medium	RXR-M-RC	19"– 26"	\$399
High	RXR-H-RC	22"– 32"	\$415
Rexford RX (RXW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	RXW-L-RC	17"– 22"	\$444
Medium	RXW-M-RC	19"– 26"	\$476
High	RXW-H-RC	22"– 32"	\$492

All specifications are nominal. Contact BioFit regarding upholstery options. Series unavailable in Ship Now! program.

** With Grade 2 upholstery

Rexford Vacuum Formed (RX-VF) Series

Profile: Vacuum formed upholstery to reduce liquid and bacterial infiltration makes this stool series a smart choice for medical and laboratory settings. Standard features are shown below.

Work Environments:

- Healthcare
- Laboratory

Round 16" diameter, upholstered with 3.5" of high-resilience molded foam cushioning, internal seat board bumperguard.

Available in Slate Blue and Black upholstery.

Meets CAL 117 fire retardant standards.

Black power-coated paint finish standard on metal parts.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

Task control with Soft Touch™ pneumatic seat height adjustment.

Baseline manufacturing code for model shown is RXA-L-RC-VF ▶

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code RXW-L-RC-VF



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code RXR-L-RC-VF



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code RXS-L-RC-VF

S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code: RXS-M-RC-VF

Standard Affixed Footring
High Seat Range
Manufacturing Code: RXS-H-RC-VF

A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: RXA-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: RXA-H-RC-VF-ATF

R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: RXR-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: RXR-H-RC-VF-ATF

W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code: RXW-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code: RXW-H-RC-VF-ATF

Rexford Vacuum Formed (RX-VF) Series Options & List Pricing

Optional Components, Upholstery, Finishes & List Prices

Category	MFG Code	Description	List Price	Notes
Paint Finish	C	Chrome-plated metal parts	\$41†	†Add additional \$39 for S style base
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages
	LRO	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Rexford Vacuum Formed (RXS) - Tubular Steel

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	RXS-L-RC-VF	18"– 22"	\$377
Medium	RXS-M-RC-VF	21"– 28"	\$393
High	RXS-H-RC-VF	25"– 32"	\$403

Rexford Vacuum Formed (RXA) - Cast Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	RXA-L-RC-VF	17"– 22"	\$385
Medium	RXA-M-RC-VF	19"– 26"	\$417
High	RXA-H-RC-VF	22"– 32"	\$433

Rexford Vacuum Formed (RXR) - Reinforced Composite

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	RXR-L-RC-VF	17"– 22"	\$367
Medium	RXR-M-RC-VF	19"– 26"	\$399
High	RXR-H-RC-VF	22"– 32"	\$415

Rexford Vacuum Formed (RXW) - Wide Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	RXW-L-RC-VF	17"– 22"	\$444
Medium	RXW-M-RC-VF	19"– 26"	\$476
High	RXW-H-RC-VF	22"– 32"	\$492

All specifications are nominal. Contact BioFit regarding upholstery options. Unavailable in Ship Now! program.

Regent (RT) Series

Profile: The addition of a streamlined backrest to this upholstered ergonomic stool series makes it a comfortable option for work and education spaces. Standard features are shown below.

Quick Reference Legend

● = ESD

Work Environments:

- Healthcare
- Laboratory
- Static Control/ESD
- Industrial
- Education



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code RTW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code RTR-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code RTS-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code:
RTS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code:
RTS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
RTA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
RTA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
RTR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
RTR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
RTW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
RTW-H-RC-ATF

Regent (RT) Series Options & List Pricing

Optional Components, Upholstery & List Prices

Category	MFG Code	Description	List Price	Notes	
Backrest	A	Narrow, 8" wide x 12" high; spinal support with lumbar curve	\$23		
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base	
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base	
Casters & Glides	HG	2" high Polyamide glides	NC		
	GFR	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages	
	LKRO	Conductive dual-wheel casters that lock when seat is occupied	\$80		
	LRO	Dual-wheel casters that lock when seat is occupied	\$80		
	MLR	Dual-wheel, soft manual locking	\$27		
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC		
Casters & Glides	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages	
	Upholstery	COM	Customer's own material	NC	Contact BioFit for details
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted	
	Grade 3		\$56		
	Grade 4		\$91		
Upholstery	Grade 5		\$166		
	Fire Retardant	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered	NC	Contact BioFit for details
	Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	
TKB		Tamperproof (nonremovable) backrest bar	\$12		
VU		Upholstered underwrap to match seat upholstery	\$32		

Performance Packages & List Pricing

Category	Class	MFG Code	List Price
ESD		K	\$227*
Optional Chrome-plated metal parts		C	\$45†

* Not available with R style base † Add additional \$56 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Regent RT (RTS) - Tubular Steel

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	RTS-L-RC	18"– 22"	\$481
Medium	RTS-M-RC	21"– 28"	\$497
High	RTS-H-RC	25"– 32"	\$507

Regent RT (RTA) - Cast Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	RTA-L-RC	17"– 22"	\$489
Medium	RTA-M-RC	19"– 26"	\$521
High	RTA-H-RC	22"– 32"	\$537

Regent RT (RTR) - Reinforced Composite

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	RTR-L-RC	17"– 22"	\$471
Medium	RTR-M-RC	19"– 26"	\$503
High	RTR-H-RC	22"– 32"	\$519

Regent RT (RTW) - Wide Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price**
Low	RTW-L-RC	17"– 22"	\$548
Medium	RTW-M-RC	19"– 26"	\$580
High	RTW-H-RC	22"– 32"	\$596

All specifications are nominal. Contact BioFit regarding upholstery options. Series unavailable in Ship Now! program.

** With Grade 2 upholstery

Regent Vacuum Formed (RT-VF) Series

Profile: Vacuum formed upholstery to reduce liquid and bacterial infiltration combined with a trapezoid-shaped backrest for added ergonomic support. Standard features are shown below.

Quick Reference Legend

● = Clean Room

Work Environments:

- Healthcare
- Laboratory
- Clean Room



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code RTW-L-RC-VF



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code RTR-L-RC-VF



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code RTS-L-RC-VF



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code:
RTS-M-RC-VF

Standard Affixed Footring
High Seat Range
Manufacturing Code:
RTS-H-RC-VF



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
RTA-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
RTA-H-RC-VF-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
RTR-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
RTR-H-RC-VF-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
RTW-M-RC-VF-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
RTW-H-RC-VF-ATF

Regent Vacuum Formed (RT-VF) Series Options & List Pricing

Optional Components, Upholstery & List Prices

Category	MFR Code	Description	List Price	Notes
Backrest	A	Narrow, 8" wide x 12" high; spinal support with lumbar curve	\$23	
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages
	LRO	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	
	TKB	Tamperproof (nonremovable) backrest bar	\$12	

Performance Packages & List Pricing

Category	Class	MFG Code	List Price
Clean Room	ISO 6	1000	\$158
Optional Chrome-plated metal parts		C	\$45†

† Add additional \$56 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Regent Vacuum Formed (RTS) - Tubular Steel

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	RTS-L-RC-VF	18"– 22"	\$481
Medium	RTS-M-RC-VF	21"– 28"	\$497
High	RTS-H-RC-VF	25"– 32"	\$507

Regent Vacuum Formed (RTA) - Cast Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	RTA-L-RC-VF	17"– 22"	\$489
Medium	RTA-M-RC-VF	19"– 26"	\$521
High	RTA-H-RC-VF	22"– 32"	\$537

Regent Vacuum Formed (RTR) - Reinforced Composite

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	RTR-L-RC-VF	17"– 22"	\$471
Medium	RTR-M-RC-VF	19"– 26"	\$503
High	RTR-H-RC-VF	22"– 32"	\$519

Regent Vacuum Formed (RTW) - Wide Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	RTW-L-RC-VF	17"– 22"	\$548
Medium	RTW-M-RC-VF	19"– 26"	\$580
High	RTW-H-RC-VF	22"– 32"	\$596

All specifications are nominal. Contact BioFit regarding upholstery options. Unavailable in Ship Now! program.

Traxx (TX) Series

Profile: Highlighted by an 18-gauge steel seat, stools in this series are designed to handle tough industrial settings yet can be configured for use in clean rooms. Standard features are shown below.

Quick Reference Legend

● = Clean Room ● = ESD

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Static Control/ESD
- Clean Room/ESD
- Industrial
- Education

Baseline manufacturing code for model shown is TXA-L-RC ▶

Task control with Soft Touch™ pneumatic seat height adjustment.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Round 13" diameter seat made of 18-gauge steel with a formed flange and smooth edges.

Black powder-coated paint finish standard on metal parts.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code TXW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code TXR-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footing, low seat height range. Baseline manufacturing code TXS-L-RC



S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code:
TXS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code:
TXS-H-RC



A Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
TXA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
TXA-H-RC-ATF



R Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
TXR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
TXR-H-RC-ATF



W Base
Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
TXW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
TXW-H-RC-ATF

Traxx (TX) Series Options & List Pricing

Optional Components & List Prices				
Category	MFG Code	Description	List Price	Notes
Seat	WS	Round maple wood seat, 13" diameter X 1" thick	\$29	Not for clean room or static control use
	Z	Pullover seat cushion, 1.5" thick		Refer to individual upholstery grade options below for pricing; recommended for use on steel seats; not for clean room or static control use
	Z Grade 2	Pullover seat cushion, 1.5" thick w/Grade 2 upholstery	\$56	Recommended for use on steel seats; not for clean room or static control use
	Z Grade 3	Pullover seat cushion, 1.5" thick w/Grade 3 upholstery	\$70	Recommended for use on steel seats; not for clean room or static control use
	Z Grade 4	Pullover seat cushion, 1.5" thick w/Grade 4 upholstery	\$89	Recommended for use on steel seats; not for clean room or static control use
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$27	Not available with ESD performance packages
	LKRO	Conductive dual-wheel casters that lock when seat is occupied	\$80	
	LRO	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	

Performance Packages & List Pricing			
Category	Class	MFG Code	List Price
ESD		K	\$118*
Clean Room	ISO 4	CR10	\$105*
Clean Room/ESD	ISO 4	CR10-K	\$149*
Optional Chrome-plated metal parts		C	\$41†

* Not available with R style base † Add additional \$39 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices			
Traxx (TXS) - Tubular Steel			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	TXS-L-RC	15"– 19"	\$299
Medium	TXS-M-RC	18"– 25"	\$315
High	TXS-H-RC	22"– 29"	\$325
Traxx (TXA) - Cast Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	TXA-L-RC	14"– 19"	\$307
Medium	TXA-M-RC	16"– 23"	\$339
High	TXA-H-RC	19"– 29"	\$355
Traxx (TXR) - Reinforced Composite			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	TXR-L-RC	14"– 19"	\$289
Medium	TXR-M-RC	16"– 23"	\$321
High	TXR-H-RC	19"– 29"	\$337
Traxx (TXW) - Wide Aluminum			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	TXW-L-RC	14"– 19"	\$366
Medium	TXW-M-RC	16"– 23"	\$398
High	TXW-H-RC	19"– 29"	\$414

All specifications are nominal. Series unavailable in Ship Now! program.

Cerex (CX) Series

Profile: A rugged self-skinned urethane seat and range of configuration options make models in this series ideal for factories to clean rooms. Standard features are shown below.

Quick Reference Legend

● = Clean Room

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Industrial
- Education

Baseline manufacturing code for model shown is CXA-L-RC ▶

Task control with Soft Touch™ pneumatic seat height adjustment.

Pneumatics available to provide low, medium and high seat height ranges to accommodate many tasks. Model shown with low seat height version.

High-profile Euro-look base; T-shape construction for added strength and easy cleanability. Model shown with 25.6" diameter cast aluminum (**A style**) base. Additional base styles shown on adjacent images.

Round, 14" diameter 1.5" thick, self-skinned urethane seat.

Black powder-coated paint finish standard on metal parts.

Dual-wheel non-marring polyurethane casters resist movement when the chair is unoccupied, enhancing user safety by inhibiting seating from rolling away on hard floors.



Model shown with 28.7" diameter high-profile wide aluminum (**W style**) base, low seat height range. Baseline manufacturing code CXW-L-RC



Model shown with 25.6" diameter high-profile reinforced composite (**R style**) base, low seat height range. Baseline manufacturing code CXR-L-RC



Model shown with 23" diameter tubular steel (**S style**) base with 21" diameter affixed footring, low seat height range. Baseline manufacturing code CXS-L-RC



S Base

S Base
Standard Affixed Footring
Medium Seat Range
Manufacturing Code:
CXS-M-RC

Standard Affixed Footring
High Seat Range
Manufacturing Code:
CXS-H-RC



A Base

Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
CXA-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
CXA-H-RC-ATF



R Base

Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
CXR-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
CXR-H-RC-ATF



W Base

Optional Adjustable Footring
Medium Seat Range
Manufacturing Code:
CXW-M-RC-ATF

Optional Adjustable Footring
High Seat Range
Manufacturing Code:
CXW-H-RC-ATF

Cerex (CX) Series Options & List Pricing

Optional Components & List Prices

Category	MFG Code	Description	List Price	Notes
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$103	Adjusts easily without knobs or levers; not available with low height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$85	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	GFR	Wide, dual-wheel casters for grated floors	\$27	
	LRO	Dual-wheel casters that lock when seat is occupied	\$80	
	MLR	Dual-wheel, soft manual locking	\$27	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied – standard on most models	NC	
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	

Performance Packages & List Pricing

Category	Class	MFG Code	List Price
Clean Room	ISO 6	1000	\$84
Optional Chrome-plated metal parts		C	\$41†

† Add additional \$39 for S style base

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Cerex CX (**CXS**) - Tubular Steel

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	CXS-L-RC	17"– 21"	\$376
Medium	CXS-M-RC	20"– 27"	\$392
High	CXS-H-RC	24"– 31"	\$402

Cerex CX (**CXA**) - Cast Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	CXA-L-RC	16"– 21"	\$384
Medium	CXA-M-RC	18"– 25"	\$416
High	CXA-H-RC	21"– 31"	\$432

Cerex CX (**CXR**) - Reinforced Composite

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	CXR-L-RC	16"– 21"	\$366
Medium	CXR-M-RC	18"– 25"	\$398
High	CXR-H-RC	21"– 31"	\$414

Cerex CX (**CXW**) - Wide Aluminum

Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Low	CXW-L-RC	16"– 21"	\$443
Medium	CXW-M-RC	18"– 25"	\$475
High	CXW-H-RC	21"– 31"	\$491

All specifications are nominal. Series unavailable in Ship Now! program.

Pogo (TXY) Series

Profile: Vertical-surface-mountable design with swing-away capability and many seat and backrest options; ideal for tight spaces and challenging workstations. Standard features shown below.

Work Environments:

- Healthcare
- Laboratory
- Industrial
- Education
- Office
- Specialized

Model shown is baseline unit, manufacturing code TXY. ▶

13" diameter, 18-gauge steel seat with formed flange and no sharp edges.

Soft Touch™ pneumatic with 5.25" seat height adjustment range (22.75" - 28").

2-bar swing arm frame, 1.125" diameter, constructed of 16-gauge steel tubing.

Black power-coated paint finish standard on metal parts.

2" wide, 7-gauge steel mounting bracket; spring-loaded to enable stool base to contact the floor only when weight is applied to the unit.

Non-skid glide.

Pogo (TXY) Series

Optional Configuration Specifications & List Pricing

Pricing on upholstered configurations based on Grade 2 upholstery. Seating options change the low seat height and wall-to-outside edge of seat dimensions. Choosing a seat/backrest combination also adds task control to the product.

Task control includes Soft Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt and backrest-height adjustment. There are additional charges for most options.

Optional Upholstery Grades & List Prices

Upholstery	On Units w/Seats & Backs	On Units w/Seats Only	Notes	Upholstery	On Units w/Seats & Backs	On Units w/Seats Only
COM			Contact BioFit for pricing	Grade 4	\$91	\$46
Grade 2	NC	NC	Comes standard	Grade 5	\$166	\$83
Grade 3	\$56	\$28				

Seat Height Ranges, Manufacturing Codes & List Prices (Refer to the next page for larger images of the configurations listed below)

MFG Code	Description	Seat-Height Adjustment Range	Wall to Outside Edge	List Price
 TXY	Baseline standard model with steel seat	22.75"– 28"	20.75"	\$512
 BEY	Backrest is 15.5" wide x 14.5" high with lumbar support, plastic protective panel; seat is concave, 18.5" wide x 16.5" deep x 3" thick with internal seat board bumperguard. Grade 2 upholstery standard.	26.25"– 31.5"	22"	\$708
 BTY	Backrest is 14.5" wide x 9.5" high with lumbar support, plastic protective panel; seat is concave, 18.5" wide x 16.5" deep x 3" thick with internal seat board bumperguard. Grade 2 upholstery standard.	26.25"– 31.5"	22"	\$678
 CXY	Seat is round, 14" diameter x 1.5" thick, self-skinned urethane.	25.25"– 30.5"	21.25"	\$589
 EEY	Backrest is 15.5" wide x 14.5" high with lumbar support, plastic protective panel; seat is ergonomic, 18.5" wide x 17" deep x 3" thick with waterfall front four-way contouring and internal seat board bumperguard. Grade 2 upholstery standard.	27"– 32.25"	23.75"	\$763
 ETY	Backrest is 14.5" wide x 9.5" high with lumbar support, plastic protective panel; seat is ergonomic, 18.5" wide x 17" deep x 3" thick with waterfall front, four-way contouring and internal seat board bumperguard. Grade 2 upholstery standard.	27"– 32.25"	23.75"	\$733
 GGY	Backrest is 16" wide x 10.75" high, seat is 17.5" wide x 15.5" deep, waterfall front. 100% polypropylene with antimicrobial inhibitors.	24.75"– 30"	23.75"	\$633
 HLY-VF	Backrest is 15.5" wide x 14.5" high, lumbar curve, protective plastic back panel, height and tilt adjustment standard; seat is ergonomic, 18" wide x 17" deep x 3" thick with waterfall front, four-way contouring. Features vacuum-formed upholstery. Grade 2 upholstery standard.	27"– 32.25"	22.75"	\$841
 KXY	Seat/ Backrest is 18.5" wide x 17" deep x 18.5" high, one-piece, high-density polypropylene plastic shell.	25.75"– 31"	21.875"	\$576
 RTY	Backrest is 14.5" wide by 9.5" high with lumbar support and plastic protective panel; seat is round, 16" diameter with 3.5" of high-resilience molded foam cushioning. Grade 2 upholstery standard.	26.5"– 31.75"	22.75"	\$694
 RTY-VF	Backrest is 14.5" wide x 9.5" high with lumbar support and protective plastic panel, height and tilt adjustment standard; seat is 16" diameter with 3.5" of high-resilience molded foam cushioning. Features vacuum-formed upholstery. Grade 2 upholstery standard.	26.5"– 31.75"	22.75"	\$694
 RXY	Seat is round, 16" diameter, upholstered with 3.5" of high-resilience molded foam cushioning and internal seat board bumperguard. Grade 2 upholstery standard.	26.5"– 31.75"	22.75"	\$590
 RXY-VF	Seat is 16" diameter, upholstered with 3.5" of high-resilience molded foam, internal seat board bumperguard, vacuum-formed upholstery. Grade 2 upholstery standard.	26.5"– 31.75"	22.75"	\$590
 UUY	Backrest is self-skinned urethane with integral lumbar support, 16.5" wide x 12.5" high with 0.09375" ventilating ribs; seat is self-skinned urethane, 18.5" wide x 17" deep x 1.5" thick with waterfall front, shaped rear edge and 0.09375" ventilating ribs.	25.25"– 30.5"	23.5"	\$713
 TXY-WS	Round, maple wood seat, 13" diameter and 1" thick	23.75"– 29"	20.75"	\$541
 WWY	Backrest is 14.5" wide x 8.75" high x 0.25 thick 5-ply maple plywood; seat is 16.5" wide x 15.25" deep x 0.5" thick 7-ply maple plywood with waterfall front.	24.75"– 30"	22.5"	\$729

All specifications are nominal. This series is unavailable in Ship Now! program.

Pogo (TXY) Series

Optional Configurations

TXY



EEY



BEY



ETY



BTY



GGY



CXY



HLY-VF



Pogo (TXY) Series

Optional Configurations (continued)

KXY



RXY-VF



RTY



UUY



RTY-VF



TXY-WS



RXY



WWY



GX Series Sit/Stands

Profile: Two durable solutions that provide torso and hip support for workers who must stand for prolonged periods to get the job done. Standard features are shown below.

Work Environments:

- Industrial
- Healthcare
- Laboratory
- Education
- Office



Options & List Pricing			
Category	MFG	Seat-Height Adjustment Range	List Price
Paint Finish	C	Chrome-plated metal parts	\$65
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26

Seat Height Ranges, Manufacturing Codes & Baseline List Prices			
Seat Height	MFG Code	Seat-Height Adjustment Range	List Price
Medium to High	GXT20	23"– 30"	\$682
Medium to High	GXT50	25"– 35"	\$686
Medium to High	GX120-HG	22"– 29"	\$412
Medium to High	GX150-HG	24"– 34"	\$415

All specifications are nominal. Series unavailable in Ship Now! program.

Footrests (FS-1 & FS-2)


Profile: These adjustable ergonomic footrests can help enhance user comfort and performance. FS-1 model available in Ship Now! quick ship program. Standard features are shown below.

Quick Reference Legend

● = ESD ● = ShipNow

Work Environments:

- Office
- Healthcare
- Laboratory
- Static Control/ESD
- Education
- Industrial



Black powder-coated finish is standard on metal parts. Chrome plating is standard on static control/ESD performance package versions and as an added cost option for other applications.

Performance Packages & List Pricing		
Category	MFG Code	List Price
Static Control*	K	\$139
Optional Chrome-plated metal parts*	C	\$45


Options & List Pricing			
Category	MFG	Height Adjustment Range	List Price
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26

Height Adjustment Ranges, Manufacturing Codes & Baseline List Prices		
MFG Code	Height Adjustment Range	List Price
FS-1	3"– 11"	\$173
FS-2*	3"– 11"	\$165

All specifications are nominal. *FS-2 and performance package options unavailable in Ship Now! program.

Ajax (AJ) Series Stool

Profile: Iconic workplace seating design, backed by the BioFit tradition of durable construction and reliability – shift after shift, year after year. Standard features are shown below.



All specifications are nominal. Series unavailable in Ship Now! program. NOTE: Options and list pricing noted under TXG Series section.

Quick Reference Legend

● = Clean Room

Work Environments:

- Industrial
- Clean Room
- Education
- Healthcare
- Laboratory

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Seat Height	MFG Code	Fixed Seat Height	List Price
Low	AJ-18	18"	\$165
Medium	AJ-24	24"	\$169
High	AJ-30	30"	\$174

Performance Packages & List Pricing

Category	Class	MFG Code	List Price
Clean Room	ISO 4	CR10	\$144
Optional Chrome-plated metal parts		C	\$99

TXG Series Stool

Profile: This stool delivers tough performance for small spaces. It's compact, sturdy and built to last. Standard features are shown below.



Quick Reference Legend

● = Clean Room

Work Environments:

- Industrial
- Clean Room
- Education
- Healthcare
- Laboratory

Seat Height Ranges, Manufacturing Codes & Baseline List Prices

Seat Height	MFG Code	Fixed Seat Height	List Price
Low	TXG1722	17" - 22"	\$200
Medium	TXG2025	20" - 25"	\$206

Performance Packages & List Pricing

Category	Class	MFG Code	List Price
Clean Room	ISO 4	CR10	\$116
Optional Chrome-plated metal parts		C	\$65

AJ & TXG Options & List Pricing


Category	MFG Code	Description	List Price by Model	
			AJ	TXG
Seats	URS	Round, self-skinned urethane seat, 14" diameter, 1.5" thick: not for clean room use	\$79	\$79
	WS	Round, maple wood seat, 14" diameter, 1.5" thick: not for clean room use	\$29	\$29
	Z Gr.2	Pullover seat cushion, 1.5" thick, Grade 2 upholstery	N/A	\$56
	Z Gr.3	Pullover seat cushion, 1.5" thick, Grade 3 upholstery	N/A	\$70
	Z Gr.4	Pullover seat cushion, 1.5" thick, Grade 4 upholstery	N/A	\$89
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$26	\$26

All specifications are nominal. Series unavailable in Ship Now! program.

We Offer More than Seating

BioFit designs and manufactures a full line of mobile folding and cafeteria tables. Innovations including our uniquely contoured EdgeScape Designer Series tables, featuring the exclusive BioFit adjustable torsion cap, are changing the shape of today's learning environment.

Afton Edgescape Series Tables



Avant Edgescape Series Tables



Learn more today.
www.biofit.com | 800.597.0246

Discover the Award-winning MVMT Series – the Next Generation of Performance Seating

MVMT is designed for the way today's professional moves and performs. With an aesthetic that complements the trendiest interiors, it impacts corporate image while addressing task-specific range of motion in healthcare, laboratory and industrial workplaces and beyond.



It's your move. Request a demo or sample today.
www.biofit.com | 800.597.0246



Dedicated to Design. Committed to Quality.

At BioFit, that's more than a tagline – it's our focus every day as we constantly strive to improve the workplace experience through ergonomic performance, style and reliability. We've been an innovator for the past 70 years, introducing solutions for industrial and laboratory settings, and subsequently supplying the education, office, defense, automotive and textile markets. With a global network of over 1,200 independent distributors, we continue to proudly serve these industries today, as well as leaders in the healthcare and technology fields.

BioFit Engineered Products
P.O. Box 109
Waterville, OH 43566-0109
USA

biofit.com | 800.597.0246



GSA Contract Number GS-28F-0044Y