

GAS PKG. GEN SET (I)  
NEWBERRY, SOUTH CAROLINA

Ship Weight  
lbs

List Price  
At Factory

Product Consist:

Price List for Sales in Canada and the United States of America and its territories including Puerto Rico.

### PRICING INFORMATION

These prices are manufacturer suggested resale prices and are subject to change without notice. Shipment will usually be made from source of manufacture, or at factory discretion. Attachment prices are for attachments installed as original equipment unless otherwise specified.

Net price items are subject to no further discounts.

All prices are installed list prices unless otherwise specified.

\*SHIPMENT DATE SPECIFIC PRICING IS BEST FOUND THROUGH THE CSQ QUOTING TOOL\*.

### AVAILABILITY

For product availability go to Power Net at <https://engines.cat.com> Under the quick links, select Engine Availability Letters.

### GLOSSARY OF TERMS

For product abbreviations go to Power Net at <https://engines.cat.com> Under the quick links, select TMI Web. Once in TMI select Abbreviations, listed under TMI Definitions.

### DEALER SPECIFIC PRICING TERMS

To obtain the latest specific conditions from Caterpillar to individual Cat dealers please use Engine Order Management Process (EOMP) quoting and order tools like ISA or PSQ. For questions or special requests, please contact your Caterpillar representative.

### TECHNICAL PERFORMANCE DATA

Technical performance data and Engine rating information is available in Power Net at <https://engines.cat.com>. Under the quick links select TMI Web. Once in TMI select TMI Performance Definitions.

To request dealer specific authorization, please follow links to Engine Order Management Process (EOMP) at Caterpillar Power Net (<https://engines.cat.com>). CWS logon id is needed to access Power Net.

### RATINGS GUIDE

The EPG Ratings Guide may be ordered through Media Logistics by calling +1 (800) 566-7782 or +1 (309) 266-0942. The current EPG Ratings Guide media number for Cat Generator Sets is LEXE7582 or LEXE7581 for Olympian Generator Sets.

Current EPG ratings are also available by accessing the Electronic Media Center at <https://emc.cat.com> and on Power Net at <https://engines.cat.com>, select Electric Power then select References/Sales Tools.

### CIRCUIT BREAKERS

UL Mainline Circuit Breaker

GAS PKG. GEN SET (I)  
 NEWBERRY, SOUTH CAROLINA

Ship Weight  
 lbs

List Price  
 At Factory

## CONTROL PANELS

- Digital H-Series Control Panel (NFPA 110 Compliant)
- High Coolant Temperature Shutdown
- Low Oil Pressure Shutdown
- Low Coolant Level Automatic Shutdown
- Over Speed Automatic Shutdown
- Crank Timer
- Exercise Timer
- Watertight Electrical Connectors
- Quiet Test for Low Noise Level Exercise
- Isochronous Governor (Internal)
- Digital Voltage Regulator (Internal)

## COOLING SYSTEM

- Cool Flow Radiator
- Closed Coolant Recovery System
- Fan & Belt Guards

## EXHAUST SYSTEM

- Critical Muffler

## GENERAL

- 2009 EPA Certification
- SCAQMD Certification
- Manuals;set of three (3)

REGULATORY COMPLIANCE  
 Combined UL/CSA is provided by ETL

## INSTRUMENTATION

- Block Heater

## MOUNTING SYSTEM

- Base frame isolation is provided by engine & alternator mounts
- Flexible Fuel Line(s)

## STARTING/CHARGING SYSTEM

- 10amp Battery Charger standard
- Battery,Cables and Rack
- Battery Charge Alternator

## ALTERNATOR SYSTEM

- Brushless Alternator Excitation
- PM

# GASOLYGN

GAS PKG. GEN SET (I) NEWBERRY, SOUTH CAROLINA		Ship Weight lbs	List Price At Factory
I	RWG605P G175LG6 14.2L GAS.....	0	\$81,272
I	RWG606P G200LG6 14.2L GAS.....	0	\$88,702
I	RWG607P G230LG6 14.2L GAS.....	0	\$111,577

# GASOLYGN

GAS PKG. GEN SET (I) NEWBERRY, SOUTH CAROLINA		Ship Weight lbs	List Price At Factory
I	RWG608P G250LG6 14.2L GAS.....	0	\$112,862
I	RWG609P G275LG6 14.2L GAS.....	0	\$116,464
I	RWG610P G300LG6 14.2L GAS.....	0	\$118,787

USE	REF NO.	<b>MANDATORY ATTACHMENTS</b>	Ship Weight lbs	List Price At Factory
-----	---------	------------------------------	--------------------	--------------------------

**VOLTAGE INDICATORS**

I	VOP601	480/277V .....	0	NC
I	VOP606B	240/120 .....	0	\$801
		NOTE: Applies to G175LG6,G200LG6		
I	VOP606C	240/120 .....	0	\$1,732
		NOTE: Applies to G230LG6,G250LG6,G275LG6,G300LG6		
I	VOP610B	208/120 .....	0	\$1,168
		NOTE: Applies to G175LG6,G200LG6		
I	VOP610C	208/120 .....	0	\$2,114
		NOTE: Applies to G230LG6,G250LG6,G275LG6,G300LG6		
I	VOP612	60HZ 3PH 600/347V .....	0	NC
I	VOP622C	240/120 VAC (1PH) .....	0	\$2,534
		NOTE: Applies to G175LG6,G200LG6		

**APPLICATION INDICATORS**

*Duty - Rating Type*

Y	STANDBY	STANDBY POWER APPLICATION .....	0	NC
		NOTE: For standby rating		

**MARKET SEGMENTATION**

ERO	MSEPGGN	GENERAL EPG .....	0	NC
		All generator sets (including component parts to assemble the same) and renewables utilized in the generation of electrical power for general residential, commercial, utility, communications, commercial and residential building, agricultural, construction, mining, manufacturing, public and civil services. This category should not be used for EP Rental, Petroleum, Locomotive, or Marine electric power applications.		

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	-----------------------	-----------------	-----------------------

### MARKET SEGMENTATION (CONT.)

P	MSPMDXQ	<b>END USE: RENTAL EPG</b> ..... 0 All generator sets (diesel and gas) utilized in the generation of electrical power for the application "RENTAL." This includes all standard open and enclosed products that will support dealer rental fleets as well as specific EP Rental products (XQ & XQE). This category should not be used for Diesel & Gas EPG (nonrental), Petroleum, Locomotive, or Marine electric power applications Please ensure the selected unit complies with regional emission standards.		NC
---	---------	--	--	----

### FUEL SYSTEM

#### Gas Type

#### Primary Fuel

I	NATG	NATURAL GAS	0	NC
---	------	-------------	---	----

### EXTENDED SERVICE COVERAGE

Extended Service Coverage (ESC) for Olympian branded commercial Customer must select one of the following Extended Service Coverage options for Olympian branded commercial power systems.  
 If no ESC is desired, select feature code for NO ESC.

For coverage details, including covered components and exclusions, see applicable contract at the following locations:  
 Website: <https://Dealer.cat.com/ESC>  
 E-mail: [EquipmentProtectionPlan@cat.com](mailto:EquipmentProtectionPlan@cat.com)

All options included here are \$0 deductible.

#### Extended Service Coverage

O	ECS3CT5	<b>SILVER COVERAGE</b> ..... 0 Standby: 36 months, 1500 hours, \$0 deductible		\$330 NET
O	ECG3CT5	<b>GOLD COVERAGE</b> ..... 0 Standby: 36 months, 1500 hours, \$0 deductible		\$490 NET
O	ECP3CT5	<b>PLATINUM COVERAGE</b> ..... 0 Standby: 36 months, 1500 hours, \$0 deductible		\$570 NET
O	ECS4ET5	<b>SILVER COVERAGE</b> ..... 0 Standby: 48 months, 2000 hours, \$0 deductible		\$590 NET
O	ECG4ET5	<b>GOLD COVERAGE</b> ..... 0 Standby: 48 months, 2000 hours, \$0 deductible		\$890 NET
O	ECP4ET5	<b>PLATINUM COVERAGE</b> ..... 0 Standby: 48 months, 2000 hours, \$0 deductible		\$1,040 NET
O	ECS5GT5	<b>SILVER COVERAGE</b> ..... 0 Standby: 60 months, 2500 hours, \$0 deductible		\$940 NET

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	List Price At Factory
<b>EXTENDED SERVICE COVERAGE (CONT.)</b>				
<i>Extended Service Coverage (Cont.)</i>				
O	ECG5GT5	SILVER COVERAGE . . . . . 0 Standby: 60 months, 2500 hours, \$0 deductible		\$1,800 NET
O	ECP5GT5	PLATINUM COVERAGE . . . . . 0 Standby: 60 months, 2500 hours, \$0 deductible		\$1,650 NET
O	ECS0MT5	SILVER COVERAGE . . . . . 0 Standby: 120 months, 5000 hours, \$0 deductible		\$4,400 NET
O	ECG0MT5	GOLD COVERAGE . . . . . 0 Standby: 120 months, 5000 hours, \$0 deductible		\$6,600 NET
O	ECP0MT5	PLATINUM COVERAGE . . . . . 0 Standby: 120 months, 5000 hours, \$0 deductible		\$7,700 NET
 <b>No ESC</b>				
O	ESCNONE	NO EXTENDED SERVICE COVERAGE . . . . . 0		NC

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**CIRCUIT BREAKERS**

**80% Main Line Circuit Breaker Thermal Mag**

I	SHTAUXC	80% STD MLCB W/TRPS AND AUX . . . . .	0	\$1,741
---	---------	---------------------------------------	---	---------

NOTE: Applies to G175LG6,G200LG6

I	SHTAUXD	80% STD MLCB W/TRPS AND AUX . . . . .	0	\$2,685
---	---------	---------------------------------------	---	---------

NOTE: Applies to G230LG6,G250LG6,G275LG6,G300LG6

**80% Dual Circuit Breakers**

**Removal Standard Circuit Breaker**

Note:Remove standard breaker before adding breakers 1st or 2nd

I	CBRE800	REMOVE STD BREAKER 175-200KW . . . . .	0	\$-2,326
---	---------	--	---	----------

NOTE: Applies to G175LG6,G200LG6

I	CBR1200	REMOVE STD BREAKER 230-300KW . . . . .	0	\$-3,563
---	---------	--	---	----------

NOTE: Applies to G230LG6,G250LG6,G275LG6,G300LG6

I	BUSLR	BUS BAR . . . . .	0	NC
---	-------	-------------------	---	----

NOTE: Requires Remove STD Breaker

**80% FIRST BREAKER 40-200 AMPS**

Note: Requires CB6204/5/8/9/10/12/15/17 or 20A

I	CB6204A	FIRST BREAKER 40 AMPS . . . . .	0	\$391
---	---------	---------------------------------	---	-------

I	CB6205A	FIRST BREAKER 50 AMPS . . . . .	0	\$391
---	---------	---------------------------------	---	-------

I	CB6206A	FIRST BREAKER 60 AMPS . . . . .	0	\$391
---	---------	---------------------------------	---	-------

I	CB6207A	FIRST BREAKER 70 AMPS . . . . .	0	\$391
---	---------	---------------------------------	---	-------

I	CB6208A	FIRST BREAKER 80 AMPS . . . . .	0	\$391
---	---------	---------------------------------	---	-------

I	CB6209A	FIRST BREAKER 90 AMPS . . . . .	0	\$391
---	---------	---------------------------------	---	-------

I	CB6210A	FIRST BREAKER 100 AMPS . . . . .	0	\$391
---	---------	----------------------------------	---	-------



USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**CIRCUIT BREAKERS (CONT.)**

**80% FIRST BREAKER 40-200 AMPS (Cont.)**

I	CB6212A	FIRST BREAKER 125 AMPS .....	0	\$391
I	CB6215A	FIRST BREAKER 150 AMPS .....	0	\$391
I	CB6217A	FIRST BREAKER 175 AMPS .....	0	\$391
I	CB6220A	FIRST BREAKER 200 AMPS .....	0	\$391

**80% SECOND BREAKER 40-200 AMPS**

Note: Requires CB6204/5/8/9/10/12/15/17 or 20B

I	CB6204B	SECOND BREAKER 40 AMPS .....	0	\$391
I	CB6205B	SECOND BREAKER 50 AMPS .....	0	\$391
I	CB6206B	SECOND BREAKER 60 AMPS .....	0	\$391
I	CB6207B	SECOND BREAKER 70 AMPS .....	0	\$380
I	CB6208B	SECOND BREAKER 80 AMPS .....	0	\$391
I	CB6209B	SECOND BREAKER 90 AMPS .....	0	\$391
I	CB6210B	SECOND BREAKER 100 AMPS .....	0	\$391
I	CB6212B	SECOND BREAKER 125 AMPS .....	0	\$391
I	CB6215B	SECOND BREAKER 150 AMPS .....	0	\$391
I	CB6217B	SECOND BREAKER 175 AMPS .....	0	\$391
I	CB6220B	SECOND BREAKER 200 AMPS .....	0	\$391

**80% FIRST BREAKER 225-400 AMPS**

Note: Requires CB6422/25/30/35 OR 40A

I	CB6422A	FIRST BREAKER 225 AMPS .....	0	\$1,403
I	CB6425A	FIRST BREAKER 250 AMPS .....	0	\$1,403
I	CB6430A	FIRST BREAKER 300 AMPS .....	0	\$1,403
I	CB6435A	FIRST BREAKER 350 AMPS .....	0	\$1,403
I	CB6440A	FIRST BREAKER 400 AMPS .....	0	\$1,403

**80% SECOND BREAKER 225-400 AMPS**

Note: Requires CB6422/25/30/35 or 40B

I	CB6422B	SECOND BREAKER 225 AMPS .....	0	\$1,403
---	---------	-------------------------------	---	---------

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**CIRCUIT BREAKERS (CONT.)**

**80% SECOND BREAKER 225-400 AMPS (Cont.)**

I	CB6425B	SECOND BREAKER 250 AMPS .....	0	\$1,403
I	CB6430B	SECOND BREAKER 300 AMPS .....	0	\$1,403
I	CB6435B	SECOND BREAKER 350 AMPS .....	0	\$1,403
I	CB6440B	SECOND BREAKER 400 AMPS .....	0	\$1,403

**80% FIRST BREAKER 450-600 AMPS**

Note: Requires CB6645/50 or 60A

I	CB6645A	FIRST BREAKER 450 AMPS .....	0	\$2,206
I	CB6650A	FIRST BREAKER 500 AMPS .....	0	\$2,206
I	CB6660A	FIRST BREAKER 600 AMPS .....	0	\$2,206

**80% SECOND BREAKER 450-600 AMPS**

Note: Requires CB6645/50 or 60B

I	CB6645B	SECOND BREAKER 450 AMPS .....	0	\$2,206
I	CB6650B	SECOND BREAKER 500 AMPS .....	0	\$2,206
I	CB6660B	SECOND BREAKER 600 AMPS .....	0	\$2,206

**80% FIRST BREAKER 700 - 800 AMPS**

Note: Requires CB6870 or 80A

I	CB6870A	FIRST BREAKER 700 AMPS .....	0	\$2,571
I	CB6880A	FIRST BREAKER 800 AMPS .....	0	\$2,571

**80% SECOND BREAKER 700 - 800 AMPS**

Note: Requires CB6870 or 80B

I	CB6870B	SECOND BREAKER 700 AMPS .....	0	\$2,571
I	CB6880B	SECOND BREAKER 800 AMPS .....	0	\$2,571

**80% FIRST BREAKER 900 - 1200 AMPS**

Note: requires CB0900/1100 or 1200 A

I	CB0900A	FIRST BREAKER 900 AMPS .....	0	\$3,938
I	CB1100A	FIRST BREAKER 1000 AMPS .....	0	\$3,938
I	CB1201A	FIRST BREAKER 1200 AMPS .....	0	\$3,938

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**CIRCUIT BREAKERS (CONT.)**

**80% SECOND BREAKER 900 - 1200 AMPS**

Note: Requires CB0900/1100 or 1200B

I	CB0900B	SECOND BREAKER 900 AMPS .....	0	\$3,938
I	CB1100B	SECOND BREAKER 1000 AMPS .....	0	\$3,938
I	CB1201B	SECOND BREAKER 1200 AMPS .....	0	\$3,938

**100% THERMAL MAG. CIRCUIT BREAKERS**

I	CBT0100	100% RATED BREAKER 100AMPS. ....	0	\$1,668
I	CBT0175	100% RATED BREAKER 175AMPS. ....	0	\$1,668
I	CBT0200	100% RATED BREAKER 200AMPS. ....	0	\$1,668
I	CBT0225	100% RATED BREAKER 225AMPS. ....	0	\$1,668
I	CBT0250	100% RATED BREAKER 250AMPS. ....	0	\$1,741
I	CBT0300	100% RATED BREAKER 300AMPS. ....	0	\$2,415
I	CBT0400	100% RATED BREAKER 400AMPS. ....	0	\$2,415
I	CBT0600	100% RATED BREAKER 600AMPS. ....	0	\$3,311
I	CBT0800	100% RATED BREAKER 800AMPS. ....	0	\$5,047
I	CBT1000	100% RATED BREAKER 1000AMPS. ....	0	\$7,240
I	CBTM100	OTHER 100% THERMAL/MAG (SP QU)		

**100% LSI ELECTRONIC**

O	LSI0100	100% LSI BREAKER 100AMPS. ....	0	\$1,690
O	LSI0125	100% LSI BREAKER 125AMPS. ....	0	\$1,690
O	LSI0175	100% LSI BREAKER 175AMPS. ....	0	\$1,810
O	LSI0200	100% LSI BREAKER 200AMPS. ....	0	\$1,810
O	LSI0250	100% LSI BREAKER 250AMPS. ....	0	\$1,810
O	LSI0300	100% LSI BREAKER 300AMPS. ....	0	\$1,810
O	LSI0350	100% LSI BREAKER 350AMPS. ....	0	\$4,392
O	LSI0400	100% LSI BREAKER 400AMPS. ....	0	\$4,392
O	LSI0500	100% LSI BREAKER 500AMPS. ....	0	\$4,876

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**CIRCUIT BREAKERS (CONT.)**

*100% LSI ELECTRONIC (Cont.)*

O	LSI0700	100% LSI BREAKER 700AMPS. .... 0		\$6,245
I	LSI100	OTHER 100% LSI ELECTRONIC (SPQ		
I	LSI080	80%LSI ELECTRONIC (SPEC QUOTE)		
I	LSISA80	80%LSI W/SHUNT TRIP (SP QTE)		
I	MAGT080	MAG TRIP ONLY (80%CB) (SP QTE)		
I	CB3RD	3RD CIRCUIT BREAKER (SPEC QTE)		
I	LSIA100	100%LSI W/SHT TRIP/AUX (SP QT)		
I	CBMC	MOLDED CASE MAG SWTCH (SP QTE)		

**ENCLOSURES**

*Enclosures (Color - White)*

I	CAEI	SOUND ATTENUATED ENCLOSURE .... 0		\$11,237
		NOTE: Applies to G175LG6,G200LG6		
I	CAEJ	SOUND ATTENUATED ENCLOSURE .... 0		\$14,739
		NOTE: Applies to G230LG6,G250LG6,G275LG6,G300LG6		
I	CAEO	STEEL SOUND ATTENUATE ENCL/L2A .... 0		\$16,534
		NOTE: Applies to G175LG6,G200LG6		
I	CAEP	STEEL SOUND ATTENUATE ENCL/L2A .... 0		\$16,508
		NOTE: Applies to G230LG6,G250LG6,G275LG6,G300LG6		
I	CAWBI	WEATHERPROOF ENCLOSURE B SERIE .... 0		\$7,421
		NOTE: Applies to G175LG6,G200LG6		
I	CAWBJ	WEATHERPROOF ENCLOSURE B SERIE .... 0		\$8,122
		NOTE: Applies to G230LG6,G250LG6,G275LG6,G300LG6		

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**ENCLOSURES (CONT.)**

*Enclosures (Color - White) (Cont.)*

I	CAEALH	SOUND ATTENUATING ALUM ENC . . . . . 0		\$12,114
		NOTE: Applies to G175LG6,G200LG6		
I	CAEALI	SOUND ATTENUATING ALUM ENC . . . . . 0		\$19,275
		NOTE: Applies G230LG6,G250LG6,G275LG6,G300LG6		
I	CAEALM	L2A SOUND ATTENUATING ALUM ENC . . . . . 0		\$19,125
		NOTE: Applies to G175LG6,G200LG6		
I	CAEALN	L2A SOUND ATTENUATING ALUM ENC . . . . . 0		\$18,608
		NOTE: Applies to G230LG6,G250LG6,G275LG6,G300LG6		
I	CAWALB	W'PROOF PROTECTIVE ALUM ENC . . . . . 0		\$6,262
		NOTE: Applies to G175LG6,G200LG6		
I	CAWALD	W'PROOF PROTECTIVE ALUM ENC . . . . . 0		\$12,175
		NOTE: Applies to G230LG6,G250LG6,G275LG6,G300LG6		
I	C150MPH	150MPH WIND KITS . . . . . 0		\$1,330
		NOTE: Applies to G250LG6,G275LG6,G300LG6 Not available with IBCSCCO Kit is applicable to CAEJ (SOUND ATTENUATED ENC) and CAEP (STEEL SOUND ATTENUATED ENC/ L2A)		

**MOUNTING SYSTEM**

O	BFKIT1D	BAFFLE KIT . . . . . 0		\$1,569
		NOTE: On 6.8lt with Alternator </70kW or </130kW Aluminum plate for airflow control and rodent protection REQUIRES Additional Lead Time (equivalent to DTO order)		

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**STARTING/CHARGING SYSTEM**

*Battery Accessories*

I	BWCUP3	225AH WET BATT & CABLE UPGRADE . . . . .	0	\$577
		NOTE: Installed		
I	B1WUP3	225AH WET BATTERY UPGRADE . . . . .	0	\$902
		NOTE: Loose		
I	EBHB	BATTERY HEATING BLANKET . . . . .	0	\$354
I	BATBOX	BATT BOX (SPEC QTE - CONT ASC)		

**GENERAL**

*Regulatory Compliance*

I	IBCSCP	IBC SEISMIC CERT OF COMPLIANCE . . . . .	0	\$1,330
		CANNOT BE USED WITH: Aluminum Enclosures (SPEC QUOTE-CON ASC)		
		NOTE: CERT OF COMPLIANCE PER IBC 2009 and 2012 Applies to G175LG6,G200LG6		
I	IBCSCCQ	IBC SEISMIC CERT OF COMPLIANCE . . . . .	0	\$1,701
		CANNOT BE USED WITH: Aluminum Enclosures (SPEC QUOTE-CON ASC)		
		NOTE: CERT OF COMPLIANCE PER IBC 2009 and 2012 Applies to G230LG6,G250LG6,G275LG6,G300LG6		
I	CCODEB	CHICAGO CODE . . . . .	0	\$2,381

**EMISSIONS**

I	EPASCAC	EPA LSI/SCAQMD CERTIFICATION . . . . .	0	NC
		NOTE: WITH CATALYST		
I	RMVCATB	CATALYST REMOVAL . . . . .	0	\$-985 NET
		NOTE: Applies to G175LG6,G200LG6 WARNING: ONLY FOR USE OUTSIDE EPA REGULATED TERRITORIES. Technical: Catalyst replaced with Critical Grade Silencer. Dealer is responsible for selecting appropriate attachments and certifications for their application		

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**GENERAL (CONT.)**

***EMISSIONS (Cont.)***

I	RMVCATC	CATALYST REMOVAL .....	0	\$-1,257 NET
---	---------	------------------------	---	--------------

NOTE: Applies to G230LG6,G250LG6,G275LG6,G300LG6  
 WARNING: ONLY FOR USE OUTSIDE EPA REGULATED TERRITORIES.  
 Technical: Catalyst replaced with Critical Grade Silencer.  
 Dealer is responsible for selecting appropriate attachments and certifications for their application.

**ALTERNATOR SYSTEM**

***Excitation***

***Upsize Alternators***

I	UPG200E	175-200KW ALTERNATOR UPGRADE .....	0	\$474
---	---------	------------------------------------	---	-------

NOTE: Applies to G175LG6

I	UPG230A	175-230KW ALTERNATOR UPGRADE .....	0	\$2,179
---	---------	------------------------------------	---	---------

NOTE: Applies to G175LG6

I	UPG250A	175-250KW ALTERNATOR UPGRADE .....	0	\$2,179
---	---------	------------------------------------	---	---------

NOTE: Applies to G175LG6

I	UPG250B	200-250KW ALTERNATOR UPGRADE .....	0	\$2,179
---	---------	------------------------------------	---	---------

NOTE: Applies to G200LG6

I	UPG300A	175-300KW ALTERNATOR UPGRADE .....	0	\$2,838
---	---------	------------------------------------	---	---------

NOTE: Applies to G175LG6

I	UPG300B	200-300KW ALTERNATOR UPGRADE .....	0	\$2,838
---	---------	------------------------------------	---	---------

NOTE: Applies to G200LG6

I	UPG300C	230-300KW ALTERNATOR UPGRADE .....	0	\$901
---	---------	------------------------------------	---	-------

NOTE: Applies to G230LG6

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**ALTERNATOR SYSTEM (CONT.)**

*Upsize Alternators (Cont.)*

I	UPG300D	250-300KW ALTERNATOR UPGRADE . . . . .	0	\$702
		NOTE: Applies to G250LG6		
I	UPG300E	275-300KW ALTERNATOR UPGRADE . . . . .	0	\$190
		NOTE: Applies to G275LG6		
I	UPG400B	200-400KW ALTERNATOR UPGRADE . . . . .	0	\$5,162
		NOTE: Applies to G200LG6		

**OTHER OPTIONS**

*Miscellaneous Accessories*

I	PGR1B	ENGINE RUN RELAY . . . . .	0	\$55
I	EOSB	CRANKCASE OIL HEATER . . . . .	0	\$385
I	JWH	JACKET WATER HEATER . . . . .	0	NC
		NOTE: Requires JWH1500 or JWH2000		
I	JWH1500	BLOCK HEATER 1500W . . . . .	0	NC
		w/t Pump		
		NOTE: Pump circulation for cold weather climates		
O	JWH2000	BLOCK HEATER 2000W . . . . .	0	NC
		Static		
I	AH1HB	ALTERNATOR STRIP HEATER . . . . .	0	\$509
I	AN21	21 LIGHT ANNUNCIATOR SURFACE . . . . .	0	\$406
I	AN21R8	21 LIGHT ANNUNCIATOR . . . . .	0	\$587
		NOTE: Flush		
I	ANKIT	FLUSH MOUNT ANNUNCIATOR KIT . . . . .	0	\$36
I	1ALM8	8 ALARM RELAY PANEL -SURFACE . . . . .	0	\$267
		NOTE: Up to 3 can be selected per genset		



USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	List Price At Factory
-----	---------	----------------------	-----------------	-----------------------

**OTHER OPTIONS (CONT.)**

*Miscellaneous Accessories (Cont.)*

I	2ALM8	16 ALARM RELAY PANEL -SURFACE . . . . .	0	\$533
		NOTE: Up to 3 can be selected per genset		
I	ML1	OIL TEMP GUAGE & SENDER . . . . .	0	\$108
I	PAA1	AUDIBLE ALARM . . . . .	0	\$135
I	RESB	REMOTE EMERGENCY STOP . . . . .	0	\$450
		NOTE: Breakglass		
I	RESS	REMOTE EMERGENCY STOP . . . . .	0	\$450
		NOTE: Surface		
I	RESF	REMOTE EMERGENCY STOP . . . . .	0	\$450
		NOTE: Flush		
I	ALTTC	ALTERNATOR COASTAL COATING . . . . .	0	\$158
I	ACIL	120V AC INTERIOR LIGHTS . . . . .	0	\$496
		REQUIRES: Enclosure		
		NOTE: With Receptacle 120v AC Interior Lights with Receptable are not available if 12v DC Interior lights are selected AC light kit includes 2 AC lights Not available with DCIL (12v DC Interior Lights)		
I	DCIL	12V DC INTERIOR LIGHTS . . . . .	0	\$518
		REQUIRES: Enclosure		
		NOTE: 12v DC Interior Lights are not available if 120V AC Interior lights with receptable are selected DC light kit includes 2 DC lights Not available with ACIL (120v AC Interior Lights)		
I	MCMH	MODEM . . . . .	0	\$388
I	LOADC	LOAD CENTRE . . . . .	0	\$671
		NOTE: Indoor Load Center Main Lug 125 Amp Features: Single phase 3 wire, 120/240 Volt, 125 Amps, Eight spaces, 16 circuits, 14-3/4 x 12-3/8 x 3-7/8		

USE	REF NO.	<b>OPTIONAL ATTACHMENTS</b>	Ship Weight lbs	List Price At Factory
-----	---------	-----------------------------	--------------------	--------------------------

**OTHER OPTIONS (CONT.)**

*Miscellaneous Accessories (Cont.)*

I	GFCIOUT	GFCI OUTLET . . . . .	0	\$56
		NOTE: 120/240 VAC GFCI Outlet can be used with items that have plugs. GFCI outlet is to be wired by customer or installer.		
I	GRDFIN	GROUND FAUL INDICATION . . . . .	0	\$867
I	PFT08B	FACTORY TEST 0.8PF . . . . .	0	\$501
		NOTE: Applies to G175LG6,G200LG6		
I	PFT08C	FACTORY TEST 0.8PF . . . . .	0	\$542
		NOTE: Applies to G230LG6,G250LG6,G275LG6,G300LG6		