

Minooka CCSD 201

Stock Undesignated Opioid Antagonist Procedures

Purpose

Per Illinois School Code (105 ILCS 5/22-30) and Public Act 99-0480, Illinois schools are to store and administer undesignated opioid antagonist medication to students and staff experiencing a medical emergency. The undesignated opioid antagonist medication is to be given to a person who a nurse or trained personnel believe in good faith is experiencing a potentially life-threatening opioid-related overdose while in school or at school sponsored activities.

Standing Order

A copy of the standing order can be obtained here

Training

At minimum, Nurses, Health Aides, Administrators, and Coaches will annually complete the following Opioid Antagonist Training online: [GetNaloxoneNow](#)

- Nurses and Health Aides will complete the First Responder Training
- Administrators and coaches will complete the Bystander Training
- Trainee will receive a certificate of completion

Materials

Narcan Nasal Spray 2-pack box

Storage

- Undesignated Opioid Antagonist (Narcan Nasal Spray) should be stored in a secure location that is inaccessible to students or undesignated personnel but should not be locked during school day.
- They will be stored in the Epinephrine/Emergency medication wall case
 - MPC: AED/Epinephrine/Emergency medication wall case by gym
 - MES: AED/Epinephrine/Emergency medication wall case outside cafeteria
 - AUX: PE AED/Epinephrine/Emergency medication wall case by gym
 - JES: AED/Epinephrine/Emergency medication wall case in cafeteria
 - WT: AED/Epinephrine/Emergency medication wall case outside cafeteria
 - MIS: AED/Commons Epinephrine/Emergency medication wall case in cafeteria
 - MJHS: AED/Epinephrine/Emergency medication wall case by West Gym/Commons
 - District Office: AED/Epinephrine/Emergency medication in hallway

Assessment

- The school nurse or trained personnel will assess the student or person's symptoms and history (i.e. precautions: pre-existing cardiac disease or seizure disorder). If, in the reasonable opinion of the school nurse or designated personnel, opioid overdose is likely, the school nurse or designated personnel will obtain the undesignated opioid antagonist (Naloxone nasal spray) medication.

- In every case, emergency services will be contacted as soon as possible using available 911 or other municipal service. The student's emergency contacts will be called.

Medication Administration

- Lay the person on their back to receive a dose of Naloxone nasal spray.
- Peel back the package to remove the device
- Hold the device with the thumb on the bottom of the plunger and two fingers on the nozzle
- Place and hold the tip of the nozzle in either nostril until fingers touch the bottom of the person's nose
- Press the plunger firmly to release the dose into the person's nose
- Repeat if there is no response after 3 minutes

See Narcan Administration Infographic Below

DIRECTIONS

NARCAN[®]
Naloxone HCl Nasal Spray 4 mg

Emergency Treatment of Opioid Overdose

Important:

- For use in the nose only
- Do not test nasal spray device before use
- 1 nasal spray device contains 1 dose of medicine
- Each device sprays 1 time only



1 CHECK



Step 1: CHECK if you suspect an overdose:

- **CHECK** for a suspected overdose: the person will not wake up or is very sleepy or not breathing well
 - yell "Wake up!"
 - shake the person gently
 - if the person is not awake, go to Step 2

2 GIVE



Step 2: Give 1st dose in the nose

- **HOLD** the nasal spray device with your thumb on the bottom of the plunger
- **INSERT** the nozzle into either NOSTRIL
- **PRESS** the plunger firmly to give the 1st dose
- 1 nasal spray device contains 1 dose

3 CALL



Step 3: Call 911

- **CALL 911** immediately after giving the 1st dose

4 WATCH/GIVE



Step 4: WATCH & GIVE

- **WAIT** 2-3 minutes after the 1st dose to give the medicine time to work
- if the person wakes up: Go to Step 5
- if the person does not wake up:
 - **CONTINUE TO GIVE** doses every 2-3 minutes until the person wakes up
 - it is safe to keep giving doses

5 STAY



Step 5: STAY

- **STAY** until ambulance arrives: even if the person wakes up
- **GIVE** another dose if the person becomes very sleepy again
- You may need to give all the doses in the pack

EMERGENT[®]

For opioid emergencies, call 911. For questions on NARCAN, call 1-844-4NARCAN (1-844-462-7226) or go to www.narcan.com.

©2023 Emergent Devices Inc. EMERGENT[®] and NARCAN[®] are registered trademarks of Emergent BioSolutions Inc. or its subsidiaries.

A1162