

Anaphylaxis Emergency Action Plan

Patient Name: _____ Age: _____

Allergies: _____

Asthma Yes (*high risk for severe reaction*) No

Additional health problems besides anaphylaxis: _____

Concurrent medications: _____

Symptoms of Anaphylaxis

MOUTH	itching, swelling of lips and/or tongue
THROAT*	itching, tightness/closure, hoarseness
SKIN	itching, hives, redness, swelling
GUT	vomiting, diarrhea, cramps
LUNGS*	shortness of breath, cough, wheeze
HEART*	weak pulse, dizziness, passing out

Only a few symptoms may be present. Severity of symptoms can change quickly.

**Some symptoms can be life-threatening. ACT FAST!*

Emergency Action Steps - DO NOT HESITATE TO GIVE EPINEPHRINE!

1. Inject epinephrine in thigh using (check one):

- 0.1 mg (16.5 lbs to less than 33 lbs) Specify brand: _____
- 0.15 mg (33 lbs to less than 66 lbs) Specify brand: _____
- 0.3 mg (66 lbs or more) Specify brand: _____

IMPORTANT: ASTHMA INHALERS AND/OR ANTIHISTAMINES CAN'T BE DEPENDED ON IN ANAPHYLAXIS.

2. Call 911 or emergency medical services (before calling contact)

3. Emergency contact #1: home _____ work _____ cell _____

Emergency contact #2: home _____ work _____ cell _____

Emergency contact #3: home _____ work _____ cell _____

Comments: _____

Doctor's Signature/Date/Phone Number

Parent's Signature (for individuals under age 18 yrs)/Date