



#### Instructions

- Read the IAQ
   Backgrounder and
   the Background
   Information for
   this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  this checklist for
  each ventilation
  unit in your school,
  as well as a
  copy for future
  reference.
- Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

## **Ventilation Checklist**

Name:

School: Woodbury Middle School	LE	>m	_
Unit Ventilator/AHU No: AHUS 1,2,3,45,861-6, ERV, Art		. ,,,	
Room or Area: Date Completed: 4/17/24	_		-
Signature: Mil P. Nuffe	_		-
	_		
1. OUTDOOR AIR INTAKES			-1/A
1a. Marked locations of all outdoor air intakes on a small floor plan (for example, a fire escape floor plan)	∕es ⊠	No	N/A
the Ensured that the ventilation system was on and operating in occupied			
mode	Ø	_	_
ACTIVITY 1: OBSTRUCTIONS			
le Ensured that outdoor air intakes are clear of obstructions, debris, clogs,	X		П
OF COVIETS	4	u	_
1d. Installed corrective devices as necessary (e.g., if snowdrifts or leaves frequently block an intake)	Ø		
ACTIVITY 2: POLLUTANT SOURCES			
Checked ground level intakes for pollutant sources (dumpsters, loading	П	П	M
docks, and bus-idling areas)  1f. Checked rooftop intakes for pollutant sources (plumbing vents; kitchen,	_	_	$\sim$
	~		
air-conditioning cooling towers)		ч	
1g. Resolved any problems with pollutant sources located near outdoor air intakes (e.g., relocated dumpster or extended exhaust pipe)			
miakes (e.g., followed dampoor of			
ACTIVITY 3: AIRFLOW	5	П	
Obtained chemical smoke (or a small piece of tissue paper or light plastic).     Confirmed that outdoor air is entering the intake appropriately	<b>≈</b>	0	0
11. Confirmed that outdoor an is entering the make appropriately			
2. SYSTEM CLEANLINESS  ACTIVITY 4: AIR FILTERS  2a. Replaced filters per maintenance schedule  2b. Shut off ventilation system fans while replacing filters (prevents dirt from	0		
ACTIVITY 4: AIR FILTERS  ACTIVITY 4: AIR FILTERS  ACTIVITY 4: AIR FILTERS  ACTIVITY 4: AIR FILTERS	X		
2a. Replaced filters per maintenance schedule		_	_
blowing downstream)	_		
2c. Vacuumed filter areas before installing new filters	X	) 🗖	
2d. Confirmed proper fit of filters to prevent air from bypassing (flowing around) the air filter	6		
2e. Confirmed proper installation of filters (correct direction for airflow)	P		

wins

### 2. SYSTEM CLEANLINESS (continued) **ACTIVITY 5: DRAIN PANS** 2f. Ensured that drain pans slant toward the drain (to prevent water from Yes No N/A accumulating) ..... 2g. Cleaned drain pans ..... 2h. Checked drain pans for mold and mildew ...... **ACTIVITY 6: COILS** 2i. Ensured that heating and cooling coils are clean ..... ACTIVITY 7: AIR-HANDLING UNITS, UNIT VENTILATORS 2j. Ensured that the interior of air-handling unit(s) or unit ventilator (air-mixing chamber and fan blades) is clean 2k. Ensured that ducts are clean ..... **ACTIVITY 8: MECHANICAL ROOMS** 21. Checked mechanical room for unsanitary conditions, leaks, and spills ....... 2m. Ensured that mechanical rooms and air-mixing chambers are free of trash, chemical products, and supplies ...... 3. CONTROLS FOR OUTDOOR AIR SUPPLY 3a. Ensured that air dampers are at least partially open (minimum position) ..... 3b. Ensured that minimum position provides adequate outdoor air **ACTIVITY 9: CONTROLS INFORMATION** 3c. Obtained and reviewed all design inside/outside temperature and humidity requirements, controls specifications, as-built mechanical drawings, ACTIVITY 10: CLOCKS, TIMERS, SWITCHES 3e. Set time clocks appropriately..... 3f. Ensured that settings fit the actual schedule of building use (including night/weekend use) ..... ACTIVITY 11: CONTROL COMPONENTS 3g. Ensured appropriate system pressure by testing line pressure at both the occupied (day) setting and the unoccupied (night) setting ...... 3i. Replaced control system filters at the compressor inlet based on the compressor manufacturer's recommendation (for example, when you blow down the tank)..... 3j. Set the line pressure at each thermostat and damper actuator at the proper level (no leakage or obstructions) ACTIVITY 12: OUTDOOR AIR DAMPERS 3k. Ensured that the outdoor air damper is visible for inspection...... 31. Ensured that the recirculating relief and/or exhaust dampers are visible for inspection ...... 3m. Ensured that air temperature in the indoor area(s) served by each NOTE: It is necessary to ensure that the damper is operating properly and within the normal

range to continue.





3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued)			
3n. Checked that the outdoor air damper fully closes within a few minutes of shutting off appropriate air handler		No	N/A
30. Checked that the outdoor air damper opens (at least partially with no delay when the air handler is turned on	)		
3p. If in heating mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 85°F.	\$		
3q. If in cooling mode, checked that the outdoor air damper goes to its minimu position (without completely closing) when the room thermostat is set to 60°F and mixed air thermostat is set to 45°F		0	The same
<ul> <li>3r. If the outdoor air damper does not move, confirmed the following items:</li> <li>The damper actuator links to the damper shaft, and any linkage set screws or holts are tight.</li> </ul>	🗆		A
Moving parts are free of impediments (e.g., rust, corrosion)      Flectrical wire or pneumatic tubing connects to the damper actuator	<b>u</b>		MAN
The outside air thermostat(s) is functioning properly (e.g., in the right location, calibrated correctly)			*
Proceed to Activities $13-16$ if the damper seems to be operating properly.			
ACTIVITY 13: FREEZE STATS  3s. Disconnected power to controls (for automatic reset only) to test continuity across terminals	, 🗅	0	7
OR  3t. Confirmed (if applicable) that depressing the manual reset button (usually red) trips the freeze stat (clicking sound indicates freeze stat was tripped)		<u> </u>	
3u. Assessed the feasibility of replacing all manual reset freeze-stats with automatic reset freeze-stats	ロ		1
NOTE: HVAC systems with water coils need protection from the cold. The freez close the outdoor air damper and disconnect the supply air when tripped. The range is 35°F to 42°F.	e-stai typica	t may ıl trip	, 1
ACTIVITY 14: MIXED AIR THERMOSTATS			
3v. Ensured that the mixed air stat for heating mode is set no higher than 65°F	ם		A
3w. Ensured that the mixed air stat for cooling mode is set no lower than the room thermostat setting			Je .
ACTIVITY 15: ECONOMIZERS			
3x. Confirmed proper economizer settings based on design specifications or local practices			BK
NOTE: The dry-bulb is typically set at 65°F or lower.			
3v. Checked that sensor on the economizer is shielded from direct sunlight	🗅		DE
<ol> <li>Ensured that dampers operate properly (for outside air, return air, exhaust/relief air, and recirculated air), per the design specifications</li> </ol>			叉
NOTE: Economizers use varying amounts of cool outdoor air to assist with the load of the room or rooms. There are two types of economizers, dry-bulb and e Dry-bulb economizers vary the amount of outdoor air based on outdoor tempe and enthalpy economizers vary the amount of outdoor air based on outdoor te and humidity level.	e cool nthal ratur	e,	



#### 3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued) **ACTIVITY 16: FANS** 3aa. Ensured that all fans (supply fans and associated return or relief fans) Yes No N/A that move outside air indoors continuously operate during occupied hours (even when room thermostat is satisfied)..... NOTE: If fan shuts off when the thermostat is satisfied, adjust control cycle as necessary to ensure sufficient outdoor air supply. 4. AIR DISTRIBUTION **ACTIVITY 17: AIR DISTRIBUTION** 4a. Ensured that supply and return air pathways in the existing ventilation system perform as required..... 4b. Ensured that passive gravity relief ventilation systems and transfer grilles between rooms and corridors are functioning ...... NOTE: If ventilation system is closed or blocked to meet current fire codes, consult with a professional engineer for remedies. 4c. Made sure every occupied space has supply of outdoor air (mechanical system or operable windows) ..... 4d. Ensured that supply and return vents are open and unblocked ...... NOTE: If outlets have been blocked intentionally to correct drafts or discomfort, investigate and correct the cause of the discomfort and reopen the vents. 4e. Modified the HVAC system to supply outside air to areas without an outdoor air supply...... 4f. Modified existing HVAC systems to incorporate any room or zone layout and population changes ...... 4g. Moved all barriers (for example, room dividers, large free-standing blackboards or displays, bookshelves) that could block movement of air in the room, especially those blocking air vents ....... 4h. Ensured that unit ventilators are quiet enough to accommodate classroom 4i. Ensured that classrooms are free of uncomfortable drafts produced by air from supply terminals ..... ACTIVITY 18: PRESSURIZATION IN BUILDINGS NOTE: To prevent infiltration of outdoor pollutants, the ventilation system is designed to maintain positive pressurization in the building. Therefore, ensure that the system, including any exhaust fans, is operating on the "occupied" cycle when doing this activity. 4j. Ensured that air flows out of the building (using chemical smoke) through windows, doors, or other cracks and holes in exterior wall (for example, floor joints, pipe openings) ..... 5. EXHAUST SYSTEMS ACTIVITY 19: EXHAUST FAN OPERATION 5a. Checked (using chemical smoke) that air flows into exhaust fan grille(s) ..... If fans are running but air is not flowing toward the exhaust intake, check for the following: Inoperable dampers Obstructed, leaky, or disconnected ductwork Undersized or improperly installed fan

Broken fan belt





### EXHAUST SYSTEMS (continued)


ACTIVITY 20: EXHAUST AIRFLOW


NOIE: Prevent migration of indeer contains	
NOTE: Prevent migration of indoor contaminants from areas such as bathrooms, kitch and labs by keeping them under negative present.	ON!
and labs by keeping them under negative pressure (as compared to surrounding space)	ena,
pressure (as compared to surrounding snaces	a)

5b. Checked (using chemical smoke) that air is drawn into the room from adjacent spaces	Yes	No	N/A
Stand outside the room with the door slightly open while checking airflow high the door opening (see "How to Measure Airflow").	and l	low i	n
5c. Ensured that air is flowing toward the exhaust intake	<b>f</b> Q		M
ACTIVITY 21: EXHAUST DUCTWORK	•		U
<ol> <li>Checked that the exhaust ductwork downstream of the exhaust fan (which i under positive pressure) is sealed and in good condition</li></ol>	is Xi		
6. QUANTITY OF OUTDOOR AIR			
ACTIVITY 22: OUTDOOR AIR MEASUREMENTS AND CALCULATION	ONS		
NOTE: Refer to "How to Measure Airflow" for techniques.			
6a. Measured the quantity of outdoor air supplied (22a) to each ventilation unit	П		×
6b. Calculated the number of occupants served (22b) by the ventilation unit under consideration			M
6c. Divided outdoor air supply (22a) by the number of occupants (22b) to	ப	_	A
determine the existing quantity of outdoor air supply per person (22c)	🗅		X
ACTIVITY 23: ACCEPTABLE LEVELS OF OUTDOOR AIR QUANTITY	TES		
6d. Compared the existing outdoor air per person (22c) to the recommended levels in Table 1		П	A
<ol> <li>Corrected problems with ventilation units that supplied inadequate quantities of outdoor air to ensure that outdoor air quantities (22c) meet</li> </ol>		Ē	70
the recommended levels in Table 1	0		NA

NOTES

Air filters are changed 2x per year, more it Necessary. Air filter racks have been tightened and filters fit properly, Adjacent air filters a taped together to stop and seal gaps between filters. He Units do not have A/c. AHU 143 have heat & A/c. AHUZ only has Alc, No heat. All other units are heat and ventilation only.





#### Instructions

- Read the IAQ
   Backgrounder and
   the Background
   Information for
   this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response requires
     further attention.)
  - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

# **Building and Grounds Maintenance Checklist**

Name: Mike Mo Zon
School: Woodbury Middle School
Room or Area Entire Billding Date Completed: 1/17/24
Signature: Misself & Wym

1.	BUILDING MAINTENANCE SUPPLIES	es	No	N/A
1a. 1b.	Developed appropriate procedures and stocked supplies for spill control	5		
lc.	Ensured that air from chemical and trash storage areas vents to the outdoors			
	Stored chemical products and supplies in sealed, clearly labeled containers	×		۵.
1e. 1f.	Researched and selected the safest products available			
1g.	Ensured that chemicals, chemical-containing wastes, and containers are			
	disposed of according to manufacturers' instructions	<b>1</b>		
1i.	Scheduled work involving odorous or hazardous chemicals for periods when the school is unoccupied	9_		
1).	hazardous chemicals	A		
2.	GROUNDS MAINTENANCE SUPPLIES			
	Stored grounds maintenance supplies in appropriate area(s)			
	instructions			
	from supplies	I		
2e. 2f.	Replaced portable gas cans with low-emission cans			
2g.	containers		0	
	disposed of according to manufacturers' instructions			
	DUST CONTROL			
3a.	Installed and maintained barrier mats for entrances	<b>(</b>		
3c.	Used proper dusting techniques Wrapped feather dusters with a dust cloth	کے		ם כ
3d.	Wrapped feather dusters with a dust cloth	1		

wms

4.	FLOOR CLEANING	Yes	No	N/A		11	
4b.	Established and followed schedule for vacuuming and mopping floors  Cleaned spills on floors promptly (as necessary)	NA NA	0				TION
5.	DRAIN TRAPS					War	S
5b.	Poured water down floor drains once per week (about 1 quart of water)  Ran water in sinks at least once per week (about 2 cups of water)  Flushed toilets once each week (if not used regularly)			000	6	-61	
6.	MOISTURE, LEAKS, AND SPILLS						
6a.	Checked for moldy odors						
6b.	Inspected ceiling tiles, floors, and walls for leaks or discoloration (may indicate periodic leaks)	4					
	Checked areas where moisture is commonly generated (e.g., kitchens, locker rooms, and bathrooms)	Z Z					
6d.	Checked that windows, windowsills, and window frames are free of condensate	.74					
6e.	Checked that indoor surfaces of exterior walls and cold water pipes are free of condensate	7					
6f.	Ensured the following areas are free from signs of leaks and water damage						
	Indoor areas near known roof or wall leaks						
	Floors and ceilings under plumbing  Duct interiors near humidifiers, cooling coils, and outdoor air intakes						
7.	COMBUSTION APPLIANCES						
7a. 7b. 7c. 7d.	Checked appliances for backdrafting (using chemical smoke)	X		0000			
8.	PEST CONTROL						
8a.	Completed the Integrated Pest Management Checklist	.90					

NOTES



# **Waste Management Checklist**

Name: Mike Molzon
Name: Mike Molzon School: Woodbury Middle School Room or Area: Entire Building Date Completed: 1/17/24 Signature: Mikael P. Mifon
Room or Area: Entire Building Date Completed: 1/17/24
Signature: Miland & Milon

#### Instructions

- 1. Read the IAQ Backgrounder and the Background Information for this checklist.
- 2. Keep the Background Information and make a copy of the checklist for future reference.
- 3. Complete the Checklist.
  - · Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

1a. Ensured that waste containers are appropriate for use (for example, food waste containers should have lids)  1b. Ensured that waste containers are lined  1c. Ensured that waste from art, science, vocational classes, etc., are handled separately  1d. Labeled recycling bins clearly  1e. Ensured number of bins and dumpsters is adequate  1f. Ensured appropriate location of dumpsters (i.e., away from air intakes, doors, and operable windows in relation to prevailing winds)
1b. Ensured that waste containers are lined
1c. Ensured that waste from art, science, vocational classes, etc., are handled separately
handled separately
1d. Labeled recycling bins clearly
1e. Ensured number of bins and dumpsters is adequate
1f. Ensured appropriate location of dumpsters (i.e., away from air intakes, doors, and operable windows in relation to prevailing winds)
1f. Ensured appropriate location of dumpsters (i.e., away from air intakes, doors, and operable windows in relation to prevailing winds)
doors, and operable windows in relation to prevailing winds)
1g. Ensured waste containers are emptied regularly
1h. Ensured appropriate waste removal schedule
1i. Ensured waste is stored in a well-ventilated room
1j. Ensured any exhaust fans in the room are operating properly
1k. Checked waste storage areas for odors, contaminants, or signs of vermin

Cullinary Arts weeds to keep lids on containers.



Instructions

1. Read the IAQ
Backgrounder and the Background Information for this checklist.

· Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.) Make comments in the "Notes" section as necessary. 4. Return the checklist portion of this document to the IAQ Coordinator.

Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
 Complete the
 Checklist.

# Walkthrough Inspection Checklist

Name: Make Molzon,
School: Woodbury Mi'ddle School  Room or Area: Entire Buildingate Completed: 1/17/24
Room or Area: Entre Buldingate Completed: 1/17/24
Signature: Milled P. Mayon
to the second se

1.	GROUND LEVEL	Yes	No	N/A
1a.	Ensured that ventilation units operate properly	pp		
1b.	Ensured there are no obstructions blocking air intakes			
1c.	Checked for nests and droppings near outdoor air intakes	🔼		
1d.	Determined that dumpsters are located away from doors, windows, and outdoor air intakes			
	Checked potential sources of air contaminants near the building (chimneys, stacks, industrial plants, exhaust from nearby buildings)	×	0	
1f.	Ensured that vehicles avoid idling near outdoor air intakes			
1g.	Minimized pesticide application			
1h.	Ensured that there is proper drainage away from the building (including roof downspouts)	<u>~~</u>		۵
li.	Ensured that sprinklers spray away from the building and outdoor air intakes	≱		
1j.	Ensured that walk-off mats are used at exterior entrances and that they are cleaned regularly	<b>Þ</b>		
	by it of the components and U U			
2.	ROOF			
Wh	ile on the roof, consider inspecting the HVAC units (use the Ventilation Che	cklist,	).	
2a.	Ensured that the roof is in good condition			
2b.	Checked for evidence of water ponding		. 0	
2c.	Checked that ventilation units operate properly (air flows in)	⊠		
2d.	Ensured that exhaust fans operate properly (air flows out)	🗷		
2e.	Ensured that air intakes remain open, even at minimum setting	🗚	П	
2f.	Checked for nests and droppings near outdoor air intakes	×		
2g.	Ensured that air from plumbing stacks and exhaust outlets flows away from outdoor air intakes			۵
3.	ATTIC			
3a.	Checked for evidence of roof and plumbing leaks	R		
3b.	Checked for birds and animal nests	<b>,</b>		
4.	GENERAL CONSIDERATIONS			
	Ensured that temperature and humidity are maintained within acceptable ranges	T		
4b.	Ensured that no obstructions exist in supply and exhaust vents	94		
4c.	Checked for odors			
44	Checked for signs of mold and mildew growth			

4e. 4f.	Checked for signs of water damage	K		N/A			3	
5.	BATHROOMS AND GENERAL PLUMBING				A			/
	Ensured that bathrooms and restrooms have operating exhaust fans	- SO		0 000		X		
6.	MAINTENANCE SUPPLIES							
6a.	Ensured that chemicals are used only with adequate ventilation and when building is unoccupied	.50						
6b.	Ensured that vents in chemical and trash storage areas are operating properly	×						
	Ensured that portable fuel containers are properly closed	₩ Ж	0					
7.	COMBUSTION APPLIANCES							
7b. 7c.	Checked for combustion gas and fuel odors  Ensured that combustion appliances have flues or exhaust hoods  Checked for leaks, disconnections, and deterioration  Ensured there is no soot on inside or outside of flue components	X		0000				
8.	OTHER							
	Checked for peeling and flaking paint (if the building was built before 1980, this could be a lead hazard)	Ø.						
8a.	Checked for peeling and flaking paint (if the building was built before	Z A	<u> </u>	_ _				

NOTES



# Integrated Pest Management Checklist

Name: Mike Mo kon	_
School: Woodbury Middle School	_
Room or Area: Entire Building Date Completed: 417/24	_
Name: Mike Mo kon School: Woodbury Middle School Room or Area: Entire Buildingoate Completed: 1/7/24 Signature: Middle P. Mis you	_

ı	n	s	tr	u	C	ti	o	n	s
•	٠.	•		-	•		•	٠.	•

- Read the IAQ
   Backgrounder and
  the Background
  Information for
  this checklist.
- Keep the Background Information and make a copy of the checklist for future reference.
- Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

1.	OFFICIAL POLICY STATEMENT	s	No	N/A
1a.	Developed or located the school's official policy statement for integrated pest management (IPM)	2		
2.	DESIGNATING PEST MANAGEMENT ROLES			
2b.	Assigned and trained a qualified person to be the pest manager			0 0
	Educated students and staff (the occupants of the building) about IPM and asked them to keep their areas clean and free of clutter			
	Encouraged parents to learn about IPM practices and implement them at home		00	80
2f.	Included language about IPM into contracts with pest management professionals			
3.	SETTING PEST MANAGEMENT OBJECTIVES			
3a.	Set appropriate pest management objectives for school buildings (such as preventing pests from interfering with students' learning environment	,		
3b.	and preserving the integrity of the building structure)	1	0	
4.	INSPECTING, IDENTIFYING, AND MONITORING			
	Inspected all buildings and grounds for pest evidence, entry points, food, water, and harborage sites	4		
4b.	Identified potential pest habitats in buildings and grounds	1		
4c.	Pinpointed the source of any current pest problems	1		
4d.	Monitored to determine the extent of pest problems and to estimate pest populations			
4e.	sanitation efforts) to prevent or resolve any pest problems			
4f.	Established a monitoring program that consists of routine inspections to estimate pest population levels and identify evidence of pests and			П

WMS

5.	SETTING ACTION THRESHOLDS			
5a.	Evaluated all available data obtained through inspecting, identifying, and monitoring	-	No	N/A
5b.	Determined how many pests the school buildings, grounds, and occupants can tolerate	-		
5c.	Set action thresholds	#		
6.	PREVENTIVE STRATEGIES			
	DOOR SITES			
6a.	Implemented appropriate strategies to prevent pests from inhabiting the foll		g are	eas:
	Entryways			
	Classrooms			
	Gymnasiums			
	Locker rooms			
	Offices			
	Staff lounges	\$ C		
	Bathrooms			
	Food preparation and serving areas			
	Rooms with extensive plumbing			
	Maintenance areas			
	• Other	B		
	TTDOOR SITES			
6b.	Implemented appropriate strategies to prevent pests from inhabiting the followers	owin	g are	eas:
	Playgrounds			X
	Parking lots	X		
	Lawns and athletic fields	V		
	Teaching gardens or greenhouses			X
	Loading docks			
	Dumpsters			
	Areas with ornamental shrubs and trees			A
	• Other	. 🗖		10
7.	PESTICIDE USE AND STORAGE			
7a.	Explored alternative pest management methods before concluding that			
		$\infty$		
	Ensured that pest management professionals integrate IPM into their pest management methods	X		
7c.	Identified the least toxic, target-specific chemical (or pesticide formulation) that is the most effective to address the pest problem,			
	preferably as baitsand granules	X		
7d.	Reviewed and followed all label instructions on pesticides and learned	X	П	
_	how to properly apply and handle these chemicals	. Д.	_	_
7e.	Used spot-treatment (or bait, crack, and crevice applications) to apply pesticides whenever possible and only treated the obviously infested			
	plants in the area	A		
7f.	1	4		
7g.				
18.	inaccessible to children and non-target species	<b>A</b> .		

MMS



7.	PESTICIDE USE AND STORAGE (cont.)			
7h.	Locked or fastened lids of all bait boxes and placed bait away from the runway of the box	Yes	No	N/A
7i.	Applied pesticides when occupants were not present or in areas where they would not be exposed to the chemicals	AL.		
7j.	Ensured that school occupants (students and staff) are notified of upcoming pesticide applications through posted notices and/or letters	X		
7k.	Ensured that parents are notified of upcoming pesticide applications through letters	4		
71.	Kept copies of current pesticide labels and information on pesticides easily accessible	X		
7m.	Stored pesticides off site or in areas that are locked and accessible only to designated personnel	A		
7n.	Ensured that storage areas are adequately ventilated and are located away from areas prone to flooding or where spills or leaks may contaminate the environment	1		
70.	Ensured that flammable liquids are stored away from ignition sources	4		
	Ensured that pesticides are stored in their original containers and all lids	A		
7q.	Ensured that air in the storage space cannot mix with the air in the central ventilation system	A		
8.	EVALUATING RESULTS AND RECORD KEEPING			
	S PP PP	A		
8b.	Ensured that pesticide records necessary to meet all state, local, and school board requirements are maintained	×		
8c.	Ensured that each log book contains the following items:			
	Copy of the pest management plan			
	Service schedules for maintenance of buildings and grounds	<b>P</b>		
	Current EPA-registered labels	D.		
	• Current Material Safety Data Sheets (MSDS) for each pesticide project	R		
	Pest surveillance data sheets	×.		
	• Diagram noting the location of pest activity, traps, and bait stations	Ø		

NOTES



## **Food Service Checklist**

Name: Mike Molzon  School: Woodbury Middle School  Room or Area: Entire Buildingoate Completed: 1/17/24  Signature: Muhael H. Majon
School: Woodbary Middle School
Room or Area: Entire Building Date Completed: 4/17/24
Signature: Muhael F. Motor

#### Instructions

- Read the IAQ
   Backgrounder and
   the Background
   Information for
   this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

1.	COOKING AREA			
	excessively noisy)	A	No	N/A
1b.	Checked for odors near cooking, preparation, and eating areas	A		
1c.	Ensured that exhaust fans are used whenever cooking, washing dishes, and cleaning	×	0	0
	Determined that gas appliances function properly			VI.
	Verified that gas appliances are vented outdoors	<u> </u>	_	7
11.	drafting, or headaches when gas appliances are used	P		
1g.		1		
1h.	Checked for signs of microbiological growth in the kitchen, including the upper walls and ceiling (for example, mold, slime, and algae)	54		
1i.	Selected biocides registered by EPA (if required), followed the manufacturer's directions for use, and carefully reviewed the	'		
	manufacturer's directions for use, and carefully reviewed the	6		
1j.	Verified the kitchen is free of plumbing and ceiling leaks (signs include stains, discoloration, and damp areas)	K		
2.	FOOD HANDLING AND STORAGE			
2a.	Checked food preparation, cooking, and storage areas for signs of insects	<b>A</b>		
21-	and vermin (for example, feces or remains)	<u></u>		
2b.	surfaces	<b>(D</b> )		
2c.	Ensured that food preparation, cooking, and storage practices are sanitary			
2d.	Disposed of food scraps properly and removed crumbs	×		
2e.	Cleaned counters with soap and water or a disinfectant (according to	1		
	school policy)			
2f.	Swept and wet mopped floors	<b>D</b> L		
3.	WASTE MANAGEMENT			
3a.	Selected and placed waste in appropriate containers	M		
3Ъ.	Elistica that containers has are seemely elesed in	D.		
3c.	Separated food waste and food-contaminated items from other wastes,	×		
2.1	11 DOSSIDIC	-		
3d.	Stored waste containers in a well-ventilated area Ensured that dumpsters are properly located (away from air intake		J	J
3e.	vents, operable windows, and food service doors in relation to	NO.		
	prevailing winds)	1	_	7

### 4. DELIVERIES Yes No N/A 4b. Posted a sign prohibiting vehicles from idling their engines in receiving areas ...... 4c. Ensured that doors or air barriers are closed between receiving area



Cultivary Arts weeds to be kept chain and lids weed to be tightly sealed.