



HEALTH SERVICES

School Health Services at Huber Heights City Schools are designed to make the greatest contribution to the improvement of child health through early detection and prevention of health problems. Your school administrator and the Montgomery County Health Department require a school health record for each child enrolled in school. All health services given in the school, such as vision and hearing screenings, will be recorded on this record. The record will stay with the student’s permanent school record until the student leaves the school area, at which time a copy will be transferred to the receiving school.

A physical examination is required by the Ohio Department of Education prior to entrance into preschool. If a student is on an IEP (Individualized Education Plan), an eye specialist report is requested. Dental examinations are encouraged. Forms for these examinations are provided and should be returned to the school as soon as possible.

PLEASE BRING PROOF OF IMMUNIZATIONS, SUCH AS IMMUNIZATION BOOKLET OR DOCTOR’S STATEMENT, WHEN YOU REGISTER YOUR CHILD.

Immunizations Required by the Ohio Revised Code: Dates the child received the immunizations must be indicated by month/day/year on the appropriate form. A current Immunization Summary sheet is available upon request. Children with incomplete immunization records may be excluded.

| | |
|---|---|
| DtaP or DT combination | Hepatitis B Vaccine |
| Tdap booster required for entrance into 7 th grade | Varicella (chickenpox vaccine) |
| Polio, OPV or IPV Combination | Meningococcal for 7 th and 12 th grade entrance |
| MMR | |

Preschool only, in addition to above listed immunizations

| | |
|--|--------------------------|
| Hib, after 15 months of age, Hepatitis A, PCV (Pneumococcal Conjugate Vaccine) | Rotavirus and Flu yearly |
|--|--------------------------|

Health/Medical Resources:

| | | |
|---------------------------|---|----------------|
| IMMUNIZATIONS ONLY | Public Health Clinic 117 S. Main St. Dayton, OH 45402 | (937) 225-4550 |
| PHYSICALS & IMMUNIZATIONS | Reach Out Clinic 25 E. Foraker St. Dayton, OH 45409 | (937) 258-2000 |

If for any reason you are unable to comply with these requirements, please call the school district’s Health Services at (937) 237-6300 Ext. 81301 to ask about services available. If you need the name of a pediatrician, contact your health insurance provider.

Should a student become ill or injured at school, parents are notified and are expected to provide transportation home or to a physician if deemed necessary. In the event of an emergency, the student is cared for under the direction of the clinic/office assistant, building secretary, nurse, or building principal and may be referred to the local Fire Department Rescue Services.

We ask you not to send medicine to school with your child (cough drops, prescriptions aspirin, etc.). Usually children who need to take medication can receive the necessary benefits by taking it before school, upon their return from school, and early in the evening, thus making it unnecessary to bring medication to school. We know you have your child’s interest and safety foremost in your mind and will want to cooperate fully with our policy.

Ohio Immunization Summary for School Attendance, 2024-2025



| Vaccine/Grade | K | 1st | 2nd | 3rd | 4th | 5th | 6th | 7th | 8th | 9th | 10th | 11th | 12th | |
|---|-----------------|-----|-----|-----|-----|-----|-----|-----|----------|--------|------|------|----------|--|
| DTaP Diphtheria, Tetanus, Pertussis | 4 or more doses | | | | | | | | | | | | | |
| Hep B Hepatitis B | 3 or more doses | | | | | | | | | | | | | |
| MMR Measles, Mumps, Rubella | 2 doses | | | | | | | | | | | | | |
| Polio | 3 or more doses | | | | | | | | | | | | | |
| Varicella (Chickenpox) | 2 doses | | | | | | | | | | | | | |
| Tdap Tetanus, Diphtheria, Pertussis | | | | | | | | | | 1 dose | | | | |
| MCV4 Meningococcal ACWY | | | | | | | | | 1st dose | | | | 2nd dose | |

Important Notes:

- Vaccine should be administered according to the most recent version of the [Recommended Child and Adolescent Immunization Schedule](#) for ages 18 years or younger or the [Catch-up immunization schedule for persons aged four months-18 years who start late or who are more than one month behind](#), as published by the Centers for Disease Control and Prevention’s Advisory Committee on Immunization Practices.
- Vaccine doses administered less than or equal to four days before the minimum interval or age are valid (grace period). Doses administered greater than or equal to five days earlier than the minimum interval or age are not valid doses and should be repeated when age appropriate.
- If MMR and varicella are **not** given on the same day, the doses must be separated by at least 28 days with no grace period.
- For additional information, please refer to the [Ohio Revised Code 3313.67](#) and [3313.671](#) and the [Ohio Department of Health \(ODH\) Director’s Journal Entry](#) regarding school immunization requirements, recommended vaccines, and exemptions to immunizations.
- Please contact the Ohio Department of Health Immunization Program at 800-282-0546 or 614-466-4643 with questions.**



Ohio School Immunization Requirement Details

| | |
|--|--|
| <p>DTaP Diphtheria, Tetanus, Pertussis</p> | <p>Grades K-12</p> <p>Four or more doses of DTaP or DT vaccine, or any combination. If all four doses were given before the fourth birthday, a fifth dose is required. If the fourth dose was administered at least six months after the third dose, and on or after the fourth birthday, a fifth dose is not required.</p> <p><i>Recommended DTaP or DT minimum intervals for kindergarten students are four weeks between the first and second doses, and the second and third doses; and six months between the third and fourth doses and the fourth and fifth doses. If a fifth dose is administered prior to the fourth birthday, a sixth dose is recommended but not required.</i></p> |
| <p>Hep B Hepatitis B</p> | <p>Grades K-12</p> <p>Three doses of hepatitis B vaccine. The second dose must be administered at least 28 days after the first dose. The third dose must be given at least 16 weeks after the first dose and at least eight weeks after the second dose. The last dose in the series (third or fourth dose) must not be administered before age 24 weeks.</p> |
| <p>MMR Measles, Mumps, Rubella</p> | <p>Grades K-12</p> <p>Two doses of MMR vaccine. The first dose must be administered on or after the first birthday. The second dose must be administered at least 28 days after the first dose.</p> |
| <p>Polio</p> | <p>Grades K-12</p> <p>Three or more doses of IPV vaccine. The FINAL dose must be administered on or after the fourth birthday with at least six months between the final and previous dose, regardless of the number of previous doses.</p> <p><i>If any combination of IPV and OPV was received, four doses of either vaccine are required. Only trivalent OPV (tOPV) counts toward the U.S. vaccination requirements. Doses of OPV administered before April 1, 2016, should be counted (unless specifically noted as administered during a campaign). Doses of OPV administered on or after April 1, 2016, should not be counted.</i></p> |
| <p>Varicella (Chickenpox)</p> | <p>Grades K-12</p> <p>Two doses of varicella vaccine must be administered prior to entry. The first dose must be administered on or after the first birthday. The second dose should be administered at least three months after the first dose; however, if the second dose is administered at least 28 days after the first dose, it is considered valid.</p> |
| <p>Tdap Tetanus, Diphtheria, Pertussis</p> | <p>Grades 7-12</p> <p>One dose of Tdap vaccine must be administered on or after the tenth birthday. Tdap can be given regardless of the interval since the last tetanus or diphtheria-toxoid containing vaccine.</p> <p><i>Children aged seven years or older with an incomplete history of DTaP should be given Tdap as the first dose in the catch-up series. If the series began at age seven to nine years, the fourth dose must be a Tdap given at age 11-12 years. If the third dose of Tdap is given at age 10 years, no additional dose is needed at age 11-12 years.</i></p> |
| <p>Meningococcal Meningococcal ACWY</p> | <p>Grades 7-11</p> <p>One dose of meningococcal (serogroup A, C, W, and Y) vaccine must be administered on or after the 10th birthday.</p> <p>Grade 12</p> <p>Two doses of meningococcal (serogroup A, C, W, and Y) vaccine. Second dose on or after age 16 years. If the first dose was given on or after the 16th birthday, only one dose is required</p> |