



# DURANT INDEPENDENT SCHOOL DISTRICT

1323 Waco Street, Durant Oklahoma 74701

(580) 924-1276 Phone

(580) 924-6019 Fax

## 3.8 PAINTING SCHEDULE

Apply the following finishes to the designated areas:

FINISH	MATERIAL	THICKNES S: (Dry Mill)
TYPE 1	(ALL GALVANIZED METAL)	
1st coat	S.W. Pro-Cryl Universal Water Based Primer, B66-310	8.0
2nd coat	S.W. Pro-Industrial Acrylic Semi-Gloss, B66-650 Series.	
3rd coat	Same as 2nd coat (Non yellowing)	
TYPE 2	FERROUS METAL (EXPOSED)	
1st coat	S.W. Pro-Cryl Universal Water Based Primer, B66-310.	7.0
2nd coat	S.W. Sher-Cryl High Performance Coating Gloss, B66-350 Series	
3rd coat	Same as 2nd coat	
TYPE 3	HOLLOW METAL FRAMES (Standard)	
1st coat	S.W. Pro-Cryl Universal Water Based Primer, B66-310	7.0
2nd coat	S.W. Sher-Cryl High Performance Coating Gloss, B66-350 Series	
3rd coat	Same as 2 <sup>nd</sup> Coat	
TYPE 3	HOLLOW METAL FRAMES (High Performance)	
1st coat	B50NZ0006 - Kem Kromik® Universal Metal Primer Brown	7.0
2nd coat	B54W00113 - Industrial Enamel	
3rd coat	Same as 2 <sup>nd</sup> Coat	
TYPE 4	WELDS	
1st coat	S.W. Pro-Cryl Universal Water Based Primer, B66-310	2.0
2nd	Match adjoining finish.	



# DURANT INDEPENDENT SCHOOL DISTRICT

1323 Waco Street, Durant Oklahoma 74701

(580) 924-1276 Phone

(580) 924-6019 Fax

coat		
<b>TYPE 5</b>	<b>WOOD TRIM &amp; WOODWORK TO BE STAINED</b>	
1st coat	S.W. Wood Classics Interior Oil Stain, 250	2.6
2nd coat	S.W. Wood Classic Waterborne Polyurethane Varnish, A-68 Series	
3rd coat	Same as 2nd coat	
<b>TYPE 6</b>	<b>TRIM AND WOODWORK TO BE PAINTED</b>	
1st coat	S.W. Premium Wall & Wood Interior Latex Primer, B28W8111	5.3
2nd coat	S.W. ProMar 200 Acrylic-Alkyd Semi-Gloss, B34W8200 Series.	
3rd coat	Same as 2nd Coat. Resist yellowing	
<b>TYPE 7</b>	<b>INTERIOR MILLWORK</b>	
1st coat	S.W. Wood Classics Interior Oil Stain-250, A49-800 Series.	3.6
2nd coat	S.W. Wood Classics Waterborne Polyurethane Varish, A68F90 (satin) Series.	
3rd coat	Same as 2nd coat	
<b>TYPE 8</b>	<b>INTERIOR CONCRETE MASONRY UNITS (CMU) (PINHOLE FREE)</b>	
1st coat	S.W. PrepRite Block Filler, B25W25	13.4
2nd coat	S.W. Pre-Catalyzed Water Based Epoxy Semi-Gloss K46-150 Series.	
3rd coat	Same as 2nd coat-	
<b>TYPE 9</b>	<b>INTERIOR CONCRETE MASONRY UNITS EPOXY COATING (PINHOLE FREE)</b>	
1st coat	S.W. PrepRite Block Filler, B25W25.	18.0
2nd coat	S.W. Water Based Epoxy Finish, B73-100 Series.	
3rd coat	Same as 2nd coat.	
<b>TYPE 10</b>	<b>DRYWALL</b>	



# DURANT INDEPENDENT SCHOOL DISTRICT

1323 Waco Street, Durant Oklahoma 74701

(580) 924-1276 Phone

(580) 924-6019 Fax

1 <sup>st</sup> coat	S.W. ProMar 200 Zero VOC Wall Primer, B28W2600	6.8
2nd coat	S.W. ProMar 200 Zero VOC Latex Semi-Gloss, B31-2600 Series.	
3rd coat	Same as 2nd coat.	
<b>TYPE 11</b>	<b>DRYWALL (EPOXY COATING)</b>	
1st coat	S.W. ProMar 200 Zero VOC Wall Primer, B28W2600.	7.5
2nd coat	S.W. Pre-Catalyzed Water Based Epoxy Semi-Gloss, K46-150 Series.	
3rd coat	Same as 2nd coat.	
<b>TYPE 12</b>	<b>AREAS TO RECEIVE WALL COVERING</b>	
1st coat	Pre-Wallcovering Interior Latex Primer, B28W8980	1.2
<b>TYPE 13</b>	<b>EXPOSED TECTUM DECKING, BULB TEES, EXPOSED METAL DECK, STEEL JOISTS JOIST GIRDERS AND EXPOSED DUCTWORK</b>	
1st coat	S.W. Waterborne Acrylic Dry Fall Egg-Shell Flat Finish, B42W2	
2nd coat	Same as 1st coat	
<b>TYPE 14</b>	<b>SEALED CONCRETE FLOORS – CLEAR FINISH (SATIN)</b>	
1st coat	S.W. ArmorSeal 8100 (reduced with one pint of water per gallon)	2.0-4.0
2nd coat	S.W. ArmorSeal 8100 with H&C SharkGrip Anti-Slip Additive	2.0-4.0
<b>TYPE 15</b>	<b>STRIPES AND MARKINGS ON SEALED CONCRETE FLOORS STRIPING</b>	
1st coat	S.W. ArmorSeal 8100 & ColorCast Ecotoner* (reduced with one pint of water per gallon)	2.0-4.0
2nd coat	S.W. ArmorSeal 8100 & ColorCast Ecotoner* color & H&C SharkGrip Anti-Slip Additive *ColorCast Ecotoner shall be Safety Yellow or Color Indicated per Plans	2.0-4.0
<b>TYPE 16</b>		



# DURANT INDEPENDENT SCHOOL DISTRICT

1323 Waco Street, Durant Oklahoma 74701

(580) 924-1276 Phone

(580) 924-6019 Fax

TYPE 17		
TYPE 18		
TYPE 19	SUSPENDED PLASTER CEILINGS	
1st coat	S.W. ProMar 200 Zero VOC Interior Latex Flat, B30-2600 Series.	1.4
2nd coat	Same as 1st coat.	
TYPE 20		
		4.0
		2.0
		2.0
TYPE 21		
		2.0
		1.6
		1.6



# DURANT INDEPENDENT SCHOOL DISTRICT

1323 Waco Street, Durant Oklahoma 74701  
(580) 924-1276 Phone  
(580) 924-6019 Fax

REQUEST FOR PROPOSAL  
RFP 20240126  
Interior Painting

DESCRIPTION

TOTAL COST

Interior Painting

\$

BIDDER'S COMPANY NAME \_\_\_\_\_

BY \_\_\_\_\_

By signing the BID form, the bidder acknowledges receipt of all Addenda issued



# DURANT INDEPENDENT SCHOOL DISTRICT

1323 Waco Street, Durant Oklahoma 74701

(580) 924-1276 Phone

(580) 924-6019 Fax

## STATEMENT OF NON-COLLUSION

STATE \_\_\_\_\_ OF

COUNTY \_\_\_\_\_ OF

\_\_\_\_\_, OF LAWFUL AGE,  
BEING FIRST DULY SWORN, ON OATH SAYS THAT HE IS AUTHORIZED BY THE BIDDER TO  
SUBMIT THE ATTACHED BID. AFFIANT FURTHER STATES THAT THE BIDDER HAS NOT BEEN A  
PARTY TO ANY COLLUSION AMONG BIDDERS IN RESTRAINT OF FREEDOM OF COMPETITION  
BY AGREEMENT TO BID AT A FIXED PRICE OR TO REFRAIN FROM BIDDING; OR WITH ANY  
OFFICIAL OR EMPLOYEE OF THE DURANT SCHOOL DISTRICT 1072, BRYAN COUNTY,  
OKLAHOMA, AS TO QUANTITY, QUALITY OR PRICE IN THE PROSPECTIVE CONTRACT; OR  
ANY OTHER TERMS OF SAID PROSPECTIVE CONTRACT; OR IN ANY DISCUSSIONS BETWEEN  
BIDDERS AND ANY OFFICIAL OR EMPLOYEE OF THE ABOVE NAMED SCHOOL DISTRICT  
CONCERNING EXCHANGE OF MONEY OR OTHER THING OF VALUE FOR SPECIAL  
CONSIDERATION IN THE LETTING OF A CONTRACT.

SUBSCRIBED AND SWORN TO BEFORE ME THIS \_\_\_\_ DAY OF \_\_\_\_\_, 2023

\_\_\_\_\_  
Bidder or Agent

\_\_\_\_\_  
Notary Public (or Clerk or Judge)