

# Roosevelt Elementary School

## 2022-2023 School Accountability Report Card (Published During the 2023-2024 School Year)



### General Information about the School Accountability Report Card (SARC)

#### SARC Overview



By February 1 of each year, every school in California is required by state law to publish a School Accountability Report Card (SARC). The SARC contains information about the condition and performance of each California public school. Under the Local Control Funding Formula (LCFF) all local educational agencies (LEAs) are required to prepare a Local Control and Accountability Plan (LCAP), which describes how they intend to meet annual school-specific goals for all pupils, with specific activities to address state and local priorities. Additionally, data reported in an LCAP is to be consistent with data reported in the SARC.

- For more information about SARC requirements and access to prior year reports, see the California Department of Education (CDE) SARC web page at <https://www.cde.ca.gov/ta/ac/sa/>.
- For more information about the LCFF or the LCAP, see the CDE LCFF web page at <https://www.cde.ca.gov/fg/aa/lc/>.
- For additional information about the school, parents/guardians and community members should contact the school principal or the district office.

#### DataQuest



DataQuest is an online data tool located on the CDE DataQuest web page at <https://dq.cde.ca.gov/dataquest/> that contains additional information about this school and comparisons of the school to the district and the county. Specifically, DataQuest is a dynamic system that provides reports for accountability (e.g., test data, enrollment, high school graduates, dropouts, course enrollments, staffing, and data regarding English learners).

#### California School Dashboard



The California School Dashboard (Dashboard) <https://www.caschooldashboard.org/> reflects California's new accountability and continuous improvement system and provides information about how LEAs and schools are meeting the needs of California's diverse student population. The Dashboard contains reports that display the performance of LEAs, schools, and student groups on a set of state and local measures to assist in identifying strengths, challenges, and areas in need of improvement.

#### Internet Access

Internet access is available at public libraries and other locations that are publicly accessible (e.g., the California State Library). Access to the Internet at libraries and public locations is generally provided on a first-come, first-served basis. Other use restrictions may include the hours of operation, the length of time that a workstation may be used (depending on availability), the types of software programs available on a workstation, and the ability to print documents.

## 2023-24 School Contact Information

<b>School Name</b>	Roosevelt Elementary School
<b>Street</b>	1311 Euclid Avenue
<b>City, State, Zip</b>	Dinuba, CA 93618
<b>Phone Number</b>	(559) 595-7290
<b>Principal</b>	Elizabeth Gonzalez
<b>Email Address</b>	lizg@dinuba.k12.ca.us
<b>School Website</b>	<a href="https://www.dinuba.k12.ca.us/Domain/17">https://www.dinuba.k12.ca.us/Domain/17</a>
<b>County-District-School (CDS) Code</b>	54-75531-6107650

## 2023-24 District Contact Information

<b>District Name</b>	Dinuba Unified School District
<b>Phone Number</b>	(559) 595-7200
<b>Superintendent</b>	Joe Hernandez, Ed.D.
<b>Email Address</b>	jhernandez@dinuba.k12.ca.us
<b>District Website</b>	dusd.dinuba.k12.ca.us

## 2023-24 School Description and Mission Statement

A Message from the Principal:

Roosevelt Elementary School has 604 students in transitional kindergarten through grade six. We have one full-time academic program improvement (API) coach and one Learning Director.

Our teachers and staff are dedicated to ensuring the academic success of every student and providing a safe and productive learning experience. The school holds high expectations for the academic and social development of all students. Curriculum planning, staff development, and assessment activities are focused on assisting students in mastering the state academic content standards, as well as increasing the overall student achievement of all subgroups. In addition, we teach students to be students of character. We believe that excellence in academics and respectful attitudes and behaviors are the key to success now and for the future. We believe that there is no limit to what our students can become or achieve.

Parents and community members are important to our academic program. We welcome your participation in school activities and encourage you to join our PTO, Parenting Engagement Groups, School Site Council (SSC), and English Language Learner Advisory Council (ELAC). Our staff looks forward to working with you and our students on another year of academic success.

Focus for Improvement:

Teachers monitor student progress through data analysis results from SBAC results, EL Assessments, district benchmarks,

## 2023-24 School Description and Mission Statement

Achieve 3000, and STAR reading during weekly collaboration times.

Students are taught Common Core using the design of Launch, Explore, Summarize. Teachers are conscious of time on task, alignment of standards, breadth of standards, and instructional effectiveness. Students are taught grade-level standards every day.

To address the urgent needs of our English Language Learners, Roosevelt implements English 3D in grades 5-6th as well as Fountas and Pinnell in all other grade levels, close reading strategies, Achieve 3000, and best practices in English Language Development. This specific instruction is designed to accelerate the language skills of our EL students.

We use Systematic Instruction in Phonemic Awareness (Heggerty), Phonics (UFLI), and Sight Words, Achieve 3000, and Learning A to Z for students reading below grade level. In addition, a credentialed teacher and instructional assistants are now trained in the LLI approach to implement an additional layer of instructional support for students who are below basic in reading.

## About this School

### 2022-23 Student Enrollment by Grade Level

Grade Level	Number of Students
Kindergarten	86
Grade 1	79
Grade 2	87
Grade 3	89
Grade 4	89
Grade 5	87
Grade 6	92
<b>Total Enrollment</b>	<b>609</b>

## 2022-23 Student Enrollment by Student Group

Student Group	Percent of Total Enrollment
Female	47.3%
Male	52.7%
American Indian or Alaska Native	1%
Asian	1.6%
Black or African American	0.2%
Filipino	2%
Hispanic or Latino	87.8%
White	7.4%
English Learners	27.1%
Foster Youth	0.3%
Homeless	0.5%
Migrant	2.3%
Socioeconomically Disadvantaged	76.5%
Students with Disabilities	6.2%

### A. Conditions of Learning **State Priority: Basic**

The SARC provides the following information relevant to the State priority: Basic (Priority 1):

- Degree to which teachers are appropriately assigned and fully credentialed in the subject area and for the pupils they are teaching;
- Pupils have access to standards-aligned instructional materials; and
- School facilities are maintained in good repair

## 2020-21 Teacher Preparation and Placement

Authorization/Assignment	School Number	School Percent	District Number	District Percent	State Number	State Percent
<b>Fully (Preliminary or Clear) Credentialed for Subject and Student Placement (properly assigned)</b>	20.00	86.96	235.30	86.41	228366.10	83.12
<b>Intern Credential Holders Properly Assigned</b>	3.00	13.04	11.00	4.04	4205.90	1.53
<b>Teachers Without Credentials and Misassignments (“ineffective” under ESSA)</b>	0.00	0.00	6.90	2.54	11216.70	4.08
<b>Credentialed Teachers Assigned Out-of-Field (“out-of-field” under ESSA)</b>	0.00	0.00	8.80	3.24	12115.80	4.41
<b>Unknown</b>	0.00	0.00	10.20	3.76	18854.30	6.86
<b>Total Teaching Positions</b>	23.00	100.00	272.30	100.00	274759.10	100.00

Note: The data in this table is based on Full Time Equivalent (FTE) status. One FTE equals one staff member working full time; one FTE could also represent two staff members who each work 50 percent of full time. Additionally, an assignment is defined as a position that an educator is assigned based on setting, subject, and grade level. An authorization is defined as the services that an educator is authorized to provide to students.

## 2021-22 Teacher Preparation and Placement

Authorization/Assignment	School Number	School Percent	District Number	District Percent	State Number	State Percent
<b>Fully (Preliminary or Clear) Credentialed for Subject and Student Placement (properly assigned)</b>	21.00	95.45	225.00	80.95	234405.20	84.00
<b>Intern Credential Holders Properly Assigned</b>	1.00	4.55	13.10	4.71	4853.00	1.74
<b>Teachers Without Credentials and Misassignments (“ineffective” under ESSA)</b>	0.00	0.00	4.10	1.50	12001.50	4.30
<b>Credentialed Teachers Assigned Out-of-Field (“out-of-field” under ESSA)</b>	0.00	0.00	14.10	5.08	11953.10	4.28
<b>Unknown</b>	0.00	0.00	21.50	7.76	15831.90	5.67
<b>Total Teaching Positions</b>	22.00	100.00	277.90	100.00	279044.80	100.00

The CDE published the first year of available teacher data for the 2020-21 SARC in June 2022, and the CDE published the second year of data for the 2021-22 SARC in June 2023. The EC Section 33126(b)(5) requires the most recent three years of teacher data to be requested in the SARC, as data is available. The teacher data for the 2022-23 SARC will not be available prior to February 1, 2024, and therefore is not included in the template.

Note: The data in this table is based on Full-Time Equivalent (FTE) status. One FTE equals one staff member working full time; one FTE could also represent two staff members who each work 50 percent of full time. Additionally, an assignment is defined as a position that an educator is assigned based on setting, subject, and grade level. An authorization is defined as the services that an educator is authorized to provide to students.

## Teachers Without Credentials and Misassignments (considered “ineffective” under ESSA)

Authorization/Assignment	2020-21	2021-22
Permits and Waivers	0.00	0.00
Misassignments	0.00	0.00
Vacant Positions	0.00	0.00
<b>Total Teachers Without Credentials and Misassignments</b>	<b>0.00</b>	<b>0.00</b>

The teacher data for the 2022-23 SARC will not be available prior to February 1, 2024, and therefore is not included in the template.

## Credentialed Teachers Assigned Out-of-Field (considered “out-of-field” under ESSA)

Indicator	2020-21	2021-22
Credentialed Teachers Authorized on a Permit or Waiver	0.00	0.00
Local Assignment Options	0.00	0.00
<b>Total Out-of-Field Teachers</b>	<b>0.00</b>	<b>0.00</b>

The teacher data for the 2022-23 SARC will not be available prior to February 1, 2024, and therefore is not included in the template.

## Class Assignments

Indicator	2020-21	2021-22
<b>Misassignments for English Learners</b> (a percentage of all the classes with English learners taught by teachers that are misassigned)	0	0
<b>No credential, permit or authorization to teach</b> (a percentage of all the classes taught by teachers with no record of an authorization to teach)	12.5	0

The teacher data for the 2022-23 SARC will not be available prior to February 1, 2024, and therefore is not included in the template.

Note: For more information refer to the Updated Teacher Equity Definitions web page at <https://www.cde.ca.gov/pd/ee/teacherequitydefinitions.asp>.

## 2023-24 Quality, Currency, Availability of Textbooks and Other Instructional Materials

All adopted text books are aligned with state standards for each content area. There are sufficient copies of all text books for each child to have an individual copy of the text.

**Year and month in which the data were collected** 10/2022

Subject	Textbooks and Other Instructional Materials/year of Adoption	From Most Recent Adoption ?	Percent Students Lacking Own Assigned Copy
---------	--	-----------------------------	--

<b>Reading/Language Arts</b>	All in good condition. Into Reading is the adopted English Language Arts Curriculum. Adopted in 2023.	Yes	0
<b>Mathematics</b>	All in good condition. Illustrative Mathematics is the adopted Mathematics Curriculum. Adopted in 2021.	Yes	0
<b>Science</b>	All in good condition. TWIG Science is the adopted Science Curriculum. Adopted in 2019	Yes	0
<b>History-Social Science</b>	All in good condition. History Social Science - Studies Weekly is the adopted Social Science Curriculum for K-6. Adopted in 2020.	Yes	0
<b>Foreign Language</b>	N/A		
<b>Health</b>	N/A		
<b>Visual and Performing Arts</b>	N/A		

## School Facility Conditions and Planned Improvements

Roosevelt School has installed a permanent shade structure in the center of our campus. New security cameras have been installed across the site as well.

**Year and month of the most recent FIT report**

12/5/2023

System Inspected	Rate Good	Rate Fair	Rate Poor	Repair Needed and Action Taken or Planned
<b>Systems:</b> Gas Leaks, Mechanical/HVAC, Sewer	X			
<b>Interior:</b> Interior Surfaces	X			
<b>Cleanliness:</b> Overall Cleanliness, Pest/Vermin Infestation	X			BOYS REST ROOM (NEAR 19):
<b>Electrical</b>	X			
<b>Restrooms/Fountains:</b> Restrooms, Sinks/ Fountains	X			14:00 15:00
<b>Safety:</b> Fire Safety, Hazardous Materials	X			17:00  KITCHEN: MENS REST ROOM (MPR):
<b>Structural:</b> Structural Damage, Roofs	X			BOYS REST ROOM (NEAR 19): GIRLS REST ROOM (NEAR 19):
<b>External:</b> Playground/School Grounds, Windows/ Doors/Gates/Fences	X			

## Overall Facility Rate

Exemplary	Good	Fair	Poor
X			

## B. Pupil Outcomes

### State Priority: Pupil Achievement

The SARC provides the following information relevant to the State priority: Pupil Achievement (Priority 4):

#### Statewide Assessments

(i.e., California Assessment of Student Performance and Progress [CAASPP] System includes the Smarter Balanced Summative Assessments for students in the general education population and the California Alternate Assessments [CAAs] for English language arts/literacy [ELA] and mathematics given in grades three through eight and grade eleven. Only eligible students may participate in the administration of the CAAs. CAAs items are aligned with alternate achievement standards, which are linked with the Common Core State Standards [CCSS] for students with the most significant cognitive disabilities).

The CAASPP System encompasses the following assessments and student participation requirements:

1. **Smarter Balanced Summative Assessments and CAAs for ELA** in grades three through eight and grade eleven.
2. **Smarter Balanced Summative Assessments and CAAs for mathematics** in grades three through eight and grade eleven.
3. **California Science Test (CAST) and CAAs for Science** in grades five, eight, and once in high school (i.e., grade ten, eleven, or twelve).

#### College and Career Ready

The percentage of students who have successfully completed courses that satisfy the requirements for entrance to the University of California and the California State University, or career technical education sequences or programs of study.

## Percentage of Students Meeting or Exceeding the State Standard on CAASPP

This table displays CAASPP test results in ELA and mathematics for all students grades three through eight and grade eleven taking and completing a state-administered assessment.

Percentages are not calculated when the number of students tested is ten or less, either because the number of students in this category is too small for statistical accuracy or to protect student privacy.

ELA and mathematics test results include the Smarter Balanced Summative Assessment and the CAA. The “Percent Met or Exceeded” is calculated by taking the total number of students who met or exceeded the standard on the Smarter Balanced Summative Assessment plus the total number of students who met the standard (i.e., achieved Level 3-Alternate) on the CAAs divided by the total number of students who participated in both assessments.

Subject	School 2021-22	School 2022-23	District 2021-22	District 2022-23	State 2021-22	State 2022-23
<b>English Language Arts/Literacy</b> (grades 3-8 and 11)	44	43	46	44	47	46
<b>Mathematics</b> (grades 3-8 and 11)	29	32	25	27	33	34



## 2022-23 CAASPP Test Results in ELA by Student Group

This table displays CAASPP test results in ELA by student group for students grades three through eight and grade eleven taking and completing a state-administered assessment.

ELA test results include the Smarter Balanced Summative Assessment and the CAA. The “Percent Met or Exceeded” is calculated by taking the total number of students who met or exceeded the standard on the Smarter Balanced Summative Assessment plus the total number of students who met the standard (i.e., achieved Level 3-Alternate) on the CAAs divided by the total number of students who participated in both assessments.

Double dashes (--) appear in the table when the number of students is ten or less, either because the number of students in this category is too small for statistical accuracy or to protect student privacy.

The number of students tested includes all students who participated in the test whether they received a score or not; however, the number of students tested is not the number that was used to calculate the achievement level percentages. The achievement level percentages are calculated using only students who received scores.

CAASPP Student Groups	CAASPP Total Enrollment	CAASPP Number Tested	CAASPP Percent Tested	CAASPP Percent Not Tested	CAASPP Percent Met or Exceeded
<b>All Students</b>	356	353	99.16	0.84	43.34
<b>Female</b>	167	166	99.40	0.60	46.39
<b>Male</b>	189	187	98.94	1.06	40.64
<b>American Indian or Alaska Native</b>	--	--	--	--	--
<b>Asian</b>	--	--	--	--	--
<b>Black or African American</b>	0	0	0	0	0
<b>Filipino</b>	--	--	--	--	--
<b>Hispanic or Latino</b>	306	303	99.02	0.98	40.92
<b>Native Hawaiian or Pacific Islander</b>	0	0	0	0	0
<b>Two or More Races</b>	0	0	0	0	0
<b>White</b>	32	32	100.00	0.00	53.13
<b>English Learners</b>	89	87	97.75	2.25	25.29
<b>Foster Youth</b>	--	--	--	--	--
<b>Homeless</b>	0	0	0	0	0
<b>Military</b>	0	0	0	0	0
<b>Socioeconomically Disadvantaged</b>	217	215	99.08	0.92	35.35
<b>Students Receiving Migrant Education Services</b>	0	0	0	0	0
<b>Students with Disabilities</b>	29	28	96.55	3.45	3.57

## 2022-23 CAASPP Test Results in Math by Student Group

This table displays CAASPP test results in Math by student group for students grades three through eight and grade eleven taking and completing a state-administered assessment.

Mathematics test results include the Smarter Balanced Summative Assessment and the CAA. The “Percent Met or Exceeded” is calculated by taking the total number of students who met or exceeded the standard on the Smarter Balanced Summative Assessment plus the total number of students who met the standard (i.e., achieved Level 3-Alternate) on the CAAs divided by the total number of students who participated in both assessments.

Double dashes (--) appear in the table when the number of students is ten or less, either because the number of students in this category is too small for statistical accuracy or to protect student privacy.

The number of students tested includes all students who participated in the test whether they received a score or not; however, the number of students tested is not the number that was used to calculate the achievement level percentages. The achievement level percentages are calculated using only students who received scores.

CAASPP Student Groups	CAASPP Total Enrollment	CAASPP Number Tested	CAASPP Percent Tested	CAASPP Percent Not Tested	CAASPP Percent Met or Exceeded
<b>All Students</b>	356	353	99.16	0.84	32.29
<b>Female</b>	167	166	99.40	0.60	31.33
<b>Male</b>	189	187	98.94	1.06	33.16
<b>American Indian or Alaska Native</b>	--	--	--	--	--
<b>Asian</b>	--	--	--	--	--
<b>Black or African American</b>	0	0	0	0	0
<b>Filipino</b>	--	--	--	--	--
<b>Hispanic or Latino</b>	306	303	99.02	0.98	30.36
<b>Native Hawaiian or Pacific Islander</b>	0	0	0	0	0
<b>Two or More Races</b>	0	0	0	0	0
<b>White</b>	32	32	100.00	0.00	37.50
<b>English Learners</b>	89	87	97.75	2.25	13.79
<b>Foster Youth</b>	--	--	--	--	--
<b>Homeless</b>	0	0	0	0	0
<b>Military</b>	0	0	0	0	0
<b>Socioeconomically Disadvantaged</b>	217	215	99.08	0.92	26.51
<b>Students Receiving Migrant Education Services</b>	0	0	0	0	0
<b>Students with Disabilities</b>	29	28	96.55	3.45	7.14

## CAASPP Test Results in Science for All Students

This table displays the percentage of all students grades five, eight, and High School meeting or exceeding the State Standard.

Science test results include the CAST and the CAA. The “Percent Met or Exceeded” is calculated by taking the total number of students who met or exceeded the standard on the CAST plus the total number of students who met the standard (i.e., achieved Level 3-Alternate) on the CAAs divided by the total number of students who participated in both assessments.

The number of students tested includes all students who participated in the test whether they received a score or not; however, the number of students tested is not the number that was used to calculate the achievement level percentages. The achievement level percentages are calculated using only students who received scores.

Subject	School 2021-22	School 2022-23	District 2021-22	District 2022-23	State 2021-22	State 2022-23
Science (grades 5, 8 and high school)	29.03	29.76	19.58	22.47	29.47	30.29

## 2022-23 CAASPP Test Results in Science by Student Group

This table displays CAASPP test results in Science by student group for students grades five, eight, and High School. Double dashes (--) appear in the table when the number of students is ten or less, either because the number of students in this category is too small for statistical accuracy or to protect student privacy.

Student Group	Total Enrollment	Number Tested	Percent Tested	Percent Not Tested	Percent Met or Exceeded
All Students	85	84	98.82	1.18	29.76
Female	36	36	100.00	0.00	27.78
Male	49	48	97.96	2.04	31.25
American Indian or Alaska Native	0	0	0	0	0
Asian	0	0	0	0	0
Black or African American	0	0	0	0	0
Filipino	0	0	0	0	0
Hispanic or Latino	77	76	98.70	1.30	28.95
Native Hawaiian or Pacific Islander	0	0	0	0	0
Two or More Races	0	0	0	0	0
White	--	--	--	--	--
English Learners	26	26	100.00	0.00	11.54
Foster Youth	0	0	0	0	0
Homeless	0	0	0	0	0
Military	0	0	0	0	0
Socioeconomically Disadvantaged	50	50	100.00	0.00	26.00
Students Receiving Migrant Education Services	0	0	0	0	0
Students with Disabilities	--	--	--	--	--

## B. Pupil Outcomes

### State Priority: Other Pupil Outcomes

The SARC provides the following information relevant to the State priority: Other Pupil Outcomes (Priority 8): Pupil outcomes in the subject area of physical education.

#### 2022-23 California Physical Fitness Test Results

This table displays the percentage of students participating in each of the five fitness components of the California Physical Fitness Test Results. The administration of the PFT during 2021-22 and 2022-23 school years, only participation results are required for these five fitness areas. Percentages are not calculated and double dashes (--) appear in the table when the number of students tested is ten or less, either because the number of students in this category is too small for statistical accuracy or to protect student privacy.

Grade Level	Component 1: Aerobic Capacity	Component 2: Abdominal Strength and Endurance	Component 3: Trunk Extensor and Strength and Flexibility	Component 4: Upper Body Strength and Endurance	Component 5: Flexibility
Grade 5	100	100	100	100	100

## C. Engagement

### State Priority: Parental Involvement

The SARC provides the following information relevant to the State priority: Parental Involvement (Priority 3): Efforts the school district makes to seek parent input in making decisions regarding the school district and at each school site.

#### 2023-24 Opportunities for Parental Involvement

Parent involvement and communication are essential to our school success. Roosevelt Elementary School continually strives to involve parents by sharing information that helps parents understand and support school programs and by providing opportunities for parent participation in school activities.

There are numerous and varied opportunities for parent involvement, including but not limited to, attending school functions, participating in parent-teacher conferences, volunteering in classrooms, and chaperoning field trips. Parents may also serve on advisory committees and leadership teams, including, but not limited to, the English Learner Advisory Committee (ELAC), Parent Teacher Organization (PTO), and School Site Council (SSC), and our Parenting Engagement Group. Additional opportunities for parental involvement also exist at the district level.

If you would like more information about Parent Engagement Activities please contact the school at 559-595-7290.

## 2022-23 Chronic Absenteeism by Student Group

Student Group	Cumulative Enrollment	Chronic Absenteeism Eligible Enrollment	Chronic Absenteeism Count	Chronic Absenteeism Rate
All Students	634	627	125	19.9
Female	300	297	49	16.5
Male	334	330	76	23.0
Non-Binary	0	0	0	0.0
American Indian or Alaska Native	6	6	0	0.0
Asian	10	10	1	10.0
Black or African American	1	1	1	100.0
Filipino	12	12	0	0.0
Hispanic or Latino	555	549	110	20.0
Native Hawaiian or Pacific Islander	1	0	0	0.0
Two or More Races	0	0	0	0.0
White	49	49	13	26.5
English Learners	194	192	34	17.7
Foster Youth	8	7	0	0.0
Homeless	3	3	2	66.7
Socioeconomically Disadvantaged	495	491	106	21.6
Students Receiving Migrant Education Services	19	19	5	26.3
Students with Disabilities	54	54	21	38.9

### C. Engagement

#### State Priority: School Climate

The SARC provides the following information relevant to the State priority: School Climate (Priority 6):

- Pupil suspension rates;
- Pupil expulsion rates; and
- Other local measures on the sense of safety

### Suspensions and Expulsions

This table displays suspensions and expulsions data.

Rate	School 2020-21	School 2021-22	School 2022-23	District 2020-21	District 2021-22	District 2022-23	State 2020-21	State 2021-22	State 2022-23
Suspensions	0.00	0.00	0.47	0.04	3.13	3.37	0.20	3.17	3.60
Expulsions	0.00	0.00	0.00	0.00	0.33	0.19	0.00	0.07	0.08

## 2022-23 Suspensions and Expulsions by Student Group

Student Group	Suspensions Rate	Expulsions Rate
All Students	0.47	0
Female	0.67	0
Male	0.3	0
Non-Binary		
American Indian or Alaska Native	0	0
Asian	0	0
Black or African American	0	0
Filipino	0	0
Hispanic or Latino	0.54	0
Native Hawaiian or Pacific Islander	0	0
Two or More Races	0	0
White	0	0
English Learners	0.52	0
Foster Youth	0	0
Homeless	0	0
Socioeconomically Disadvantaged	0.61	0
Students Receiving Migrant Education Services	0	0
Students with Disabilities	0	0

## 2023-24 School Safety Plan

Our School Safety Plan is updated and approved by the School Site Council each school year. Our buildings and grounds are very safe. Staff members monitor our campus before school, after school, and during recess. Roosevelt's discipline policies and Positive Behavioral Interventions and Supports (PBIS) curtail fighting and bullying. We routinely review playground safety expectations with students, and we hold fire, lockdown/intruder on campus, and earthquake drills regularly.

We screen volunteers through our district office. Once they have been cleared, they must sign in and out in the office. Our south gates that run parallel to the main parking lot remain locked during the school day, facilitating a safer morning drop off and afternoon pick up procedure for our students. Locking building gates require that all individuals check in at the front office prior to proceeding onto campus. No one is allowed to bypass the front office when entering campus. After the school day begins, this is the only access to get onto the campus. All other gates/doors remain locked during the school day. Most recently our site has ten newly installed security cameras.

The school safety plan is reviewed and approved by our school site council annually. The plan includes the district emergency protocols D.I.R.E. and dates for such drills to be conducted. It also includes emergency response codes and responding personnel names and titles.

## D. Other SARC Information Information Required in the SARC

The information in this section is required to be in the SARC but is not included in the state priorities for LCFF.

### 2020-21 Elementary Average Class Size and Class Size Distribution

This table displays the 2020-21 average class size and class size distribution. The columns titled “Number of Classes” indicates how many classes fall into each size category (a range of total students per class). The “Other” category is for multi-grade level classes.

Grade Level	Average Class Size	Number of Classes with 1-20 Students	Number of Classes with 21-32 Students	Number of Classes with 33+ Students
K	31	1	2	1
1	31		3	
2	29		3	
3	29		3	
4	31		3	
5	28		3	
6	28		4	

### 2021-22 Elementary Average Class Size and Class Size Distribution

This table displays the 2021-22 average class size and class size distribution. The columns titled “Number of Classes” indicates how many classes fall into each size category (a range of total students per class). The “Other” category is for multi-grade level classes.

Grade Level	Average Class Size	Number of Classes with 1-20 Students	Number of Classes with 21-32 Students	Number of Classes with 33+ Students
K	30	1	2	1
1	28		3	
2	29		3	
3	30		3	
4	29		3	
5	31		3	
6	29		3	

### 2022-23 Elementary Average Class Size and Class Size Distribution

This table displays the 2022-23 average class size and class size distribution. The columns titled “Number of Classes” indicates how many classes fall into each size category (a range of total students per class). The “Other” category is for multi-grade level classes.

Grade Level	Average Class Size	Number of Classes with 1-20 Students	Number of Classes with 21-32 Students	Number of Classes with 33+ Students
-------------	--------------------	--------------------------------------	---------------------------------------	-------------------------------------

## 2022-23 Ratio of Pupils to Academic Counselor

This table displays the ratio of pupils to Academic Counselor. One Full Time Equivalent (FTE) equals one staff member working full time; one FTE could also represent two staff members who each work 50 percent of full time.

Title	Ratio
<b>Pupils to Academic Counselor</b>	609

## 2022-23 Student Support Services Staff

This table displays the number of FTE support staff assigned to this school. One Full Time Equivalent (FTE) equals one staff member working full time; one FTE could also represent two staff members who each work 50 percent of full time.

Title	Number of FTE Assigned to School
<b>Counselor (Academic, Social/Behavioral or Career Development)</b>	1
<b>Library Media Teacher (Librarian)</b>	
<b>Library Media Services Staff (Paraprofessional)</b>	
<b>Psychologist</b>	
<b>Social Worker</b>	
<b>Nurse</b>	
<b>Speech/Language/Hearing Specialist</b>	
<b>Resource Specialist (non-teaching)</b>	
<b>Other</b>	3.5

## Fiscal Year 2021-22 Expenditures Per Pupil and School Site Teacher Salaries

This table displays the 2021-22 expenditures per pupil and average teacher salary for this school. Cells with N/A values do not require data.

Level	Total Expenditures Per Pupil	Expenditures Per Pupil (Restricted)	Expenditures Per Pupil (Unrestricted)	Average Teacher Salary
<b>School Site</b>	\$6,083	\$222	\$5,861	\$85,389
<b>District</b>	N/A	N/A	\$6,120	\$85,389
<b>Percent Difference - School Site and District</b>	N/A	N/A		
<b>State</b>	N/A	N/A	\$7,607	\$87,362
<b>Percent Difference - School Site and State</b>	N/A	N/A		

## Fiscal Year 2022-23 Types of Services Funded

We use federal Title I funds to assist students in the areas of Math, Reading, and Writing. One instructional tutor provides reading intervention to our students needing additional support in the area of phonics and phonemic awareness. We utilize such funds to also purchase supplemental materials and pay instructional assistants. Federal Title II funds pay for staff training activities and materials. We also use LCAP to fund efforts in accordance with the new state funding model.



## Fiscal Year 2021-22 Teacher and Administrative Salaries

This table displays the 2021-22 Teacher and Administrative salaries. For detailed information on salaries, see the CDE Certification Salaries & Benefits web page at <http://www.cde.ca.gov/ds/fd/cs/>.

Category	District Amount	State Average for Districts in Same Category
<b>Beginning Teacher Salary</b>	\$54,014	\$54,190
<b>Mid-Range Teacher Salary</b>	\$78,586	\$85,111
<b>Highest Teacher Salary</b>	\$105,086	\$104,999
<b>Average Principal Salary (Elementary)</b>	\$126,210	\$132,492
<b>Average Principal Salary (Middle)</b>	\$132,521	\$140,987
<b>Average Principal Salary (High)</b>	\$153,409	\$153,884
<b>Superintendent Salary</b>	\$215,000	\$255,503
<b>Percent of Budget for Teacher Salaries</b>	27.19%	32.09%
<b>Percent of Budget for Administrative Salaries</b>	4.76%	5.25%

## Professional Development

Staff development activities at Roosevelt School focus on providing excellent instruction to students through the implementation of the common core, Launch, Explore, Summarize lesson design, integrating technology, and common core task creation. All teachers have ongoing learning opportunities to expand their knowledge of lesson design through our district on-site support days. Lesson feedback and coaching is provided by county consultants, on-site coaches, and by the administration. In addition, staff is provided with release time to meet with TCOE Mathematics and English Language Arts coaches to improve achievement in those areas and also to focus on grade-level collaboration.

During the current year, Teachers had 2 preservice days of training on the use of technologies for the instructional focus of ELD and ELA Unit planning. County Technology Coaches have been used throughout the year for virtual office hours to continue to support our teachers.

This table displays the number of school days dedicated to staff development and continuous improvement.

Subject	2021-22	2022-23	2023-24
<b>Number of school days dedicated to Staff Development and Continuous Improvement</b>	2	2	2

**GENERAL INFORMATION**

The Facility Inspection Tool (FIT) has been developed by the Office of Public School Construction to determine if a school facility is in “good repair” as defined by Education Code (EC) Section 17002(d)(1) and to rate the facility pursuant to EC Section 17002(d)(2). The tool is designed to identify areas of a school site that are in need of repair based upon a visual inspection of the site. In addition, the EC specifies the tool should not be used to require capital enhancements beyond the standards to which the facility was designed and constructed.

Good repair is defined to mean that the facility is maintained in a manner that ensures that it is clean, safe, and functional. As part of the school accountability report card, school districts and county offices of education are required to make specified assessments of school conditions including the safety, cleanliness, and adequacy of school facilities and needed maintenance to ensure good repair. In addition, beginning with the 2005/2006 fiscal year, school districts and county offices of education must certify that a facility inspection system has been established to ensure that each of its facilities is maintained in good repair in order to participate in the School Facility Program and the Deferred Maintenance Program. This tool is intended to assist school districts and county offices of education in that determination.

County superintendents are required to annually visit the schools in the county of his or her office as determined by EC Section 1240. Further, EC Section 1240(c)(2)(I), states the priority objective of the visits made shall be to determine the status of the condition of a facility that poses an emergency or urgent threat to the health or safety of pupils or staff as defined in district policy, or as defined by EC Section 17592.72(c) and the accuracy of data reported on the school accountability report card with the respect to the safety, cleanliness, and adequacy of school facilities, including good repair as required by EC Sections 17014, 17032.5, 17070.75, and 17089. This tool is also intended to assist county offices of education in performing these functions.

The EC also allows individual entities to adopt a local evaluation instrument to be used in lieu of the FIT provided the local instrument meets the criteria specified in EC Section 17002(d) and as implemented in the FIT. Any evaluation instrument adopted by the local educational agency for purpose of determining whether a school facility is maintained in good repair may include any number of additional items but must minimally include the criteria and rating scheme contained in the FIT.

**USER INSTRUCTIONS**

**The FIT is comprised of three parts as follows:**

**Part I, Good Repair Standard** outlines the school facility systems and components, as specified in EC Section 17002(d)(1), that should be considered in the inspection of a school facility to ensure it is maintained in a manner that assures it is clean, safe and functional. Each of the 15 sections in the Good Repair Standard provides a description of a minimum standard of good repair for various school facility categories. Each section also provides examples of clean, safe and functional conditions. The list of examples is not exhaustive. If an evaluator notes a condition that is not mentioned in the examples but constitutes a deficiency, the evaluator can note such deficiency in the applicable category as “other.”

Some of the conditions cited in the Good Repair Standard represent items that are critical to the health and safety of pupils and staff. Any deficiencies in these items require immediate attention and, if left unmitigated, could cause severe and immediate injury, illness or death of the occupants. They constitute extreme deficiencies and indicate that the particular building system evaluated failed to meet the standard of good repair at that school site. These critical conditions are identified with underlined text followed by an (X) on the Good Repair Standard. If the underlined statement is not true, then there is an extreme deficiency (to be marked as an “X” on the Evaluation Detail) resulting in a “poor” rating for the applicable category. It is important to note that the list of extreme deficiencies noted in the Good Repair Standard is not exhaustive. Any other deficiency not included in the criteria but meeting the definition above can be noted by the evaluator and generate a poor rating.

**Part II, Evaluation Detail** is a site inspection template to be used to evaluate the areas of a school on a category by category basis. The design of the inspection template allows for the determination of the scope of conditions across campus. In evaluating each area or space, the user should review each of the 15 categories identified in the Good Repair Standard and make a determination of whether a particular area is in good repair. Once the determination is made, it should be recorded on the Evaluation Detail, as follows:

<b>OK</b>	<b>No Deficiency - Good Repair:</b> Mark "OK" if all statements in the Good Repair Standard are true, and there is no indication of a deficiency in the specific category.
<b>D</b>	<b>Deficiency:</b> Mark “D” if one or more statement(s) in the Good Repair Standard for the specific category is not true, or if there is other clear evidence of the need for repair.
<b>X</b>	<b>Extreme Deficiency:</b> Indicate “X” if the area has a deficiency that is considered an “Extreme Deficiency” in the Good Repair Standard or there is a condition that qualifies as an extreme deficiency but is not noted in the Good Repair Standard.
<b>NA</b>	<b>Not Applicable:</b> If the Good Repair Standard category (building system or component) does not exist in the area evaluated, mark “NA”.

Below are suggested methods for evaluating various systems and areas:

- **Gas and Sewer** are major building systems that may span the entire school campus but may not be evident as applicable building systems in each classroom or common areas. However, because a deficiency in either of these systems could become evident and present a health and safety threat anywhere on campus, the user should not mark "NA" and should instead include an evaluation of these systems in each building space.
- **Roofs** can be easily evaluated for stand alone areas, such as portable classrooms. For permanent buildings containing several areas to be evaluated, roofs should be considered as parts of individual areas in order to accurately account for a scope of any roofing deficiency. For example, a 10 classroom building contains damaged gutters on one side of the building, spanning across five classrooms. Therefore, an evaluator should mark five classrooms as deficient in the roof category and the other five classrooms as in good repair, assuming there are no other visible deficiencies related to roofing.
- **Overall Cleanliness** is intended to be used to evaluate the cleanliness of each space. For example, a user should note a deficiency due to dirty surfaces in Overall Cleanliness, rather than **Interior Surfaces**. At the same time, the user should note such deficiency only in Overall Cleanliness in order to avoid accounting for such deficiency twice, i.e. in two sections.
- The tool is designed to evaluate stand-alone restrooms as separate areas. However, restrooms contained within other spaces, such as a kindergarten classroom or a library, can be evaluated as part of that area under Restrooms. If the area evaluated does not contain a restroom, Restrooms should be marked "NA."
- **Drinking fountains** can exist within individual classrooms or areas, right outside of classrooms or restrooms or other areas, or as stand alone fixtures on playgrounds and sports fields. If a drinking fountain or a set of fountains is located inside a building or immediately outside the area being evaluated, it should be included in the evaluation of that area under Drinking Fountains. If a fountain is located on the school grounds, it should be evaluated as part of that outside space. If there is no drinking fountain in the area evaluated, Drinking Fountains should be marked "NA."
- **Playgrounds/School Grounds**, should be evaluated as separate areas by dividing a campus into sections with defined borders. In this case, several sections of the good repair criteria would not apply to the evaluation, as they do not exist outside of physical building areas, such as **Structural Damage** and **Fire Safety**, for example.

**Part III** includes the **Category Totals and Ranking**, the **Overall Rating**, and a section for **Comments and Rating Explanation**.

Once the inspector completes the site inspection, he or she must total the number of areas evaluated. The inspector must also count all of the spaces deemed in good repair, deficient, extremely deficient, or not applicable under each of the 15 sections. Next, the evaluator must determine the condition of each section by taking the ratio of the number of areas deemed in good repair to the number of areas being evaluated (after subtracting non-applicable spaces from the total number of areas evaluated). If any of the 15 sections received a rating of extreme deficiency, the ratio (i.e., the percentage of good repair) for that section and the category the section is in should default to zero. The total percent per category (A through H) is determined by the total of all percentages of systems in good repair divided by the number of sections in that category. For example, to determine the total percent for the Structural category, add the percentages for the Structural Damage and Roof sections and divide the result by two.

Next, the overall school site score is determined by computing the average percentage rating of the eight categories (i.e., the total of all percentages divided by eight). Finally, the rater should determine the overall School Rating by applying the Percentage Range in the table provided in Part III to the average percentage calculated and taking into consideration the Rating Description provided in the same table.

\*Although the FIT is designed to evaluate each school site within a reasonable range of facility conditions, it is possible that an evaluator may identify critical facility conditions that result in an Overall School Rating that does not reflect the urgency and severity of those deficiencies and/or does not match the rating's Description in Part III. In such instances, the evaluator may reduce the resulting school score by one or more grade categories and describe the reasons for the reduction in the space provided for Comments and Rating Explanation.

When completing Part III of the FIT, the instructor should note the date and time of the inspection as well as weather conditions and any other pertinent inspection information in the specific areas provided and utilize the Comments and Rating Explanation Section if needed.

**PART I: GOOD REPAIR STANDARD**

(X): If underlined statement is not true, then this is an extreme deficiency (marked as an "X") on the Evaluation Detail resulting in a "poor" rating for the applicable category.

**Gas Leaks**

*Gas systems and pipes appear safe, functional, and free of leaks. Examples include but are not limited to the following:*

- a. There is no odor that would indicate a gas leak. (X)
- b. Gas pipes are not broken and appear to be in good working order. (X)
- c. Other

**Mechanical Systems**

*Heating, ventilation, and air conditioning systems (HVAC) as applicable are functional and unobstructed. Examples include but are not limited to the following:*

- a. The HVAC system is operable. (X)
- b. The facilities are ventilated (via mechanical or natural ventilation).
- c. The ventilation units are unobstructed and vents and grills are without evidence of excessive dirt or dust.
- d. There appears to be an adequate air supply to all classrooms, work spaces, and facilities (i.e. no strong odor is present, air is not stuffy)
- e. Interior temperatures appear to be maintained within normally accepted ranges.
- f. The ventilation units are not generating any excessive noise or vibrations.
- g. Other

**Sewer**

*Sewer line stoppage is not evident. Examples include but are not limited to the following:*

- a. There are no obvious signs of flooding caused by sewer line back-up in the facilities or on the school grounds. (X)
- b. The sanitary system controls odors as designed.
- c. Other

**Interior Surfaces (Floors, Ceilings, Walls, and Window Casings)**

*Interior surfaces appear to be clean, safe, and functional. Examples include but are not limited to the following:*

- a. Walls are free of hazards from tears and holes.
- b. Flooring is free of hazards from torn carpeting, missing floor tiles, holes.
- c. Ceiling is free of hazards from missing ceiling tiles and holes.
- d. There is no evidence of water damage (e.g. no condensation, dampness, staining, warping, peeling, mineral deposits, etc.)
- e. Other

**Overall Cleanliness**

*School grounds, buildings, common areas, and individual rooms appear to have been cleaned regularly. Examples include but are not limited to the following:*

- a. Area(s) evaluated is free of accumulated refuse, dirt, and grime.
- b. Area(s) evaluated is free of unabated graffiti.
- c. Restrooms, drinking fountains, and food preparation or serving areas appear to have been cleaned each day that school is in session.
- d. Other

**Pest/Vermin Infestation**

*Pest or vermin infestation are not evident. Examples include but are not limited to the following:*

- a. There is no evidence of a major pest or vermin infestation. (X)
- b. There are no holes in the walls, floors, or ceilings.
- c. Rodent droppings or insect skins are not evident.
- d. Odor caused by a pest or vermin infestation is not evident.
- e. There are no live rodents observed.
- f. Other

**Electrical (Interior and Exterior)**

*1. There is no evidence that any portion of the school has a power failure. (X)*

*2. Electrical systems, components, and equipment appear to be working properly. Examples include but are not limited to the following:*

- a. There are no exposed electrical wires. Electrical equipment is properly covered and secured from pupil access. (X)
- b. Outlets, access panels, switch plates, junction boxes and fixtures are properly covered and secured from pupil access.
- c. Other

*3. Lighting appears to be adequate and working properly, including exterior lights. Examples include but are not limited to the following:*

- a. Lighting appears to be adequate.
- b. Lighting is not flickering.
- c. There is no unusual hum or noise from the light fixtures.
- d. Other

**Restrooms**

*Restrooms in the vicinity of the area being evaluated appear to be accessible during school hours, clean, functional and in compliance with SB 892 (EC Section 35292.5). The following are examples of compliance with SB 892:*

- a. Restrooms are maintained and cleaned regularly.
- b. Restrooms are fully operational.
- c. Restrooms are stocked with toilet paper, soap, and paper towels.
- d. Restrooms are open during school hours.
- e. Other

**Sinks/Fountains (Inside and Outside)**

*Drinking fountains appear to be accessible and functioning as intended. Examples include but are not limited to the following:*

- a. Drinking fountains are accessible.
- b. Water pressure is adequate.
- c. A leak is not evident.
- d. There is no moss, mold, or excessive staining on the fixtures.
- e. The water is clear and without unusual taste or odor.
- f. Other

**Fire Safety**

*The fire equipment and emergency systems appear to be functioning properly. Examples include but are not limited to the following:*

- a. The fire sprinklers appear to be in working order (e.g., there are no missing or damaged sprinkler heads). (X)
- b. Emergency alarms appear to be functional. (X)
- c. Emergency exit signs function as designed, exits are unobstructed. (X)
- d. Fire extinguishers are current and placed in all required areas.
- e. Fire alarms pull stations are clearly visible.
- f. Other

**Hazardous Materials (Interior and Exterior)**

*There does not appear to be evidence of hazardous materials that may pose a threat to pupils or staff. Examples include but are not limited to the following:*

- a. Hazardous chemicals, chemical waste, and flammable materials are stored properly (e.g. locked and labeled properly). (X)
- b. Paint is not peeling, chipping, or cracking.
- c. There does not appear to be damaged tiles or other circumstances that may indicate asbestos exposure.
- d. Surfaces (including floors, ceilings, walls, window casings, HVAC grills) appear to be free of mildew, mold odor and visible mold.
- e. Other

**Structural Damage**

*There does not appear to be structural damage that has created or could create hazardous or uninhabitable conditions. Examples include but are not limited to the following:*

- a. Severe cracks are not evident. (X)
- b. Ceilings & floors are not sloping or sagging beyond their intended design. (X)
- c. Posts, beams, supports for portable classrooms, ramps, and other structural building members appear to be intact, secure and functional as designed. (X)
- d. There is no visible evidence of severe cracks, dry rot, mold, or damage that undermines the structural components. (X)
- e. Other

**Roofs (observed from the ground, inside/outside the building)**

*Roof systems appear to be functioning properly. Examples include but are not limited to the following:*

- a. Roofs, gutters, roof drains, and down spouts are free of visible damage.
- b. Roofs, gutters, roof drains, and down spouts are intact.
- c. Other

**Playground/School Grounds**

*The playground equipment and school grounds in the vicinity of the area being evaluated appear to be clean, safe, and functional. Examples include but are not limited to the following:*

- a. Significant cracks, trip hazards, holes and deterioration are not found.
- b. Open "S" hooks, protruding bolt ends, and sharp points/edges are not found in the playground equipment.
- c. Seating, tables, and equipment are functional and free of significant cracks.
- d. There are no signs of drainage problems, such as flooded areas, eroded soil, water damage to asphalt, or clogged storm drain inlets.
- e. Other

**Windows/Doors/Gates/Fences (Interior and exterior)**

*Conditions that pose a safety and/or security risk are not evident. Examples include but are not limited to the following:*

- a. There is no exposed broken glass accessible to pupils and staff. (X)
- b. Exterior doors and gates are functioning and do not pose a security risk. (X)
- c. Windows are intact and free of cracks.
- d. Windows are functional and open, close, and lock as designed, unless there is a valid reason they should not function as designed.
- e. Doors are intact.
- f. Doors are functional and open, close, and lock as designed, unless there is a valid reason they should not function as designed.
- g. Gates and fences appear to be functional.
- h. Gates and fences are intact and free of holes and other conditions that could present a safety hazard to pupils, staff, or others.
- i. Other

**PART II: EVALUATION DETAIL**      Date of Inspection: 12/05/23      School Name: ROOSEVELT ELEMENTARY SCHOOL

CATEGORY AREA	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
	GAS LEAKS	MECH/HVAC	SEWER	INTERIOR SURFACES	OVERALL CLEANLINESS	PEST/VERMIN INFESTATION	ELECTRICAL	RESTROOM	SINKS/ FOUNTAINS	FIRE SAFETY	HAZARDOUS MATERIALS	STRUCTURAL DAMAGE	ROOFS	PLAYGROUND/S CHOOOL GROUNDS	WINDOWS/ DOORS/ GATES/FENCES
<b>ADMIN</b>	OK	OK	OK	OK	OK	OK	OK	NA	NA	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>OFFICE/ LEARNING DIRECTOR</b>	OK	OK	OK	OK	OK	OK	OK	NA	NA	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>NURSE</b>	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>LIBRARY</b>	OK	OK	OK	OK	OK	OK	OK	NA	NA	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>CAFETERIA</b>	OK		OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>GIRLS REST ROOM (NEAR 1)</b>	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>BOYS REST ROOM (NEAR 1)</b>	OK		OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>1</b>	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>2</b>	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>3</b>	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>4</b>	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>5</b>	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>GIRLS REST ROOM (NEAR 6)</b>	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														

**PART II: EVALUATION DETAIL** Date of Inspection: 12/05/23 School Name: ROOSEVELT ELEMENTARY SCHOOL

CATEGORY AREA	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
	GAS LEAKS	MECH/HVAC	SEWER	INTERIOR SURFACES	OVERALL CLEANLINESS	PEST/VERMIN INFESTATION	ELECTRICAL	RESTROOM	SINKS/ FOUNTAINS	FIRE SAFETY	HAZARDOUS MATERIALS	STRUCTURAL DAMAGE	ROOFS	PLAYGROUND/S CHOOOL GROUNDS	WINDOWS/ DOORS/ GATES/FENCES
<b>BOYS REST ROOM (NEAR 6)</b>	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>6</b>	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>7</b>	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>8</b>	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>9</b>	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>10</b>	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>STAFF WORKROOM 11</b>	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>12</b>	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>13/ STAFF LOUNGE</b>	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>14</b>	OK	OK	OK	OK	OK	OK	OK	NA	<b>D</b>	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>15</b>	OK	OK	OK	OK	OK	OK	OK	NA	<b>D</b>	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>16</b>	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
<b>17</b>	OK	OK	OK	OK	OK	OK	OK	NA	OK	<b>D</b>	OK	OK	OK	OK	OK
	COMMENTS:														

**PART II: EVALUATION DETAIL** Date of Inspection: 12/05/23 School Name: ROOSEVELT ELEMENTARY SCHOOL

CATEGORY AREA	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
	GAS LEAKS	MECH/HVAC	SEWER	INTERIOR SURFACES	OVERALL CLEANLINESS	PEST/VERMIN INFESTATION	ELECTRICAL	RESTROOM	SINKS/ FOUNTAINS	FIRE SAFETY	HAZARDOUS MATERIALS	STRUCTURAL DAMAGE	ROOFS	PLAYGROUND/S CHOOOL GROUNDS	WINDOWS/ DOORS/ GATES/FENCES
18	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
19	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
GIRLS REST ROOM (NEAR 19)	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	D	OK	OK	OK
	COMMENTS:														
BOYS REST ROOM (NEAR 19)	OK	OK	OK	OK	D	OK	OK	OK	OK	OK	OK	D	OK	OK	OK
	COMMENTS:														
20	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
21	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
22	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
23	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
24	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
GIRLS REST ROOM (NEAR 25)	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
BOYS REST ROOM (NEAR 25)	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
25	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
26	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														



**PART II: EVALUATION DETAIL** Date of Inspection: 12/05/23 School Name: ROOSEVELT ELEMENTARY SCHOOL

CATEGORY AREA	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
	GAS LEAKS	MECH/HVAC	SEWER	INTERIOR SURFACES	OVERALL CLEANLINESS	PEST/VERMIN INFESTATION	ELECTRICAL	RESTROOM	SINKS/ FOUNTAINS	FIRE SAFETY	HAZARDOUS MATERIALS	STRUCTURAL DAMAGE	ROOFS	PLAYGROUND/S CHOOOL GROUNDS	WINDOWS/ DOORS/ GATES/FENCES
27	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
28	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
29	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
30	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
31	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
32/ 33	OK	OK	OK	OK	OK	OK	OK	NA	NA	OK	OK	OK	OK	OK	OK
	COMMENTS:														
PLAY COURTS	OK	NA	OK	NA	OK	OK	NA	NA	NA	NA	OK	NA	NA	OK	OK
	COMMENTS:														
PLAY FIELDS	OK	NA	OK	NA	OK	OK	NA	NA	NA	NA	OK	NA	NA	OK	OK
	COMMENTS:														
PLAYGROUNDS	OK	NA	OK	NA	OK	OK	NA	NA	NA	NA	OK	NA	NA	OK	OK
	COMMENTS:														
PARKING LOTS	OK	NA	OK	NA	OK	OK	NA	NA	NA	NA	OK	NA	NA	OK	OK
	COMMENTS:														
MENS REST ROOM (ADMIN)	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
WOMENS REST ROOM (ADMIN)	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														
CONFERENCE (ADMIN)	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
	COMMENTS:														

**PART II: EVALUATION DETAIL** Date of Inspection: 12/05/23 School Name: ROOSEVELT ELEMENTARY SCHOOL

CATEGORY AREA	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
	GAS LEAKS	MECH/HVAC	SEWER	INTERIOR SURFACES	OVERALL CLEANLINESS	PEST/VERMIN INFESTATION	ELECTRICAL	RESTROOM	SINKS/ FOUNTAINS	FIRE SAFETY	HAZARDOUS MATERIALS	STRUCTURAL DAMAGE	ROOFS	PLAYGROUND/S CHOOOL GROUNDS	WINDOWS/ DOORS/ GATES/FENCES
<b>OFFICE/ PRINCIPAL (ADMIN)</b>	OK	OK	OK	OK	OK	OK	OK	NA	NA	OK	OK	OK	OK	OK	OK
COMMENTS:															
<b>CUSTODIAL OFFICE (ADMIN)</b>	OK	OK	OK	OK	OK	OK	OK	NA	NA	OK	OK	OK	OK	OK	OK
COMMENTS:															
<b>KITCHEN</b>	OK	OK	OK	OK	OK	OK	OK	NA	OK	<b>D</b>	OK	OK	OK	OK	OK
COMMENTS:															
<b>WOMENS REST ROOM (MPR)</b>	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK	OK
COMMENTS:															
<b>MENS REST ROOM (MPR)</b>	OK	OK	OK	OK	OK	OK	OK	OK	OK	<b>D</b>	OK	OK	OK	OK	OK
COMMENTS:															
<b>CUSTODIAL (NEAR 1)</b>	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
COMMENTS:															
<b>CUSTODIAL (NEAR 6)</b>	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
COMMENTS:															
<b>CUSTODIAL (NEAR 19)</b>	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
COMMENTS:															
<b>CUSTODIAL (NEAR 25)</b>	OK	OK	OK	OK	OK	OK	OK	NA	OK	OK	OK	OK	OK	OK	OK
COMMENTS:															

Marks: **OK** = Good Repair; **D** = Deficiency; **X** = Extreme Deficiency; **NA** = Not Applicable

Use additional Area Lines as necessary.

**D** **X**

SCHOOL DISTRICT/COUNTY OFFICE OF EDUCATION <b>DINUBA UNIFIED SCHOOL DISTRICT</b>		COUNTY <b>TULARE</b>	
SCHOOL SITE <b>ROOSEVELT ELEMENTARY SCHOOL</b>		SCHOOL TYPE (GRADE LEVELS) <b>K THRU 6</b>	NUMBER OF CLASSROOMS ON SITE <b>31</b>
INSPECTOR'S NAME <b>FRANCIS ALVAREZ</b>	INSPECTOR'S TITLE <b>FACILITIES TECHNICIAN</b>	NAME OF DISTRICT REPRESENTATIVE ACCOMPANYING THE INSPECTOR(S) (IF APPLICABLE)	
TIME OF INSPECTION <b>2:00 PM</b>	WEATHER CONDITION AT TIME OF INSPECTION <b>SUNNY</b>		

**PART III: CATEGORY TOTALS AND RANKING** (round all calculations to two decimal places)

TOTAL NUMBER OF AREAS EVALUATED	CATEGORY TOTALS	A. SYSTEMS			B. INTERIOR	C. CLEANLINESS		D. ELECTRICAL	E. RESTROOMS/FOUNTAINS		F. SAFETY		G. STRUCTURAL		H. EXTERNAL	
		GAS LEAKS	MECH/HVAC	SEWER	INTERIOR SURFACES	OVERALL CLEANLINESS	PEST/VERMIN INFESTATION	ELECTRICAL	RESTROOMS	SINKS/ FOUNTAINS	FIRE SAFETY	HAZARDOUS MATERIALS	STRUCTURAL DAMAGE	ROOFS	PLAYGROUND/ SCHOOL GROUNDS	WINDOWS/DOORS/ GATES/FENCES
↓	Number of "OK"s:	61	57	61	57	60	61	57	17	49	54	61	55	57	61	61
	Number of "D"s:	0	0	0	0	1	0	0	0	2	3	0	2	0	0	0
<b>61</b>	Number of "X"s:	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Number of N/As:	0	4	0	4	0	0	4	44	10	4	0	4	4	0	0
Percent of System in Good Repair Number of "OK"s divided by (Total Areas - "NA"s")		100.00%	100.00%	100.00%	100.00%	98.36%	100.00%	100.00%	100.00%	96.08%	94.74%	100.00%	96.49%	100.00%	100.00%	100.00%
<b>Total Percent per Category (average of above)*</b>		100.00%			100.00%	99.18%		100.00%	98.04%		97.37%		98.25%		100.00%	
<b>Rank (Circle one)</b> GOOD = 90%-100% FAIR = 75%-89.99% POOR = 0%-74.99%		GOOD			GOOD	GOOD		GOOD	GOOD		GOOD		GOOD		GOOD	

\*Note: An extreme deficiency in any area automatically results in a "poor" ranking for that category and a zero for "Total Percent per Category".

<b>OVERALL RATING:</b>	<b>DETERMINE AVERAGE PERCENTAGE OF 8 CATEGORIES ABOVE</b> →	<b>99.10%</b>	<b>SCHOOL RATING**</b> →	<b>EXEMPLARY</b>
------------------------	---	---------------	--------------------------	------------------

\*\*For School Rating, apply the Percentage Range below to the average percentage determined above, taking into account the rating Description below.

PERCENTAGE	DESCRIPTION	RATING
99%-100%	The school meets most or all standards of good repair. Deficiencies noted, if any, are not significant and/or impact a very small area of the school.	EXEMPLARY
90%-98.99%	The school is maintained in good repair with a number of non-critical deficiencies noted. These deficiencies are isolated, and/or resulting from minor wear and tear, and/or in the process of being mitigated.	GOOD
75%-89.99%	The school is not in good repair. Some deficiencies noted are critical and/or widespread. Repairs and/or additional maintenance are necessary in several areas of the school site.	FAIR
0%-74.99%	The school facilities are in poor condition. Deficiencies of various degrees have been noted throughout the site. Major repairs and maintenance are necessary throughout the campus.	POOR

**COMMENTS AND RATING EXPLANATION:** \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_