

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043A CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:05A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-01 BASEMENT SLOP SINK

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043B CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:07A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDDRICK HUDSON HIGH SCHOOL
: HS-02 ART RM SINK 1

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043C CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:08A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: H2-03 ART RM SINK 2


SAMPLE TYPE..: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043D CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:10A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-04 HALLWAY FOUNTAIN

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043E CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:11A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-05 BOYS BATHROOM SINK

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043F CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:13A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-06 RM 6 SINK 1


SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES....:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043G CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:14A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-07 RM 6 SINK 2

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043H CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:15A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-08 RM 4 SINK 1

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043I CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:16A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-09 RM 4 SINK 2

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 

Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043J CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:17A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152


SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-10 GIRLS BATHROOM SINK LT
COL'D BY: ANTHONY D. MERLINI
NOTES...:

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	13.4 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043K CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:18A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-11 GIRLS BATHROOM SINK RT
COL'D BY: ANTHONY D. MERLINI
NOTES...:

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	20.5 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 

Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043L CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:19A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152


SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-12 HALLWAY FOUNTAIN
COL'D BY: ANTHONY D. MERLINI
NOTES....:

SAMPLE TYPE...: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	1.4 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043M CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:20A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-13 RM 5 SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	16.5 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043N CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:21A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-14 RM 5 SINK

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	7.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.6030430 CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:30A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-15 LIBRARY SINK
COL'D BY: ANTHONY D. MERLINI
NOTES....:


SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043P CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:33A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-16 LADIES RM SINK LT

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES....:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043Q CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:34A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-17 LADIES RM SINK RT

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES....:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043R CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:36A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-18 PRINCIPALS BATHROOM

SAMPLE TYPE...: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES....:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	2.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 

Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043S CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:37A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-19 MENS BATHROOM SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES....:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	1.3 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043T CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:38A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-20 HALLWAY FOUNTAIN

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043U CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:39A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-21 NURSE OFFICE SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	8.8 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043V CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:41A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-22 HALLWAY FOUNTAIN

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES....:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043W CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:42A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-23 TEACHERS LOUNGE SINK
COL'D BY: ANTHONY D. MERLINI
NOTES....:


SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	2.3 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043X CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:43A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-24 RM 115A SINK

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	25.4 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043Y CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:44A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-25 RM 115A FOUNTAIN

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 

Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603043Z CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:45A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-26 STORAGE RM SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES....:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044A CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:47A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152


SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-27 CUSTODIAN SLOP SINK
COL'D BY: ANTHONY D. MERLINI
NOTES....:

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044B CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:48A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-28 SECURITY OFFICE SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES....:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	14.2 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044C CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:49A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-29 INSTRUCTOR RM SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 

Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044D CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:50A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-30 WATER FOUNTAIN LT

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES....:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T.(ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044E CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:52A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-31 WATER FOUNTAIN RT
COL'D BY: ANTHONY D. MERLINI
NOTES...:


SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044F CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:56A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-32 DOME LOCKER SINK 1
COL'D BY: ANTHONY D. MERLINI
NOTES...:


SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/28/16			LEAD (IMS)	10.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044G CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:57A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-33 DOME LOCKER SINK 2
COL'D BY: ANTHONY D. MERLINI
NOTES...:


SAMPLE TYPE..: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	6.7 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044H CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:58A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-34 DOME LOCKER SINK 3
COL'D BY: ANTHONY D. MERLINI
NOTES....:


SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	6.5 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044I CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 07:59A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-35 DOME LOCKER SINK 4

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	20.4 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044J CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:01A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-36 DOME FOUNTAIN

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	4.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 

Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044K CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:02A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-37 TRAINER SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	4.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044L CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:03A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-38 ICE MACHINE

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	2.2 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044M CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:04A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-39 SLOP SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 

Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044N CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:05A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-40 RM 123 KITCHEN SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES....:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	29.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 

Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.6030440 CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:07A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-41 J13 SINK
COL'D BY: ANTHONY D. MERLINI
NOTES...:


SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	1.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044P CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:08A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-42 CAPTAIN QUARTER BATH SINK

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044Q CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:09A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152


SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-43 CAPTAIN QUARTER SINK
COL'D BY: ANTHONY D. MERLINI
NOTES...:

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	15.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044R CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:10A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-44 SLOP SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	1.6 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044S CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:11A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-45 HALLWAY FOUNTAIN

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044T CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:12A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-46 CAFE WATER FOUNTAIN

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI
NOTES...:

TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044U CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:13A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-47 SERVING LINE SINK

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	3.9 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044V CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:14A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-48 KITCHEN SINK 1

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES....:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	1.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 

Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044W CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:15A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-49 KITCHEN SINK 2

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES....:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	2.3 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 

Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044X CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:16A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-50 KITCHEN SINK 3

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044Y CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:16A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-51 KITCHEN SINK4

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES....:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	6.2 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603044Z CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:17A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152


SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-52 KITCHEN SINK 5
COL'D BY: ANTHONY D. MERLINI
NOTES...:

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	3.7 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049A CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:18A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-53 KITCHEN BATHROOM SINK
COL'D BY: ANTHONY D. MERLINI
NOTES....


SAMPLE TYPE...: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049B CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:20A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152


SAMPLING SITE: HENDRICJK HUDSON HIGH SCHOOL
: HS-54 J15 SINK
COL'D BY: ANTHONY D. MERLINI
NOTES...:

SAMPLE TYPE..: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	15.3 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049C CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:25A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-55 STAFF BATHROOM SINK LT

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049D CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:25A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-56 STAFF BATHROOM SINK RT

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049E CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:26A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-57 HALL FOUNTAIN

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049F CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:27A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-58 HALL FOUNTAIN

SAMPLE TYPE.: POTABLE

COL'D BY: ANTHONY D. MERLINI

PRESERVATIVES: HNO3

NOTES...:

TEMP RECEIVED: 20C

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049G CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:28A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-59 J21 SLOP SINK
COL'D BY: ANTHONY D. MERLINI
NOTES...:


SAMPLE TYPE..: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049H CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:29A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-60 MENS RM SINK LT

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049I CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:29A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-61 MENS RM SINK RT

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	1.6 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049J CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:30A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-62 HALL FOUNTAIN

SAMPLE TYPE...: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: _____


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049K CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:31A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-63 WOMENS RM SINK LT

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	5.4 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049L CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:32A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-64 WOMENS RM SINK RT

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049M CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:34A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-65 RM 215 ISLAND SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	5.6 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049N CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:34A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152


SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-66 RM 215 SINK 1
COL'D BY: ANTHONY D. MERLINI
NOTES...:

SAMPLE TYPE..: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.6030490 CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:35A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-67 RM 215 SINK 2 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	24.5 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049P CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:35A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-68 RM 215 SINK 3 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	3.8 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049Q CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:36A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-69 RM 215 SINK 4 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES....:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	4.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049R CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:36A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-70 RM 215 SINK 5 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	1.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049S CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:37A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-71 RM 215 SINK 6 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	6.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049T CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:37A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-72 RM 215 SINK 7 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES....:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	2.1 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049U CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:38A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-73 RM 215 SINK 8

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049V CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:38A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-74 RM 215 SINK 9 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	2.8 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049W CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:39A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-75 RM 215 SINK 10 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	6.1 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049X CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:39A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-76 RM 215 SINK 11 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	1.5 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049Y CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:39A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-77 RM 215 SINK 12 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	7.9 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603049Z CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:40A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-78 RM 215 SINK 13 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	9.2 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050A CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:40A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-79 RM 215 SINK 14 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	7.7 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050B CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:41A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-80 PREP RM SINK 1

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	4.4 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050C CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:42A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-81 PREP RM SINK 2

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	13.6 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050D CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:43A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-82 HOOD SINK 1

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	13.7 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050E CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:43A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-83 HOOD SINK 2

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI


NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050F CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:44A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-84 RM 217 ISLAND SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	9.9 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050G CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:44A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-85 RM 217 SINK 1

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	2.8 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050H CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:44A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-86 RM 217 SINK 2 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	5.2 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050I CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:45A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-87 RM 217 SINK 3 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	3.7 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050J CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:45A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-88 RM 217 SINK 4 W

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	1.8 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050K CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:45A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-89 RM 217 SINK 5 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	6.0 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050L CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:46A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-90 RM 217 SINK 6 W

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	5.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050M CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:46A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-91 RM 217 SINK 7 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	4.3 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050N CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:47A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-92 RM 217 SINK 8 W

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	3.5 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.6030500 CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:47A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-93 ROOM 217 SINK 9 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	1.5 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050P CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:48A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-94 RM 217 SINK 10

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.F. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050Q CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:48A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-95 RM 217 SINK 11 W

SAMPLE TYPE.: POTABLE

COL'D BY: ANTHONY D. MERLINI

PRESERVATIVES: HNO3

NOTES...:

TEMP RECEIVED: 20C

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	4.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050R CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:49A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-96 RM 217 SINK 12 I
COL'D BY: ANTHONY D. MERLINI
NOTES...:


SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	4.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050S CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:50A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152


SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-97 RM 217 SINK 13 W
COL'D BY: ANTHONY D. MERLINI
NOTES...:

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	3.9 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050T CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:50A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-98 RM 217 SINK 14 I

SAMPLE TYPE.: POTABLE

COL'D BY: ANTHONY D. MERLINI

PRESERVATIVES: HNO3

NOTES...:

TEMP RECEIVED: 20C

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	1.6 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050U CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:51A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-99 J23 SLOP SINK

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: _____


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050V CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:53A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-100 TEACHERS BATHROOM SINK

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050W CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:54A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-101 TEACHERS BATHROOM SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: _____


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050X CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:55A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-102 TEACHERS KITCHEN SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 

Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050Y CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:56A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-103 PREP RM SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	107 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603050Z CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:58A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-104 RM 219 ISLAND SINK

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	2.7 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051A CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:58A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-105 RM 219 SINK 1

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	1.4 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051B CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 08:59A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-106 RM 219 SINK 2

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	2.4 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051C CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:00A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-107 RM 222 ISLAND SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	33.5 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051D CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:01A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-108 RM 222 SINK 1 W

SAMPLE TYPE.: POTABLE

COL'D BY: ANTHONY D. MERLINI

PRESERVATIVES: HNO3

NOTES....:

TEMP RECEIVED: 20C

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	8.8 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051E CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:02A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-109 RM 222 SINK 2 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	3.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051F CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:03A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SHCOOL
: HS-110 RM 222 SINK 3

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	1.0 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051G CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:03A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-111 RM 222 SINK 4 W

SAMPLE TYPE.: POTABLE

COL'D BY: ANTHONY D. MERLINI

PRESERVATIVES: HNO3

NOTES...:

TEMP RECEIVED: 20C

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	3.0 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051H CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:03A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS=112 RM 222 SINK 5 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051I CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:04A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-113 RM 222 SINK 6 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	6.1 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051J CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1


HENDRICK HUDSON SCHOOL DATE/TIME TAKEN: 10/22/16 09:04A
ANTHONY MERLINI DATE/TIME REC'D: 10/24/16 02:00P
61 TROLLEY ROAD REPORT DATE: 11/11/16
MONTROSE, NY 10548 PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL SAMPLE TYPE.: POTABLE
: HS-114 RM 222 SINK 7 I PRESERVATIVES: HNO3
COL'D BY: ANTHONY D. MERLINI TEMP RECEIVED: 20C
NOTES...: COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	6.5 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051K CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:04A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-115 RM 222 SINK 8

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	7.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051L CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:05A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-116 RM 222 SINK 9 W

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/31/16			LEAD (IMS)	3.9 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: _____


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051M CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:05A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-117 RM 222 SINK 10 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	1.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051N CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:05A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-118 RM 222 SINK 11 W

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	5.2 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: _____


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.6030510 CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:06A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-119 RM 222 SINK 12 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	2.1 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: _____


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051P CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:06A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152


SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-120 RM 222 SINK 13 W
COL'D BY: ANTHONY D. MERLINI
NOTES...:

SAMPLE TYPE...: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	9.4 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051Q CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:06A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-121 RM 222 SINK 14 I
COL'D BY: ANTHONY D. MERLINI
NOTES....:


SAMPLE TYPE...: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	7.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051R CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:07A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-122 RM 221 ISLAND SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	23.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051S CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:07A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-123 RM 221 SINK 1 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI


NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	21.2 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051T CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:08A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-124 RM 221 SINK 2 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	31.9 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051U CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:08A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-125 RM 221 SINK 3 W

SAMPLE TYPE...: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI


NOTES....:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	11.2 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051V CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:09A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-126 RM 221 SINK 4 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	6.9 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051W CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:10A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-127 RM 221 SINK 5 W

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	14.3 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051X CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:11A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-128 RM 221 SINK 6 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	8.3 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T.(ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051Y CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:11A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-129 RM 221 SINK 7

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	29.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603051Z CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:12A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-130 RM 221 SINK 8

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES....:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	11.5 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052A CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:12A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-131 RM 221 SINK 9 W

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	3.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052B CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:13A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-132 RM 221 SINK 10 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	3.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052C CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:13A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-133 RM 221 SINK 11 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	8.6 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052D CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:14A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-134 RM 221 SINK 12 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	3.6 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052E CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:14A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-135 RM 221 SINK 13 W

SAMPLE TYPE...: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16		MF T.	COLIFOR	36.7 /100 ML	ABSENT	SM 18-20 9222B

COMMENTS:

MFTC Total Coliform = This result indicates that the water (was), (was not) of a satisfactory sanitary quality according to the New York State and EPA federal drinking water standard for this parameter. This comment applies to the Total Coliform test only.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052F CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:15A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-136 RM 221 SINK 14 I
COL'D BY: ANTHONY D. MERLINI
NOTES....:


SAMPLE TYPE..: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	54.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052G CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:16A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-137 J22 SLOP SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	69.4 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052H CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:17A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-138 RM 223 ISHLAND SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	10.8 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052I CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:17A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-139 RM 223 SINK 1 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES....:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	11.7 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052J CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:17A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-140 RM 223 SINK 2 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	16.4 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 

Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052K CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:18A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HG1H SCHOOL
: HS-141 RM 223 SINK 3 W

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	9.6 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 

Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052L CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:18A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-142 RM 223 SINK 4 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	11.7 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052M CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:19A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-143 RM 223 SINK 5 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES....:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	12.5 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052N CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:19A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-144 RM 223 SINK 6 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	3.1 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.6030520 CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:20A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-145 RM 223 SINK 7

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	1.5 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: _____


Albert H. Padovani, M.P. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052P CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:20A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-146 RM 223 SINK 8

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052Q CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:21A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-147 RM 223 SINK 9 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	3.2 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052R CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:22A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-148 RM 223 SINK 10 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	4.8 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052S CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:23A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-149 RM 223 SINK 11 W

SAMPLE TYPE...: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	7.6 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052T CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:24A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-150 RM 223 SINK 12 I
COL'D BY: ANTHONY D. MERLINI
NOTES...:


SAMPLE TYPE..: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	3.5 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052U CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:24A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-151 RM 223 SINK 13 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES....:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	2.9 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052V CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:25A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-152 RM 223 SINK 14 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	2.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052W CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:27A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-153 J24 SLOP SINK

SAMPLE TYPE..: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052X CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:28A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-154 HALL FOUNTAIN

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES....:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052Y CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:29A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-155 J25 SLOP SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	1.7 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 

Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603052Z CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:31A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-156 RM 225 ISLAND SINK

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/01/16			LEAD (IMS)	13.5 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053A CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:33A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-157 RM 225 SINK 1

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	8.4 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053B CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:33A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-158 RM 225 SINK 2 W

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	3.6 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: _____

Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053C CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:33A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-159 RM 225 SINK 3 I


SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	3.9 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053D CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:34A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-160 RM 225 SINK 4 W

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C


NOTES....:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	15.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053E CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:34A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-161 RM 225 SINK 5 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	5.8 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053F CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:34A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-162 RM 225 SINK 6


SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	7.2 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053G CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:35A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-163 RM 225 SINK 7 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES....:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	6.5 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053H CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:35A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-164 RM 225 SINK 8 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	5.9 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053I CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:35A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-165 RM 225 SINK 9 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	5.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053J CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:36A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-166 RM 225 SINK 10 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	14.8 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053K CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:36A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-167 RM 225 SINK 11 W

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	10.8 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053L CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:36A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-168 RM 225 SINK 12 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	8.8 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053M CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:37A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-169 RM 225 SINK 13 W

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	102.0 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053N CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:37A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-170 RM 225 SINK 14 I


SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	35.9 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.6030530 CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:38A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-171 RM 237 ISLAND SINK

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	18.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 

Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053P CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:39A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-172 RM 237 SINK 1

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	23.4 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053Q CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:39A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-173 RM 237 SINK 2 W


SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	24.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053R CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:40A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-174 RM 237 SINK 3 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	17.6 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053S CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:40A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-175 RM 237 SINK 4 W
COL'D BY: ANTHONY D. MERLINI
NOTES...:


SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	15.2 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053T CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:41A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-176 RM 237 SINK 5 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	19.9 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053U CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:41A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-177 RM 237 SINK 6 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	14.4 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053V CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:42A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-178 RM 237 SINK 7 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	21.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053W CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:42A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-179 RM 237 SINK 8

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	18.4 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053X CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:43A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-180 RM 237 SINK 9W

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/02/16			LEAD (IMS)	24.8 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053Y CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:43A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-181 RM 237 SINK 10 I


SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES....:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	52.9 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603053Z CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:43A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-182 RM 237 SINK 11 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D MERLINI
NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	24.6 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054A CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:44A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-183 RM 237 SINK 12 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	22.5 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054B CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:44A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-184 RM 237 SINK 13 W


SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	32.4 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T.(ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054C CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:44A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-185 RM 237 SINK 14 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	23.3 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054C CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:44A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-185 RM 237 SINK 14 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	23.3 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054D CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:47A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-186 RM 236A SINK

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	64.7 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054E CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:47A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-187 RM 236 ISLAND SINK

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	4.4 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054F CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:47A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-188 RM 236 SINK 1

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	13.3 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054G CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:48A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-189 RM 236 SINK 2 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	15.2 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054H CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:48A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-190 RM 236 SINK 3 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	3.7 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054I CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:48A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-191 RM 236 SINK 4 W
COL'D BY: ANTHONY D. MERLINI
NOTES...:


SAMPLE TYPE..: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	4.2 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054J CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:49A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-192 RM 236 SINK 5 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	20.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054K CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:49A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-193 RM 236 SINK 6 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES....:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	3.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054L CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:50A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-194 RM 236 SINK 7 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	9.7 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054M CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:50A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-195 RM 236 SINK 8 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	3.9 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054N CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:51A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-196 RM 236 SINK 9 I

SAMPLE TYPE...: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	17.9 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 

Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.6030540 CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1


HENDRICK HUDSON SCHOOL DATE/TIME TAKEN: 10/22/16 09:51A
ANTHONY MERLINI DATE/TIME REC'D: 10/24/16 02:00P
61 TROLLEY ROAD REPORT DATE: 11/11/16
MONTROSE, NY 10548 PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL SAMPLE TYPE.: POTABLE
: HS-197 RM 236 SINK 10 W PRESERVATIVES: HNO3
COL'D BY: ANTHONY D, MERLINI TEMP RECEIVED: 20C
NOTES...: COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	16.3 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054P CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:52A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-198 RM 236 SINK 11 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	19.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054Q CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:52A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-199 RM 236 SINK 12 W
COL'D BY: ANTHONY D. MERLINI
NOTES...:


SAMPLE TYPE..: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	85.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054R CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:53A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-200 RM 236 SINK 13 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	70.8 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 

Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054S CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:53A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-201 RM 236 SINK 14

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	1.7 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054T CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:56A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-202 RM 238 ISLAND SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	34.4 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054U CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:56A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-203 RM 238 SINK 1

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	16.4 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 

Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054V CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:57A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-204 RM 238 SINK 2 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES....:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	17.8 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054W CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:57A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-205 RM 238 SINK 3 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	18.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054X CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:57A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-206 RM 238 SINK 4 W

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	27.5 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054Y CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:58A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-207 RM 238 SINK 5 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


COL'D BY: ANTHONY D. MERLINI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	27.9 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603054Z CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:58A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-208 RM 238 SINK 6 W

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	31.3 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055A CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:58A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-209 RM 238 SINK 7 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	25.7 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055B CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:59A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-210 RM 238 SINK 8

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI
NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/04/16			LEAD (IMS)	35.7 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055C CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:59A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-211 RM 238 SINK 9 W

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI

NOTES...:


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	33.2 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055D CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 09:59A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-212 RM 238 SINK 10 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	62.7 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055E CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:00A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-213 RM 238 SINK 11 W

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	36.5 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055F CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:00A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-214 RM 238 SINK 12 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI


NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	80.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055G CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:00A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-215 RM 238 SINK 13 W

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	49.9 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055H CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:00A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-216 RM 238 SINK 14 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	63.7 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055I CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:02A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-217 PREP RM SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	17.2 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055J CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:04A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-218 PREP RM SINK 2

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	28.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055K CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:06A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-219 RM 239 ISLAND SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES....:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	15.4 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055L CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:06A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-220 RM 239 SINK 1 W

SAMPLE TYPE.: POTABLE

COL'D BY: ANTHONY D. MERLINI

PRESERVATIVES: HNO3

NOTES...:

TEMP RECEIVED: 20C


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	33.9 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055M CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:06A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-221 RM 239 SINK 2 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	43.8 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 

Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055N CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:07A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-222 RM 239 SINK 3 W

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES....:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	10.6 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 

Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.6030550 CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:07A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-223 RM 239 SINK 4 I
COL'D BY: ANTHONY D. MERLINI
NOTES....:


SAMPLE TYPE...: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	53.9 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055P CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:07A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-224 RM 239 SINK 5 W

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	37.6 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055Q CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:08A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-225 RM 239 SINK 6 I
COL'D BY: ANTHONY D. MERLINI
NOTES....:


SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	36.2 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055R CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:08A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-226 RM 239 SINK 7

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	63.4 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055S CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:08A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-227 RM 239 SINK 8 W

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES....:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	24.7 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055T CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:09A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-228 RM 239 9 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	29.4 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055U CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:09A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-229 RM 239 SINK 10 W

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	20.2 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055V CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:10A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-230 RM 239 SINK 11 I

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES....:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	29.5 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055W CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:10A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-231 RM 239 SINK 12 W

SAMPLE TYPE...: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	27.5 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055X CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:11A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-232 RM 239 SINK 13 I

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A

COL'D BY: ANTHONY D. MERLINI


NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	15.2 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055Y CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:11A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-233 RM 239 SINK 14

SAMPLE TYPE...: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	64.1 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603055Z CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:17A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICJ HUDSON HIGH SCHOOL
: HS-234 CUSTODIAN WATER FOUNTAIN

SAMPLE TYPE...: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES....:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	2.2 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603056A CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:18A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-235 CUSTODIAN BATHROOM SINK

SAMPLE TYPE...: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES....:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	2.9 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 

Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603056B CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:19A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-236 BOYS LOCKER RM SINK
COL'D BY: ANTHONY D. MERLINI
NOTES....:

SAMPLE TYPE...: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C
COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	1.9 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603056C CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:24A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-237 JO4 SLOP SINK

SAMPLE TYPE...: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES....:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	11.2 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603056D CLIENT #: 65142 NON STAT PROC PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:25A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-238 GIRLS LOCKER RM FOUNTAIN

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603056E CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:26A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-239 MEN BATHROOM SINK

SAMPLE TYPE.: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	8.0 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603056F CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:27A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-240 OUTSIDE FOUNTAIN

SAMPLE TYPE...: POTABLE

PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:


COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 18-19 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.603056G CLIENT #: 65142

NON STAT PROC

PAGE: 1 of 1

HENDRICK HUDSON SCHOOL
ANTHONY MERLINI
61 TROLLEY ROAD
MONTROSE, NY 10548

DATE/TIME TAKEN: 10/22/16 10:28A
DATE/TIME REC'D: 10/24/16 02:00P
REPORT DATE: 11/11/16
PHONE: (914)-257-5152

SAMPLING SITE: HENDRICK HUDSON HIGH SCHOOL
: HS-241 PAINT RM HOSE BIB

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3

COL'D BY: ANTHONY D. MERLINI

TEMP RECEIVED: 20C

NOTES...:

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
11/07/16			LEAD (IMS)	136 ppb	0-15 ppb	SM 18-19 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: _____


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

REPORT ADDENDUM

For your information and reporting purposes, we have included an interpretation of lead results as it applies to the Lead Testing of School Drinking Water regulation:

The action level for lead in school drinking water is 15 micrograms per liter (mcg/L) or parts per billion (ppb). That is also equivalent to 0.015 milligrams per liter (mg/L) or parts per million (ppm). For the purposes of interpreting analytical laboratory results relative to what constitutes a lead action level exceedance under the Lead Testing in School Drinking Water regulation, the following guidance is provided:

- Lead results reported by the laboratory that are equal to, or less than, 15 micrograms per liter (≤ 15) does not constitute a lead action level exceedance, and therefore does not require further testing or remediation.
- Lead results reported by the laboratory that are greater than 15 micrograms per liter (i.e. 15.1 micrograms per liter, or greater) exceeds the lead action level and therefore requires the outlet to be taken out of service and a remediation plan to be implemented.