



LEARN MORE AT  
energystar.gov

# ENERGY STAR® Progress & Goals Report

# 81

ENERGY STAR®  
Score<sup>1</sup>

## W. Verne McKinney Elementary

**Primary Property Type:** K-12 School  
**Gross Floor Area (ft²):** 51,578  
**Built:** 1970

**For Year Ending:** February 28, 2018  
**Date Generated:** May 29, 2018

**Property Address:**  
W. Verne McKinney Elementary  
535 NW Darnielle St.  
Hillsboro, Oregon 97124

**Property ID:** 1815331

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

### Performance Comparison

	Progress			Performance Goals		
	Baseline (Ending Date 11/30/2010)	(Ending Date 2/28/2018)	% Change	Property's Target	National Median	ENERGY STAR Score of 75
ENERGY STAR Score	54	81	-50	75	50	75

#### Energy

Site EUI (kBtu/ft²)	59.1	50	-15.3	54.5	69.6	54.5
Source EUI (kBtu/ft²)	136.8	117.7	-13.9	128.2	164	128.2
Energy Cost (\$)	60,825.59	56,660.21	-6.85	61,708.07	78,908.52	61,708.07
Energy Cost Intensity (\$/ft²)	1.18	1.1	-6.85	1.2	1.53	1.2

#### Greenhouse Gas Emissions

Total GHG Emissions (Metric Tons CO2e)	287.8	247	-14.18	269	343.9	269
Total GHG Emissions Intensity (kgCO2e/ft²)	5.6	4.8	-14.18	5.2	6.7	5.2

#### Water

All Water Use (kgal)	614.6	N/A	N/A	*	*	*
Indoor Water Use (kgal)	614.6	N/A	N/A	*	*	*
Indoor Water Use Intensity (gal/ft²)	11.92	N/A	N/A	*	*	*
Total Water Cost (\$)	11,436.63	N/A	N/A	*	*	*

\*Setting and managing water targets is not yet available in Portfolio Manager.