



LEARN MORE AT
energystar.gov

ENERGY STAR® Progress & Goals Report

68

ENERGY STAR®
Score¹

Brown Middle

Primary Property Type: K-12 School
Gross Floor Area (ft²): 95,414
Built: 1963

For Year Ending: February 28, 2018
Date Generated: April 18, 2018

Property Address:
Brown Middle
1505 SW Cornelius Pass Rd.
Hillsboro, Oregon 97123

Property ID: 1815349

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Performance Comparison

	Progress			Performance Goals		
	Baseline (Ending Date 11/30/2010)	(Ending Date 2/28/2018)	% Change	Property's Target	National Median	ENERGY STAR Score of 75
ENERGY STAR Score	39	68	-74	N/A	50	75

Energy

Site EUI (kBtu/ft²)	68.7	54.8	-20.2	N/A	65.1	50.9
Source EUI (kBtu/ft²)	139.4	114.7	-17.7	N/A	136.1	106.4
Energy Cost (\$)	113,352.9	94,918.43	-16.26	N/A	112,675.49	88,114.59
Energy Cost Intensity (\$/ft²)	1.19	0.99	-16.26	N/A	1.18	0.92

Greenhouse Gas Emissions

Total GHG Emissions (Metric Tons CO2e)	557.9	455.9	-18.28	N/A	541.2	423.2
Total GHG Emissions Intensity (kgCO2e/ft²)	5.8	4.8	-18.28	N/A	5.7	4.4

Water

All Water Use (kgal)	N/A	N/A	N/A	*	*	*
Indoor Water Use (kgal)	N/A	N/A	N/A	*	*	*
Indoor Water Use Intensity (gal/ft²)	N/A	N/A	N/A	*	*	*
Total Water Cost (\$)	N/A	N/A	N/A	*	*	*

*Setting and managing water targets is not yet available in Portfolio Manager.