



LEARN MORE AT
energystar.gov

ENERGY STAR® Progress & Goals Report

69

ENERGY STAR®
Score¹

Miller Ed. Center West,440 S.E. Oak

Primary Property Type: K-12 School
Gross Floor Area (ft²): 27,828
Built: 1943

For Year Ending: February 28, 2018
Date Generated: April 18, 2018

Property Address:
Miller Ed. Center West,440 S.E. Oak
440 SE Oak St.
Hillsboro, Oregon 97124

Property ID: 1816657

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Performance Comparison

	Progress			Performance Goals		
	Baseline (Ending Date 6/30/2008)	(Ending Date 2/28/2018)	% Change	Property's Target	National Median	ENERGY STAR Score of 75
ENERGY STAR Score	37	69	-86	75	50	75

Energy

Site EUI (kBtu/ft²)	79.2	71.3	-9.9	67.3	86.1	67.3
Source EUI (kBtu/ft²)	127.5	105.8	-17	99.8	127.6	99.8
Energy Cost (\$)	N/A	26,554.35	N/A	25,047.7	32,029.46	25,047.7
Energy Cost Intensity (\$/ft²)	N/A	0.95	N/A	0.9	1.15	0.9

Greenhouse Gas Emissions

Total GHG Emissions (Metric Tons CO2e)	157.3	133.5	-15.13	126	161.1	126
Total GHG Emissions Intensity (kgCO2e/ft²)	5.7	4.8	-15.13	4.5	5.8	4.5

Water

All Water Use (kgal)	N/A	N/A	N/A	*	*	*
Indoor Water Use (kgal)	N/A	N/A	N/A	*	*	*
Indoor Water Use Intensity (gal/ft²)	N/A	N/A	N/A	*	*	*
Total Water Cost (\$)	N/A	N/A	N/A	*	*	*

*Setting and managing water targets is not yet available in Portfolio Manager.