



LEARN MORE AT
energystar.gov

ENERGY STAR® Progress & Goals Report

64

ENERGY STAR®
Score¹

Brookwood Elementary

Primary Property Type: K-12 School
Gross Floor Area (ft²): 45,509
Built: 1953

Property Address:
Brookwood Elementary
3960 SE Cedar St.
Hillsboro, Oregon 97123

For Year Ending: February 28, 2018
Date Generated: April 18, 2018

Property ID: 1813196

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Performance Comparison

	Progress			Performance Goals		
	Baseline (Ending Date 6/30/2008)	(Ending Date 2/28/2018)	% Change	Property's Target	National Median	ENERGY STAR Score of 75
ENERGY STAR Score	12	64	-433	75	50	75

Energy

Site EUI (kBtu/ft²)	122.2	80.9	-33.8	72.3	92.5	72.3
Source EUI (kBtu/ft²)	176.6	119.5	-32.4	106.8	136.6	106.8
Energy Cost (\$)	N/A	45,001.72	N/A	40,236.03	51,451.41	40,236.03
Energy Cost Intensity (\$/ft²)	N/A	0.99	N/A	0.88	1.13	0.88

Greenhouse Gas Emissions

Total GHG Emissions (Metric Tons CO2e)	367.2	246.9	-32.76	220.7	282.3	220.7
Total GHG Emissions Intensity (kgCO2e/ft²)	8.1	5.4	-32.76	4.9	6.2	4.9

Water

All Water Use (kgal)	N/A	N/A	N/A	*	*	*
Indoor Water Use (kgal)	N/A	N/A	N/A	*	*	*
Indoor Water Use Intensity (gal/ft²)	N/A	N/A	N/A	*	*	*
Total Water Cost (\$)	N/A	N/A	N/A	*	*	*

*Setting and managing water targets is not yet available in Portfolio Manager.