



LEARN MORE AT
energystar.gov

ENERGY STAR® Progress & Goals Report

95

ENERGY STAR®
Score¹

Paul L. Patterson Elementary

Primary Property Type: K-12 School
Gross Floor Area (ft²): 72,783
Built: 2000

For Year Ending: February 28, 2018
Date Generated: April 18, 2018

Property Address:
Paul L. Patterson Elementary
261 NE Lenox St.
Hillsboro, Oregon 97124

Property ID: 1813431

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Performance Comparison

	Progress			Performance Goals		
	Baseline (Ending Date 6/30/2008)	(Ending Date 2/28/2018)	% Change	Property's Target	National Median	ENERGY STAR Score of 75
ENERGY STAR Score	66	95	-44	75	50	75

Energy

Site EUI (kBtu/ft²)	55.3	36.8	-33.6	54.4	69.6	54.4
Source EUI (kBtu/ft²)	124.6	81.9	-34.3	121.2	154.9	121.2
Energy Cost (\$)	N/A	58,314.1	N/A	86,322.83	110,384.34	86,322.83
Energy Cost Intensity (\$/ft²)	N/A	0.8	N/A	1.19	1.52	1.19

Greenhouse Gas Emissions

Total GHG Emissions (Metric Tons CO2e)	372.1	245	-34.16	362.7	463.8	362.7
Total GHG Emissions Intensity (kgCO2e/ft²)	5.1	3.4	-34.16	5	6.4	5

Water

All Water Use (kgal)	N/A	N/A	N/A	*	*	*
Indoor Water Use (kgal)	N/A	N/A	N/A	*	*	*
Indoor Water Use Intensity (gal/ft²)	N/A	N/A	N/A	*	*	*
Total Water Cost (\$)	N/A	N/A	N/A	*	*	*

*Setting and managing water targets is not yet available in Portfolio Manager.