



LEARN MORE AT
energystar.gov

ENERGY STAR® Progress & Goals Report

89

ENERGY STAR®
Score¹

Glencoe High

Primary Property Type: K-12 School
Gross Floor Area (ft²): 240,000
Built: 1980

For Year Ending: February 28, 2018
Date Generated: April 18, 2018

Property Address:
Glencoe High
2700 NW Glencoe Rd.
Hillsboro, Oregon 97124

Property ID: 1815679

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Performance Comparison

	Progress			Performance Goals		
	Baseline (Ending Date 11/30/2010)	(Ending Date 2/28/2018)	% Change	Property's Target	National Median	ENERGY STAR Score of 75
ENERGY STAR Score	59	89	-51	N/A	50	75

Energy

Site EUI (kBtu/ft²)	54.7	47.2	-13.7	N/A	76	59.5
Source EUI (kBtu/ft²)	128.5	111.3	-13.4	N/A	179.1	140
Energy Cost (\$)	255,671.41	230,298.45	-9.92	N/A	370,672.95	289,873.66
Energy Cost Intensity (\$/ft²)	1.07	0.96	-9.92	N/A	1.54	1.21

Greenhouse Gas Emissions

Total GHG Emissions (Metric Tons CO2e)	1,255.3	1,085.8	-13.5	N/A	1,747.7	1,366.7
Total GHG Emissions Intensity (kgCO2e/ft²)	5.2	4.5	-13.5	N/A	7.3	5.7

Water

All Water Use (kgal)	N/A	N/A	N/A	*	*	*
Indoor Water Use (kgal)	N/A	N/A	N/A	*	*	*
Indoor Water Use Intensity (gal/ft²)	N/A	N/A	N/A	*	*	*
Total Water Cost (\$)	N/A	N/A	N/A	*	*	*

*Setting and managing water targets is not yet available in Portfolio Manager.