



LEARN MORE AT
energystar.gov

ENERGY STAR® Progress & Goals Report

97

ENERGY STAR®
Score¹

Quatama Elementary

Primary Property Type: K-12 School
Gross Floor Area (ft²): 73,100
Built: 2008

For Year Ending: February 28, 2018
Date Generated: April 18, 2018

Property Address:
Quatama Elementary
6905 NE Campus Way
Hillsboro, Oregon 97124

Property ID: 2222527

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Performance Comparison

	Progress			Performance Goals		
	Baseline (Ending Date 10/31/2010)	(Ending Date 2/28/2018)	% Change	Property's Target	National Median	ENERGY STAR Score of 75
ENERGY STAR Score	87	97	-11	75	50	75

Energy

Site EUI (kBtu/ft²)	44	33.2	-24.6	54.7	69.9	54.7
Source EUI (kBtu/ft²)	93.8	78.2	-16.7	128.7	164.6	128.7
Energy Cost (\$)	60,037.06	54,596.03	-9.06	89,881.28	114,934.74	89,881.28
Energy Cost Intensity (\$/ft²)	0.82	0.75	-9.06	1.23	1.57	1.23

Greenhouse Gas Emissions

Total GHG Emissions (Metric Tons CO2e)	284.7	232.5	-18.34	382.7	489.4	382.7
Total GHG Emissions Intensity (kgCO2e/ft²)	3.9	3.2	-18.34	5.2	6.7	5.2

Water

All Water Use (kgal)	N/A	N/A	N/A	*	*	*
Indoor Water Use (kgal)	N/A	N/A	N/A	*	*	*
Indoor Water Use Intensity (gal/ft²)	N/A	N/A	N/A	*	*	*
Total Water Cost (\$)	N/A	N/A	N/A	*	*	*

*Setting and managing water targets is not yet available in Portfolio Manager.