



LEARN MORE AT
energystar.gov

ENERGY STAR® Progress & Goals Report

65

ENERGY STAR®
Score¹

W.L. Henry

Primary Property Type: K-12 School
Gross Floor Area (ft²): 56,117
Built: 1968

For Year Ending: February 28, 2018
Date Generated: May 29, 2018

Property Address:
W.L. Henry
1060 SE 24th Ave.
Hillsboro, Oregon 97123

Property ID: 1815320

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Performance Comparison

	Progress			Performance Goals		
	Baseline (Ending Date 11/30/2010)	(Ending Date 2/28/2018)	% Change	Property's Target	National Median	ENERGY STAR Score of 75
ENERGY STAR Score	28	65	-132	75	50	75

Energy

Site EUI (kBtu/ft²)	75.6	47.4	-37.3	42.9	54.9	42.9
Source EUI (kBtu/ft²)	135.1	95.9	-29	86.9	111.1	86.9
Energy Cost (\$)	66,279.76	49,098.01	-25.92	44,478.94	56,876.95	44,478.94
Energy Cost Intensity (\$/ft²)	1.18	0.87	-25.92	0.79	1.01	0.79

Greenhouse Gas Emissions

Total GHG Emissions (Metric Tons CO2e)	327.5	225.9	-31.02	204.6	261.7	204.6
Total GHG Emissions Intensity (kgCO2e/ft²)	5.8	4	-31.02	3.6	4.7	3.6

Water

All Water Use (kgal)	379.7	N/A	N/A	*	*	*
Indoor Water Use (kgal)	379.7	N/A	N/A	*	*	*
Indoor Water Use Intensity (gal/ft²)	6.77	N/A	N/A	*	*	*
Total Water Cost (\$)	12,220.62	N/A	N/A	*	*	*

*Setting and managing water targets is not yet available in Portfolio Manager.