



LEARN MORE AT
energystar.gov

ENERGY STAR® Progress & Goals Report

91

ENERGY STAR®
Score¹

Reedville

Primary Property Type: K-12 School
Gross Floor Area (ft²): 21,982
Built: 1922

For Year Ending: February 28, 2018
Date Generated: April 18, 2018

Property Address:
Reedville
2695 SW 209th Ave.
Aloha, Oregon 97006

Property ID: 1813460

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Performance Comparison

	Progress			Performance Goals		
	Baseline (Ending Date 6/30/2008)	(Ending Date 2/28/2018)	% Change	Property's Target	National Median	ENERGY STAR Score of 75
ENERGY STAR Score	59	91	-54	75	50	75

Energy

Site EUI (kBtu/ft²)	72.2	54.4	-24.7	71.1	90.9	71.1
Source EUI (kBtu/ft²)	147.9	104.7	-29.2	136.8	175	136.8
Energy Cost (\$)	N/A	22,697.65	N/A	29,659.7	37,927.02	29,659.7
Energy Cost Intensity (\$/ft²)	N/A	1.03	N/A	1.35	1.73	1.35

Greenhouse Gas Emissions

Total GHG Emissions (Metric Tons CO2e)	136.1	97.7	-28.21	127.7	163.3	127.7
Total GHG Emissions Intensity (kgCO2e/ft²)	6.2	4.4	-28.21	5.8	7.4	5.8

Water

All Water Use (kgal)	N/A	N/A	N/A	*	*	*
Indoor Water Use (kgal)	N/A	N/A	N/A	*	*	*
Indoor Water Use Intensity (gal/ft²)	N/A	N/A	N/A	*	*	*
Total Water Cost (\$)	N/A	N/A	N/A	*	*	*

*Setting and managing water targets is not yet available in Portfolio Manager.