



LEARN MORE AT
energystar.gov

ENERGY STAR® Progress & Goals Report

97

ENERGY STAR®
Score¹

South Meadows MS

Primary Property Type: K-12 School
Gross Floor Area (ft²): 153,000
Built: 2009

For Year Ending: February 28, 2018
Date Generated: April 18, 2018

Property Address:
South Meadows MS
4690 SE Davis Road
Hillsboro, Oregon 97123

Property ID: 2279253

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Performance Comparison

	Progress			Performance Goals		
	Baseline (Ending Date 12/31/2010)	(Ending Date 2/28/2018)	% Change	Property's Target	National Median	ENERGY STAR Score of 75
ENERGY STAR Score	87	97	-11	75	50	75

Energy

Site EUI (kBtu/ft²)	45.9	35.5	-22.6	57.5	73.6	57.5
Source EUI (kBtu/ft²)	91.2	74.8	-18	121.1	154.9	121.1
Energy Cost (\$)	125,559.09	106,554.87	-15.14	172,521.49	220,609.92	172,521.49
Energy Cost Intensity (\$/ft²)	0.82	0.7	-15.14	1.13	1.44	1.13

Greenhouse Gas Emissions

Total GHG Emissions (Metric Tons CO2e)	588.2	476.2	-19.04	771	985.9	771
Total GHG Emissions Intensity (kgCO2e/ft²)	3.8	3.1	-19.04	5	6.4	5

Water

All Water Use (kgal)	N/A	N/A	N/A	*	*	*
Indoor Water Use (kgal)	N/A	N/A	N/A	*	*	*
Indoor Water Use Intensity (gal/ft²)	N/A	N/A	N/A	*	*	*
Total Water Cost (\$)	N/A	N/A	N/A	*	*	*

*Setting and managing water targets is not yet available in Portfolio Manager.