



LEARN MORE AT  
energystar.gov

# ENERGY STAR® Progress & Goals Report

# 88

ENERGY STAR®  
Score<sup>1</sup>

## Imlay Elementary

**Primary Property Type:** K-12 School  
**Gross Floor Area (ft²):** 71,047  
**Built:** 2002

**Property Address:**  
Imlay Elementary  
5900 SE Lois St.  
Hillsboro, Oregon 97123

**For Year Ending:** February 28, 2018  
**Date Generated:** April 18, 2018

**Property ID:** 1813313

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

## Performance Comparison

	Progress			Performance Goals		
	Baseline (Ending Date 11/30/2010)	(Ending Date 2/28/2018)	% Change	Property's Target	National Median	ENERGY STAR Score of 75
ENERGY STAR Score	52	88	-69	75	50	75

### Energy

	Baseline	(Ending Date)	% Change	Property's Target	National Median	ENERGY STAR Score of 75
Site EUI (kBtu/ft²)	68.8	39.8	-42.1	48.3	61.7	48.3
Source EUI (kBtu/ft²)	133.8	91.8	-31.4	111.3	142.3	111.3
Energy Cost (\$)	84,857.27	62,618.05	-26.21	75,892.76	97,047.02	75,892.76
Energy Cost Intensity (\$/ft²)	1.19	0.88	-26.21	1.07	1.37	1.07

### Greenhouse Gas Emissions

	Baseline	(Ending Date)	% Change	Property's Target	National Median	ENERGY STAR Score of 75
Total GHG Emissions (Metric Tons CO2e)	402.5	266.3	-33.84	322.8	412.8	322.8
Total GHG Emissions Intensity (kgCO2e/ft²)	5.7	3.7	-33.84	4.5	5.8	4.5

### Water

	Baseline	(Ending Date)	% Change	Property's Target	National Median	ENERGY STAR Score of 75
All Water Use (kgal)	881.7	N/A	N/A	*	*	*
Indoor Water Use (kgal)	881.7	N/A	N/A	*	*	*
Indoor Water Use Intensity (gal/ft²)	12.41	N/A	N/A	*	*	*
Total Water Cost (\$)	15,643.13	N/A	N/A	*	*	*

\*Setting and managing water targets is not yet available in Portfolio Manager.