



LEARN MORE AT  
energystar.gov

# ENERGY STAR® Progress & Goals Report

# 98

ENERGY STAR®  
Score<sup>1</sup>

## Jackson Elementary

**Primary Property Type:** K-12 School  
**Gross Floor Area (ft²):** 54,367  
**Built:** 1990

**For Year Ending:** February 28, 2018  
**Date Generated:** April 18, 2018

**Property Address:**  
Jackson Elementary  
675 NE Estate Dr.  
Hillsboro, Oregon 97124

**Property ID:** 1813326

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

## Performance Comparison

	Progress			Performance Goals		
	Baseline (Ending Date 11/30/2010)	(Ending Date 2/28/2018)	% Change	Property's Target	National Median	ENERGY STAR Score of 75
ENERGY STAR Score	92	98	-7	75	50	75

### Energy

Site EUI (kBtu/ft²)	42.5	33.8	-20.5	57.8	73.9	57.8
Source EUI (kBtu/ft²)	101.4	85.8	-15.4	146.8	187.7	146.8
Energy Cost (\$)	48,641.37	47,033.31	-3.31	80,456.69	102,883.06	80,456.69
Energy Cost Intensity (\$/ft²)	0.89	0.87	-3.31	1.48	1.89	1.48

### Greenhouse Gas Emissions

Total GHG Emissions (Metric Tons CO2e)	223.7	187	-16.41	319.9	409.1	319.9
Total GHG Emissions Intensity (kgCO2e/ft²)	4.1	3.4	-16.41	5.9	7.5	5.9

### Water

All Water Use (kgal)	1,000.2	N/A	N/A	*	*	*
Indoor Water Use (kgal)	N/A	N/A	N/A	*	*	*
Indoor Water Use Intensity (gal/ft²)	N/A	N/A	N/A	*	*	*
Total Water Cost (\$)	16,168.72	N/A	N/A	*	*	*

\*Setting and managing water targets is not yet available in Portfolio Manager.