



LEARN MORE AT
energystar.gov

ENERGY STAR® Progress & Goals Report

93

ENERGY STAR®
Score¹

West Union

Primary Property Type: K-12 School
Gross Floor Area (ft²): 42,757
Built: 1948

For Year Ending: January 31, 2018
Date Generated: May 29, 2018

Property Address:
West Union
23870 NW West Union Rd.
Hillsboro, Oregon 97124

Property ID: 1815287

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

Performance Comparison

	Progress			Performance Goals		
	Baseline (Ending Date 11/30/2010)	(Ending Date 1/31/2018)	% Change	Property's Target	National Median	ENERGY STAR Score of 75
ENERGY STAR Score	74	93	-26	75	50	75

Energy

Site EUI (kBtu/ft²)	60.3	50.9	-15.5	71	90.8	71
Source EUI (kBtu/ft²)	105.6	84.4	-20	117.7	150.5	117.7
Energy Cost (\$)	40,231.97	32,519.14	-19.17	45,312.46	57,942.77	45,312.46
Energy Cost Intensity (\$/ft²)	0.94	0.76	-19.17	1.06	1.36	1.06

Greenhouse Gas Emissions

Total GHG Emissions (Metric Tons CO2e)	196	159	-18.88	221.5	283.2	221.5
Total GHG Emissions Intensity (kgCO2e/ft²)	4.6	3.7	-18.88	5.2	6.6	5.2

Water

All Water Use (kgal)	N/A	N/A	N/A	*	*	*
Indoor Water Use (kgal)	N/A	N/A	N/A	*	*	*
Indoor Water Use Intensity (gal/ft²)	N/A	N/A	N/A	*	*	*
Total Water Cost (\$)	N/A	N/A	N/A	*	*	*

*Setting and managing water targets is not yet available in Portfolio Manager.