



LEARN MORE AT  
energystar.gov

# ENERGY STAR® Progress & Goals Report

# 82

ENERGY STAR®  
Score<sup>1</sup>

## Ladd Acres Elementary

**Primary Property Type:** K-12 School  
**Gross Floor Area (ft²):** 60,825  
**Built:** 1968

**Property Address:**  
Ladd Acres Elementary  
2425 SW Cornelius Pass Rd.  
Hillsboro, Oregon 97123

**For Year Ending:** February 28, 2018  
**Date Generated:** April 18, 2018

**Property ID:** 1813333

1. The ENERGY STAR score is a 1-100 assessment of a building's energy efficiency as compared with similar buildings nationwide, adjusting for climate and business activity.

### Performance Comparison

	Progress			Performance Goals		
	Baseline (Ending Date 11/30/2010)	(Ending Date 2/28/2018)	% Change	Property's Target	National Median	ENERGY STAR Score of 75
ENERGY STAR Score	60	82	-37	75	50	75

#### Energy

	Baseline	(Ending Date)	% Change	Property's Target	National Median	ENERGY STAR Score of 75
Site EUI (kBtu/ft²)	69.6	56.5	-18.8	62	79.3	62
Source EUI (kBtu/ft²)	111.3	97.7	-12.3	107.2	137.1	107.2
Energy Cost (\$)	61,072.93	51,398.67	-15.84	56,399.19	72,119.89	56,399.19
Energy Cost Intensity (\$/ft²)	1	0.85	-15.84	0.93	1.19	0.93

#### Greenhouse Gas Emissions

	Baseline	(Ending Date)	% Change	Property's Target	National Median	ENERGY STAR Score of 75
Total GHG Emissions (Metric Tons CO2e)	301	258.8	-14.02	284	363.2	284
Total GHG Emissions Intensity (kgCO2e/ft²)	4.9	4.3	-14.02	4.7	6	4.7

#### Water

	Baseline	(Ending Date)	% Change	Property's Target	National Median	ENERGY STAR Score of 75
All Water Use (kgal)	1,086.5	N/A	N/A	*	*	*
Indoor Water Use (kgal)	1,086.5	N/A	N/A	*	*	*
Indoor Water Use Intensity (gal/ft²)	17.86	N/A	N/A	*	*	*
Total Water Cost (\$)	13,276.5	N/A	N/A	*	*	*

\*Setting and managing water targets is not yet available in Portfolio Manager.