

Healthy Youth Survey 2018

Report of Participating Schools

North Beach School District
Grades 8, 10 and 12

March 1, 2019

Looking Glass Analytics 215 Legion Way SW Olympia, WA 98502

Report Contents

Introduction and Overview	. 2
Survey Participation in this Report	. 2
Caution about Participation Rates and Bias	. 2
Small Numbers: Caution about Number of Students Participating	. 2
Key to the Notes	. 2
Highlights of the Local Results	. 3
Understanding Your Report N's Confidence Intervals More Information	. 4
Individual Question Results Demographics and General Information (Questions 1-20) Alcohol, Tobacco, and Other Drug (ATOD) Use Lifetime Use (Questions 21-31) 30-Day Use (Questions 32-44) Other Tobacco-Related Questions (Questions 45-55) Other Electronic Cigarette- and Vaping Related Questions (Questions 56-59) Other Alcohol-Related Questions (Questions 60-69) Other Marijuana-Related Questions (Questions 70-75) Other Alcohol- and Drug-related Questions (Questions 76-82) Other Health Concerns Nutrition and Fitness (Questions 83-103) Health Conditions and Health Care (Questions 104-114) Sexual Behavior (Questions 115-119) Behaviors Related to Unintentional Injuries (Questions 120-129) Behaviors Related to Unintentional Injuries (Questions 130-133) Physical, Emotional and Sexual Abuse (Questions 134-140) Mental Health (Questions 152-164) Quality of Life (Questions 165-166) Children's Hope Scale (Questions 167-171) Risk and Protective Factor: Reporting Schedule Risk and Protective Factor: Domain Scale Results and Graphs Risk and Protective Factor: Individual Question Results Community Domain (Questions 172-189) Family Domain (Questions 190-207) School Domain (Questions 208-225) Peer and Individual Domain (Questions 226-244)	. 6 . 9 . 10 . 13 . 14 . 15 . 19 . 22 . 24 . 25 . 26 . 27 . 28 . 29 . 31 . 33 . 33 . 34 . 38 . 40
Questions by Topic	. 50
Core Questions	. 51

For a detailed list of all of the survey questions by topic - please use the Questions by Topic section in the back of this report.

North Beach School District

Grades 8, 10 and 12

Introduction and Overview

This report presents results from the fall 2018 Healthy Youth Survey in Washington State. This survey was sponsored by the Department of Health, the Office of Superintendent of Public Instruction, the Department of Social and Health Services and the Liquor and Cannabis Board in cooperation with schools throughout the state of Washington.

In 2018, smaller school districts (with less than 150 students enrolled in either grades 6, 8, 10 or 12) had the opportunity to survey extra grade levels 7, 9 and/or 11. A HYS *Small District Pilot Report* describes the methods and the schools that participated in 2014 is available at http://www.askhys.net/Reports.

This Multiple Grade Report does not provide comparisons to the state. To compare your results to other participating small schools, see the Statewide Multiple Grade Small School Report for grades 6, 8, 10 and 12. To compare your results to the state sample, see the Multiple Grade State Sample Report for grades 6, 8, 10 and 12. These reports are available at: http://www.askhys.net/Reports under State Reports.

Survey questions covering the same topics are grouped together when possible but be sure to consult the index for related questions when you are searching for information on a specific topic. The numbering in this report is not the same as the question order on the survey itself.

The bulleted points and graphs included at the beginning of this report highlight selected findings. Additional information may be found in the *Interpretive Guide* posted to the Healthy Youth Survey web site: http://www.askhys.net/Reports/Additional.

Survey Participation in this Report	Grade 8	Grade 10	Grade 12
Number of students surveyed:	29	36	23
Number of valid responses:	29	34	21
Number of enrolled students*:	48	59	45
Your survey participation rate**	60%	58%	47%

^{*} The estimate of enrolled students is based on figures from the 2018-2019 school year, provided by OSPI.

Caution about Participation Rates and Bias

Please use the following guidance when reviewing your results:

- 70% or greater participation-Results are probably representative of students in this grade.
- 40-69% participation-Results may be representative of students in this grade.
- Less than 40% participation—Results are likely not representative of students in this grade but do reflect students who completed the survey.

There may be limitations to your results even if you have a high participation rate. For instance, a particular group of students (say, the school orchestra) may have been away from school the day of the survey, and that could bias the results. It is important to acknowledge the potential limitations when using the results in this report. For reports summarizing results at the county or School District level, you should also consider whether the schools that participated represent all students in that area.

Small Numbers: Caution about Number of Students Participating

Results based on small numbers of students answering a question are unstable---that is, they could easily change with the absence from school of only a couple of students. This is especially the case when only a few students choose a particular answer option. Also, in this situation, the reported 95% confidence interval might be too narrow. Thus, use caution if fewer than 30 students answered a question and fewer than 5 students selected a given response option.

For example, if 20 students answered a question and of those 20 only 3 students answered "Yes", the estimate is unreliable.

See the Understanding Your Report section later in this report for a discussion of "confidence intervals" to help guide your interpretation of the results.

Key to the Notes

Three versions of the survey were used in the administration of the 2018 HYS. Forms A and B were given to secondary students (grades 8, 9, 10, 11 and 12 in some small school districts). Eight questions on sexual orientation, behavior and abuse were optional at the discretion of the school; schools that did not administer the optional items tore off the last page of the survey booklet. Form C was given to elementary students (grade 6 and 7 in some small school districts).

A list of the topics asked and their location in the report are provided in the Questions by Topic section at the end of this report. "Core" questions are asked on both Forms A and B. A list of Core Questions is also found at the end of this report.

The following notes are used throughout this report to document the differences between the questions on different versions and indicate the optional questions:

A = wording on Form A; B = wording on Form B; C = wording on Form C

† = optional questions


^{**} The survey participation rate is the number of valid responses divided by the number of enrolled students

Note: Results not available for non-surveyed grades or grades suppressed for under-participation. See Past Participation for details: http://www.askhys.net/Past


Highlights of the Local Results

Your students reported the following behaviors and attitudes:

	Grade 8	Grade 10	Grade 12
Substance Use	% (± CI)	% (± CI)	% (± CI)
Smoked cigarettes in past 30 days	0.0% (±0.0)	6.5% (±9.2)	15.0% (±17.1)
Drank alcohol in past 30 days	4.3% (±9.0)	18.5% (±15.7)	30.0% (±22.0)
Used marijuana or hashish in past 30 days	13.0% (±14.9)	26.7% (±16.8)	42.1% (±24.4)
Binge drinking in past 2 weeks	0.0% (±0.0)	10.0% (±11.4)	15.0% (±17.1)



	Grade 6	Grade 10	Grade 12
Bullying and School Climate	% (± CI)	% (± CI)	% (± CI)
Carried a weapon at school in the past 30 days	0.0% (±0.0)	3.3% (±6.8)	5.0% (±10.5)
Bullied in the past 30 days	23.1% (±17.4)	26.5% (±15.6)	14.3% (±16.3)
Enjoyed being at school over the past year	33.3% (±24.1)	29.0% (±16.9)	33.3% (±22.0)
Felt safe at school	70.4% (±18.4)	79.4% (±14.3)	71.4% (±21.1)




For more information on specific HYS topics, see the Fact Sheets at www.AskHYS.net, under HYS Results – Fact Sheets

Understanding Your Report

N's

In this report "n" is shorthand for "number"---the number of students who took this survey or who answered a survey question. N's are important! We also report the point estimates (%), and the 95% confidence intervals (CI).

Here is an example of how results are displayed in the report tables and charts.



How many students took this survey?

Look on page 2, under Survey Participation. The "number of students surveyed" is the number of surveys that we received. We have careful procedures for "cleaning" to remove surveys with many inconsistent or false answers – the "clean" surveys are the "number of valid surveys". Only valid surveys are presented in this report.

How many students answered each survey question?

The n's for each question vary. Why? There are several reasons:

- There are two versions of the grades 8, 10, and 12 survey Form A and B. Core questions are on all
 versions, so the n's for those questions are about the same as the number of valid surveys. For non-Core
 questions the n's will be about half, or less.
- Some schools chose to take the questions about sexual orientation, behavior and abuse. Schools that chose
 to not ask those additional questions will have no responses for those questions. [District and county reports
 may include some schools that DID ask those questions and some that DID NOT.]
- Not all students finish the survey, so questions near the end have smaller n's. [NOTE: the order of the
 questions in the report is not the same as on the survey itself.] Also, some students may decide to skip certain
 questions.

Here are examples from a district with 400 valid surveys --- notice how the n's change with each question type.

7. Have you ever, even once in your life: Used marijuana?	(n=398)	(n=400)	N for a core question
a. Yes	49.0% (±3.0)	46.0% (±1.0)	(almost all students)
b. No	51.0% (±3.0)	54.0% (±1.0)	
8. Have you ever, even once in your life:	(==200)		N for a question on only one
Used inhalants (things you sniff to get high)?	(n=200)	(n=190)	version (about half the
a. Yes	11.0% (±4.0)	12.0% (±2.0)	students)
b. No	89.0% (±4.0)	88.0% (±2.0)	students)
100. How old were you when you had sexual intercourse for the first time? †	(n=100)	(n=99)	N for an optional sexual
a. I have never had sexual intercourse.	70.0% (±8.0)	75.0% (±4.0)	behavior question (about
b. 11 years old or younger	2.0% (±2.0)	2.0% (±1.0)	half, or less if some schools
c. 12 years old	2.0% (±2.0)	1.0% (±1.0)	chose not to ask those
d. 13 years old	5.0% (±2.0)	4.0% (±1.0)	questions)
e. 14 years old	8.0% (±6.0)	7.0% (±2.0)	Ex.
f. 15 years old	9.0% (±5.0)	8.0% (±2.0)	
g. 16 years old	3.0% (±3.0)	2.0% (±1.0)	
h. 17 years old or older	1.0% (±1.0)	1.0% (±1.0)	
150. Does your school have a counselor	(n=375)	(n=380)	N for a core question near
a. Yes	90.0% (±3.0)	95.0% (±1.0)	the end of the survey
b. No	5.0% (±2.0)	2.0% (±1.0)	(almost all, except students
c. Not sure	5.0% (±2.0)	3.0% (±1.0)	who don't finish the survey

How many students are we talking about?

N's are only provided for the total number of students who answered a question, not the individual answer options. Some people find it useful to translate their point estimates (%) into the number of students.

For example, in a district if 10% of students reported that "Yes" they used inhalants in their lifetime and 200 students answered the questions, then 20 students in the district used inhalants (20 X 0.10).

Confidence Intervals

It is unlikely that the point estimate (%) reported for each question is exactly the same as the "true" value for all your students. This report includes 95% confidence intervals (CI) to describe this uncertainty. If there is no bias in the data, then there is a 95% chance that the CI will include the true value. So for example, if the point estimate and CI are 51.5% (±1.5%), then there is a 95% chance that the true percentage is between 50.0% and 53.0%.

The size of your CIs depend in part on the n for each question – as more students answer a question, your point estimate is likely to be closer to the "true" value. If you are a small school, district or county your CIs will be large. The confidence interval does not take into account the participation rate – in other words, a low participation rate can create bias which will not be reflected in the CI.

How can you "use" confidence intervals?

CIs help you to decide if the differences between your students at different grade levels are statistically significant.

For an example, let's say your 8^{th} Grade students report 25% ± 5 %. That means that the CI is between 20% and 30% Here is the math: 25% -5% = 20%, and 25% +5% = 30%

Using CIs, you can decide if the difference between your 8th grade and 10th grade students are statistically significant:

- 1. A significant difference:
 - 8th Grade students report 25% ±5%, so the point estimate is 25% and the CI is 20% to 30%
 - 10th Grade students report 36% ±3%, so the point estimate is 36% and the CI is 33% to 39%
 - The CIs don't overlap, so the difference is significant

- Not a significant difference:
 - 8th Grade students report 25% ±5%, so the point estimate is 25% and the CI is 20% to 30%
 - 10th Grade students report 28% ±3%, so the point estimate is 28% and the CI is 25% to 31%
 - The CI for your 8th Grade students overlaps the point estimate for 10th Grade students, so the difference is not significant

- 3. Not sure if there is a difference:
 - 8^{th} Grade students report 25% $\pm 5\%$, so the point estimate is 25% and the CI is 20% to 30%
 - 10th Grade students report 32% ±3%, so the point estimate is 32% and the CI is 29% to 35%
 - The CIs overlap, but don't include the other point estimates, so you don't know for sure if they are really
 different without using the significance testing tool described in the next paragraph.

More information about interpreting CIs is available on the HYS Training web page at www.AskHYS.net/Training. The Training web page includes past HYS training materials and a "Tool for Determining HYS Statistical Significance". Use the "tool" to find out if your results are significantly different.

More Information

Much of the information on the Healthy Youth Survey is available online at www.AskHYS.net.

- Under HYS Results, you can find these "Frequency Reports". Also included is an Interpretive Guide with a
 detailed overview of the reports, information on statistical issues and how to use your data. There are also topical
 fact sheets and a data query system where you can run your own simple analysis.
- Under Training, there are copies of past HYS training workshop materials and the tool for testing significant differences.

Technical information is also at www.doh.wa.gov/DataandStatisticalReports/HealthBehaviors/HealthyYouthSurvey.

Frequency Results

Demographics and General Information

	Grade 8	Grade 10	Grade 12
1. How old are you?	% (± CI) (n=29)	% (± CI) (n=34)	% (± CI) (n=21)
a. 12 or younger	10.3% (±11.8)	0.0% (±0.0)	0.0% (±0.0)
b. 13	65.5% (±18.4)	0.0% (±0.0)	0.0% (±0.0)
c. 14	24.1% (±16.6)	11.8% (±11.4)	0.0% (±0.0)
d. 15	0.0% (±0.0)	70.6% (±16.1)	4.8% (±9.9)
e. 16	0.0% (±0.0)	17.6% (±13.5)	4.8% (±9.9)
f. 17	0.0% (±0.0)	0.0% (±0.0)	71.4% (±21.1)
g. 18	0.0% (±0.0)	0.0% (±0.0)	14.3% (±16.3)
h. 19 or older	0.0% (±0.0)	0.0% (±0.0)	4.8% (±9.9)

[Question 2 appears only on the elementary version of the survey.]

3. What sex/gender were you at birth	, even if you are not that gender
today?	

today?	(n=29)	(n=33)	(n=21)
a. Female	62.1% (±18.8)	51.5% (±18.0)	38.1% (±22.7)
b. Male	37.9% (±18.8)	48.5% (±18.0)	61.9% (±22.7)
4. How do you currently identify yourself? Select all that apply.	(n=9)	(n=22)	(n=18)
a. Male	44.4% (±40.5)	50.0% (±22.7)	61.1% (±24.9)
b. Female	55.6% (±40.5)	45.5% (±22.6)	33.3% (±24.1)
c. Transgender	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
d. Questioning/not sure of my gender identity	0.0% (±0.0)	0.0% (±0.0)	5.6% (±11.7)

Some students may select multiple answers to this question so that their response is consistent with how they identify. For example, a student who identifies as a transgender woman may select both female and transgender. This type response is represented in the 'selected multiple responses' category.

5. Which of the following best describes you?	(n=9)	(n=23)	(n=19)
a. Heterosexual (straight)	66.7% (±38.4)	87.0% (±14.9)	78.9% (±20.2)
b. Gay or lesbian	0.0% (±0.0)	4.3% (±9.0)	0.0% (±0.0)
c. Bisexual	11.1% (±25.6)	4.3% (±9.0)	21.1% (±20.2)
d. Questioning/not sure	22.2% (±33.9)	0.0% (±0.0)	0.0% (±0.0)
e. Something else fits better	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
f. I don't know what this question is asking	0.0% (±0.0)	4.3% (±9.0)	0.0% (±0.0)

e. Something else fits better

More than one response selected

f. I do not know what this question is asking

0.0% (±0.0)

4.5% (±9.5)

0.0% (±0.0)

0.0% (±0.0)

0.0% (±0.0)

0.0% (±0.0)

0.0% (±0.0)

0.0% (±0.0)

0.0% (±0.0)

	Grade 8	Grade 10	Grade 12
6. How do you describe yourself? (Select one or more responses.)	% (± CI) (n=29)	% (± CI) (n=33)	% (± CI) (n=21)
a. American Indian or Alaskan Native	13.8% (±13.3)	18.2% (±13.9)	9.5% (±13.7)
b. Asian or Asian American	6.9% (±9.8)	0.0% (±0.0)	9.5% (±13.7)
c. Black or African-American	3.4% (±7.1)	12.1% (±11.8)	9.5% (±13.7)
d. Hispanic or Latino/Latina	0.0% (±0.0)	6.1% (±8.6)	4.8% (±9.9)
e. Native Hawaiian or other Pacific Islander	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
f. White or Caucasian	65.5% (±18.4)	51.5% (±18.0)	61.9% (±22.7)
g. Other	6.9% (±9.8)	6.1% (±8.6)	0.0% (±0.0)
More than one race/ethnicity marked	3.4% (±7.1)	6.1% (±8.6)	4.8% (±9.9)

Another way to report race and ethnicity, is to categorize all Hispanic students as Hispanic regardless of race. If a student is Not Hispanic and is in more than one race roll-up category they will be reported as 'Multiracial non-Hispanic'.

7. How do you describe yourself? (Select one or more responses.)	(n=29)	(n=33)	(n=21)
White non-Hispanic	65.5% (±18.4)	51.5% (±18.0)	61.9% (±22.7)
Hispanic	3.4% (±7.1)	6.1% (±8.6)	4.8% (±9.9)
American Indian or Alaskan Native non-Hispanic	13.8% (±13.3)	18.2% (±13.9)	9.5% (±13.7)
Asian or Asian American non-Hispanic	6.9% (±9.8)	0.0% (±0.0)	9.5% (±13.7)
Black or African-American non-Hispanic	3.4% (±7.1)	12.1% (±11.8)	9.5% (±13.7)
Native Hawaiian or other Pacific Islander non-Hispanic	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
Other non-Hispanic	6.9% (±9.8)	6.1% (±8.6)	0.0% (±0.0)
Multiracial non-Hispanic	0.0% (±0.0)	6.1% (±8.6)	4.8% (±9.9)
8. If you are of Asian or Pacific Islander background, which groups best describe you? Mark all that apply.	(n=13)	(n=12)	(n=11)
a. Not Asian or Pacific Islander	76.9% (±26.5)	75.0% (±28.7)	90.9% (±20.3)
b. Asian Indian	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
c. Cambodian/Khmer	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
d. Chinese	7.7% (±16.8)	0.0% (±0.0)	0.0% (±0.0)
e. Filipino	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
f. Japanese	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
g. Korean	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
h. Vietnamese	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
i. Other Asian	7.7% (±16.8)	0.0% (±0.0)	0.0% (±0.0)
j. Native Hawaiian or other Pacific Islander	7.7% (±16.8)	16.7% (±24.7)	0.0% (±0.0)
Mutliracial Asian, more than one response indicated	0.0% (±0.0)	8.3% (±18.3)	0.0% (±0.0)
Mutliracial Asian and Pacific Islander, more than one response indicated	0.0% (±0.0)	0.0% (±0.0)	9.1% (±20.3)
9. What language is usually spoken at home?	(n=24)	(n=31)	(n=21)
a. English	95.8% (±8.6)	93.5% (±9.2)	90.5% (±13.7)
b. Spanish	0.0% (±0.0)	3.2% (±6.6)	0.0% (±0.0)
c. Russian	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
d. Ukrainian	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
e. Vietnamese	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
f. Chinese	4.2% (±8.6)	0.0% (±0.0)	4.8% (±9.9)
g. Korean	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
h. Japanese	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
i. Other	0.0% (±0.0)	3.2% (±6.6)	4.8% (±9.9)

[Question 10 appears only on the elementary version of the survey.]

	Grade 8	Grade 10	Grade 12
11. How for did your mother get in school?	% (± CI)	% (± CI)	% (± CI)
11. How far did your mother get in school? a. Did not finish high school	(n=16) 0.0% (±0.0)	(n=29) 13.8% (±13.3)	(n=19) 10.5% (±15.2)
b. Graduated from high school or GED	25.0% (±23.8)	24.1% (±16.6)	31.6% (±23.0)
c. Had some college or technical training after high school	18.8% (±21.5)	10.3% (±11.8)	31.6% (±23.0)
d. Graduated from a 4-year college	18.8% (±21.5)	24.1% (±16.6)	15.8% (±18.1)
e. Earned an advanced graduate degree	0.0% (±0.0)	0.0% (±0.0)	10.5% (±15.2)
f. Don't know	25.0% (±23.8)	27.6% (±17.3)	0.0% (±0.0)
g. Does not apply	12.5% (±18.2)	0.0% (±0.0)	0.0% (±0.0)
12. Who did you live with most of the time in the last 30 days?	(n=22)	(n=31)	(n=21)
a. Parent(s), step-parent(s), or legal guardian	81.8% (±17.5)	93.5% (±9.2)	85.7% (±16.3)
b. Relatives like a grandparent, an aunt, an older brother—but NOT your parents	13.6% (±15.6)	6.5% (±9.2)	9.5% (±13.7)
c. Foster care parent(s)	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
d. Adults who are NOT your parents or relatives	0.0% (±0.0)	0.0% (±0.0)	4.8% (±9.9)
e. Friends of yours with no adults present	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
f. On your own	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
g. Other	4.5% (±9.5)	0.0% (±0.0)	0.0% (±0.0)
13. Where did you live most of the time in the last 30 days?	(n=22)	(n=31)	(n=21)
a. In my own house or apartment that my family rents or owns	95.5% (±9.5)	87.1% (±12.5)	90.5% (±13.7)
b. In a house or apartment that a relative rents or owns	4.5% (±9.5)	6.5% (±9.2)	4.8% (±9.9)
c. In a house or apartment with someone who is not a relative	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
d. In a shelter	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
e. In a car or RV, park, or campground	0.0% (±0.0)	3.2% (±6.6)	4.8% (±9.9)
f. In a motel/hotel	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
g. On the street	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
h. Moved from place to place	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
i. Other	0.0% (±0.0)	3.2% (±6.6)	0.0% (±0.0)
14. Are your current living arrangements the result of losing your home			
because your family cannot afford housing? a. No	(n=20) 90.0% (±14.4)	(n=31) 77.4% (±15.6)	(n=20) 85.0% (±17.1)
b. Yes	5.0% (±10.5)	3.2% (±6.6)	15.0% (±17.1)
c. Not sure	5.0% (±10.5)	19.4% (±14.7)	0.0% (±0.0)
15. Do you receive free or reduced price lunches at school?	(n=8)	(n=14)	(n=9)
a. No	0.0% (±0.0)	28.6% (±27.1)	55.6% (±40.5)
b. Yes	62.5% (±43.3)	57.1% (±29.7)	44.4% (±40.5)
c. Not sure	37.5% (±43.3)	14.3% (±21.0)	0.0% (±0.0)
16. Has your parent or guardian served in the military (Army, Navy, Air			
Force, Marines, Coast Guard, National Guard, and Reserves)?	(n=8)	(n=15)	(n=11)
a. No	75.0% (±38.7)	60.0% (±28.1)	81.8% (±27.2)
b. Yes	25.0% (±38.7)	33.3% (±27.0)	9.1% (±20.3)
c. Not sure	0.0% (±0.0)	6.7% (±14.3)	9.1% (±20.3)

7. Have you or your family moved in the past 3 years to another school	Grade 8	Grade 10	Grade 12
district, city, or county for seasonal work in: agriculture, dairy, or fishing?	% (± CI) (n=13)	% (± CI) (n=16)	% (± CI) (n=9)
a. Yes	7.7% (±16.8)	12.5% (±18.2)	0.0% (±0.0)
b. No	69.2% (±29.0)	75.0% (±23.8)	100.0% (±0.0)
c. I don't know	23.1% (±26.5)	12.5% (±18.2)	0.0% (±0.0)
8. During the past 30 days, on how many days have you been absent from school for any reason? Include any day that you missed at least half of the school day.	(n=22)	(n=31)	(n=20)
a. 0 days	59.1% (±22.3)	51.6% (±18.6)	50.0% (±24.0)
h 4 an O dour	22.7% (±19.0)	41.9% (±18.4)	35.0% (±22.9)
b. 1 or 2 days	22.770 (±13.0)		
c. 3 or more days	18.2% (±17.5)	6.5% (±9.2)	15.0% (±17.1)
c. 3 or more days 9. During your last school year, how many times did you change schools for reasons other than moving up a grade?	18.2% (±17.5) (n=13)	(n=16)	15.0% (±17.1) (n=9)
c. 3 or more days 9. During your last school year, how many times did you change schools for reasons other than moving up a grade? a. I did not change schools	18.2% (±17.5) (n=13) 100.0% (±0.0)	(n=16) 81.3% (±21.5)	(n=9) 88.9% (±25.6)
c. 3 or more days 9. During your last school year, how many times did you change schools for reasons other than moving up a grade?	18.2% (±17.5) (n=13) 100.0% (±0.0) 0.0% (±0.0)	(n=16) 81.3% (±21.5) 12.5% (±18.2)	(n=9) 88.9% (±25.6 11.1% (±25.6
c. 3 or more days 9. During your last school year, how many times did you change schools for reasons other than moving up a grade? a. I did not change schools b. Once	18.2% (±17.5) (n=13) 100.0% (±0.0)	(n=16) 81.3% (±21.5)	(n=9) 88.9% (±25.6 11.1% (±25.6 0.0% (±0.0)
c. 3 or more days 9. During your last school year, how many times did you change schools for reasons other than moving up a grade? a. I did not change schools b. Once c. Twice	18.2% (±17.5) (n=13) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=16) 81.3% (±21.5) 12.5% (±18.2) 6.3% (±13.3)	(n=9) 88.9% (±25.6)
c. 3 or more days 9. During your last school year, how many times did you change schools for reasons other than moving up a grade? a. I did not change schools b. Once c. Twice d. Three or more times	(n=13) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=16) 81.3% (±21.5) 12.5% (±18.2) 6.3% (±13.3) 0.0% (±0.0)	(n=9) 88.9% (±25.6 11.1% (±25.6 0.0% (±0.0) 0.0% (±0.0)
c. 3 or more days 9. During your last school year, how many times did you change schools for reasons other than moving up a grade? a. I did not change schools b. Once c. Twice d. Three or more times 0. How honest were you in filling out this survey?	(n=13) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=8)	(n=16) 81.3% (±21.5) 12.5% (±18.2) 6.3% (±13.3) 0.0% (±0.0) (n=24)	(n=9) 88.9% (±25.6 11.1% (±25.6 0.0% (±0.0) 0.0% (±0.0)
9. During your last school year, how many times did you change schools for reasons other than moving up a grade? a. I did not change schools b. Once c. Twice d. Three or more times 9. How honest were you in filling out this survey? a. I was very honest.	(n=13) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=8) 50.0% (±44.7)	(n=16) 81.3% (±21.5) 12.5% (±18.2) 6.3% (±13.3) 0.0% (±0.0) (n=24) 83.3% (±16.1)	(n=9) 88.9% (±25.6 11.1% (±25.6 0.0% (±0.0) 0.0% (±0.0) (n=19) 78.9% (±20.2
c. 3 or more days 9. During your last school year, how many times did you change schools for reasons other than moving up a grade? a. I did not change schools b. Once c. Twice d. Three or more times 0. How honest were you in filling out this survey? a. I was very honest. b. I was honest pretty much of the time.	(n=13) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=8) 50.0% (±44.7) 0.0% (±0.0)	(n=16) 81.3% (±21.5) 12.5% (±18.2) 6.3% (±13.3) 0.0% (±0.0) (n=24) 83.3% (±16.1) 12.5% (±14.3)	(n=9) 88.9% (±25.6 11.1% (±25.6 0.0% (±0.0) 0.0% (±0.0) (n=19) 78.9% (±20.2 21.1% (±20.2

Alcohol, Tobacco and Other Drug Use

Alcohol, tobacco, and other drug (ATOD) use has been a major concern in this country for many years. The consequences of ATOD use are well known. In the short term, ATOD use interferes with positive physical, emotional, and social development. In the long term, ATOD use is associated with delinquency and criminal activity, unintended injuries, and a variety of health complications including shorter life expectancy. Tobacco use is the world's leading cause of preventable death, disease, and disability. This section provides information about lifetime ATOD use (which in part reflects experimental use), use in the past 30 days (i.e., current use), and other tobacco-, alcohol-, and drug-related issues.

Lifetime Use

Have you ever, even once in your life:

21. Smoked a cigarette, even just a puff? (Computed from question 231)	(n=7)	(n=12)	(n=8)
a. No	85.7% (±35.0)	83.3% (±24.7)	62.5% (±43.3)
b. Yes	14.3% (±35.0)	16.7% (±24.7)	37.5% (±43.3)
22. Used an electronic cigarette, also called e-cigs or vape pens?			
(Computed from question 56)	(n=6)	(n=14)	(n=11)
a. No	83.3% (±42.8)	57.1% (±29.7)	54.5% (±35.1)
b. Yes	16.7% (±42.8)	42.9% (±29.7)	45.5% (±35.1)
23. Drank more than a sip or two of beer, wine, or hard liquor (for example:		()	
vodka, whiskey, or gin)? (Computed from question 23 or 232)	(n=21)	(n=29)	(n=20)
a. No	66.7% (±22.0)	48.3% (±19.3)	30.0% (±22.0)
b. Yes	33.3% (±22.0)	51.7% (±19.3)	70.0% (±22.0)

	Grade 8	Grade 10	Grade 12
24. Used marijuana? (Computed from question 24 or 230)	% (± CI) (n=21)	% (± CI) (n=29)	% (± CI) (n=20)
a. No	85.7% (±16.3)	62.1% (±18.8)	45.0% (±23.9
b. Yes	14.3% (±16.3)	37.9% (±18.8)	55.0% (±23.9
uestion 25 appears only on the elementary version of the survey.]			
27. Used heroin? Select all that apply.	(n=5)	(n=12)	(n=8)
a. No, I've never used it	100.0% (±0.0)	100.0% (±0.0)	100.0% (±0.0
b. Yes, within the past year	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
c. Yes, over a year ago	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
28. Used methamphetamines (meth, crystal meth, ice, crank)? Do not include other types of amphetamines. Select all that apply.	(n=6)	(n=11)	(n=8)
a Na Bus never used it	400 00/ /+0 0\	400 00/ /+0 0\	400.00/ /+0.0
a. No, I've never used it	100.0% (±0.0)	100.0% (±0.0)	,
b. Yes, within the past year	0.0% (±0.0)	0.0% (±0.0)	100.0% (±0.0 0.0% (±0.0
	` ,	, ,	,
b. Yes, within the past year	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
b. Yes, within the past year c. Yes, over a year ago	0.0% (±0.0) 0.0% (±0.0)	0.0% (±0.0) 0.0% (±0.0)	0.0% (±0.0 0.0% (±0.0 (n=8)
b. Yes, within the past year c. Yes, over a year ago 29. Used cocaine? Select all that apply.	0.0% (±0.0) 0.0% (±0.0) (n=5)	0.0% (±0.0) 0.0% (±0.0) (n=12)	0.0% (±0.0 0.0% (±0.0 (n=8) 100.0% (±0.0
b. Yes, within the past year c. Yes, over a year ago 29. Used cocaine? Select all that apply. a. No, I've never used it	0.0% (±0.0) 0.0% (±0.0) (n=5) 100.0% (±0.0)	0.0% (±0.0) 0.0% (±0.0) (n=12) 100.0% (±0.0)	0.0% (±0.0 0.0% (±0.0
b. Yes, within the past year c. Yes, over a year ago 29. Used cocaine? Select all that apply. a. No, I've never used it b. Yes, within the past year c. Yes, over a year ago 30. Used steroids (muscle builders) without a doctor's prescription? Select	0.0% (±0.0) 0.0% (±0.0) (n=5) 100.0% (±0.0) 0.0% (±0.0)	0.0% (±0.0) 0.0% (±0.0) (n=12) 100.0% (±0.0) 0.0% (±0.0)	0.0% (±0.0 0.0% (±0.0 (n=8) 100.0% (±0.0 0.0% (±0.0
 b. Yes, within the past year c. Yes, over a year ago 29. Used cocaine? Select all that apply. a. No, I've never used it b. Yes, within the past year c. Yes, over a year ago 30. Used steroids (muscle builders) without a doctor's prescription? Select all that apply.	0.0% (±0.0) 0.0% (±0.0) (n=5) 100.0% (±0.0) 0.0% (±0.0) (n=5)	0.0% (±0.0) 0.0% (±0.0) (n=12) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	0.0% (±0.0 0.0% (±0.0 (n=8) 100.0% (±0.0 0.0% (±0.0 (n=8)
b. Yes, within the past year c. Yes, over a year ago 29. Used cocaine? Select all that apply. a. No, I've never used it b. Yes, within the past year c. Yes, over a year ago 30. Used steroids (muscle builders) without a doctor's prescription? Select all that apply. a. No, I've never used it	0.0% (±0.0) 0.0% (±0.0) (n=5) 100.0% (±0.0) 0.0% (±0.0) (n=5) 100.0% (±0.0)	0.0% (±0.0) 0.0% (±0.0) (n=12) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=12) 100.0% (±0.0)	0.0% (±0.0 0.0% (±0.0 (n=8) 100.0% (±0.0 0.0% (±0.0 (n=8) 100.0% (±0.0
 b. Yes, within the past year c. Yes, over a year ago 29. Used cocaine? Select all that apply. a. No, I've never used it b. Yes, within the past year c. Yes, over a year ago 30. Used steroids (muscle builders) without a doctor's prescription? Select all that apply.	0.0% (±0.0) 0.0% (±0.0) (n=5) 100.0% (±0.0) 0.0% (±0.0) (n=5)	0.0% (±0.0) 0.0% (±0.0) (n=12) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	0.0% (±0.000,00%) (±0.000,00%) (±0.000,00%) (±0.0000%) (±0.000%) (±0.000%) (±0.000%) (±0.000%) (±0.000%) (±0.000%) (

[Question 31 appears only on the elementary version of the survey.]

30-Day Use (Use in the Past 30 Days)

During the past 30 days, on how many days did you:

Smoke cigarettes?	(n=23)		(n=31)	(n=20)
a. None	100.0% (±0	.0) 93.	5% (±9.2)	85.0% (±17.1
b. 1-2 days	0.0% (±0	.0) 3.	2% (±6.6)	10.0% (±14.4
c. 3-5 days	0.0% (±0	.0) 0.	0% (±0.0)	0.0% (±0.0
d. 6-9 days	0.0% (±0	.0) 3.	2% (±6.6)	0.0% (±0.0
e. 10-29 days	0.0% (±0	.0) 0.	0% (±0.0)	5.0% (±10.5
f. All 30 days	0.0% (±0	.0) 0.	0% (±0.0)	0.0% (±0.0
•				
	0.0% (±0 (n=13)		5% (±9.2) (n=18)	
Any use in past 30 days Use chewing tobacco, snuff, or dip? a. None	0.0% (±0 (n=13) 100.0% (±0		5% (±9.2) (n=18) 0% (±0.0)	15.0% (±17.1 (n=12) 83.3% (±24.7
Use chewing tobacco, snuff, or dip?	(n=13)	.0) 100.	(n=18)	(n=12)
Use chewing tobacco, snuff, or dip? a. None	(n=13) 100.0% (±0	.0) 100. .0) 0.	(n=18) 0% (±0.0)	(n=12) 83.3% (±24.7
Use chewing tobacco, snuff, or dip? a. None b. 1-2 days	(n=13) 100.0% (±0 0.0% (±0	.0) 100. .0) 0.	(n=18) 0% (±0.0) 0% (±0.0)	(n=12) 83.3% (±24.7 8.3% (±18.3
Use chewing tobacco, snuff, or dip? a. None b. 1-2 days c. 3-5 days	(n=13) 100.0% (±0 0.0% (±0 0.0% (±0	.0) 100. .0) 0. .0) 0.	(n=18) 0% (±0.0) 0% (±0.0) 0% (±0.0)	(n=12) 83.3% (±24.7 8.3% (±18.3 0.0% (±0.0
Use chewing tobacco, snuff, or dip? a. None b. 1-2 days c. 3-5 days d. 6-9 days	(n=13) 100.0% (±0 0.0% (±0 0.0% (±0 0.0% (±0	.0) 100. .0) 0. .0) 0. .0) 0.	(n=18) 0% (±0.0) 0% (±0.0) 0% (±0.0) 0% (±0.0)	(n=12) 83.3% (±24. 8.3% (±18. 0.0% (±0.0

	Grade 8	Grade 10	Grade 12
84. Smoke cigars, cigarillos, or little cigars?	% (± CI) (n=14)	% (± CI) (n=18)	% (± CI) (n=12)
a. None	100.0% (±0.0)	88.9% (±16.1)	91.7% (±18.3
b. 1-2 days	0.0% (±0.0)	11.1% (±16.1)	8.3% (±18.3
c. 3-9 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
d. 10-29 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
e. All 30 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
Any use in past 30 days	0.0% (±0.0)	11.1% (±16.1)	8.3% (±18.3
35. Use an electronic cigarette, also called e-cigs, or vape pens?	(n=13)	(n=18)	(n=12)
a. None	92.3% (±16.8)	83.3% (±19.1)	75.0% (±28.7
b. 1-2 days	0.0% (±0.0)	5.6% (±11.7)	8.3% (±18.3
c. 3-5 days	7.7% (±16.8)	0.0% (±0.0)	8.3% (±18.3
d. 6-9 days	0.0% (±0.0)	0.0% (±0.0)	8.3% (±18.3
e. 10-19 days	0.0% (±0.0)	5.6% (±11.7)	0.0% (±0.0)
f. 20-29 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
g. All 30 days	0.0% (±0.0)	5.6% (±11.7)	0.0% (±0.0
Any use in past 30 days	7.7% (±16.8)	16.7% (±19.1)	25.0% (±28.7
6. Smoke tobacco or flavored tobacco in a hookah, even just a puff?	(n=13)	(n=18)	(n=12)
a. None	100.0% (±0.0)	94.4% (±11.7)	91.7% (±18.3
b. 1-2 days	0.0% (±0.0)	5.6% (±11.7)	0.0% (±0.0
c. 3-9 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
d. 10-29 days	0.0% (±0.0)	0.0% (±0.0)	8.3% (±18.3
e. All 30 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
Any use in past 30 days	0.0% (±0.0)	5.6% (±11.7)	8.3% (±18.3
37. During the past 30 days, on how many days did you: Smoke tobacco in			
a pipe?	(n=13)	(n=18)	(n=12)
a. None	100.0% (±0.0)	100.0% (±0.0)	91.7% (±18.3
b. 1-2 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
c. 3-9 days	0.0% (±0.0)	0.0% (±0.0)	8.3% (±18.3
d. 10-29 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
e. All 30 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
Any use in past 30 days	0.0% (±0.0)	0.0% (±0.0)	8.3% (±18.3
During the past 30 days, on how many days did you:			
88. Drink a glass, can or bottle of alcohol (beer, wine, wine coolers, hard liquor)?	(n=23)	(n=27)	(n=20)
a. None	95.7% (±9.0)	81.5% (±15.7)	70.0% (±22.0
b. 1-2 days	4.3% (±9.0)	14.8% (±14.3)	10.0% (±14.4
c. 3-5 days	0.0% (±0.0)	3.7% (±7.6)	10.0% (±14.4
d. 6-9 days	0.0% (±0.0)	0.0% (±0.0)	10.0% (±14.4
e. 10 or more days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0

	Grade 8	Grade 10	Grade 12
89. Use marijuana or hashish (weed, hash, pot)?	% (± CI) (n=23)	% (± CI) (n=30)	% (± CI) (n=19)
a. None	87.0% (±14.9)	73.3% (±16.8)	57.9% (±24.4
b. 1-2 days	8.7% (±12.5)	10.0% (±11.4)	5.3% (±11.1
c. 3-5 days	0.0% (±0.0)	3.3% (±6.8)	5.3% (±11.1
d. 6-9 days	0.0% (±0.0)	6.7% (±9.5)	5.3% (±11.
e. 10-19 days	4.3% (±9.0)	0.0% (±0.0)	10.5% (±15.2
f. 20-29 days	0.0% (±0.0)	0.0% (±0.0)	5.3% (±11.
g. All 30 days	0.0% (±0.0)	6.7% (±9.5)	10.5% (±15.
Any use in past 30 days	13.0% (±14.9)	26.7% (±16.8)	42.1% (±24.
0. Not counting alcohol, tobacco, or marijuana, use another illegal drug?	(n=9)	(n=12)	(n=8)
a. None	100.0% (±0.0)	100.0% (±0.0)	100.0% (±0.0
b. 1-2 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
c. 3-5 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
d. 6-9 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
e. 10 or more days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
Any use in past 30 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
11. Use any illegal drug, including marijuana? (Computed from questions 39 and 40)	(n=9)	(n=12)	(n=8)
None	66.7% (±38.4)	83.3% (±24.7)	62.5% (±43.
Any use in past 30 days	33.3% (±38.4)	16.7% (±24.7)	37.5% (±43.
2. Use a pain killer TO GET HIGH, like Vicodin, OxyContin (sometimes	,	,	·
called Oxy or OC) or Percocet (sometimes called Percs)?	(n=23)	(n=30)	(n=20)
called Oxy or OC) or Percocet (sometimes called Percs)? a. None	(n=23) 100.0% (±0.0)	(n=30) 100.0% (±0.0)	(n=20) 95.0% (±10.
called Oxy or OC) or Percocet (sometimes called Percs)? a. None b. 1-2 days	(n=23) 100.0% (±0.0) 0.0% (±0.0)	(n=30) 100.0% (±0.0) 0.0% (±0.0)	(n=20) 95.0% (±10.0
a. None b. 1-2 days c. 3-5 days	(n=23) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=30) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=20) 95.0% (±10. 0.0% (±0.0 0.0% (±0.0
a. None b. 1-2 days c. 3-5 days d. 6-9 days	(n=23) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=30) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=20) 95.0% (±10. 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0
a. None b. 1-2 days c. 3-5 days d. 6-9 days e. 10 or more days	(n=23) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=30) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=20) 95.0% (±10. 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0 5.0% (±10.
a. None b. 1-2 days c. 3-5 days d. 6-9 days	(n=23) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=30) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=20) 95.0% (±10. 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0 5.0% (±10.
called Oxy or OC) or Percocet (sometimes called Percs)? a. None b. 1-2 days c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days 3. Use prescription drugs not prescribed to you?	(n=23) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=30) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=20) 95.0% (±10. 0.0% (±0.0 0.0% (±0.0 5.0% (±10. 5.0% (±10.
a. None b. 1-2 days c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days 13. Use prescription drugs not prescribed to you? a. None	(n=23) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=8) 100.0% (±0.0)	(n=30) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=12)	(n=20) 95.0% (±10.0 0.0% (±0.0 0.0% (±0.0 5.0% (±10.0 5.0% (±10.0 (n=8)
a. None b. 1-2 days c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days 13. Use prescription drugs not prescribed to you? a. None b. 1-2 days	(n=23) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=8) 100.0% (±0.0)	(n=30) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=12) 100.0% (±0.0)	(n=20) 95.0% (±10. 0.0% (±0.0 0.0% (±0.0 5.0% (±10. 5.0% (±10. (n=8) 100.0% (±0.0
a. None b. 1-2 days c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days 13. Use prescription drugs not prescribed to you? a. None b. 1-2 days c. 3-5 days	(n=23) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=8) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=30) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=12) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=20) 95.0% (±10. 0.0% (±0.0) 0.0% (±0.0) 5.0% (±10. 5.0% (±10. (n=8) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)
a. None b. 1-2 days c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days 13. Use prescription drugs not prescribed to you? a. None b. 1-2 days c. 3-5 days d. 6-9 days	(n=23) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=8) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=30) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=12) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=20) 95.0% (±10. 0.0% (±0.0 0.0% (±0.0 0.0% (±10. 5.0% (±10. 5.0% (±10. 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0
a. None b. 1-2 days c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days 13. Use prescription drugs not prescribed to you? a. None b. 1-2 days c. 3-5 days d. 6-9 days e. 10 or more days	(n=23) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=8) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=30) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=20) 95.0% (±10.4) 0.0% (±0.0) 0.0% (±0.0) 5.0% (±10.4) 5.0% (±10.4) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)
a. None b. 1-2 days c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days 13. Use prescription drugs not prescribed to you? a. None b. 1-2 days c. 3-5 days d. 6-9 days	(n=23) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=8) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=30) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=12) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=20) 95.0% (±10. 0.0% (±0.0) 0.0% (±0.0) 5.0% (±10. 5.0% (±10. (n=8) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)
a. None b. 1-2 days c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days 13. Use prescription drugs not prescribed to you? a. None b. 1-2 days c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days	(n=23) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=8) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=30) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=12) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=20) 95.0% (±10.0 0.0% (±0.0 0.0% (±0.0 5.0% (±10.0 5.0% (±10.0 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0
a. None b. 1-2 days c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days 13. Use prescription drugs not prescribed to you? a. None b. 1-2 days c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days	(n=23) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=8) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=30) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=20) 95.0% (±10.00% (±0.00% (±0.00% (±0.00% (±10.00% (±10.00% (±10.00% (±0.0
a. None b. 1-2 days c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days 13. Use prescription drugs not prescribed to you? a. None b. 1-2 days c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days	(n=23) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=8) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=30) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=12) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=20) 95.0% (±10.0 0.0% (±0.0 0.0% (±0.0 0.0% (±10.0 5.0% (±10.0 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0 0.0% (±0.0
a. None b. 1-2 days c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days 13. Use prescription drugs not prescribed to you? a. None b. 1-2 days c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days 14. During the past 30 days, which of the following have you used for non-medical reasons? Select all that apply. a. I did not take any of these for non-medical reasons	(n=23) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=8) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=30) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=12) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 100% (±0.0) 100% (±0.0)	(n=20) 95.0% (±10.0) 0.0% (±0.0) 0.0% (±0.0) 5.0% (±10.0) 5.0% (±10.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)
 a. None b. 1-2 days c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days 33. Use prescription drugs not prescribed to you? a. None b. 1-2 days c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days 44. During the past 30 days, which of the following have you used for non-medical reasons? Select all that apply. a. I did not take any of these for non-medical reasons b. I used a stimulant, like Adderall or Ritalin 	(n=23) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=8) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=30) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=20) 95.0% (±10.4) 0.0% (±0.0) 0.0% (±0.0) 5.0% (±10.4) 5.0% (±10.4) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)
a. None b. 1-2 days c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days 3. Use prescription drugs not prescribed to you? a. None b. 1-2 days c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days 14. During the past 30 days, which of the following have you used for non-medical reasons? Select all that apply. a. I did not take any of these for non-medical reasons b. I used a stimulant, like Adderall or Ritalin c. I used a painkiller, like Vicodin, OxyContin, or Percocet	(n=23) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=8) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=30) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=20) 95.0% (±10.4) 0.0% (±0.0) 0.0% (±0.0) 5.0% (±10.4) 5.0% (±10.4) 100.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)

Other Tobacco-Related Questions

	Grade 8	Grade 10	Grade 12
	% (± CI)	% (± CI)	% (± CI)
45. Are the cigarettes that you usually smoke menthol cigarettes? a. I do not smoke cigarettes.	(n=13)	(n=18)	(n=12)
	100.0% (±0.0)	94.4% (±11.7)	91.7% (±18.
b. Yes	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
c. No	0.0% (±0.0)	5.6% (±11.7)	8.3% (±18.
46. Does anyone who lives with you now smoke cigarettes?	(n=5)	(n=14)	(n=10)
a. No	40.0% (±60.0)	71.4% (±27.1)	80.0% (±30.
b. Yes	60.0% (±60.0)	28.6% (±27.1)	20.0% (±30.
47. During the past 7 days, on how many days were you in the same room with someone who was smoking cigarettes?	(n=6)	(n=15)	(n=11)
a. 0 days	50.0% (±50.0)	73.3% (±25.3)	81.8% (±27.
b. 1-2 days	16.7% (±42.8)	13.3% (±19.5)	9.1% (±20.
c. 3-4 days	0.0% (±0.0)	6.7% (±14.3)	0.0% (±0.0
d. 5-6 days	16.7% (±42.8)	6.7% (±14.3)	9.1% (±20
e. 7 days	16.7% (±42.8)	0.0% (±0.0)	0.0% (±0.
estion 48 appears only on the elementary version of the survey.] 49. During the past 30 days, how did you usually get your own tobacco?			
(Choose only one answer.)	(n=6)	(n=14)	(n=11)
a. I did not use tobacco during the past 30 days	100.0% (±0.0)	85.7% (±21.0)	81.8% (±27
b. I bought it in a store such as a convenience store, supermarket, discount store or gas station	0.0% (±0.0)	0.0% (±0.0)	9.1% (±20
c. I bought it from a vending machine	0.0% (±0.0)	0.0% (±0.0)	9.1% (±20
d. I gave someone else money to buy them for me	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.
e. I borrowed (or bummed) them from someone else	$0.0\% (\pm 0.0)$	0.0% (±0.0)	0.0% (±0.
	, ,		
f. A person 18 years old or older gave them to me	0.0% (±0.0)	7.1% (±15.4)	·
f. A person 18 years old or older gave them to me g. I took them from a store or a family member	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.
f. A person 18 years old or older gave them to me		•	0.0% (±0.
f. A person 18 years old or older gave them to me g. I took them from a store or a family member h. I got them some other way 50. How wrong do your friends feel it would be for you to: Use tobacco?	0.0% (±0.0) 0.0% (±0.0) (n=6)	0.0% (±0.0)	0.0% (±0.
f. A person 18 years old or older gave them to me g. I took them from a store or a family member h. I got them some other way	0.0% (±0.0) 0.0% (±0.0)	0.0% (±0.0) 7.1% (±15.4)	0.0% (±0. 0.0% (±0. (n=7)
f. A person 18 years old or older gave them to me g. I took them from a store or a family member h. I got them some other way 50. How wrong do your friends feel it would be for you to: Use tobacco?	0.0% (±0.0) 0.0% (±0.0) (n=6)	0.0% (±0.0) 7.1% (±15.4) (n=11)	0.0% (±0. 0.0% (±0. (n=7) 14.3% (±35
f. A person 18 years old or older gave them to me g. I took them from a store or a family member h. I got them some other way 50. How wrong do your friends feel it would be for you to: Use tobacco? a. Very wrong	0.0% (±0.0) 0.0% (±0.0) (n=6) 50.0% (±50.0)	0.0% (±0.0) 7.1% (±15.4) (n=11) 54.5% (±35.1)	0.0% (±0. 0.0% (±0. (n=7) 14.3% (±35 57.1% (±49)
f. A person 18 years old or older gave them to me g. I took them from a store or a family member h. I got them some other way 50. How wrong do your friends feel it would be for you to: Use tobacco? a. Very wrong b. Wrong	0.0% (±0.0) 0.0% (±0.0) (n=6) 50.0% (±50.0) 33.3% (±54.2)	0.0% (±0.0) 7.1% (±15.4) (n=11) 54.5% (±35.1) 27.3% (±31.4)	0.0% (±0. 0.0% (±0. (n=7) 14.3% (±35) 57.1% (±49) 0.0% (±0.
f. A person 18 years old or older gave them to me g. I took them from a store or a family member h. I got them some other way 50. How wrong do your friends feel it would be for you to: Use tobacco? a. Very wrong b. Wrong c. A little bit wrong	0.0% (±0.0) 0.0% (±0.0) (n=6) 50.0% (±50.0) 33.3% (±54.2) 0.0% (±0.0) 16.7% (±42.8)	0.0% (±0.0) 7.1% (±15.4) (n=11) 54.5% (±35.1) 27.3% (±31.4) 9.1% (±20.3) 9.1% (±20.3)	0.0% (±0. 0.0% (±0. (n=7) 14.3% (±35) 57.1% (±49) 0.0% (±0. 28.6% (±45)
f. A person 18 years old or older gave them to me g. I took them from a store or a family member h. I got them some other way 50. How wrong do your friends feel it would be for you to: Use tobacco? a. Very wrong b. Wrong c. A little bit wrong d. Not at all wrong	0.0% (±0.0) 0.0% (±0.0) (n=6) 50.0% (±50.0) 33.3% (±54.2) 0.0% (±0.0)	0.0% (±0.0) 7.1% (±15.4) (n=11) 54.5% (±35.1) 27.3% (±31.4) 9.1% (±20.3)	0.0% (±0. 0.0% (±0. (n=7) 14.3% (±35) 57.1% (±49) 0.0% (±0. 28.6% (±45)
f. A person 18 years old or older gave them to me g. I took them from a store or a family member h. I got them some other way 50. How wrong do your friends feel it would be for you to: Use tobacco? a. Very wrong b. Wrong c. A little bit wrong d. Not at all wrong 51. If one of your best friends offered you a cigarette, would you smoke it?	0.0% (±0.0) 0.0% (±0.0) (n=6) 50.0% (±50.0) 33.3% (±54.2) 0.0% (±0.0) 16.7% (±42.8)	0.0% (±0.0) 7.1% (±15.4) (n=11) 54.5% (±35.1) 27.3% (±31.4) 9.1% (±20.3) 9.1% (±20.3)	0.0% (±0. 0.0% (±0. (n=7) 14.3% (±35) 57.1% (±49) 0.0% (±0. 28.6% (±45) (n=12) 75.0% (±28)
f. A person 18 years old or older gave them to me g. I took them from a store or a family member h. I got them some other way 50. How wrong do your friends feel it would be for you to: Use tobacco? a. Very wrong b. Wrong c. A little bit wrong d. Not at all wrong 51. If one of your best friends offered you a cigarette, would you smoke it? a. Definitely no	0.0% (±0.0) 0.0% (±0.0) (n=6) 50.0% (±50.0) 33.3% (±54.2) 0.0% (±0.0) 16.7% (±42.8) (n=7) 85.7% (±35.0)	0.0% (±0.0) 7.1% (±15.4) (n=11) 54.5% (±35.1) 27.3% (±31.4) 9.1% (±20.3) 9.1% (±20.3) (n=15) 86.7% (±19.5)	0.0% (±0. 0.0% (±0. (n=7) 14.3% (±35 57.1% (±49 0.0% (±0. 28.6% (±45 (n=12) 75.0% (±28 8.3% (±18
f. A person 18 years old or older gave them to me g. I took them from a store or a family member h. I got them some other way 50. How wrong do your friends feel it would be for you to: Use tobacco? a. Very wrong b. Wrong c. A little bit wrong d. Not at all wrong 51. If one of your best friends offered you a cigarette, would you smoke it? a. Definitely no b. Probably no	0.0% (±0.0) 0.0% (±0.0) (n=6) 50.0% (±50.0) 33.3% (±54.2) 0.0% (±0.0) 16.7% (±42.8) (n=7) 85.7% (±35.0) 14.3% (±35.0)	0.0% (±0.0) 7.1% (±15.4) (n=11) 54.5% (±35.1) 27.3% (±31.4) 9.1% (±20.3) 9.1% (±20.3) (n=15) 86.7% (±19.5) 0.0% (±0.0)	0.0% (±0. 0.0% (±0. 0.0% (±0. (n=7) 14.3% (±35 57.1% (±49 0.0% (±0. 28.6% (±45 (n=12) 75.0% (±28 8.3% (±18 16.7% (±24
f. A person 18 years old or older gave them to me g. I took them from a store or a family member h. I got them some other way 50. How wrong do your friends feel it would be for you to: Use tobacco? a. Very wrong b. Wrong c. A little bit wrong d. Not at all wrong 51. If one of your best friends offered you a cigarette, would you smoke it? a. Definitely no b. Probably no c. Probably yes	0.0% (±0.0) 0.0% (±0.0) (n=6) 50.0% (±50.0) 33.3% (±54.2) 0.0% (±0.0) 16.7% (±42.8) (n=7) 85.7% (±35.0) 14.3% (±35.0) 0.0% (±0.0)	0.0% (±0.0) 7.1% (±15.4) (n=11) 54.5% (±35.1) 27.3% (±31.4) 9.1% (±20.3) 9.1% (±20.3) (n=15) 86.7% (±19.5) 0.0% (±0.0) 13.3% (±19.5)	0.0% (±0. 0.0% (±0. 0.0% (±35) 57.1% (±49) 0.0% (±0. 28.6% (±45) 75.0% (±28) 8.3% (±18) 16.7% (±24) 0.0% (±0. (n=11)
f. A person 18 years old or older gave them to me g. I took them from a store or a family member h. I got them some other way 50. How wrong do your friends feel it would be for you to: Use tobacco? a. Very wrong b. Wrong c. A little bit wrong d. Not at all wrong 51. If one of your best friends offered you a cigarette, would you smoke it? a. Definitely no b. Probably no c. Probably yes d. Definitely yes	0.0% (±0.0) 0.0% (±0.0) (n=6) 50.0% (±50.0) 33.3% (±54.2) 0.0% (±0.0) 16.7% (±42.8) (n=7) 85.7% (±35.0) 14.3% (±35.0) 0.0% (±0.0) 0.0% (±0.0)	0.0% (±0.0) 7.1% (±15.4) (n=11) 54.5% (±35.1) 27.3% (±31.4) 9.1% (±20.3) 9.1% (±20.3) (n=15) 86.7% (±19.5) 0.0% (±0.0) 13.3% (±19.5) 0.0% (±0.0)	0.0% (±0. 0.0% (±0. 0.0% (±35) 57.1% (±49) 0.0% (±0. 28.6% (±45) 75.0% (±28) 8.3% (±18) 16.7% (±24) 0.0% (±0. (n=11)
f. A person 18 years old or older gave them to me g. I took them from a store or a family member h. I got them some other way 50. How wrong do your friends feel it would be for you to: Use tobacco? a. Very wrong b. Wrong c. A little bit wrong d. Not at all wrong 51. If one of your best friends offered you a cigarette, would you smoke it? a. Definitely no b. Probably no c. Probably yes d. Definitely yes	0.0% (±0.0) 0.0% (±0.0) (n=6) 50.0% (±50.0) 33.3% (±54.2) 0.0% (±0.0) 16.7% (±42.8) (n=7) 85.7% (±35.0) 14.3% (±35.0) 0.0% (±0.0) 0.0% (±0.0)	0.0% (±0.0) 7.1% (±15.4) (n=11) 54.5% (±35.1) 27.3% (±31.4) 9.1% (±20.3) 9.1% (±20.3) (n=15) 86.7% (±19.5) 0.0% (±0.0) 13.3% (±19.5) 0.0% (±0.0) (n=15)	14.3% (±35) 57.1% (±49) 0.0% (±0.1) 28.6% (±45) (n=12) 75.0% (±28) 8.3% (±18) 16.7% (±24) 0.0% (±0.1)
f. A person 18 years old or older gave them to me g. I took them from a store or a family member h. I got them some other way 50. How wrong do your friends feel it would be for you to: Use tobacco? a. Very wrong b. Wrong c. A little bit wrong d. Not at all wrong 51. If one of your best friends offered you a cigarette, would you smoke it? a. Definitely no b. Probably no c. Probably yes d. Definitely yes 52. Do you think that you will smoke a cigarette anytime in the next year? a. Definitely no	0.0% (±0.0) 0.0% (±0.0) (n=6) 50.0% (±50.0) 33.3% (±54.2) 0.0% (±0.0) 16.7% (±42.8) (n=7) 85.7% (±35.0) 14.3% (±35.0) 0.0% (±0.0) 0.0% (±0.0) (n=6) 83.3% (±42.8)	0.0% (±0.0) 7.1% (±15.4) (n=11) 54.5% (±35.1) 27.3% (±31.4) 9.1% (±20.3) 9.1% (±20.3) (n=15) 86.7% (±19.5) 0.0% (±0.0) 13.3% (±19.5) 0.0% (±0.0) (n=15) 80.0% (±22.9)	0.0% (±0. 0.0% (±0. 0.0% (±0. (n=7) 14.3% (±35 57.1% (±49 0.0% (±0. 28.6% (±45 (n=12) 75.0% (±28 8.3% (±18 16.7% (±24 0.0% (±0. (n=11) 72.7% (±31

	Grade 8	Grade 10	Grade 12
53. Have made a firm commitment to not smoke cigarettes; i.e., not susceptible to smoking. (Computed from questions 51 and 52)	% (± CI) (n=6)	% (± CI) (n=15)	% (± CI) (n=11)
a. Yes, not susceptible	83.3% (±42.8)	80.0% (±22.9)	72.7% (±31.
b. No, susceptible	16.7% (±42.8)	20.0% (±22.9)	27.3% (±31.
54. Do you want to stop using tobacco right now?	(n=5)	(n=14)	(n=11)
a. I do not use tobacco now	100.0% (±0.0)	78.6% (±24.6)	90.9% (±20
b. Yes	0.0% (±0.0)	0.0% (±0.0)	9.1% (±20
c. No	0.0% (±0.0)	21.4% (±24.6)	0.0% (±0.
55. During the past 12 months, have you ever tried to quit using tobacco (cigarettes, cigars, chew/dip)?	(n E)	(n. 45)	(n. 12)
a. I did not use tobacco during the past 12 months	(n=5) 100.0% (±0.0)	(n=15) 80.0% (±22.9)	(n=12) 91.7% (±18
b. Yes	0.0% (±0.0)	13.3% (±19.5)	8.3% (±18
c. No	0.0% (±0.0)	6.7% (±14.3)	0.0% (±0.
ser Electronic Cigarette- and Vaping-Related Questions 56. How old were you the first time you used an electronic cigarette, also	(0)	(40)	(44)
called e-cigs or vape pens? a. Never have	(n=6) 83.3% (±42.8)	(n=14) 57.1% (±29.7)	(n=11) 54.5% (±35
b. 10 or younger	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.
c. 11	0.0% (±0.0)	7.1% (±15.4)	9.1% (±20
d. 12	` '	, ,	
e. 13	16.7% (±42.8)	0.0% (±0.0)	0.0% (±0
f. 14	0.0% (±0.0)	0.0% (±0.0)	9.1% (±20
	0.0% (±0.0)	28.6% (±27.1)	0.0% (±0
g. 15 h. 16	0.0% (±0.0)	7.1% (±15.4)	18.2% (±27
i. 17 or older	0.0% (±0.0) 0.0% (±0.0)	0.0% (±0.0) 0.0% (±0.0)	0.0% (±0 9.1% (±20
57. During the past 30 days, what type of substances did you use in an electronic cigarette, also called e-cigs, or vape pens? Select all that apply.	(n=5)	(n=13)	(n=9)
a. I did not use an electronic cigarette.	80.0% (±55.5)	69.2% (±29.0)	100.0% (±0
The state of the s		15.4% (±22.7)	0.0% (±0
b. Liquid with nicotine in it	0.0% (±0.0)	4 = 404 (. 00 =)	0.00/ /:0
c. Liquid with THC (marijuana) in it	0.0% (±0.0)	15.4% (±22.7)	•
c. Liquid with THC (marijuana) in it d. Liquid with flavor only (no nicotine or THC)	0.0% (±0.0) 20.0% (±55.5)	0.0% (±0.0)	0.0% (±0
c. Liquid with THC (marijuana) in it	0.0% (±0.0)		0.0% (±0 0.0% (±0
c. Liquid with THC (marijuana) in it d. Liquid with flavor only (no nicotine or THC) e. Don't know More than one response indicated.	0.0% (±0.0) 20.0% (±55.5) 0.0% (±0.0)	0.0% (±0.0) 0.0% (±0.0)	0.0% (±0 0.0% (±0
c. Liquid with THC (marijuana) in it d. Liquid with flavor only (no nicotine or THC) e. Don't know More than one response indicated. 58. During the past 30 days, how did you usually get your own electronic	0.0% (±0.0) 20.0% (±55.5) 0.0% (±0.0) 0.0% (±0.0)	0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	0.0% (±0 0.0% (±0 0.0% (±0 (n=11)
c. Liquid with THC (marijuana) in it d. Liquid with flavor only (no nicotine or THC) e. Don't know More than one response indicated. 58. During the past 30 days, how did you usually get your own electronic vapor products? (Choose only one answer.)	0.0% (±0.0) 20.0% (±55.5) 0.0% (±0.0) 0.0% (±0.0) (n=5)	0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=14)	0.0% (±0. 0.0% (±0. 0.0% (±0. (n=11) 81.8% (±27
c. Liquid with THC (marijuana) in it d. Liquid with flavor only (no nicotine or THC) e. Don't know More than one response indicated. 58. During the past 30 days, how did you usually get your own electronic vapor products? (Choose only one answer.) a. I did not use electronic vapor products during the past 30 days. b. I bought them in a store such as a convenience store, supermarket, discount store,	0.0% (±0.0) 20.0% (±55.5) 0.0% (±0.0) 0.0% (±0.0) (n=5) 80.0% (±55.5)	0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=14) 57.1% (±29.7)	0.0% (±0 0.0% (±0 0.0% (±0 (n=11) 81.8% (±27 0.0% (±0
c. Liquid with THC (marijuana) in it d. Liquid with flavor only (no nicotine or THC) e. Don't know More than one response indicated. 58. During the past 30 days, how did you usually get your own electronic vapor products? (Choose only one answer.) a. I did not use electronic vapor products during the past 30 days. b. I bought them in a store such as a convenience store, supermarket, discount store, or gas station.	0.0% (±0.0) 20.0% (±55.5) 0.0% (±0.0) 0.0% (±0.0) (n=5) 80.0% (±55.5) 0.0% (±0.0)	0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=14) 57.1% (±29.7) 0.0% (±0.0)	0.0% (±0 0.0% (±0 0.0% (±0 (n=11) 81.8% (±27 0.0% (±0
c. Liquid with THC (marijuana) in it d. Liquid with flavor only (no nicotine or THC) e. Don't know More than one response indicated. 58. During the past 30 days, how did you usually get your own electronic vapor products? (Choose only one answer.) a. I did not use electronic vapor products during the past 30 days. b. I bought them in a store such as a convenience store, supermarket, discount store, or gas station. c. I got them on the Internet.	0.0% (±0.0) 20.0% (±55.5) 0.0% (±0.0) 0.0% (±0.0) (n=5) 80.0% (±55.5) 0.0% (±0.0)	0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=14) 57.1% (±29.7) 0.0% (±0.0) 7.1% (±15.4)	0.0% (±0 0.0% (±0 0.0% (±0 0.0% (±0 81.8% (±27 0.0% (±0 0.0% (±0
c. Liquid with THC (marijuana) in it d. Liquid with flavor only (no nicotine or THC) e. Don't know More than one response indicated. 58. During the past 30 days, how did you usually get your own electronic vapor products? (Choose only one answer.) a. I did not use electronic vapor products during the past 30 days. b. I bought them in a store such as a convenience store, supermarket, discount store, or gas station. c. I got them on the Internet. d. I gave someone else money to buy them for me.	0.0% (±0.0) 20.0% (±55.5) 0.0% (±0.0) 0.0% (±0.0) (n=5) 80.0% (±55.5) 0.0% (±0.0) 0.0% (±0.0)	0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=14) 57.1% (±29.7) 0.0% (±0.0) 7.1% (±15.4) 14.3% (±21.0)	0.0% (±0 0.0% (±0 0.0% (±0 0.0% (±0 81.8% (±27 0.0% (±0 0.0% (±0 9.1% (±20
c. Liquid with THC (marijuana) in it d. Liquid with flavor only (no nicotine or THC) e. Don't know More than one response indicated. 58. During the past 30 days, how did you usually get your own electronic vapor products? (Choose only one answer.) a. I did not use electronic vapor products during the past 30 days. b. I bought them in a store such as a convenience store, supermarket, discount store, or gas station. c. I got them on the Internet. d. I gave someone else money to buy them for me. e. I borrowed (or bummed) them from someone else.	0.0% (±0.0) 20.0% (±55.5) 0.0% (±0.0) 0.0% (±0.0) (n=5) 80.0% (±55.5) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) (n=14) 57.1% (±29.7) 0.0% (±0.0) 7.1% (±15.4) 14.3% (±21.0)	0.0% (±0. 0.0% (±0. 0.0% (±0. 0.0% (±0. 0.0% (±0. 0.0% (±0. 0.0% (±0. 0.0% (±0. 0.0% (±0. 0.0% (±0. 0.0% (±0. 0.0% (±0. 0.0% (±0. 0.0% (±0.

59. How much do you think people risk harming themselves if they use	Grade 8	Grade 10	Grade 12
electronic cigarettes, also called e-cigs or vape pens regularly (almost daily)?	% (± CI) (n=5)	% (± CI) (n=14)	% (± CI) (n=10)
a. No risk	0.0% (±0.0)	14.3% (±21.0)	20.0% (±30.2)
b. Slight risk	20.0% (±55.5)	42.9% (±29.7)	0.0% (±0.0)
c. Moderate risk	40.0% (±60.0)	21.4% (±24.6)	50.0% (±37.7)
d. Great risk	20.0% (±55.5)	14.3% (±21.0)	20.0% (±30.2)
e. Not sure	20.0% (±55.5)	7.1% (±15.4)	10.0% (±22.6)

Other Alcohol-Related Questions

Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a			
shot glass of liquor, or a mixed drink.)	(n=21)	(n=30)	(n=20)
a. None	100.0% (±0.0)	90.0% (±11.4)	85.0% (±17.
b. Once	0.0% (±0.0)	6.7% (±9.5)	5.0% (±10.
c. Twice	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
d. 3-5 times	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
e. 6-9 times	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
f. 10 or more times	0.0% (±0.0)	3.3% (±6.8)	10.0% (±14.
Drinking Categories Variable (Computed from questions 38 and 60)	(n=21)	(n=29)	(n=20)
No drinking past 30 days and no binging past 2 weeks	95.2% (±9.9)	75.9% (±16.6)	70.0% (±22.
1-2 days drinking past 30 days and no binging past 2 weeks	4.8% (±9.9)	13.8% (±13.3)	10.0% (±14.
3-5 days drinking past 30 days and/or 1 binge past 2 weeks	0.0% (±0.0)	6.9% (±9.8)	10.0% (±14.
6+ days drinking past 30 days and/or 2+ binge past 2 weeks	0.0% (±0.0)	3.4% (±7.1)	10.0% (±14.
During the past 30 days, what type of alcohol did you usually drink?	(n=6)	(n=12)	(n=7)
a. I did not drink alcohol during the past 30 days.	83.3% (±42.8)	91.7% (±18.3)	85.7% (±35
b. I do not have a usual type.	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
c. Beer	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
d. Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
e. Wine coolers, such as Bartles & Jaymes or Seagrams	0.0% (±0.0)	8.3% (±18.3)	0.0% (±0.0
f. Wine	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
g. Liquor, such as vodka, rum, scotch, bourbon or whiskey	16.7% (±42.8)	0.0% (±0.0)	14.3% (±35.
h. Some other type	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
During the past 30 days, how did you get alcohol (beer, wine or hard	(0)	(10)	(-)
liquor)? Choose all that apply. a. I did not get alcohol in the past 30 days.	(n=6) 83.3% (±42.8)	(n=12) 91.7% (±18.3)	(n=7) 85.7% (±35.
b. I bought it from a store.	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
c. I stole it from a store.	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
d. I got it from friends.	0.0% (±0.0)	0.0% (±0.0)	14.3% (±35.
e. I got it at a party.	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
f. I got it at a party. f. I got it from an older brother or sister.	0.0% (±0.0)	0.0% (±0.0) 0.0% (±0.0)	0.0% (±0.
g. I gave money to someone to get it for me.	0.0% (±0.0)	0.0% (±0.0) 0.0% (±0.0)	0.0% (±0.
g. I gave money to someone to get the me.	, ,	0.0% (±0.0) 0.0% (±0.0)	0.0% (±0.
h. I took it from home without my parents' permission			
h. I took it from home without my parents' permission. i. I got it at home with my parents' permission.	0.0% (±0.0) 16.7% (±42.8)	8.3% (±18.3)	0.0% (±0.

Paperts or guardians talked to you about why you should not drink Rich Check C	64. NOT including talks on drinking and driving, in the past year have your	Grade 8	Grade 10	Grade 12
a. Yes, a number of times b. Yes, once c. No b. Yes, once d. O'M; (26.9) d. 1 don't remember. 65. How wrong do your parents feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day? 67. How wrong do your parents feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day? 68. How wrong do your friends feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day? 69. A little bit wrong c. A little bit wrong d. Not wrong at all 69. How wrong do your friends feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day? 69. Wrong 60. Wrong 60	parents or guardians talked to you about why you should not drink		. ,	% (± CI) (n=8)
c. No d. I don't remember. 65. How wrong do your parents feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day? a. Very wrong a. Very wrong b. Wrong 7.7% (±16.8) 15.4% (±22.7) 17.4% (±16.8) 15.4% (±22.7) 17.4% (±16.8) 15.4% (±22.7) 17.4% (±16.8) 15.4% (±22.7) 17.4% (±16.8) 15.4% (±22.7) 17.4% (±16.8) 15.4% (±22.7) 17.4% (±16.8) 15.4% (±22.7) 17.4% (±16.8) 15.4% (±22.7) 17.4% (±16.8) 17.4% (±16.8) 17.4% (±16.8) 17.4% (±16.8) 17.4% (±16.8) 17.4% (±16.8) 17.4% (±16.8) 17.4% (±16.8) 17.4% (±16.8) 17.4% (±16.8) 17.4% (±16.8) 17.4% (±16.8) 17.4% (±16.8) 17.4% (±16.8) 17.4% (±16.8) 17.4% (±16.8) 18.4% (±22.7) 18.4% (±22.7) 18.4% (±23.9) 18.4% (±				50.0% (±44.
65. How wrong do your parents feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day? 6. Alfitle bit wrong 6. A. Wery wrong 6. A. Wery wrong 6. How wrong do your friends feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day? 6. Alfitle bit wrong 6. Not wrong at all 6. How wrong do your friends feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day? 6. How wrong do your friends feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day? 6. How wrong do your friends feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day? 6. How wrong do your friends feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day? 6. How wrong do your friends feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day? 6. How wrong do your friends feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day? 6. How wrong do your friends feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day? 6. Think about the students in your school. If you had to guess, how wrong do most students in your grade think it is to drink alcohol regularly? 6. Think about the students in your grade think it is to drink alcohol regularly? 6. A little bit wrong 6. A little bit wrong 6. A little bit wrong 6. Not wrong at all 6. Nor (a-6) 6. Nor (a-12) 6. Nor (a-6) 6. Nor (a-12) 6. Nor (a-6) 6. Nor (a-12) 6. Nor	b. Yes, once	0.0% (±0.0)	46.7% (±28.6)	12.5% (±29.
d. I don't remember. 40.0% (±36.9) 6.7% (±14.3) 0.0% (±55.1)	c. No	20.0% (±30.2)	20.0% (±22.9)	37.5% (±43.3
A	d. I don't remember.			0.0% (±0.0
a. Vary wrong b. Wrong 7.7% (116.8) 18.8% (221.5) 88.9% (22.5) 11.11% (11.6) 18.8% (221.5) 11.11% (12.6) 18.8% (221.5) 11.11% (12.6) 18.8% (221.5) 11.11% (12.6) 18.8% (221.5) 11.11% (12.6) 11.11% (12.6) 18.8% (221.5) 11.11% (12.6) 18.8% (221.7) 0.0% (40.0) 0.0% (40.0) 0.0% (40.0) 15.4% (422.7) 0.0% (40.0) 0.0% (40.0) 0.0% (40.0) 18.4% (423.3) 0.0% (40.0) 18.4% (423.3) 0.0% (40.0) 18.4% (423.3) 0.0% (40.0) 18.4% (423.3) 0.0% (40.0) 18.4% (423.3) 0.0% (40.0) 18.4% (423.3) 0.0% (40.0) 18.4% (423.3) 0.0% (40.0) 18.4% (423.3) 0.0% (40.0) 18.4% (423.3) 0.0% (40.0) 18.4% (423.3) 0.0% (40.0) 18.4% (423.3) 0.0% (40.0) 18.4% (423.3) 0.0% (40.0) 18.4% (423.3) 0.0% (40.0) 18.4% (423.3) 0.0% (40.0) 18.4% (423.3) 0.0% (40.0) 18.4% (423.3) 0.0% (40.0) 18.4% (423.3) 18.4% (423.3) 18.4% (42.8) 18.4% (42.		(n=13)	(n=16)	(n=9)
C. A little bit wrong at all 15.4% (±22.7) 0.0% (±0.0)	a. Very wrong	69.2% (±29.0)	81.3% (±21.5)	88.9% (±25.
66. How wrong do your friends feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day? a. Very wrong 50,0% (±50.0) 36.4% (±33.3) 28.6% (±20.7) 33.3% (±54.2) 9.1% (±20.3) 28.6% (±20.7) 33.3% (±54.2) 9.1% (±20.3) 28.6% (±20.7) 33.3% (±54.2) 9.1% (±20.3) 28.6% (±20.7) 33.3% (±54.2) 9.1% (±20.3) 28.6% (±20.7) 27.3% (±31.4) 28.6% (±31.4) 28.6% (±31.4) 27.3% (±31.4) 27.3%	b. Wrong	7.7% (±16.8)	18.8% (±21.5)	11.1% (±25.
66. How wrong do your friends feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day? a. Very wrong b. Wrong c. A little bit wrong d. Not at all wrong 67. Think about the students in your school. If you had to guess, how wrong do most students in your grade think it is to drink alcohol regularly? c. A little bit wrong 67. Think about the students in your grade think it is to drink alcohol regularly? c. A little bit wrong 68. How much do you think people risk harming themselves if they: Have 5 or more drinks of an alcoholic beverage once or twice a week? a. No risk b. Slight risk c. Moderate risk d. Great risk d. Great risk e. Not sure 69. How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day? a. No risk b. Somewhat disapprove c. Strongly disapprove d. Don's (£55.) d. No word (£55.) e. Strongly disapprove d. Don's (£65.) d. Don's (£65.) e. Strongly disapprove d. Don's (£65.) d. Don's (£65.) e. Marijuana-Related Questions 70. Does anyone who lives with you now use marijuana? (n=6) (n=10) (n=10) (n=10) (n=13) (n=8) (n=10) (n=13) (n=8) (n=10) (n=12) (n=10) (n=13) (n=8) (n=10) (n=12) (n=10) (n=10)	c. A little bit wrong	7.7% (±16.8)	0.0% (±0.0)	0.0% (±0.0
Activities of an alcoholic beverage nearly every day? (n=6)	d. Not wrong at all	15.4% (±22.7)	0.0% (±0.0)	0.0% (±0.0
a. Very wrong b. Wrong 33.3% (±54.2) 9.1% (±20.3) 28.6% (±20.4) 16.7% (±42.8) 16.7% (±42.8) 27.3% (±31.4) 28.6% (±40.4) 27.3% (±31.4) 14.3% (±30.4) 27.3% (±31.4) 14.3% (±30.4) 27.3% (±31.4) 14.3% (±30.4) 27.3% (±31.4) 14.3% (±30.4) 27.3% (±31.4) 14.3% (±30.4) 27.3% (±31.4) 14.3% (±30.4) 27.3% (±31.4) 14.3% (±30.4) 27.3% (±31.4) 14.3% (±30.4) 27.3% (±31.4) 14.3% (±30.4) 27.3% (±31.4) 14.3% (±30.4) 27.3% (±31.4) 14.3% (±30.4) 27.3% (±31.4) 14.3% (±30.4) 27.3% (±31.4) 14.3% (±30.4) 27.3% (±31.4) 14.3% (±30.4) 27.3% (±31.4) 14.3% (±30.4) 27.3% (±31.4) 14.3% (±30.4) 27.3% (±31.4) 14.3% (±30.4) 27.3% (±31.4) 14.3% (±30.4) 27.3% (±31.4) 27.3% (±		(n. C)	(n. 44)	(n. 7)
b. Wrong c. A little bit wrong d. Not at all wrong do most students in your school. If you had to guess, how wrong do most students in your grade think it is to drink alcohol regularly? a. Very wrong d. Not wrong d. Not wrong d. Not wrong d. Not wrong d. A little bit wron				
c. A little bit wrong d. Not at all wrong 0.0% (±0.0) 27.3% (±31.4) 28.6% (±0.0) 27.3% (±31.4) 14.3% (±0.0) 27.3% (±0.0) 27.3% (±31.4) 14.3% (±0.0) 27.3%				•
d. Not at all wrong 67. Think about the students in your school. If you had to guess, how wrong do most students in your grade think it is to drink alcohol regularly? a. Very wrong b. Wrong c. A little bit wrong d. Not wrong at all 68. How much do you think people risk harming themselves if they: Have 5 or more drinks of an alcoholic beverage once or twice a week? a. No risk b. Slight risk c. Moderate risk d. Great risk d. Great risk e. Not sure 69. How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day? a. Neither approve nor disapprove b. Somewhat disapprove c. Strongly disapprove d. Don't know or can't say 70. Does anyone who lives with you now use marijuana? (n=6) (n=12) (n=12) (n=12) (n=12) (n=12) (n=13) (n=8) (n=10) (n=10) (n=10) (n=13) (n=8) (n=10) (n=10) (n=10) (n=13) (n=8) (n=10) (n=10) (n=10) (n=13) (n=8) (n=10) (n=10)	S .			
wrong do most students in your grade think it is to drink alcohol regularly? (n=6) (n=12) (n=8) a. Very wrong 16.7% (±42.8) 16.7% (±42.7) 0.0% (±50.0) 50.0% (±50.0) 33.3% (±18.3) 50.0% (±50.0) 50.0% (±50.0) 33.3% (±13.3) 25.0% (±50.0) 25.0% (±50.0) 33.3% (±31.3) 25.0% (±50.0) 25.0% (±50.0) 33.3% (±31.3) 25.0% (±50.0	•	, ,		14.3% (±35)
a. Very wrong b. Wrong c. A little bit wrong d. Not wrong at all 6.7% (±42.8) 16.7% (±42.8) 16.7% (±42.7) 0.0% (± 5.0 Wrong c. A little bit wrong d. Not wrong at all 6.00% (±50.0) 33.3% (±31.3) 25.0% (± 5.0 Wrong d. Not wrong at all 6.1 Word wrong at all 6.2 Wrong c. A little bit wrong d. Not wrong at all 6.2 Wrong d. Not wrong at all 6.3 Wrong d. Nor isk 6.4 Wrong d. Nor isk 6.5 Wrong d. Nor isk 6.6 Wrong d. Nor isk 6.7 Wrong d. Wrong d. Wrong d. Nor isk 6.7 Wrong d. Nor (±20.0) d. Wrong d. Nor (±20.0) d. Wrong d. Wron	wrong do most students in your grade think it is to drink alcohol	(n=6)	(n=12)	(n=8)
c. A little bit wrong d. Not wrong at all 50.0% (±50.0) 33.3% (±31.3) 25.0% (±50.0) d. Not wrong at all 0.0% (±0.0) 41.7% (±32.7) 25.0% (±50.0) d. Not wrong at all 0.0% (±0.0) 41.7% (±32.7) 25.0% (±50.0) d. Not wrong at all 0.0% (±0.0) 41.7% (±32.7) 25.0% (±50.0) d. Not wrong at all 0.0% (±0.0) 41.7% (±32.7) 25.0% (±50.0) d. Not wrong at all 0.0% (±0.0) 0.0% (±0.0				0.0% (±0.0
68. How much do you think people risk harming themselves if they: Have 5 or more drinks of an alcoholic beverage once or twice a week? (n=10) (n=13) (n=8) (n=8) a. No risk 10.0% (±22.6) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 10.0% (±26.5) 12.5% (±2 12.5% (±2 b. Slight risk 30.0% (±36.9) 46.2% (±31.4) 37.5% (±2 12.5% (±2 12.5% (±2 c. Moderate risk 40.0% (±36.9) 46.2% (±31.4) 37.5% (±2 12.5% (±2 d. Great risk 20.0% (±30.2) 30.8% (±29.0) 50.0% (±2 10.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 10.0% (±0.0) 0.0% (±0.0)	b. Wrong	33.3% (±54.2)	8.3% (±18.3)	50.0% (±44.
68. How much do you think people risk harming themselves if they: Have 5 or more drinks of an alcoholic beverage once or twice a week? a. No risk b. Slight risk c. Moderate risk d. Great risk e. Not sure 69. How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day? a. Neither approve nor disapprove b. Somewhat disapprove c. Strongly disapprove d. Don't know or can't say 60. More analyse with you now use marijuana? 70. Does anyone who lives with you now use marijuana? (n=6) (n=10) (n=10) (n=13) (n=8) (n=10) (n	c. A little bit wrong	50.0% (±50.0)	33.3% (±31.3)	25.0% (±38.
or more drinks of an alcoholic beverage once or twice a week? (n=10) (n=13) (n=8) a. No risk b. Slight risk 30.0% (±34.6) 23.1% (±26.5) 12.5% (±2 c. Moderate risk d. Great risk 20.0% (±30.2) 30.8% (±29.0) 50.0% (±4 e. Not sure 20.0% (±30.2) 30.8% (±29.0) 50.0% (±4 e. Not sure 20.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 30.8% (±29.0) 50.0% (±4 e. Not sure 20.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 30.8% (±29.0) 50.0% (±4 e. Not sure 20.0% (±0.0) 0	d. Not wrong at all	0.0% (±0.0)	41.7% (±32.7)	25.0% (±38.
a. No risk b. Slight risk c. Moderate risk d. Great risk d. Great risk e. Not sure 69. How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day? a. Neither approve nor disapprove b. Somewhat disapprove c. Strongly disapprove d. Don't know or can't say 70. Does anyone who lives with you now use marijuana? a. No 10.0% (±22.6) 0.0% (±0.0) 0.0% (±0.6) 12.5% (±2.6) 12.5% (±2.6) c. Strongly disapprove d. 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) d. 0.0% (±0.0) 41.7% (±32.7) 37.5% (±2.6) 0.0% (±55.5) 16.7% (±24.7) 25.0% (±3.6) 0.0% (±0.0) 33.3% (±31.3) 25.0% (±3.6) 0.0% (±0.0) 33.3% (±31.3) 12.5% (±3.6) 0.0% (±0.0) 0.0		(5.40)	(- 42)	(- 0)
b. Slight risk c. Moderate risk c. Moderate risk d. Great risk e. Not sure 69. How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day? a. Neither approve nor disapprove b. Somewhat disapprove c. Strongly disapprove d. Don't know or can't say 60. Does anyone who lives with you now use marijuana? 61. How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day? 62. (n=5) (n=5) (n=12) (n=8) (n=8) (n=6) (n=12) (n=7) (n=7) (n=7) (n=7) (n=7) (n=7) (n=7) (n=12) (n=7) (n=7) (n=12) (n=7) (n=7) (n=12) (n=7) (n=12) (- ' '
c. Moderate risk d. Great risk d. Great risk e. Not sure 69. How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day? a. Neither approve nor disapprove b. Somewhat disapprove c. Strongly disapprove d. Don't know or can't say 60. Does anyone who lives with you now use marijuana? 61. How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day? (n=5) (n=12) (n=8) (n=8) (n=12) (n=8) (n=8) (n=12) (n=7) (n=7) (n=7) (n=12) (n=8) (n=12) (n=7) (n=7) (n=12) (n=7) (n=7) (n=12) (n=7) (n=7) (n=12) (n=7) (n=12) (n		, ,		•
d. Great risk e. Not sure 20.0% (±30.2) 30.8% (±29.0) 50.0% (±4 e. Not sure 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 41.7% (±32.7) 37.5% (±4 b. Somewhat disapprove 0.0% (±55.5) 16.7% (±24.7) 25.0% (±5 c. Strongly disapprove 0.0% (±60.0) 33.3% (±31.3) 25.0% (±5 d. Don't know or can't say 20.0% (±55.5) 8.3% (±18.3) 12.5% (±2 c. Strongly disapprove 0.0% (±2 c. Strongly di	•			
e. Not sure 69. How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day? a. Neither approve nor disapprove b. Somewhat disapprove c. Strongly disapprove d. Don't know or can't say 60.0% (±60.0) 31.3% (±18.3) 12.5% (±2.4) 20.0% (±55.5) 8.3% (±18.3) 12.5% (±2.4) 12.5% (±2.4) 12.5% (±2.4) 12.5% (±2.4) 12.5% (±2.4) 13.5% (±2.4) 14.3% (±31.3) 14.3% (±31.3) 14.3% (±31.3) 14.3% (±31.3) 14.3% (±31.3) 14.3% (±31.3) 14.3% (±31.3) 14.3% (±31.3) 14.3% (±31.3) 14.3% (±31.3) 14.3% (±31.3) 14.3% (±31.3) 14.3% (±31.3) 14.3% (±31.3)				
an alcoholic beverage nearly every day? (n=5) (n=12) (n=8) a. Neither approve nor disapprove 0.0% (±0.0) 41.7% (±32.7) 37.5% (±4) b. Somewhat disapprove 20.0% (±55.5) 16.7% (±24.7) 25.0% (±5) c. Strongly disapprove 60.0% (±60.0) 33.3% (±31.3) 25.0% (±5) d. Don't know or can't say 20.0% (±55.5) 8.3% (±18.3) 12.5% (±2) her Marijuana-Related Questions 70. Does anyone who lives with you now use marijuana? (n=6) (n=12) (n=7) a. No 50.0% (±50.0) 66.7% (±31.3) 14.3% (±3)				0.0% (±0.0
a. Neither approve nor disapprove b. Somewhat disapprove c. Strongly disapprove d. Don't know or can't say 20.0% (±55.5) 60.0% (±60.0) 33.3% (±31.3) 25.0% (±32.7) 25.0% (±32.7) 25.0% (±32.7) 25.0% (±32.7) 25.0% (±32.7) 25.0% (±32.7) 25.0% (±32.7) 25.0% (±32.7) 25.0% (±32.7) 25.0% (±32.7) 25.0% (±31.3) 25.0% (±31.3) 25.0% (±31.3) 25.0% (±31.3) 25.0% (±31.3) 25.0% (±31.3) 25.0% (±31.3) 26.0% (±31.3) 26.0% (±31.3) 27.0 Does anyone who lives with you now use marijuana? 20.0% (±55.5) 20.0% (±55.5) 20.0% (±55.5) 20.0% (±55.5) 20.0% (±55.5) 20.0% (±55.5) 20.0% (±31.3) 20.0% (±31.3) 20.0% (±31.3) 20.0% (±31.3) 20.0% (±31.3) 20.0% (±31.3) 20.0% (±31.3) 20.0% (±31.3)		(5)	(10)	(2)
b. Somewhat disapprove 20.0% (±55.5) 16.7% (±24.7) 25.0% (±55.5) 16.7% (±24.7) 25.0% (±55.5) 16.7% (±24.7) 25.0% (±55.5) 16.7% (±24.7) 25.0% (±55.5) 16.7% (±24.7) 25.0% (±55.5) 16.7% (±24.7) 25.0% (±55.6) 25.0% (±55.5) 16.7% (±31.3) 25.0% (±55.6) 25.0% (±55.5) 16.7% (±31.3) 25.0% (±55.6) 25.0% (±55.5) 16.7% (±31.3) 25.0% (±55.6) 25.0% (±55.5) 25.0% (±55.6) 25.0% (
c. Strongly disapprove d. Don't know or can't say 20.0% (±55.5) 8.3% (±18.3) 12.5% (±24.5) 1		. ,		
d. Don't know or can't say 20.0% (±55.5) 8.3% (±18.3) 12.5% (±2.4) 20.0% (±55.5) 8.3% (±18.3) 12.5% (±2.4) 20.0% (±55.5) 8.3% (±18.3) 12.5% (±2.4) 20.0% (±55.5) 8.3% (±18.3) 12.5% (±2.4) 20.0% (±55.5) 8.3% (±18.3) 12.5% (±2.4) 20.0% (±55.5) 8.3% (±18.3) 12.5% (±2.4) 20.0% (±55.5) 8.3% (±18.3) 12.5% (±2.4) 20.0% (±55.5) 8.3% (±18.3) 12.5% (±2.4) 20.0% (±55.5) 8.3% (±18.3) 12.5% (±2.4) 20.0% (±55.5) 20.0% (±55.5) 8.3% (±18.3) 12.5% (±2.4) 20.0% (±55.5) 20.0% (±55.5) 20.0% (±55.5) 20.0% (±55.5) 20.0% (±55.5) 20.0% (±55.5) 20.0% (±55.5) 20.0% (±55.5) 20.0% (±55.5) 20.0% (±55.5) 20.0% (±55.5) 20.0% (±55.5) 20.0% (±55.5) 20.0% (±55.5) 20.0% (±55.5) 20.0% (±55.5)				
her Marijuana-Related Questions 70. Does anyone who lives with you now use marijuana? a. No (n=6) (n=12) (n=7) 50.0% (±50.0) 66.7% (±31.3) 14.3% (±30.0)		, ,		
70. Does anyone who lives with you now use marijuana? (n=6) (n=12) (n=7) a. No 50.0% (±50.0) 66.7% (±31.3) 14.3% (±31.3)		20.0% (±55.5)	6.3% (±16.3)	12.5% (±29
a. No 50.0% (±50.0) 66.7% (±31.3) 14.3% (±3	•			
b. Yes 50.0% (±50.0) 33.3% (±31.3) 85.7% (±3	a. No b. Yes			14.3% (±35. 85.7% (±35.

	Grade 8	Grade 10	Grade 12
1. During the past 30 days, if you used marijuana, how did you usually use it?	% (± CI) (n=6)	% (± CI) (n=12)	% (± CI) (n=7)
a. I did not use marijuana during the past 30 days.	100.0% (±0.0)	83.3% (±24.7)	57.1% (±49.4
b. Smoked it (in a joint, bong, pipe, blunt)	0.0% (±0.0)	16.7% (±24.7)	42.9% (±49.4
c. Ate it (in brownies, cakes, cookies, candy)	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
d. Drank it (tea, cola, alcohol)	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
e. Vaporized it	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
f. Dabbed it	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
g. Used it some other way	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
2. If you use marijuana or hashish (weed, hash, pot) how long do you	(0)	(40)	(-)
usually stay high? a. I don't use marijuana.	(n=6) 83.3% (±42.8)	(n=12) 75.0% (±28.7)	(n=7) 57.1% (±49.4
b. I usually don't get high.	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
c. 1 to 2 hours	0.0% (±0.0)	16.7% (±24.7)	28.6% (±45.1
d. 3 to 4 hours			
	16.7% (±42.8)	8.3% (±18.3)	14.3% (±35.0
e. 5 to 6 hours	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
f. 7 to 8 hours g. 9 or more hours	0.0% (±0.0) 0.0% (±0.0)	0.0% (±0.0) 0.0% (±0.0)	0.0% (±0.0 0.0% (±0.0
3. During the past 30 days, how did you get marijuana? Choose all that			
apply.	(n=6)	(n=11)	(n=7)
a. I did not get marijuana in the past 30 days.	100.0% (±0.0)	90.9% (±20.3)	57.1% (±49.4
b. I bought it from a store.	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
c. I stole it from a store.	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
d. I got it from friends.	0.0% (±0.0)	0.0% (±0.0)	14.3% (±35.0
e. I got it at a party.	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
f. I got it from an older brother or sister.	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
g. I gave money to someone to get it for me.	0.0% (±0.0)	9.1% (±20.3)	0.0% (±0.0
h. I took it from home without my parents' permission.	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
i. I got it at home with my parents' permission.	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
j. I got it some other way.	0.0% (±0.0)	0.0% (±0.0)	28.6% (±45.1
74. In the past year, have your parents or guardians talked to you about	(n. 40)	(n_45)	(n. 7)
why you should not use marijuana? a. Yes, a number of times	(n=10) 30.0% (±34.6)	(n=15) 33.3% (±27.0)	(n=7) 57.1% (±49.4
b. Yes, once	0.0% (±0.0)	33.3% (±27.0)	14.3% (±35.0
c. No	50.0% (±37.7)	26.7% (±25.3)	28.6% (±45.1
d. I don't remember.	20.0% (±30.2)	6.7% (±14.3)	0.0% (±0.0)
d. Fdont remember.	20.070 (±30.2)	0.7 /6 (±14.5)	0.076 (±0.0)
75. How wrong do your friends feel it would be for you to: Use marijuana?	(n=6)	(n=11)	(n=7)
a. Very wrong	50.0% (±50.0)	36.4% (±33.9)	14.3% (±35.0
b. Wrong	33.3% (±54.2)	9.1% (±20.3)	28.6% (±45.1
c. A little bit wrong	0.0% (±0.0)	18.2% (±27.2)	28.6% (±45.1
d. Not at all wrong	16.7% (±42.8)	36.4% (±33.9)	28.6% (±45.

Other Alcohol- and Drug-Related Questions

	Grade 8	Grade 10	Grade 12
6. How many times in the past year (12 months) have you been drunk or high at school?	% (± CI) (n=7)	% (± CI) (n=12)	% (± CI) (n=8)
a. Never	100.0% (±0.0)	91.7% (±18.3)	100.0% (±0.0)
b. 1-2 times	0.0% (±0.0)	8.3% (±18.3)	0.0% (±0.0)
c. 3-5 times	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
d. 6-9 times	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
e. 10 or more times	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
7. During the past 30 days, which of the following did you use on school	(~ 40)	(n. 25)	(n. 10)
property? Select all that apply. a. I didn't use any of these on school property	(n=10) 90.0% (±22.6)	(n=25) 84.0% (±15.4)	(n=18) 88.9% (±16.1)
b. Tobacco (cigarettes, cigars, or chew/dip)	10.0% (±22.6)	4.0% (±8.3)	0.0% (±0.0)
c. Electronic cigarette, also called e-cigs, or vape pens	0.0% (±0.0)	4.0% (±8.3)	11.1% (±16.1)
d. Marijuana	,	8.0% (±0.3)	
•	0.0% (±0.0)	, ,	0.0% (±0.0)
e. Alcohol (at least one drink)	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
8. When you used marijuana during the past 30 days, did you ever drink alcohol at the same time?	(n=9)	(n=15)	(n=9)
a. I have not used marijuana in the past 30 days	44.4% (±40.5)	73.3% (±25.3)	66.7% (±38.4)
b. Yes, most of the time	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
c. Yes, some of the time	0.0% (±0.0)	6.7% (±14.3)	0.0% (±0.0)
d. Yes, rarely	0.0% (±0.0)	0.0% (±0.0)	11.1% (±25.6)
e. No	55.6% (±40.5)	20.0% (±22.9)	22.2% (±33.9)
9. During the past year in school, how many times did you get			
information in classes about reasons not to use alcohol or drugs?	(n=10)	(n=14)	(n=8)
a. Never	50.0% (±37.7)	42.9% (±29.7)	62.5% (±43.3)
b. Once	20.0% (±30.2)	28.6% (±27.1)	12.5% (±29.6)
c. 2-3 times	20.0% (±30.2)	14.3% (±21.0)	25.0% (±38.7)
d. 4 or more times	10.0% (±22.6)	14.3% (±21.0)	0.0% (±0.0)
How wrong do your parents feel it would be for you to: Use prescription drugs not prescribed to you?	(n=13)	(n=16)	(n=9)
a. Very wrong	69.2% (±29.0)	75.0% (±23.8)	88.9% (±25.6)
b. Wrong	23.1% (±26.5)	18.8% (±21.5)	11.1% (±25.6)
c. A little bit wrong	0.0% (±0.0)	6.3% (±13.3)	0.0% (±0.0)
d. Not at all wrong	7.7% (±16.8)	0.0% (±0.0)	0.0% (±0.0)
1. How wrong do your friends feel it would be for you to: Use prescription			
drugs not prescribed to you?	(n=6)	(n=11)	(n=7)
a. Very wrong	50.0% (±50.0)	45.5% (±35.1)	85.7% (±35.0)
b. Wrong	50.0% (±50.0)	27.3% (±31.4)	14.3% (±35.0)
c. A little bit wrong	0.0% (±0.0)	18.2% (±27.2)	0.0% (±0.0)
d. Not at all wrong	0.0% (±0.0)	9.1% (±20.3)	0.0% (±0.0)

	Grade 8	Grade 10	Grade 12
82. How much do you think people risk harming themselves if they: Use prescription drugs that are not prescribed to them?	% (± CI) (n=10)	% (± CI) (n=13)	% (± CI) (n=8)
a. No risk	10.0% (±22.6)	7.7% (±16.8)	0.0% (±0.0)
b. Slight risk	10.0% (±22.6)	15.4% (±22.7)	12.5% (±29.6)
c. Moderate risk	10.0% (±22.6)	7.7% (±16.8)	0.0% (±0.0)
d. Great risk	40.0% (±36.9)	53.8% (±31.4)	87.5% (±29.6)
e. Not sure	30.0% (±34.6)	15.4% (±22.7)	0.0% (±0.0)

Other Health Concerns

Nutrition and Fitness

This section provides results regarding other health concerns including nutrition and fitness, health conditions and health care, safety, behaviors related to intentional injury, and depression. Proper nutrition and exercise are critical components of a healthy life, as is access to preventive health care. Safety-related behaviors can profoundly influence the outcome of an accident. Injury is the leading cause of death for adolescents aged 10 to 19, and violence contributes to injury-related deaths. People who are depressed experience a range of symptoms, and depression is associated with suicidal behavior.

Obese: "Obese" includes students who are in the top 5% for body mass index by age and gender based on growth charts developed by the Centers for Disease Control and Prevention (2000). "Overweight" includes students who are in the top 15% but not the top 5%.

without your shoes on?")	(n=10)	(r	n=16)	(n=	:10)
Obese	* *	*	*	*	*
Overweight	* *	*	*	*	*
Normal weight	* *	*	*	*	*
Underweight	* *	*	*	*	*
te: Results for this question are suppressed for grades which are in only one school	ol in the distri	ct			
34. How often do you eat dinner with your family?	(n=14)	1)	n=15)	(n=	:12)
a. Never	0.0% (±0	.0) 20.0	% (±22.9)	8.3%	(±18.3
b. Rarely	28.6% (±2°	7.1) 26.79	% (±25.3)	33.3%	(±31.3
c. Sometimes	21.4% (±24	4.6) 20.0	% (±22.9)	16.7%	(±24.7
d. Most of the time	35.7% (±28	3.7) 20.09	% (±22.9)	25.0%	(±28.7
e. Always	14.3% (±2°	1.0) 13.39	% (±19.5)	16.7%	(±24.7
		7.1) 3.49	% (±7.1)	10.5%	(±15.2
a Almost avany month		7.1) 3.4	% (±1.1)	10.5%	(±15.2
a. Almost every monthb. Some months but not every month	11.8% (±1) 5.9% (±1)		% (±7.1)	21.1%	(±20.2
•	,	2.5) 3.49	, ,		(±20.2)
b. Some months but not every month	5.9% (±1	2.5) 3.4° (.0) 13.8°	% (±7.1) % (±13.3) % (±15.7)	0.0%	,
b. Some months but not every monthc. Only 1-2 monthsd. Did not have to skip or cut the size of meals.	5.9% (±1: 0.0% (±0	2.5) 3.4 ⁶ 0.0) 13.8 ⁶ 0.2) 79.3 ⁶	% (±13.3)	0.0% 68.4%	(±0.0)
b. Some months but not every month c. Only 1-2 months	5.9% (±1: 0.0% (±0: 82.4% (±20:	2.5) 3.4' .0) 13.8' 0.2) 79.3'	% (±13.3) % (±15.7)	0.0% 68.4% (n=	(±0.0) (±23.0
b. Some months but not every month c. Only 1-2 months d. Did not have to skip or cut the size of meals. 66. Did you eat breakfast today?	5.9% (±1: 0.0% (±0: 82.4% (±20: (n=13)	2.5) 3.4° 1.0) 13.8° 1.0.2) 79.3° (1.4) 33.3°	% (±13.3) % (±15.7) n=15)	0.0% 68.4% (n=	(±0.0) (±23.0 :12) (±32.7
b. Some months but not every month c. Only 1-2 months d. Did not have to skip or cut the size of meals. 66. Did you eat breakfast today? a. Yes b. No 67. Number of servings of fruits and vegetables eaten per day (Computed	5.9% (±1: 0.0% (±0: 82.4% (±2: (n=13) 53.8% (±3: 46.2% (±3:	2.5) 3.4' 0.0) 13.8' 0.2) 79.3' (11.4) 33.3' 1.4) 66.7'	% (±13.3) % (±15.7) % (±15.7) % (±27.0) % (±27.0)	0.0% 68.4% (n= 41.7% 58.3%	(±0.0) (±23.0 (±32.7 (±32.7
b. Some months but not every month c. Only 1-2 months d. Did not have to skip or cut the size of meals. 66. Did you eat breakfast today? a. Yes b. No	5.9% (±1: 0.0% (±0: 82.4% (±2: (n=13) 53.8% (±3:	2.5) 3.4' .0) 13.8' 0.2) 79.3' (11.4) 33.3' (11.4) 66.7'	% (±13.3) % (±15.7) n=15) % (±27.0)	0.0% 68.4% (n= 41.7% 58.3%	(±0.0) (±23.0 (±32.7 (±32.7
 b. Some months but not every month c. Only 1-2 months d. Did not have to skip or cut the size of meals. 36. Did you eat breakfast today? a. Yes b. No 87. Number of servings of fruits and vegetables eaten per day (Computed from FV1 – FV6)	5.9% (±1: 0.0% (±0: 82.4% (±2: (n=13) 53.8% (±3: 46.2% (±3:	2.5) 3.4' 0.0) 13.8' 0.2) 79.3' (1.4) 33.3' 1.4) 66.7' (1.3) 43.8'	% (±13.3) % (±15.7) n=15) % (±27.0) % (±27.0)	0.0% 68.4% (n= 41.7% 58.3% (n= 9.1%	(±0.0) (±23.0 (±32.7 (±32.7 (±32.7 (±20.3
b. Some months but not every month c. Only 1-2 months d. Did not have to skip or cut the size of meals. 66. Did you eat breakfast today? a. Yes b. No 87. Number of servings of fruits and vegetables eaten per day (Computed from FV1 – FV6) a. Less than 1	5.9% (±1: 0.0% (±0: 82.4% (±2: (n=13)) 53.8% (±3: 46.2% (±3: (n=12)) 33.3% (±3:	2.5) 3.4' .0) 13.8' 0.2) 79.3' (1 1.4) 33.3' 1.4) 66.7' (1 1.3) 43.8' 3.7) 43.8'	% (±13.3) % (±15.7) % (±27.0) % (±27.0) % (±27.3)	0.0% 68.4% (n= 41.7% 58.3% (n= 9.1% 63.6%	(±0.0) (±23.0 (±32.7 (±32.7

38. During the past 7 days, how many times did you drink regular soda,	Grade 8	Grade 10	Grade 12
sports drinks (such as Gatorade) and other flavored sweetened drinks (such as Snapple or SoBe)? Do not include diet drinks.	% (± CI) (n=12)	% (± CI) (n=15)	% (± CI) (n=11)
a. 0 times	25.0% (±28.7)	20.0% (±22.9)	18.2% (±27.
b. 1-3 times	25.0% (±28.7)	46.7% (±28.6)	63.6% (±33.
c. 4-6 times	25.0% (±28.7)	6.7% (±14.3)	9.1% (±20.
d. 1 time per day	16.7% (±24.7)	6.7% (±14.3)	0.0% (±0.0
e. 2 times per day	8.3% (±18.3)	6.7% (±14.3)	0.0% (±0.0
f. 3 times per day	0.0% (±0.0)	0.0% (±0.0)	9.1% (±20.
g. 4 or more times per day	0.0% (±0.0)	13.3% (±19.5)	0.0% (±0.0
89. During the past 7 days, how many times did you drink regular soda, sports drinks (such as Gatorade) and other flavored sweetened drinks (such as Snapple or SoBe) at school (including any after-school and weekend activities)? Do not include diet drinks.	(n=13)	(n=18)	(n=12)
a. 0 times	61.5% (±30.6)	55.6% (±25.4)	41.7% (±32
b. 1-3 times	15.4% (±22.7)	27.8% (±22.9)	41.7% (±32
c. 4-6 times	23.1% (±26.5)	5.6% (±11.7)	16.7% (±24
d. 7-9 times	0.0% (±0.0)	5.6% (±11.7)	0.0% (±0.
e. 10 times or more	0.0% (±0.0)	5.6% (±11.7)	0.0% (±0.
a. I did not drink sodas, sports drinks, or other flavored drinks at school. b. I brought them from home.	(n=14) 35.7% (±28.7) 28.6% (±27.1)	(n=18) 50.0% (±25.6) 38.9% (±24.9)	(n=11) 36.4% (±33 18.2% (±27
		, ,	
c. I got them from friends.	21.4% (±24.6)	5.6% (±11.7)	9.1% (±20
d. I bought them at school.	7.1% (±15.4)	0.0% (±0.0)	0.0% (±0.
e. Other	7.1% (±15.4)	5.6% (±11.7)	36.4% (±33
estions 91-92 appear only on the elementary version of the survey.] 93. During the past 7 days, how many times did you eat any potato chips or similar snack foods such as corn chips or cheese puffs at school (including any after-school and weekend activities)? Do not include			
93. During the past 7 days, how many times did you eat any potato chips or similar snack foods such as corn chips or cheese puffs at school (including any after-school and weekend activities)? Do not include reduced fat or fat-free items.	(n=14)	(n=17)	(n=12)
93. During the past 7 days, how many times did you eat any potato chips or similar snack foods such as corn chips or cheese puffs at school (including any after-school and weekend activities)? Do not include reduced fat or fat-free items. a. 0 times	42.9% (±29.7)	41.2% (±26.1)	33.3% (±31
93. During the past 7 days, how many times did you eat any potato chips or similar snack foods such as corn chips or cheese puffs at school (including any after-school and weekend activities)? Do not include reduced fat or fat-free items. a. 0 times b. 1-3 times	42.9% (±29.7) 35.7% (±28.7)	41.2% (±26.1) 41.2% (±26.1)	33.3% (±31 41.7% (±32
93. During the past 7 days, how many times did you eat any potato chips or similar snack foods such as corn chips or cheese puffs at school (including any after-school and weekend activities)? Do not include reduced fat or fat-free items. a. 0 times b. 1-3 times c. 4-6 times	42.9% (±29.7) 35.7% (±28.7) 21.4% (±24.6)	41.2% (±26.1) 41.2% (±26.1) 5.9% (±12.5)	33.3% (±31 41.7% (±32 8.3% (±18
93. During the past 7 days, how many times did you eat any potato chips or similar snack foods such as corn chips or cheese puffs at school (including any after-school and weekend activities)? Do not include reduced fat or fat-free items. a. 0 times b. 1-3 times c. 4-6 times d. 7-9 times	42.9% (±29.7) 35.7% (±28.7) 21.4% (±24.6) 0.0% (±0.0)	41.2% (±26.1) 41.2% (±26.1) 5.9% (±12.5) 11.8% (±17.1)	33.3% (±31 41.7% (±32 8.3% (±18 8.3% (±18
93. During the past 7 days, how many times did you eat any potato chips or similar snack foods such as corn chips or cheese puffs at school (including any after-school and weekend activities)? Do not include reduced fat or fat-free items. a. 0 times b. 1-3 times c. 4-6 times	42.9% (±29.7) 35.7% (±28.7) 21.4% (±24.6)	41.2% (±26.1) 41.2% (±26.1) 5.9% (±12.5)	33.3% (±31 41.7% (±32 8.3% (±18 8.3% (±18
93. During the past 7 days, how many times did you eat any potato chips or similar snack foods such as corn chips or cheese puffs at school (including any after-school and weekend activities)? Do not include reduced fat or fat-free items. a. 0 times b. 1-3 times c. 4-6 times d. 7-9 times e. 10 times or more 94. During the past 7 days, where did you usually get the chips and similar snack items you ate at school? (Choose only one answer)	42.9% (±29.7) 35.7% (±28.7) 21.4% (±24.6) 0.0% (±0.0)	41.2% (±26.1) 41.2% (±26.1) 5.9% (±12.5) 11.8% (±17.1)	33.3% (±31 41.7% (±32 8.3% (±18 8.3% (±18
93. During the past 7 days, how many times did you eat any potato chips or similar snack foods such as corn chips or cheese puffs at school (including any after-school and weekend activities)? Do not include reduced fat or fat-free items. a. 0 times b. 1-3 times c. 4-6 times d. 7-9 times e. 10 times or more	42.9% (±29.7) 35.7% (±28.7) 21.4% (±24.6) 0.0% (±0.0) 0.0% (±0.0)	41.2% (±26.1) 41.2% (±26.1) 5.9% (±12.5) 11.8% (±17.1) 0.0% (±0.0)	33.3% (±31 41.7% (±32 8.3% (±18 8.3% (±18 8.3% (±18 (n=12)
93. During the past 7 days, how many times did you eat any potato chips or similar snack foods such as corn chips or cheese puffs at school (including any after-school and weekend activities)? Do not include reduced fat or fat-free items. a. 0 times b. 1-3 times c. 4-6 times d. 7-9 times e. 10 times or more 94. During the past 7 days, where did you usually get the chips and similar snack items you ate at school? (Choose only one answer)	42.9% (±29.7) 35.7% (±28.7) 21.4% (±24.6) 0.0% (±0.0) 0.0% (±0.0) (n=14)	41.2% (±26.1) 41.2% (±26.1) 5.9% (±12.5) 11.8% (±17.1) 0.0% (±0.0)	33.3% (±31 41.7% (±32 8.3% (±18 8.3% (±18 8.3% (±18 (n=12) 25.0% (±28
93. During the past 7 days, how many times did you eat any potato chips or similar snack foods such as corn chips or cheese puffs at school (including any after-school and weekend activities)? Do not include reduced fat or fat-free items. a. 0 times b. 1-3 times c. 4-6 times d. 7-9 times e. 10 times or more 94. During the past 7 days, where did you usually get the chips and similar snack items you ate at school? (Choose only one answer) a. I did not eat potato chips or similar snack foods at school.	42.9% (±29.7) 35.7% (±28.7) 21.4% (±24.6) 0.0% (±0.0) 0.0% (±0.0) (n=14) 42.9% (±29.7)	41.2% (±26.1) 41.2% (±26.1) 5.9% (±12.5) 11.8% (±17.1) 0.0% (±0.0) (n=18) 38.9% (±24.9)	33.3% (±31 41.7% (±32 8.3% (±18 8.3% (±18 8.3% (±18 (n=12) 25.0% (±28 50.0% (±33
93. During the past 7 days, how many times did you eat any potato chips or similar snack foods such as corn chips or cheese puffs at school (including any after-school and weekend activities)? Do not include reduced fat or fat-free items. a. 0 times b. 1-3 times c. 4-6 times d. 7-9 times e. 10 times or more 94. During the past 7 days, where did you usually get the chips and similar snack items you ate at school? (Choose only one answer) a. I did not eat potato chips or similar snack foods at school. b. I brought them from home	42.9% (±29.7) 35.7% (±28.7) 21.4% (±24.6) 0.0% (±0.0) 0.0% (±0.0) (n=14) 42.9% (±29.7) 35.7% (±28.7)	41.2% (±26.1) 41.2% (±26.1) 5.9% (±12.5) 11.8% (±17.1) 0.0% (±0.0) (n=18) 38.9% (±24.9) 33.3% (±24.1)	33.3% (±31 41.7% (±32 8.3% (±18 8.3% (±18 8.3% (±18

5. In the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in	Grade 8	Grade 10	Grade 12
any kind of physical activity that increases your heart rate or makes you breathe hard some of the time.)	% (± CI) (n=14)	% (± CI) (n=17)	% (± CI) (n=12)
a. 0 days	0.0% (±0.0)	11.8% (±17.1)	16.7% (±24
b. 1 day	21.4% (±24.6)	17.6% (±20.2)	0.0% (±0.
c. 2 days	7.1% (±15.4)	5.9% (±12.5)	8.3% (±18
d. 3 days	0.0% (±0.0)	5.9% (±12.5)	8.3% (±18
e. 4 days	14.3% (±21.0)	0.0% (±0.0)	16.7% (±24
f. 5 days	35.7% (±28.7)	23.5% (±22.5)	33.3% (±31
g. 6 days	7.1% (±15.4)	11.8% (±17.1)	8.3% (±18
h. 7 days	14.3% (±21.0)	23.5% (±22.5)	8.3% (±18
6. On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?	(n-12)	(n-17)	(n-12)
a. 0 days	(n=13) 15.4% (±22.7)	(n=17) 29.4% (±24.1)	(n=12) 25.0% (±28
b. 1 day	7.7% (±16.8)	5.9% (±12.5)	0.0% (±0
c. 2 days	7.7% (±16.8)	0.0% (±0.0)	0.0% (±0
d. 3 days	0.0% (±0.0)	5.9% (±12.5)	16.7% (±24
e. 4 days	0.0% (±0.0)	5.9% (±12.5)	16.7% (±2
f. 5 days	38.5% (±30.6)	17.6% (±20.2)	33.3% (±3
g. 6 days	7.7% (±16.8)	11.8% (±17.1)	0.0% (±0
h. 7 days	23.1% (±26.5)	23.5% (±22.5)	8.3% (±1
7. On average how many days a week do you walk to or from school?	(n=12)	(n=16)	(n=12)
a. Never	66.7% (±31.3)	87.5% (±18.2)	91.7% (±18
b. 1-2	33.3% (±31.3)	12.5% (±18.2)	0.0% (±0
c. 3-4	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0
d. I walk every day.	0.0% (±0.0)	0.0% (±0.0)	8.3% (±1
On average how many days a week do you ride a bicycle to or from school?	(n-12)	(n-16)	(n-12)
a. Never	(n=12) 100.0% (±0.0)	(n=16) 100.0% (±0.0)	(n=12) 100.0% (±0
	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0
b. 1-2			0.0% (±0
b. 1-2 c. 3-4	0.0% (±0.0)	0.0% (±0.0)	`
	0.0% (±0.0) 0.0% (±0.0)	0.0% (±0.0) 0.0% (±0.0)	0.0% (±0
c. 3-4 d. I bike every day. On an average school day, how many hours do you watch TV shows or		-	0.0% (±0
c. 3-4 d. I bike every day. On an average school day, how many hours do you watch TV shows or movies or stream videos (such as YouTube, Netflix, Hulu) on any	0.0% (±0.0)	0.0% (±0.0)	
c. 3-4 d. I bike every day. On an average school day, how many hours do you watch TV shows or		-	0.0% (±0 (n=12) 8.3% (±13
c. 3-4 d. I bike every day. On an average school day, how many hours do you watch TV shows or movies or stream videos (such as YouTube, Netflix, Hulu) on any electronic device (Computer, TV set, tablets or smartphone)? a. I do not watch TV or movies on an average school day.	0.0% (±0.0) (n=12)	0.0% (±0.0) (n=15)	(n=12) 8.3% (±1
c. 3-4 d. I bike every day. On an average school day, how many hours do you watch TV shows or movies or stream videos (such as YouTube, Netflix, Hulu) on any electronic device (Computer, TV set, tablets or smartphone)?	0.0% (±0.0) (n=12) 25.0% (±28.7)	0.0% (±0.0) (n=15) 0.0% (±0.0)	(n=12) 8.3% (±1 8.3% (±1
c. 3-4 d. I bike every day. D. On an average school day, how many hours do you watch TV shows or movies or stream videos (such as YouTube, Netflix, Hulu) on any electronic device (Computer, TV set, tablets or smartphone)? a. I do not watch TV or movies on an average school day. b. Less than 1 hour per day	0.0% (±0.0) (n=12) 25.0% (±28.7) 16.7% (±24.7)	0.0% (±0.0) (n=15) 0.0% (±0.0) 13.3% (±19.5)	(n=12)
c. 3-4 d. I bike every day. D. On an average school day, how many hours do you watch TV shows or movies or stream videos (such as YouTube, Netflix, Hulu) on any electronic device (Computer, TV set, tablets or smartphone)? a. I do not watch TV or movies on an average school day. b. Less than 1 hour per day c. 1 hour per day	0.0% (±0.0) (n=12) 25.0% (±28.7) 16.7% (±24.7) 8.3% (±18.3)	0.0% (±0.0) (n=15) 0.0% (±0.0) 13.3% (±19.5) 20.0% (±22.9)	(n=12) 8.3% (±18 8.3% (±18 33.3% (±3
c. 3-4 d. I bike every day. D. On an average school day, how many hours do you watch TV shows or movies or stream videos (such as YouTube, Netflix, Hulu) on any electronic device (Computer, TV set, tablets or smartphone)? a. I do not watch TV or movies on an average school day. b. Less than 1 hour per day c. 1 hour per day d. 2 hours per day	0.0% (±0.0) (n=12) 25.0% (±28.7) 16.7% (±24.7) 8.3% (±18.3) 16.7% (±24.7)	0.0% (±0.0) (n=15) 0.0% (±0.0) 13.3% (±19.5) 20.0% (±22.9) 20.0% (±22.9)	(n=12) 8.3% (±1 8.3% (±1 33.3% (±3 16.7% (±2

% (± CI)		
(n=12)	% (± CI) (n=15)	% (± CI) (n=11)
8.3% (±18.3)	13.3% (±19.5)	18.2% (±27.
25.0% (±28.7)	26.7% (±25.3)	27.3% (±31
8.3% (±18.3)	6.7% (±14.3)	18.2% (±27.
25.0% (±28.7)	13.3% (±19.5)	9.1% (±20
8.3% (±18.3)	20.0% (±22.9)	18.2% (±27
0.0% (±0.0)	0.0% (±0.0)	9.1% (±20
25.0% (±28.7)	20.0% (±22.9)	0.0% (±0.
(5.42)	(5.46)	(n. 11)
		(n=11) 72.7% (±31
		0.0% (±0.
	, ,	0.0% (±0.
	, ,	9.1% (±20
	` '	9.1% (±20 9.1% (±20
` ,	, ,	
50.0% (±33.2)	50.0% (±27.5)	9.1% (±20
(n=12)	(n=16)	(n=12)
33.3% (±31.3)	37.5% (±26.6)	83.3% (±24
8.3% (±18.3)	0.0% (±0.0)	0.0% (±0
0.0% (±0.0)	0.0% (±0.0)	8.3% (±18
8.3% (±18.3)	6.3% (±13.3)	0.0% (±0
0.0% (±0.0)	6.3% (±13.3)	0.0% (±0
33.3% (±31.3)	18.8% (±21.5)	8.3% (±18
0.0% (±0.0)		0.0% (±0
16.7% (±24.7)	12.5% (±18.2)	0.0% (±0
(n=19) 42.1% (±24.4)	(n=29) 41.4% (±19.1)	(n=20) 35.0% (±22
15.8% (±18.1)		10.0% (±14
42.1% (±24.4)	37.9% (±18.8)	55.0% (±23
_	8.3% (±18.3) 25.0% (±28.7) 8.3% (±18.3) 0.0% (±0.0) 25.0% (±28.7) (n=12) 41.7% (±32.7) 0.0% (±0.0) 8.3% (±18.3) 0.0% (±0.0) 50.0% (±33.2) (n=12) 33.3% (±31.3) 8.3% (±18.3) 0.0% (±0.0) 8.3% (±18.3) 0.0% (±0.0) 16.7% (±24.7) (n=19) 42.1% (±24.4) 15.8% (±18.1)	8.3% (±18.3) 6.7% (±14.3) 25.0% (±28.7) 13.3% (±19.5) 8.3% (±18.3) 20.0% (±22.9) 0.0% (±0.0) 0.0% (±0.0) 25.0% (±28.7) 20.0% (±22.9) (n=12) (n=16) 41.7% (±32.7) 43.8% (±27.3) 0.0% (±0.0) 6.3% (±13.3) 8.3% (±18.3) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 50.0% (±0.0) 0.0% (±0.0) 50.0% (±33.2) 50.0% (±27.5) (n=12) (n=16) 33.3% (±31.3) 37.5% (±26.6) 8.3% (±18.3) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 8.3% (±18.3) 0.0% (±0.0) 0.0% (±0.0) 6.3% (±13.3) 33.3% (±31.3) 18.8% (±21.5) 0.0% (±0.0) 18.8% (±21.5) 16.7% (±24.7) 12.5% (±18.2)

	Grade 8	Grade 10	Grade 12
105. Has a doctor or nurse ever told you that you have asthma?	% (± CI) (n=11)	% (± CI) (n=16)	% (± CI) (n=12)
a. Yes	9.1% (±20.3)	25.0% (±23.8)	33.3% (±31
b. No	90.9% (±20.3)	62.5% (±26.6)	58.3% (±32
c. Not sure	0.0% (±0.0)	12.5% (±18.2)	8.3% (±18
106. Do you still have asthma?	(n=12)	(n=16)	(n=12)
a. I have never had asthma.	75.0% (±28.7)	68.8% (±25.5)	50.0% (±33
b. Yes	16.7% (±24.7)	12.5% (±18.2)	16.7% (±24
c. No	8.3% (±18.3)	0.0% (±0.0)	8.3% (±18
d. Not sure	0.0% (±0.0)	18.8% (±21.5)	25.0% (±28
107. When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?	(n=11)	(n=15)	(n=12)
a. During the past 12 months	72.7% (±31.4)	46.7% (±28.6)	58.3% (±32
b. Between 12 and 24 months ago	0.0% (±0.0)	13.3% (±19.5)	0.0% (±0
c. More than 24 months ago	9.1% (±20.3)	13.3% (±19.5)	25.0% (±28
d. Never	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0
e. Not sure	18.2% (±27.2)	26.7% (±25.3)	16.7% (±24
school because of toothache? (Do not include toothache due to braces or injury.) a None	(n=11) 81.8% (+27.2)	(n=15)	(n=12)
a. None	81.8% (±27.2)	86.7% (±19.5)	91.7% (±18
b. 1-4 days	18.2% (±27.2)	0.0% (±0.0)	8.3% (±18
c. 5 days or more	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0
d. Not sure	0.0% (±0.0)	13.3% (±19.5)	0.0% (±0
estion 109 appears only on the elementary version of the survey.]			
		(n-12)	(n=11)
110. On an average school night how many hours do you sleep?	(n=8)	(n=13)	
110. On an average school night how many hours do you sleep? a. 5 hours or less	(n=8) 12.5% (±29.6)	46.2% (±31.4)	
	` '		36.4% (±33
a. 5 hours or less	12.5% (±29.6)	46.2% (±31.4)	36.4% (±33 9.1% (±20
a. 5 hours or less b. About 6 hours	12.5% (±29.6) 25.0% (±38.7)	46.2% (±31.4) 15.4% (±22.7)	36.4% (±33 9.1% (±20 36.4% (±33
a. 5 hours or less b. About 6 hours c. About 7 hours	12.5% (±29.6) 25.0% (±38.7) 12.5% (±29.6)	46.2% (±31.4) 15.4% (±22.7) 30.8% (±29.0)	36.4% (±33 9.1% (±20 36.4% (±33 9.1% (±20
 a. 5 hours or less b. About 6 hours c. About 7 hours d. About 8 hours e. 9 hours or more 111. Do you have any physical disabilities or long-term health problems	12.5% (±29.6) 25.0% (±38.7) 12.5% (±29.6) 50.0% (±44.7) 0.0% (±0.0)	46.2% (±31.4) 15.4% (±22.7) 30.8% (±29.0) 7.7% (±16.8) 0.0% (±0.0)	36.4% (±30 9.1% (±20 36.4% (±30 9.1% (±20 9.1% (±20)
 a. 5 hours or less b. About 6 hours c. About 7 hours d. About 8 hours e. 9 hours or more 111. Do you have any physical disabilities or long-term health problems lasting or expected to last 6 months or more?	12.5% (±29.6) 25.0% (±38.7) 12.5% (±29.6) 50.0% (±44.7) 0.0% (±0.0)	46.2% (±31.4) 15.4% (±22.7) 30.8% (±29.0) 7.7% (±16.8) 0.0% (±0.0)	36.4% (±3%) 9.1% (±2%) 36.4% (±3%) 9.1% (±2%) 9.1% (±2%) (n=11)
a. 5 hours or less b. About 6 hours c. About 7 hours d. About 8 hours e. 9 hours or more 111. Do you have any physical disabilities or long-term health problems lasting or expected to last 6 months or more? a. Yes	12.5% (±29.6) 25.0% (±38.7) 12.5% (±29.6) 50.0% (±44.7) 0.0% (±0.0) (n=12) 8.3% (±18.3)	46.2% (±31.4) 15.4% (±22.7) 30.8% (±29.0) 7.7% (±16.8) 0.0% (±0.0) (n=15) 20.0% (±22.9)	36.4% (±33 9.1% (±26 36.4% (±33 9.1% (±26 9.1% (±26 (n=11) 0.0% (±0
a. 5 hours or less b. About 6 hours c. About 7 hours d. About 8 hours e. 9 hours or more 111. Do you have any physical disabilities or long-term health problems lasting or expected to last 6 months or more? a. Yes b. No	12.5% (±29.6) 25.0% (±38.7) 12.5% (±29.6) 50.0% (±44.7) 0.0% (±0.0) (n=12) 8.3% (±18.3) 91.7% (±18.3)	46.2% (±31.4) 15.4% (±22.7) 30.8% (±29.0) 7.7% (±16.8) 0.0% (±0.0) (n=15) 20.0% (±22.9) 73.3% (±25.3)	36.4% (±3: 9.1% (±2): 36.4% (±3: 9.1% (±2): 9.1% (±2): (n=11): 0.0% (±0: 72.7% (±3:
b. About 6 hours c. About 7 hours d. About 8 hours e. 9 hours or more 111. Do you have any physical disabilities or long-term health problems lasting or expected to last 6 months or more? a. Yes b. No c. Not sure	12.5% (±29.6) 25.0% (±38.7) 12.5% (±29.6) 50.0% (±44.7) 0.0% (±0.0) (n=12) 8.3% (±18.3)	46.2% (±31.4) 15.4% (±22.7) 30.8% (±29.0) 7.7% (±16.8) 0.0% (±0.0) (n=15) 20.0% (±22.9)	36.4% (±33 9.1% (±20 36.4% (±33 9.1% (±20 9.1% (±20 (n=11) 0.0% (±0 72.7% (±31
a. 5 hours or less b. About 6 hours c. About 7 hours d. About 8 hours e. 9 hours or more 111. Do you have any physical disabilities or long-term health problems lasting or expected to last 6 months or more? a. Yes b. No c. Not sure	12.5% (±29.6) 25.0% (±38.7) 12.5% (±29.6) 50.0% (±44.7) 0.0% (±0.0) (n=12) 8.3% (±18.3) 91.7% (±18.3)	46.2% (±31.4) 15.4% (±22.7) 30.8% (±29.0) 7.7% (±16.8) 0.0% (±0.0) (n=15) 20.0% (±22.9) 73.3% (±25.3)	36.4% (±33 9.1% (±20 36.4% (±33 9.1% (±20 9.1% (±20 (n=11) 0.0% (±0 72.7% (±31
a. 5 hours or less b. About 6 hours c. About 7 hours d. About 8 hours e. 9 hours or more 111. Do you have any physical disabilities or long-term health problems lasting or expected to last 6 months or more? a. Yes b. No c. Not sure	12.5% (±29.6) 25.0% (±38.7) 12.5% (±29.6) 50.0% (±44.7) 0.0% (±0.0) (n=12) 8.3% (±18.3) 91.7% (±18.3) 0.0% (±0.0)	46.2% (±31.4) 15.4% (±22.7) 30.8% (±29.0) 7.7% (±16.8) 0.0% (±0.0) (n=15) 20.0% (±22.9) 73.3% (±25.3) 6.7% (±14.3)	36.4% (±30) 9.1% (±20) 36.4% (±30) 9.1% (±20) 9.1% (±20) (n=11) 0.0% (±0) 72.7% (±31) 27.3% (±31)
a. 5 hours or less b. About 6 hours c. About 7 hours d. About 8 hours e. 9 hours or more 111. Do you have any physical disabilities or long-term health problems lasting or expected to last 6 months or more? a. Yes b. No c. Not sure 112. Do you have any long-term emotional problems or learning disabilities lasting or expected to last 6 months or more?	12.5% (±29.6) 25.0% (±38.7) 12.5% (±29.6) 50.0% (±44.7) 0.0% (±0.0) (n=12) 8.3% (±18.3) 91.7% (±18.3) 0.0% (±0.0)	46.2% (±31.4) 15.4% (±22.7) 30.8% (±29.0) 7.7% (±16.8) 0.0% (±0.0) (n=15) 20.0% (±22.9) 73.3% (±25.3) 6.7% (±14.3)	36.4% (±33 9.1% (±20 36.4% (±33 9.1% (±20 9.1% (±20 (n=11) 0.0% (±0. 72.7% (±31 27.3% (±31

113. Would other people consider you to have a disability or long-term	Grade 8	Grade 10	Grade 12
health problem including physical health, emotional, or learning problems?	% (± CI) (n=11)	% (± CI) (n=15)	% (± CI) (n=11)
a. Yes	9.1% (±20.3)	0.0% (±0.0)	27.3% (±31
b. No	81.8% (±27.2)	73.3% (±25.3)	54.5% (±35
c. Not sure	9.1% (±20.3)	26.7% (±25.3)	18.2% (±27
114. Are you limited in any activities because of a disability or long-term health problem including physical health, emotional, or learning problems expected to last 6 months or more?	(n=11)	(n=15)	(n=11)
a. Yes	9.1% (±20.3)	0.0% (±0.0)	9.1% (±20
b. No	90.9% (±20.3)	86.7% (±19.5)	81.8% (±27
c. Not sure	0.0% (±0.0)	13.3% (±19.5)	9.1% (±20
ual Behavior			
115. Have you ever had sex? †	(n=4)	(n=13)	(n=12)
a. Yes	25.0% (±75.0)	30.8% (±29.0)	50.0% (±33
b. No	75.0% (±75.0)	69.2% (±29.0)	50.0% (±33
116. How old were you when you had sex for the first time? †	(n=4)	(n=13)	(n=12)
a. I have never had sex.	75.0% (±75.0)	69.2% (±29.0)	50.0% (±33
b. 11 years old or younger	0.0% (±0.0)	15.4% (±22.7)	0.0% (±0
c. 12 years old	0.0% (±0.0)	0.0% (±0.0)	8.3% (±18
d. 13 years old	25.0% (±75.0)	0.0% (±0.0)	0.0% (±0
e. 14 years old	0.0% (±0.0)	0.0% (±0.0)	8.3% (±18
f. 15 years old	0.0% (±0.0)	15.4% (±22.7)	8.3% (±18
g. 16 years old	0.0% (±0.0)	0.0% (±0.0)	8.3% (±18
h. 17 years old or older	0.0% (±0.0)	0.0% (±0.0)	16.7% (±24
117. With how many people have you ever had sex? †	(n=3)	(n=12)	(n=11)
a. I have never had sex.	66.7% (±66.7)	75.0% (±28.7)	54.5% (±35
b. 1 person	33.3% (±66.7)	8.3% (±18.3)	27.3% (±31
c. 2 people	0.0% (±0.0)	8.3% (±18.3)	0.0% (±0
d. 3 people	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0
e. 4 people	0.0% (±0.0)	0.0% (±0.0)	9.1% (±20
f. 5 people	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0
g. 6 or more people	0.0% (±0.0)	8.3% (±18.3)	9.1% (±20
118. During your life, with whom have you had sexual contact? Select all that apply. †	(n=4)	(n=10)	(n=11)
mer apply	50.0% (±50.0)	70.0% (±34.6)	54.5% (±35
a. I have never had sexual contact		(=00)	(_00
a. I have never had sexual contact b. Females	50.0% (+50.0)	20.0% (+30.2)	9.1% (+20
a. I have never had sexual contact b. Females c. Males	50.0% (±50.0) 0.0% (±0.0)	20.0% (±30.2) 10.0% (±22.6)	9.1% (±20 36.4% (±33

119. The last time you had sex, what method(s) did you or your partner	Grade 8	Grade 10	Grade 12
use to prevent pregnancy and/or sexually transmitted infections? Select all that you used. †	% (± CI) (n=2)	% (± CI) (n=13)	% (± CI) (n=12)
a. I have never had sex	50.0% (±50.0)	69.2% (±29.0)	54.5% (±35.1)
b. No method was used	0.0% (±0.0)	0.0% (±0.0)	9.1% (±20.3)
c. Birth control pills	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
d. Condoms	50.0% (±50.0)	15.4% (±22.7)	36.4% (±33.9)
e. An IUD or implant (such as Mirena or ParaGard; Implanon or Nexplanon)	0.0% (±0.0)	0.0% (±0.0)	9.1% (±20.3)
f. A shot (such as Depo-Provera)	0.0% (±0.0)	7.7% (±16.8)	0.0% (±0.0)
g. Patch or birth control ring (such as Xulane; NuvaRing)	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
h. Withdrawal or some other method	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
i. Not sure	0.0% (±0.0)	7.7% (±16.8)	0.0% (±0.0)

Behaviors Related to Unintentional Injury

[Question 120 appears only on the elementary version of the survey.]

121. How good a swimmer do you think you are?	(n=15)	(n=18)	(n=12)
a. Good	66.7% (±27.0)	44.4% (±25.4)	41.7% (±32.7)
b. So-so	26.7% (±25.3)	38.9% (±24.9)	41.7% (±32.7)
c. Not good	6.7% (±14.3)	5.6% (±11.7)	8.3% (±18.3)
d. Can't swim	0.0% (±0.0)	11.1% (±16.1)	8.3% (±18.3)
122. Have you ever taken formal swimming lessons?	(n=16)	(n=18)	(n=10)
a. Yes	62.5% (±26.6)	50.0% (±25.6)	50.0% (±37.7)
b. No	31.3% (±25.5)	44.4% (±25.4)	40.0% (±36.9)
c. Not sure	6.3% (±13.3)	5.6% (±11.7)	10.0% (±22.6)
123. During the past 30 days, how many times did you ride in a car or			
other vehicle driven by someone who had been drinking alcohol?	(n=6)	(n=12)	(n=8)
a. 0 times	66.7% (±54.2)	66.7% (±31.3)	87.5% (±29.6)
b. 1 time	16.7% (±42.8)	25.0% (±28.7)	0.0% (±0.0)
c. 2-3 times	0.0% (±0.0)	8.3% (±18.3)	12.5% (±29.6)
1.4 = 0	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
d. 4-5 times	, ,		

[Question 124 appears only on the elementary version of the survey.]

125. During the past 50 days, now many times did you drive a car or other			
vehicle when you had been drinking alcohol?	(n=6)	(n=12)	(n=7)
a. 0 times	100.0% (±0.0)	100.0% (±0.0)	100.0% (±0.0)
b. 1 time	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
c. 2-3 times	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
d. 4-5 times	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
e. 6 or more times	0.0% (+0.0)	0.0% (+0.0)	0.0% (+0.0)

	Grade 8	Grade 10	Grade 12
126. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana?	% (± CI) (n=6)	% (± CI) (n=12)	% (± CI) (n=7)
a. 0 times	66.7% (±54.2)	50.0% (±33.2)	71.4% (±45.
b. 1 time	0.0% (±0.0)	25.0% (±28.7)	0.0% (±0.0
c. 2-3 times	16.7% (±42.8)	8.3% (±18.3)	14.3% (±35.0
d. 4-5 times	0.0% (±0.0)	8.3% (±18.3)	0.0% (±0.0
e. 6 or more times	16.7% (±42.8)	8.3% (±18.3)	14.3% (±35.
127. During the past 30 days, how many times did you drive a car or other vehicle within three hours after using marijuana?	(n=6)	(n=12)	(n=7)
a. 0 times	100.0% (±0.0)	91.7% (±18.3)	85.7% (±35.0
b. 1 time	0.0% (±0.0)	8.3% (±18.3)	0.0% (±0.0
c. 2-3 times	0.0% (±0.0)	0.0% (±0.0)	14.3% (±35.
d. 4-5 times	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
e. 6 or more times	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
uestion 128 appears only on the elementary version of the survey.]			
129. During the past 30 days, how many days did you text or email while driving a car or other vehicle?	(n=21)	(n=30)	(n=19)
a. I did not drive a car or other vehicle during the past 30 days.	66.7% (±22.0)	60.0% (±18.6)	21.1% (±20.
b. 0 days	33.3% (±22.0)	33.3% (±17.9)	47.4% (±24.
c. 1 or 2 days	0.0% (±0.0)	3.3% (±6.8)	0.0% (±0.0
d. 3 to 5 days	0.0% (±0.0)	0.0% (±0.0)	10.5% (±15.
e. 6 to 9 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
f. 10 to 19 days	0.0% (±0.0)	0.0% (±0.0)	5.3% (±11.
g. 20 to 29 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
h. All 30 days	0.0% (±0.0)	3.3% (±6.8)	15.8% (±18.
haviors Related to Intentional Injury			
130. During the past 30 days, on how many days did you: Carry a weapon such as a gun, knife, or club on school property?	(n=22)	(n=30)	(n=20)
a. 0 days	100.0% (±0.0)	96.7% (±6.8)	95.0% (±10.
b. 1-5 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
c. 6 or more days	0.0% (±0.0)	3.3% (±6.8)	5.0% (±10.
121 During the neet 12 months, how many times were you in a physical	(n=23)	(n=31)	(n=20)
131. During the past 12 months, how many times were you in a physical fight?		74.2% (±16.3)	80.0% (±19.
fight? a. 0 times	82.6% (±16.8)	(/	
fight?		16.1% (±13.7)	5.0% (±10.
fight? a. 0 times	82.6% (±16.8)		
fight? a. 0 times b. 1 time	82.6% (±16.8) 13.0% (±14.9)	16.1% (±13.7)	5.0% (±10. 10.0% (±14. 0.0% (±0.0
fight? a. 0 times b. 1 time c. 2-3 times	82.6% (±16.8) 13.0% (±14.9) 4.3% (±9.0)	16.1% (±13.7) 3.2% (±6.6)	10.0% (±14.
fight? a. 0 times b. 1 time c. 2-3 times d. 4-5 times e. 6 or more times 132. A gang is a group of people with a leader who act together often for violent or illegal activities. During the past 12 months, have you been	82.6% (±16.8) 13.0% (±14.9) 4.3% (±9.0) 0.0% (±0.0) 0.0% (±0.0)	16.1% (±13.7) 3.2% (±6.6) 3.2% (±6.6) 3.2% (±6.6)	10.0% (±14. 0.0% (±0.0 5.0% (±10.0
fight? a. 0 times b. 1 time c. 2-3 times d. 4-5 times e. 6 or more times 132. A gang is a group of people with a leader who act together often for	82.6% (±16.8) 13.0% (±14.9) 4.3% (±9.0) 0.0% (±0.0)	16.1% (±13.7) 3.2% (±6.6) 3.2% (±6.6)	10.0% (±14.

	Grade 8	Grade 10	Grade 12
133. Are there gangs at your school?	% (± CI) (n=21)	% (± CI) (n=30)	% (± CI) (n=20)
a. No	57.1% (±23.1)	56.7% (±18.8)	65.0% (±22.9
b. Yes	9.5% (±13.7)	3.3% (±6.8)	5.0% (±10.5
c. Don't know	33.3% (±22.0)	40.0% (±18.6)	30.0% (±22.0
ysical, Emotional and Sexual Abuse			
134. Not counting TV, movies, video games, and sporting events, have you seen an adult hit, slap, punch, shove, kick, or otherwise physically			
hurt another adult more than one time?	(n=4)	(n=13)	(n=11)
a. No	25.0% (±75.0)	69.2% (±29.0)	63.6% (±33.9
b. Yes	75.0% (±75.0)	30.8% (±29.0)	36.4% (±33.
135. Has an adult ever physically hurt you on purpose (like pushed, slapped, hit, kicked or punched you), leaving a mark, bruise or injury?			
- N-	(n=4)	(n=12)	(n=10)
a. No	75.0% (±75.0)	75.0% (±28.7)	30.0% (±34.
b. Yes	25.0% (±75.0)	25.0% (±28.7)	70.0% (±34.
136. How often does a parent or adult in your home swear at you, insult you, put you down or humiliate you?	(n=5)	(n=13)	(n=12)
a. Never or almost never	60.0% (±60.0)	46.2% (±31.4)	50.0% (±33.
b. Sometimes	40.0% (±60.0)	15.4% (±22.7)	8.3% (±18.
c. Often	0.0% (±0.0)	30.8% (±29.0)	33.3% (±31.
d. Very often	0.0% (±0.0)	7.7% (±16.8)	8.3% (±18.
137. During the past 12 months, did someone you were dating or going out with ever limit your activities, threaten you, or make you feel			
unsafe in any other way?	(n=5)	(n=12)	(n=10)
a. I did not date or go out with anyone during the past 12 months.	60.0% (±60.0)	25.0% (±28.7)	50.0% (±37.
b. No	40.0% (±60.0)	75.0% (±28.7)	50.0% (±37.
c. Yes	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
138. In the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)	(n=4)	(n=13)	(n=11)
a. I did not date or go out with anyone during the past 12 months.	75.0% (±75.0)	23.1% (±26.5)	45.5% (±35.
b. 0 times	25.0% (±75.0)	69.2% (±29.0)	54.5% (±35.
c. 1 time	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
d. 2 or 3 times	0.0% (±0.0)	7.7% (±16.8)	0.0% (±0.0
e. 4 or 5 times	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
f. 6 or more times	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
139. Have you ever seen someone about your age pressure someone else			
to kiss, touch, or have sex when they did not want to? †	(n=3)	(n=12)	(n=12)
	0.00((+0.0)	00 00((:04 0)	E0 00/ /+00
a. Yes	0.0% (±0.0)	33.3% (±31.3)	58.3% (±32.

	Grade 8	Grade 10	Grade 12
140. Have you ever been in a situation where someone made you engage in kissing, sexual touch or intercourse when you did not want to? †	% (± CI) (n=4)	% (± CI) (n=12)	% (± CI) (n=12)
a. Yes	25.0% (±75.0)	8.3% (±18.3)	33.3% (±31.
b. No	75.0% (±75.0)	91.7% (±18.3)	66.7% (±31.
ntal Health			
141. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped	(- 04)	(- 20)	(-, 00)
doing some usual activities? a. Yes	(n=24) 33.3% (±20.3)	(n=30) 43.3% (±18.8)	(n=20) 35.0% (±22.
b. No	66.7% (±20.3)	56.7% (±18.8)	65.0% (±22.
142. During the past 12 months, did you ever seriously consider			
attempting suicide? a. Yes	(n=24) 20.8% (±17.5)	(n=30) 26.7% (±16.8)	(n=20) 40.0% (±23)
b. No	79.2% (±17.5)	73.3% (±16.8)	60.0% (±23
143. During the past 12 months, did you make a plan about how you would			
attempt suicide?	(n=15)	(n=18)	(n=12)
a. Yes	20.0% (±22.9)	16.7% (±19.1)	16.7% (±24
b. No	80.0% (±22.9)	83.3% (±19.1)	83.3% (±24
144. During the past 12 months, how many times did you actually attempt suicide?	(n=14)	(n=18)	(n=12)
a. 0 times	85.7% (±21.0)	83.3% (±19.1)	91.7% (±18
b. 1 time	14.3% (±21.0)	0.0% (±0.0)	0.0% (±0.
c. 2-3 times	0.0% (±0.0)	16.7% (±19.1)	0.0% (±0.
d. 4-5 times	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.
e. 6 or more times	0.0% (±0.0)	0.0% (±0.0)	8.3% (±18
estions 145-146 appear only on the elementary version of the survey.]			
147. How often over the last 2 weeks, were you bothered by: Feeling nervous, anxious or on edge?	(n=13)	(n=26)	(n=20)
a. Not at all	38.5% (±30.6)	61.5% (±20.0)	40.0% (±23
b. Several days	30.8% (±29.0)	11.5% (±13.2)	30.0% (±22
c. More than half the days	30.8% (±29.0)	11.5% (±13.2)	10.0% (±14
d. Nearly every day	0.0% (±0.0)	15.4% (±14.9)	20.0% (±19
148. How often over the last 2 weeks, were you bothered by: Not being	(10)	(00)	(00)
able to stop or control worrying?	(n=13) 46.2% (±31.4)	(n=26) 50.0% (±20.6)	(n=20) 45.0% (±23
a. Not at all	()	26.9% (±18.3)	35.0% (±22
	30.8% (+29.0)		
b. Several days	30.8% (±29.0) 15.4% (±22.7)		5.0% (+10
	30.8% (±29.0) 15.4% (±22.7) 7.7% (±16.8)	7.7% (±11.0) 15.4% (±14.9)	
 b. Several days c. More than half the days d. Nearly every day 149. When you feel sad or hopeless, are there adults that you can turn to	15.4% (±22.7) 7.7% (±16.8)	7.7% (±11.0) 15.4% (±14.9)	15.0% (±17
 b. Several days c. More than half the days d. Nearly every day 149. When you feel sad or hopeless, are there adults that you can turn to for help?	15.4% (±22.7) 7.7% (±16.8) (n=14)	7.7% (±11.0) 15.4% (±14.9) (n=17)	15.0% (±17.
 b. Several days c. More than half the days d. Nearly every day 149. When you feel sad or hopeless, are there adults that you can turn to for help? a. I never feel sad or hopeless. 	15.4% (±22.7) 7.7% (±16.8) (n=14) 42.9% (±29.7)	7.7% (±11.0) 15.4% (±14.9) (n=17) 17.6% (±20.2)	15.0% (±17 (n=12) 8.3% (±18
 b. Several days c. More than half the days d. Nearly every day 149. When you feel sad or hopeless, are there adults that you can turn to for help? a. I never feel sad or hopeless. b. Yes 	15.4% (±22.7) 7.7% (±16.8) (n=14) 42.9% (±29.7) 42.9% (±29.7)	7.7% (±11.0) 15.4% (±14.9) (n=17) 17.6% (±20.2) 35.3% (±25.3)	8.3% (±18. 75.0% (±28.
 b. Several days c. More than half the days d. Nearly every day 149. When you feel sad or hopeless, are there adults that you can turn to for help? a. I never feel sad or hopeless.	15.4% (±22.7) 7.7% (±16.8) (n=14) 42.9% (±29.7)	7.7% (±11.0) 15.4% (±14.9) (n=17) 17.6% (±20.2)	15.0% (±17) (n=12) 8.3% (±18)

150. If you feel sad or hopeless almost every day for two weeks or more in	Grade 8	Grade 10	Grade 12
a row, to whom would you most likely turn for help? (Check all that apply)	% (± CI) (n=10)	% (± CI) (n=14)	% (± CI) (n=8)
a. Sibling or cousin	11.1% (±25.6)	23.1% (±26.5)	0.0% (±0.0)
b. Teacher, school counselor, or other adult in my school	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
c. Friend or peer	33.3% (±38.4)	38.5% (±30.6)	25.0% (±38.7)
d. Parent/Gaurdian	33.3% (±38.4)	7.7% (±16.8)	25.0% (±38.7)
e. Adult friend or adult relative that is not my parent/gaurdian	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
f. Religious/faith leader	0.0% (±0.0)	7.7% (±16.8)	0.0% (±0.0)
g. I don't have anyone I would talk to.	11.1% (±25.6)	7.7% (±16.8)	12.5% (±29.6)
h. I have not felt sad or hopeless for two weeks or more in a row.	22.2% (±33.9)	23.1% (±26.5)	37.5% (±43.3)
151. Last year, did you hear or see information at your school about the warning signs of suicide and how to get help for yourself or a friend?	(n=4)	(n=13)	(n=12)
a. Yes	0.0% (±0.0)	30.8% (±29.0)	75.0% (±28.7)
b. No	100.0% (±0.0)	23.1% (±26.5)	16.7% (±24.7)
c. Not sure	0.0% (±0.0)	46.2% (±31.4)	8.3% (±18.3)

School Climate

In the past few years Washington State has given increased attention to supportive learning environments. Students need a safe, nurturing, healthy, and civil learning environment if they are to be successful in school. This section provides information about student perceptions of school climate.

152. In the last 30 days, how often have you been bullied? Bullying is when one or more students threaten, spread rumors about, hit, shove, or otherwise hurt another student over and over again. It is not bullying when two students of about the same strength or power

argue or fight or tease each other in a friendly way.	(n=26)	(n=34)	(n=21)
a. I have not been bullied.	76.9% (±17.4)	73.5% (±15.6)	85.7% (±16.3)
b. Once	3.8% (±7.9)	11.8% (±11.4)	4.8% (±9.9)
c. 2 – 3 times	3.8% (±7.9)	5.9% (±8.3)	0.0% (±0.0)
d. About once a week	3.8% (±7.9)	8.8% (±10.0)	0.0% (±0.0)
e. Several times a week	11.5% (±13.2)	0.0% (±0.0)	9.5% (±13.7)

153. In the past 30 days, how often were you bullied, harassed, or intimidated at school or on your way to or from school because of your race, ethnicity, or national origin or what someone thought it

was:	(n=1	1)	(n=15)	(n=12)
a. 0 times	100.0%	(±0.0)	80.0% (±22.9)	100.0% (±0.0)
b. 1 time	0.0%	(±0.0)	0.0% (±0.0)	0.0% (±0.0)
c. 2-3 times	0.0%	(±0.0)	0.0% (±0.0)	0.0% (±0.0)
d. About once a week	0.0%	(±0.0)	13.3% (±19.5)	0.0% (±0.0)
e. Several times a week or more	0.0%	(±0.0)	6.7% (±14.3)	0.0% (±0.0)

154. In the past 30 days, how often were you bullied, harassed, or intimidated at school or on your way to or from school: Because someone thought you were gay, lesbian, or bisexual (whether you are or are not)?

of are noty:	(11=11)	(11=15)	(11=12)
a. 0 times	81.8% (±27.2)	80.0% (±22.9)	91.7% (±18.3)
b. 1 time	9.1% (±20.3)	6.7% (±14.3)	8.3% (±18.3)
c. 2-3 times	0.0% (±0.0)	13.3% (±19.5)	0.0% (±0.0)
d. About once a week	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
e. Several times a week or more	9.1% (±20.3)	0.0% (±0.0)	0.0% (±0.0)

(n-11)

(n-15)

(n-12)

155. During the past 30 days, on how many days did you not go to school	Grade 8	Grade 10	Grade 12
because you felt you would be unsafe at school or on your way to and from school?	% (± CI) (n=9)	% (± CI) (n=14)	% (± CI) (n=12)
a. 0 days	100.0% (±0.0)	92.9% (±15.4)	75.0% (±28.7
b. 1 day	0.0% (±0.0)	0.0% (±0.0)	16.7% (±24.7
c. 2 or 3 days	0.0% (±0.0)	0.0% (±0.0)	8.3% (±18.3
d. 4 or 5 days	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
e. 6 or more days	0.0% (±0.0)	7.1% (±15.4)	0.0% (±0.0)
156. In the past 30 days, how often have you been bullied by someone			
using social media, a phone, or video games?	(n=10)	(n=15)	(n=11)
a. I have not been bullied.	80.0% (±30.2)	73.3% (±25.3)	100.0% (±0.0)
b. Once	10.0% (±22.6)	6.7% (±14.3)	0.0% (±0.0)
c. 2 - 3 times	0.0% (±0.0)	13.3% (±19.5)	0.0% (±0.0)
d. About once a week	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
e. Several times a week	10.0% (±22.6)	6.7% (±14.3)	0.0% (±0.0)
57. During the past 30 days, have you received sexually suggestive or revealing messages, images, photos or videos via text, app, or social			
media?	(n=9)	(n=14)	(n=10)
a. Yes	33.3% (±38.4)	35.7% (±28.7)	50.0% (±37.7
b. No	66.7% (±38.4)	64.3% (±28.7)	50.0% (±37.7
58. When a student is being bullied at school, how often do teachers or other adults at school try to put a stop to it?	(n=10)	(n=15)	(n=11)
a. Almost always	30.0% (±34.6)	20.0% (±22.9)	27.3% (±31.4
b. Often	20.0% (±30.2)	13.3% (±19.5)	36.4% (±33.9
c. Sometimes	10.0% (±22.6)	26.7% (±25.3)	27.3% (±31.4
d. Once in a while			
	10.0% (±22.6)	20.0% (±22.9)	9.1% (±20.3
e. Almost never	30.0% (±34.6)	20.0% (±22.9)	0.0% (±0.0)
I59. If you see bullying or have been bullied at school do you know how to report it?	(n=11)	(n=15)	(n=12)
a. Yes	81.8% (±27.2)	73.3% (±25.3)	83.3% (±24.7
b. No	9.1% (±20.3)	20.0% (±22.9)	8.3% (±18.3
c. Not sure	9.1% (±20.3)	6.7% (±14.3)	8.3% (±18.3
160. Does your school provide a counselor, intervention specialist, or other school staff member for students to discuss problems with			
alcohol, tobacco, or other drugs?	(n=8)	(n=12)	(n=8)
a. No	12.5% (±29.6)	16.7% (±24.7)	25.0% (±38.7
b. Yes	25.0% (±38.7)	41.7% (±32.7)	50.0% (±44.7
c. Not sure	62.5% (±43.3)	41.7% (±32.7)	25.0% (±38.7
61. In the last year, did you have any contact with a school counselor?	(n=3)	(n=11)	(n=12)
a. Yes	66.7% (±66.7)	9.1% (±20.3)	41.7% (±32.7
b. No	33.3% (±66.7)	90.9% (±20.3)	58.3% (±32.7
62. There are people in this school who will help me if I need it?	(n=4)	(n=13)	(n=12)
a. Yes	75.0% (±75.0)	61.5% (±30.6)	66.7% (±31.3
a. 100			
b. No	0.0% (±0.0)	15.4% (±22.7)	33.3% (±31.3

163. Last year in school, were you taught about abstinence (not having	Grade 8	Grade 10	Grade 12
sex) to prevent sexually transmitted diseases (STDs) and pregnancy?	% (± CI) (n=4)	% (± CI) (n=13)	% (± CI) (n=12)
a. Yes	25.0% (±75.0)	7.7% (±16.8)	33.3% (±31.3)
b. No	50.0% (±50.0)	76.9% (±26.5)	41.7% (±32.7)
c. Not sure	25.0% (±75.0)	15.4% (±22.7)	25.0% (±28.7)
164. Last year in school, were you taught about ways other than abstinence to prevent sexually transmitted diseases (STDs) and			
pregnancy?	(n=3)	(n=13)	(n=12)
a. Yes	33.3% (±66.7)	7.7% (±16.8)	41.7% (±32.7)
b. No	33.3% (±66.7)	76.9% (±26.5)	33.3% (±31.3)
c. Not sure	33.3% (±66.7)	15.4% (±22.7)	25.0% (±28.7)

Quality of Life

Health-related quality of life is an individual's or group's perceived physical and mental health over time. At the individual level it involves a person's health and health-related conditions; at the community level it involves conditions that influence people's health. This section contains the results of the survey questions related to individual quality of life.

165. I look forward to the future.	(n=9)	(n=15)	(n=12)
a. 0 not at all true	11.1% (±25.6)	20.0% (±22.9)	16.7% (±24.7)
b. 1	0.0% (±0.0)	0.0% (±0.0)	16.7% (±24.7)
c. 2	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
d. 3	11.1% (±25.6)	0.0% (±0.0)	0.0% (±0.0)
e. 4	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
f. 5	33.3% (±38.4)	6.7% (±14.3)	0.0% (±0.0)
g. 6	0.0% (±0.0)	13.3% (±19.5)	16.7% (±24.7)
h. 7	11.1% (±25.6)	20.0% (±22.9)	0.0% (±0.0)
i. 8	0.0% (±0.0)	13.3% (±19.5)	25.0% (±28.7)
j. 9	11.1% (±25.6)	0.0% (±0.0)	8.3% (±18.3)
k. 10 completely true	22.2% (±33.9)	26.7% (±25.3)	16.7% (±24.7)

[Question 166 appears only on the elementary version of the survey.]

Children's Hope Scale

Hope reflects a future orientated mindset and motivational process by which an individual has an expectation toward attaining a desirable goal. Research has linked hope with overall physical, psychological, and social well-being. This section introduces the Children's Hope Scale, an assessment of agency (ability to initiate and sustain action towards goals) and pathways (capacity to find a means to carry out goals).

7. Children's Hope Scale (Computed from questions 168 to 171)	(n=5)	(n=15)	(n=12)
no or very low hope	0.0% (±0.0)	13.3% (±19.5)	16.7% (±24.7)
slightly hopeful	40.0% (±60.0)	20.0% (±22.9)	16.7% (±24.7)
moderately hopeful	60.0% (±60.0)	20.0% (±22.9)	33.3% (±31.3)
highly hopeful	0.0% (±0.0)	46.7% (±28.6)	33.3% (±31.3)
, , ,	(n=7)	(n=15)	(n=12)
o. I can tillik of many ways to yet the tilligs in the that are most			
important to me.	(n=7) 14.3% (+35.0)	(n=15) 6.7% (+14.3)	(n=12)
important to me. a. None of the time	14.3% (±35.0)	6.7% (±14.3)	16.7% (±24.7)
8. I can think of many ways to get the things in life that are most important to me. a. None of the time b. A little of the time c. Some of the time			
important to me. a. None of the time b. A little of the time c. Some of the time	14.3% (±35.0) 42.9% (±49.4)	6.7% (±14.3) 20.0% (±22.9)	16.7% (±24.7) 0.0% (±0.0)
important to me. a. None of the time b. A little of the time	14.3% (±35.0) 42.9% (±49.4) 0.0% (±0.0)	6.7% (±14.3) 20.0% (±22.9) 13.3% (±19.5)	16.7% (±24.7 0.0% (±0.0) 16.7% (±24.7
important to me. a. None of the time b. A little of the time c. Some of the time d. A lot of the time	14.3% (±35.0) 42.9% (±49.4) 0.0% (±0.0) 42.9% (±49.4)	6.7% (±14.3) 20.0% (±22.9) 13.3% (±19.5) 33.3% (±27.0)	16.7% (±24.7 0.0% (±0.0) 16.7% (±24.7 41.7% (±32.7

	Grade 8	Grade 10	Grade 12
169. I am doing just as well as other kids my age.	% (± CI) (n=7)	% (± CI) (n=15)	% (± CI) (n=12)
a. None of the time	0.0% (±0.0)	6.7% (±14.3)	8.3% (±18.3)
b. A little of the time	14.3% (±35.0)	6.7% (±14.3)	0.0% (±0.0)
c. Some of the time	42.9% (±49.4)	6.7% (±14.3)	8.3% (±18.3)
d. A lot of the time	0.0% (±0.0)	26.7% (±25.3)	33.3% (±31.3)
e. Most of the time	28.6% (±45.1)	26.7% (±25.3)	25.0% (±28.7)
f. All of the time	14.3% (±35.0)	26.7% (±25.3)	25.0% (±28.7)
170. When I have a problem, I can come up with lots of ways to solve it.	(n=6)	(n=15)	(n=12)
a. None of the time	0.0% (±0.0)	13.3% (±19.5)	25.0% (±28.7)
b. A little of the time	0.0% (±0.0)	13.3% (±19.5)	16.7% (±24.7)
c. Some of the time	33.3% (±54.2)	20.0% (±22.9)	25.0% (±28.7)
d. A lot of the time	50.0% (±50.0)	6.7% (±14.3)	8.3% (±18.3)
e. Most of the time	0.0% (±0.0)	26.7% (±25.3)	8.3% (±18.3)
f. All of the time	16.7% (±42.8)	20.0% (±22.9)	16.7% (±24.7)
171. I think the things I have done in the past will help me in the future.	(n=6)	(n=15)	(n=12)
a. None of the time	16.7% (±42.8)	13.3% (±19.5)	25.0% (±28.7)
b. A little of the time	0.0% (±0.0)	6.7% (±14.3)	8.3% (±18.3)
c. Some of the time	50.0% (±50.0)	33.3% (±27.0)	25.0% (±28.7)
d. A lot of the time	0.0% (±0.0)	13.3% (±19.5)	16.7% (±24.7)
e. Most of the time	33.3% (±54.2)	20.0% (±22.9)	16.7% (±24.7)
f. All of the time	0.0% (±0.0)	13.3% (±19.5)	8.3% (±18.3)

Risk and Protective Factors

Decades of research have shown that certain risk factors are associated with increased likelihood of health risk behaviors including ATOD use, violence, and delinquent behaviors. Similarly, research from Drs. Hawkins and Catalano and associates at the University of Washington, has shown that protective factors exert a positive influence against the negative influence of risk factors. The premise of the risk reduction and protective factor enhancement approach to prevention is that preventing a problem before it occurs requires addressing the factors that predict the problem. Ideally, this strategy entails discovering the causes of the problem behavior and influencing those causes. Many of the survey questions were used to assess students' status on risk and protective factors in the community, school, and peer-individual domains. Composite scales were computed for use in local program planning.

Risk and Protective Factor Framework and Reporting Schedule

This table provides a list of risk and protective factors included in the Healthy Youth Survey by year.


	2006	2008	2010	2012	2014	2016	2018
Community Protective Factors							
Opportunities for Prosocial Involvement	XS	ΧS	χs	χs	ΧS	ΧS	χs
Rewards for Prosocial Involvement	Х	Х	ΧE	XE	XE	ΧE	XE
Community Risk Factors							
Perceived Availability of Handguns	Xs	ΧS	χs	χS			χs
Laws And Norms Favorable to Drug Use	X	X	Х	X	X	Χ	Х
Low Neighborhood Attachment	ΧS	χs	χs				
Perceived Availability of Drugs	X	Χ	Χ	Χ	Χ	Χ	X
Family Protective Factors							
Opportunities for Prosocial Involvement	Хţ	Χţ	Χţ	Χţ	X	X	Х
Rewards for Prosocial Involvement	Χţ	Χţ	Χţ	Χţ	XE	XE	XE
Family Risk Factors							
Poor Family Management	χs, †	X ^{S, †}	X ^{S, †}	X ^{S, †}	XS	XS	χs
Parental Attitudes Favorable towards Drug Use		XS, †	XS	XS	XS	XS	XS
Peer-Individual Protective Factors							
Social Skills	χs	ΧS	Xs	Xs	Χs	Χs	χs
Interaction With Prosocial Peers	X	X	XS	XS	χs	Xs	
Belief in the Moral Order	XS	XS	XS	XS	X ^S X ^E	XS	
Prosocial Involvement	X	XE	XE	XE	XE	XE	
Peer-Individual Risk Factors							
Perceived Risk of Drug Use	X	X	X	X	X	X	Χ
Early Initiation of Drug Use	XS	XS	XS	XS	XS	XS	χS
Early Initiation of Antisocial Behavior	χs	XS	XS	XS			
Favorable Attitudes Towards Drug Use	X	X	X	X	Χ	X	Χ
Favorable Attitudes Towards Antisocial Behavior	χs	XS	XS				
Rewards for Antisocial Involvement	χs	χs					
Friends' Use of Drugs	χs	XS	XS	XS	ΧS	ΧS	χs
Interaction With Antisocial Peers	XS	XS	XS	XS			
Intentions to Use	Xs	Xs	XS	XS			
School Protective Factors							
Opportunities for Prosocial Involvement	χs	ΧS	XS	ΧS	ΧS	ΧS	χs
Rewards for Prosocial Involvement	X	Χ	Χ	Χ	Χ	Χ	Χ
School Risk Factors							
Low Commitment to School	X	Χ	Х	Х	Χ	Χ	Х
Academic Failure	Χ	X	X	X	X	X	Χ

Note: X^S = Included only on the secondary version; X^E = Included only on the elementary version.

Risk and Protective Factor Scale Results and Graphs

For each risk factor scale, the percentage of students who are at risk (i.e., who agreed with statements that predict ATOD use or other problem behaviors) is reported; higher percentages indicate that more students are likely to engage in problem behaviors. For each protective factor scale, the percentage of students who are resilient (i.e., who agreed with statements that predict the ability to resist ATOD use or other problem behaviors) is reported; higher percentages indicate that fewer students are likely to engage in problem behaviors. These percentages are based on computational methods provided by the University of Washington's Social Development Research Group.


Community Domain Risk Factors	Grade 8 % (±Cl)	Grade 10 % (±Cl)	Grade 12 % (±Cl)
Perceived Availability of Drugs (Questions 170-173)	(n=12)	(n=16)	(n=9)
	25.0% (±28.7)	25.0% (±23.8)	33.3% (±38.4)
Perceived Availability of Handguns (Question 174)	NA ^E		
Laws And Norms Favorable to Drug Use (Questions 175-180)	(n=13)	(n=16)	(n=9)
Laws And Norms Favorable to Drug Ose (Questions 175-160)	38.5% (±30.6)	25.0% (±23.8)	55.6% (±40.5)
Protective Factors			
Opportunities for Prosocial Involvement (Questions 181-184)	(n=10)	(n=16)	(n=9)
	50.0% (±37.7)	62.5% (±26.6)	66.7% (±38.4)
Rewards for Prosocial Involvement (Questions 185-187)	NA ^E	NA ^E	NA ^E




Note: NAS = Included only on the secondary version; NAE = Included only on the elementary version.

For more information, see the History of Risk and Protective Factor Report on www.AskHYS.net, under HYS Results – Frequency Reports - Additional Reports


Family Domain Risk Factors	Grade 8	Grade 10	Grade 12
	% (±Cl)	% (±CI)	% (±Cl)
Poor Family Management (Questions 188-195)	(n=6)	(n=12)	(n=7)
	50.0% (±50.0)	41.7% (±32.7)	28.6% (±45.1)
Parental Attitudes Favorable Towards Drug Use (Questions 203-205)	(n=13)	(n=16)	(n=9)
	61.5% (±30.6)	50.0% (±27.5)	33.3% (±38.4)
Protective Factors Opportunities for Prosocial Involvement (Questions 196–198)	(n=6)	(n=12)	(n=7)
	50.0% (±50.0)	33.3% (±31.3)	57.1% (±49.4)
Rewards for Prosocial Involvement (Questions 199–202)	NAE	NA ^E	NA ^E





School Domain Risk Factors	Grade 8 % (±CI)	Grade 10 % (±Cl)	Grade 12 % (±Cl)
Academic Failure (Questions 206–207)	(n=9)	(n=14)	(n=9)
	33.3% (±38.4)	50.0% (±30.0)	33.3% (±38.4)
Low Commitment to School (Questions 208–214)	(n=11)	(n=16)	(n=9)
Low Communication Control (Questions 200–214)	54.5% (±35.1)	37.5% (±26.6)	44.4% (±40.5)
Protective Factors			
Opportunities for Prosocial Involvement (Questions 215–219)	(n=11)	(n=15)	(n=8)
Opportunities for 1 10300iai involvement (Questions 210–219)	45.5% (±35.1)	66.7% (±27.0)	50.0% (±44.7)
Rewards for Prosocial Involvement (Questions 220–223)	(n=11)	(n=15)	(n=9)
Rewards for Prosocial Involvement (Questions 220–223)	27.3% (±31.4)	73.3% (±25.3)	22.2% (±33.9)



Peer-Individual Domain Risk Factors	Grade 8 % (±Cl)	Grade 10 % (±CI)	Grade 12 % (±Cl)
Perceived Risk of Drug Use (Questions 224–227)	(n=8)	(n=12)	(n=7)
Teldelved Misk of Drug Ose (Questions 224-227)	100.0% (±0.0)	58.3% (±32.7)	85.7% (±35.0)
Early Initiation of Drug Use (Questions 228-231)	(n=7)	(n=12)	(n=8)
	28.6% (±45.1)	8.3% (±18.3)	37.5% (±43.3)
Favorable Attitudes Towards Drug Use (Questions 232-235)	(n=6)	(n=12)	(n=8)
Tavorable Attitudes Towards Drug Ose (Questions 232-233)	16.7% (±42.8)	50.0% (±33.2)	62.5% (±43.3)
Friends' Has at Druga (Questions 226 220)	(n=6)	(n=12)	(n=7)
Friends' Use of Drugs (Questions 236-239)	33.3% (±54.2)	8.3% (±18.3)	14.3% (±35.0)
Protective Factors			
Social Skills (Questions 240-242)	(n=6)	(n=11)	(n=7)
Julia Julia (Aucetiule 240-242)	83.3% (±42.8)	54.5% (±35.1)	42.9% (±49.4)







Peer-Individual Protective Factors

Grade 8

Risk and Protective Factors: Individual Question Results

The remainder of the report provides results for the individual survey questions used to compute the risk and protective factors.

Community Domain

Perceived Availability of Drugs (Questions 172-175)

	Grade 8	Grade 10	Grade 12
72. If you wanted to get some beer, wine, or hard liquor (for example vodka, whiskey, or gin), how easy would it be for you to get some?	% (± CI) (n=13)	% (± CI) (n=16)	% (± CI) (n=9)
a. Very hard	46.2% (±31.4)	43.8% (±27.3)	22.2% (±33.9
b. Sort of hard	23.1% (±26.5)	25.0% (±23.8)	33.3% (±38.4
c. Sort of easy	23.1% (±26.5)	12.5% (±18.2)	22.2% (±33.9
d. Very easy	7.7% (±16.8)	18.8% (±21.5)	22.2% (±33.9
73. If you wanted to get some cigarettes, how easy would it be for you to		(
get some? a. Very hard	(n=13) 46.2% (±31.4)	(n=16) 43.8% (±27.3)	(n=9) 22.2% (±33.9
,	,	, ,	•
b. Sort of hard	7.7% (±16.8)	18.8% (±21.5)	11.1% (±25.6
c. Sort of easy	23.1% (±26.5)	12.5% (±18.2)	11.1% (±25.6
74. If you wanted to get some marijuana, how easy would it be for you to get some?	(n=12)	(n=16)	(n=9)
a. Very hard	33.3% (±31.3)	37.5% (±26.6)	22.2% (±33.9)
•	14 70/ (+00 7)	, ,	
b. Sort of hard	41.7% (±32.7)	12.5% (±18.2)	0.0% (±0.0)
b. Sort of hardc. Sort of easy	41.7% (±32.7) 16.7% (±24.7)	12.5% (±18.2) 18.8% (±21.5)	
	, ,	, ,	0.0% (±0.0) 33.3% (±38.4
c. Sort of easy d. Very easy 75. If you wanted to get a drug like cocaine, LSD, or amphetamines, how	16.7% (±24.7) 8.3% (±18.3)	18.8% (±21.5) 31.3% (±25.5)	0.0% (±0.0) 33.3% (±38.4 44.4% (±40.5
c. Sort of easy d. Very easy	16.7% (±24.7)	18.8% (±21.5)	0.0% (±0.0)
c. Sort of easyd. Very easy75. If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?	16.7% (±24.7) 8.3% (±18.3) (n=11)	18.8% (±21.5) 31.3% (±25.5) (n=16)	0.0% (±0.0) 33.3% (±38.4 44.4% (±40.5 (n=9) 44.4% (±40.5
c. Sort of easy d. Very easy 75. If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some? a. Very hard	16.7% (±24.7) 8.3% (±18.3) (n=11) 81.8% (±27.2)	18.8% (±21.5) 31.3% (±25.5) (n=16) 75.0% (±23.8)	0.0% (±0.0) 33.3% (±38.4 44.4% (±40.5 (n=9)

Perceived Availability of Hand Guns (Question 176)

176. If you wanted to get a handgun, how easy would it be for you to get

one?	(n=11)	(n=16)	(n=9)
a. Very hard	72.7% (±31.4)	75.0% (±23.8)	44.4% (±40.5)
b. Sort of hard	18.2% (±27.2)	25.0% (±23.8)	22.2% (±33.9)
c. Sort of easy	0.0% (±0.0)	0.0% (±0.0)	11.1% (±25.6)
d. Very easy	9.1% (±20.3)	0.0% (±0.0)	22.2% (±33.9)

Laws and Norms Favorable to Drug Use (Questions 177-182)

	Grade 8	Grade 10	Grade 12
77. How wrong would most adults in your neighborhood ^C / neighborhood or community ^A think it was for kids your age: To use marijuana?	% (± CI) (n=13)	% (± CI) (n=16)	% (± CI) (n=9)
a. Very wrong	23.1% (±26.5)	25.0% (±23.8)	11.1% (±25.6)
b. Wrong	23.1% (±26.5)	43.8% (±27.3)	33.3% (±38.4)
c. A little bit wrong	46.2% (±31.4)	25.0% (±23.8)	44.4% (±40.5)
d. Not wrong at all	7.7% (±16.8)	6.3% (±13.3)	11.1% (±25.6)
78. How wrong would most adults in your neighborhood ^C / neighborhood or community ^A think it was for kids your age: To drink alcohol?	(n=13)	(n=16)	(n=9)
a. Very wrong	46.2% (±31.4)	43.8% (±27.3)	22.2% (±33.9)
b. Wrong	46.2% (±31.4)	43.8% (±27.3)	33.3% (±38.4)
c. A little bit wrong	0.0% (±0.0)	6.3% (±13.3)	22.2% (±33.9)
d. Not wrong at all	7.7% (±16.8)	6.3% (±13.3)	22.2% (±33.9)
79. How wrong would most adults in your neighborhood ^C / neighborhood			
or community ^A think it was for kids your age: To smoke cigarettes?	(n=13)	(n=16)	(n=8)
a. Very wrong	76.9% (±26.5)	62.5% (±26.6)	37.5% (±43.3)
b. Wrong	15.4% (±22.7)	25.0% (±23.8)	37.5% (±43.3)
	0.0% (±0.0)	6.3% (±13.3)	12.5% (±29.6)
c. A little bit wrong d. Not wrong at all 80. If a kid drank some beer, wine, or hard liquor (for example vodka,	7.7% (±16.8)	6.3% (±13.3)	12.5% (±29.6)
 d. Not wrong at all 80. If a kid drank some beer, wine, or hard liquor (for example vodka, whiskey, or gin) in your neighborhood^c/ community^A, would he or she be caught by the police? 			12.5% (±29.6) (n=9)
 d. Not wrong at all 80. If a kid drank some beer, wine, or hard liquor (for example vodka, whiskey, or gin) in your neighborhood^C/ community^A, would he or she 	7.7% (±16.8)	6.3% (±13.3)	
 d. Not wrong at all 80. If a kid drank some beer, wine, or hard liquor (for example vodka, whiskey, or gin) in your neighborhood^c/ community^A, would he or she be caught by the police? 	7.7% (±16.8) (n=13)	6.3% (±13.3) (n=16)	(n=9) 22.2% (±33.9)
d. Not wrong at all 80. If a kid drank some beer, wine, or hard liquor (for example vodka, whiskey, or gin) in your neighborhood ^C / community ^A , would he or she be caught by the police? a. NO!	7.7% (±16.8) (n=13) 15.4% (±22.7)	6.3% (±13.3) (n=16) 25.0% (±23.8)	(n=9)
d. Not wrong at all 80. If a kid drank some beer, wine, or hard liquor (for example vodka, whiskey, or gin) in your neighborhood ^C / community ^A , would he or she be caught by the police? a. NO! b. No	7.7% (±16.8) (n=13) 15.4% (±22.7) 61.5% (±30.6)	6.3% (±13.3) (n=16) 25.0% (±23.8) 43.8% (±27.3)	(n=9) 22.2% (±33.9) 77.8% (±33.9)
d. Not wrong at all 80. If a kid drank some beer, wine, or hard liquor (for example vodka, whiskey, or gin) in your neighborhood ^C / community ^A , would he or she be caught by the police? a. NO! b. No c. yes d. YES! 81. If a kid carried a handgun in your neighborhood ^C / community ^A , would	7.7% (±16.8) (n=13) 15.4% (±22.7) 61.5% (±30.6) 23.1% (±26.5)	(n=16) 25.0% (±23.8) 43.8% (±27.3) 12.5% (±18.2) 18.8% (±21.5)	(n=9) 22.2% (±33.9) 77.8% (±33.9) 0.0% (±0.0)
d. Not wrong at all 80. If a kid drank some beer, wine, or hard liquor (for example vodka, whiskey, or gin) in your neighborhood ^C / community ^A , would he or she be caught by the police? a. NO! b. No c. yes d. YES! 81. If a kid carried a handgun in your neighborhood ^C / community ^A , would he or she be caught by the police?	7.7% (±16.8) (n=13) 15.4% (±22.7) 61.5% (±30.6) 23.1% (±26.5) 0.0% (±0.0)	(n=16) 25.0% (±23.8) 43.8% (±27.3) 12.5% (±18.2) 18.8% (±21.5)	(n=9) 22.2% (±33.9) 77.8% (±33.9) 0.0% (±0.0) 0.0% (±0.0)
d. Not wrong at all 80. If a kid drank some beer, wine, or hard liquor (for example vodka, whiskey, or gin) in your neighborhood ^C / community ^A , would he or she be caught by the police? a. NO! b. No c. yes d. YES! 81. If a kid carried a handgun in your neighborhood ^C / community ^A , would he or she be caught by the police? a. NO!	7.7% (±16.8) (n=13) 15.4% (±22.7) 61.5% (±30.6) 23.1% (±26.5) 0.0% (±0.0) (n=13) 0.0% (±0.0)	6.3% (±13.3) (n=16) 25.0% (±23.8) 43.8% (±27.3) 12.5% (±18.2) 18.8% (±21.5) (n=16) 0.0% (±0.0)	(n=9) 22.2% (±33.9) 77.8% (±33.9) 0.0% (±0.0) 0.0% (±0.0) (n=9) 22.2% (±33.9)
d. Not wrong at all 80. If a kid drank some beer, wine, or hard liquor (for example vodka, whiskey, or gin) in your neighborhood ^C / community ^A , would he or she be caught by the police? a. NO! b. No c. yes d. YES! 81. If a kid carried a handgun in your neighborhood ^C / community ^A , would he or she be caught by the police? a. NO! b. No	7.7% (±16.8) (n=13) 15.4% (±22.7) 61.5% (±30.6) 23.1% (±26.5) 0.0% (±0.0) (n=13) 0.0% (±0.0) 23.1% (±26.5)	6.3% (±13.3) (n=16) 25.0% (±23.8) 43.8% (±27.3) 12.5% (±18.2) 18.8% (±21.5) (n=16) 0.0% (±0.0) 12.5% (±18.2)	(n=9) 22.2% (±33.9) 77.8% (±33.9) 0.0% (±0.0) 0.0% (±0.0) (n=9) 22.2% (±33.9) 0.0% (±0.0)
d. Not wrong at all 80. If a kid drank some beer, wine, or hard liquor (for example vodka, whiskey, or gin) in your neighborhood ^C / community ^A , would he or she be caught by the police? a. NO! b. No c. yes d. YES! 81. If a kid carried a handgun in your neighborhood ^C / community ^A , would he or she be caught by the police? a. NO! b. No c. yes	(n=13) 15.4% (±22.7) 61.5% (±30.6) 23.1% (±26.5) 0.0% (±0.0) (n=13) 0.0% (±0.0) 23.1% (±26.5) 53.8% (±31.4)	(n=16) 25.0% (±23.8) 43.8% (±27.3) 12.5% (±18.2) 18.8% (±21.5) (n=16) 0.0% (±0.0) 12.5% (±18.2) 37.5% (±26.6)	(n=9) 22.2% (±33.9) 77.8% (±33.9) 0.0% (±0.0) 0.0% (±0.0) (n=9) 22.2% (±33.9) 0.0% (±0.0) 66.7% (±38.4)
d. Not wrong at all 80. If a kid drank some beer, wine, or hard liquor (for example vodka, whiskey, or gin) in your neighborhood ^C / community ^A , would he or she be caught by the police? a. NO! b. No c. yes d. YES! 81. If a kid carried a handgun in your neighborhood ^C / community ^A , would he or she be caught by the police? a. NO! b. No	7.7% (±16.8) (n=13) 15.4% (±22.7) 61.5% (±30.6) 23.1% (±26.5) 0.0% (±0.0) (n=13) 0.0% (±0.0) 23.1% (±26.5)	6.3% (±13.3) (n=16) 25.0% (±23.8) 43.8% (±27.3) 12.5% (±18.2) 18.8% (±21.5) (n=16) 0.0% (±0.0) 12.5% (±18.2)	(n=9) 22.2% (±33.9) 77.8% (±33.9) 0.0% (±0.0) 0.0% (±0.0) (n=9) 22.2% (±33.9) 0.0% (±0.0) 66.7% (±38.4)
 d. Not wrong at all 80. If a kid drank some beer, wine, or hard liquor (for example vodka, whiskey, or gin) in your neighborhood^C/ community^A, would he or she be caught by the police? a. NO! b. No c. yes d. YES! 81. If a kid carried a handgun in your neighborhood^C/ community^A, would he or she be caught by the police? a. NO! b. No c. yes d. YES! 82. If a kid used marijuana in your neighborhood^C/ community^A, would he 	(n=13) 15.4% (±22.7) 61.5% (±30.6) 23.1% (±26.5) 0.0% (±0.0) (n=13) 0.0% (±0.0) 23.1% (±26.5) 53.8% (±31.4) 23.1% (±26.5)	6.3% (±13.3) (n=16) 25.0% (±23.8) 43.8% (±27.3) 12.5% (±18.2) 18.8% (±21.5) (n=16) 0.0% (±0.0) 12.5% (±18.2) 37.5% (±26.6) 50.0% (±27.5)	(n=9) 22.2% (±33.9) 77.8% (±33.9) 0.0% (±0.0) 0.0% (±0.0) (n=9) 22.2% (±33.9) 0.0% (±0.0) 66.7% (±38.4) 11.1% (±25.6)
 80. If a kid drank some beer, wine, or hard liquor (for example vodka, whiskey, or gin) in your neighborhood^C/ community^A, would he or she be caught by the police? a. NO! b. No c. yes d. YES! 81. If a kid carried a handgun in your neighborhood^C/ community^A, would he or she be caught by the police? a. NO! b. No c. yes d. YES! 82. If a kid used marijuana in your neighborhood^C/ community^A, would he or she be caught by the police? 	(n=13) 15.4% (±22.7) 61.5% (±30.6) 23.1% (±26.5) 0.0% (±0.0) (n=13) 0.0% (±0.0) 23.1% (±26.5) 53.8% (±31.4) 23.1% (±26.5)	(n=16) 25.0% (±23.8) 43.8% (±27.3) 12.5% (±18.2) 18.8% (±21.5) (n=16) 0.0% (±0.0) 12.5% (±18.2) 37.5% (±26.6) 50.0% (±27.5)	(n=9) 22.2% (±33.9) 77.8% (±33.9) 0.0% (±0.0) 0.0% (±0.0) (n=9) 22.2% (±33.9) 0.0% (±0.0) 66.7% (±38.4) 11.1% (±25.6)
d. Not wrong at all 80. If a kid drank some beer, wine, or hard liquor (for example vodka, whiskey, or gin) in your neighborhood ^C / community ^A , would he or she be caught by the police? a. NO! b. No c. yes d. YES! 81. If a kid carried a handgun in your neighborhood ^C / community ^A , would he or she be caught by the police? a. NO! b. No c. yes d. YES! 82. If a kid used marijuana in your neighborhood ^C / community ^A , would he or she be caught by the police? a. NO!	(n=13) 15.4% (±22.7) 61.5% (±30.6) 23.1% (±26.5) 0.0% (±0.0) (n=13) 0.0% (±0.0) 23.1% (±26.5) 53.8% (±31.4) 23.1% (±26.5) (n=13) 23.1% (±26.5)	(n=16) 25.0% (±23.8) 43.8% (±27.3) 12.5% (±18.2) 18.8% (±21.5) (n=16) 0.0% (±0.0) 12.5% (±18.2) 37.5% (±26.6) 50.0% (±27.5) (n=16) 31.3% (±25.5)	(n=9) 22.2% (±33.9) 77.8% (±33.9) 0.0% (±0.0) 0.0% (±0.0) (n=9) 22.2% (±33.9) 0.0% (±0.0) 66.7% (±38.4) 11.1% (±25.6)
 80. If a kid drank some beer, wine, or hard liquor (for example vodka, whiskey, or gin) in your neighborhood^C/ community^A, would he or she be caught by the police? a. NO! b. No c. yes d. YES! 81. If a kid carried a handgun in your neighborhood^C/ community^A, would he or she be caught by the police? a. NO! b. No c. yes d. YES! 82. If a kid used marijuana in your neighborhood^C/ community^A, would he or she be caught by the police? 	(n=13) 15.4% (±22.7) 61.5% (±30.6) 23.1% (±26.5) 0.0% (±0.0) (n=13) 0.0% (±0.0) 23.1% (±26.5) 53.8% (±31.4) 23.1% (±26.5)	(n=16) 25.0% (±23.8) 43.8% (±27.3) 12.5% (±18.2) 18.8% (±21.5) (n=16) 0.0% (±0.0) 12.5% (±18.2) 37.5% (±26.6) 50.0% (±27.5)	(n=9) 22.2% (±33.9) 77.8% (±33.9) 0.0% (±0.0) 0.0% (±0.0) (n=9) 22.2% (±33.9) 0.0% (±0.0) 66.7% (±38.4) 11.1% (±25.6)

Opportunities for Prosocial Involvement (Questions 183-186)

	Grade 8	Grade 10	Grade 12
183. There are adults in my neighborhood or community I could talk to about something important.	% (± CI) (n=11)	% (± CI) (n=16)	% (± CI) (n=9)
a. NO!	18.2% (±27.2)	6.3% (±13.3)	11.1% (±25.6)
b. No	18.2% (±27.2)	25.0% (±23.8)	0.0% (±0.0)
c. yes	45.5% (±35.1)	50.0% (±27.5)	66.7% (±38.4)
d. YES!	18.2% (±27.2)	18.8% (±21.5)	22.2% (±33.9)
Which of the following activities for people your age are available in your community?			
184. Sports teams and recreation	(n=10)	(n=16)	(n=9)
a. Yes	100.0% (±0.0)	81.3% (±21.5)	88.9% (±25.6)
b. No	0.0% (±0.0)	18.8% (±21.5)	11.1% (±25.6)
185. Scouts, Camp Fire, 4-H Clubs, or other service clubs	(n=10)	(n=16)	(n=9)
185. Scouts, Camp Fire, 4-H Clubs, or other service clubs a. Yes	(n=10) 60.0% (±36.9)	(n=16) 43.8% (±27.3)	(n=9) 22.2% (±33.9)
			. , , , , , , , , , , , , , , , , , , ,
a. Yes	60.0% (±36.9)	43.8% (±27.3)	22.2% (±33.9)
a. Yes b. No	60.0% (±36.9) 40.0% (±36.9)	43.8% (±27.3) 56.3% (±27.3)	22.2% (±33.9) 77.8% (±33.9)

Rewards for Prosocial Involvement (Questions 187-189)

[Questions 187-189 appear only on the elementary version of the survey.]

Family Domain

Poor Family Management (Questions 190-197)

190. My parents ask if I've gotten my homework done.	(n=6)	(n=12)	(n=7)
a. NO!	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
b. No	16.7% (±42.8)	25.0% (±28.7)	14.3% (±35.0)
c. yes	66.7% (±54.2)	58.3% (±32.7)	71.4% (±45.1)
d. YES!	16.7% (±42.8)	16.7% (±24.7)	14.3% (±35.0)
191. Would your parents know if you did not come home on time?	(n=6)	(n=12)	(n=7)
a. NO!	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
b. No	0.0% (±0.0)	16.7% (±24.7)	0.0% (±0.0)
c. yes	66.7% (±54.2)	66.7% (±31.3)	71.4% (±45.1)
d. YES!	33.3% (±54.2)	16.7% (±24.7)	28.6% (±45.1)
192. When I am not at home, one of my parents knows where I am and who			
I am with.	(n=6)	(n=12)	(n=7)
a. NO!	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
b. No	0.0% (±0.0)	8.3% (±18.3)	0.0% (±0.0)
c. yes	50.0% (±50.0)	50.0% (±33.2)	85.7% (±35.0)
d. YES!	50.0% (±50.0)	41.7% (±32.7)	14.3% (±35.0)

	Grade 8	Grade 10	Grade 12
193. The rules in my family are clear.	% (± CI) (n=6)	% (± CI) (n=12)	% (± CI) (n=7)
a. NO!	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
b. No	0.0% (±0.0)	0.0% (±0.0)	14.3% (±35.
c. yes	50.0% (±50.0)	66.7% (±31.3)	71.4% (±45.
d. YES!	50.0% (±50.0)	33.3% (±31.3)	14.3% (±35.
194. My family has clear rules about alcohol and drug use.	(n=6)	(n=12)	(n=7)
a. NO!	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
b. No	16.7% (±42.8)	16.7% (±24.7)	14.3% (±35
c. yes	33.3% (±54.2)	58.3% (±32.7)	57.1% (±49
d. YES!	50.0% (±50.0)	25.0% (±28.7)	28.6% (±45
195. If you drank some beer, wine, or liquor (for example vodka, whiskey, or gin) without your parent's permission, would you be caught by			
them?	(n=6)	(n=12)	(n=7)
a. NO!	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.
b. No	33.3% (±54.2)	58.3% (±32.7)	28.6% (±45
c. yes	33.3% (±54.2)	33.3% (±31.3)	57.1% (±49
d. YES!	33.3% (±54.2)	8.3% (±18.3)	14.3% (±35
196. If you carried a handgun without your parent's permission, would you be caught by them?	(n=6)	(n=12)	(n=7)
a. NO!	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.
b. No	0.0% (±0.0)	16.7% (±24.7)	14.3% (±35
c. yes	33.3% (±54.2)	33.3% (±31.3)	57.1% (±49
d. YES!	66.7% (±54.2)	50.0% (±33.2)	28.6% (±45
197. If you skipped school, would you be caught by your parents?	(n=6)	(n=12)	(n=7)
a. NO!	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.
b. No	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.
c. yes	33.3% (±54.2)	50.0% (±33.2)	85.7% (±35
d. YES!	66.7% (±54.2)	50.0% (±33.2)	14.3% (±35
portunities for Prosocial Involvement (Questions 198-200)			
198. If I had a personal problem, I could ask my mom or dad for help.	(n=6)	(n=12)	(n=7)
a. NO!	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.
b. No	16.7% (±42.8)	33.3% (±31.3)	28.6% (±45
c. yes	33.3% (±54.2)	41.7% (±32.7)	57.1% (±49
d. YES!	50.0% (±50.0)	25.0% (±28.7)	14.3% (±35
199. My parents give me lots of chances to do fun things with them.	(n=6)	(n=12)	(n=7)
a. NO!	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.
b. No	50.0% (±50.0)	8.3% (±18.3)	42.9% (±49
c. yes	33.3% (±54.2)	75.0% (±28.7)	42.9% (±49
c. yes		10.070 (=20.1)	(

	Grade 8	Grade 10	Grade 12
200. My parents ask me what I think before most family decisions affecting me are made.	% (± CI) (n=6)	% (± CI) (n=12)	% (± CI) (n=7)
a. NO!	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
b. No	50.0% (±50.0)	58.3% (±32.7)	28.6% (±45.1)
c. yes	50.0% (±50.0)	25.0% (±28.7)	57.1% (±49.4)
d. YES!	0.0% (±0.0)	16.7% (±24.7)	14.3% (±35.0)

Rewards for Prosocial Involvement (Questions 201-204)

[Questions 201-204 appear only on the elementary version of the survey.]

Parental Attitudes Favorable Towards Drug Use (Questions 205-207)

least once or twice a month)?	(n=13)	(n=16)	(n=9)
a. Very wrong	76.9% (±26.5)	68.8% (±25.5)	66.7% (±38.4
b. Wrong	15.4% (±22.7)	25.0% (±23.8)	0.0% (±0.0)
c. A little bit wrong	0.0% (±0.0)	6.3% (±13.3)	11.1% (±25.6
d. Not wrong at all	7.7% (±16.8)	0.0% (±0.0)	22.2% (±33.9)
06. How wrong do your parents feel it would be for you to: Smoke	(10)	(10)	(0)
cigarettes? a. Very wrong	(n=13) 76.9% (±26.5)	(n=16) 75.0% (±23.8)	(n=9) 88.9% (±25.6)
	` '	, ,	` ′
b. Wrong	15.4% (±22.7)	12.5% (±18.2)	0.0% (±0.0)
c. A little bit wrong	0.0% (±0.0)	12.5% (±18.2)	11.1% (±25.6)
d. Not wrong at all	7.7% (±16.8)	0.0% (±0.0)	0.0% (±0.0)
7. How wrong do your parents feel it would be for you to: Use			
marijuana?	(n=13)	(n=16)	(n=9)
a. Very wrong	38.5% (±30.6)	62.5% (±26.6)	55.6% (±40.5)
b. Wrong	15.4% (±22.7)	18.8% (±21.5)	11.1% (±25.6)
c. A little bit wrong	38.5% (±30.6)	12.5% (±18.2)	22.2% (±33.9)

School Domain

Academic Failure Questions (Questions 208-209)

208. Putting them all together, what were your grades like last year?	(n=19)	(n=30)	(n=21)
a. Mostly As	31.6% (±23.0)	43.3% (±18.8)	52.4% (±23.3)
b. Mostly Bs	42.1% (±24.4)	33.3% (±17.9)	38.1% (±22.7)
c. Mostly Cs	10.5% (±15.2)	16.7% (±14.2)	4.8% (±9.9)
d. Mostly Ds	15.8% (±18.1)	3.3% (±6.8)	4.8% (±9.9)
e. Mostly Fs	0.0% (±0.0)	3.3% (±6.8)	0.0% (±0.0)

	Grade 8	Grade 10	Grade 12
209. Are your school grades better than the grades of most students in your class?	% (± CI) (n=9)	% (± CI) (n=14)	% (± CI) (n=9)
a. NO!	11.1% (±25.6)	0.0% (±0.0)	11.1% (±25.6
b. No	22.2% (±33.9)	35.7% (±28.7)	22.2% (±33.9
c. yes	55.6% (±40.5)	42.9% (±29.7)	44.4% (±40.5
d. YES!	11.1% (±25.6)	21.4% (±24.6)	22.2% (±33.9
w Commitment to School (Questions 210-216)			
210. How often do you feel the schoolwork you are assigned is meaningful and important?	(n=11)	(n=15)	(n=9)
a. Almost always	27.3% (±31.4)	20.0% (±22.9)	22.2% (±33.9
b. Often	45.5% (±35.1)	20.0% (±22.9)	33.3% (±38.4
c. Sometimes	18.2% (±27.2)	40.0% (±28.1)	22.2% (±33.9
d. Seldom	9.1% (±20.3)	20.0% (±22.9)	22.2% (±33.9
e. Never	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0
211. How interesting are most of your courses to you?	(n=11)	(n=16)	(n=9)
a. Very interesting and stimulating	9.1% (±20.3)	0.0% (±0.0)	0.0% (±0.0
b. Quite interesting	27.3% (±31.4)	18.8% (±21.5)	22.2% (±33.
c. Fairly interesting	9.1% (±20.3)	50.0% (±27.5)	22.2% (±33.
d. Slightly dull	45.5% (±35.1)	18.8% (±21.5)	44.4% (±40.
e. Very dull	9.1% (±20.3)	12.5% (±18.2)	11.1% (±25.6
212. How important do you think the things you are learning in school are going to be for you later in life?	(n=11)	(n=16)	(n=9)
a. Very important	18.2% (±27.2)	12.5% (±18.2)	11.1% (±25.6
b. Quite important	27.3% (±31.4)	25.0% (±23.8)	44.4% (±40.5
c. Fairly important	36.4% (±33.9)	31.3% (±25.5)	11.1% (±25.6
d. Slightly important	9.1% (±20.3)	31.3% (±25.5)	22.2% (±33.9
e. Not at all important	9.1% (±20.3)	0.0% (±0.0)	11.1% (±25.0
Think back over the past year in school. How often did you:			
213. Enjoy being in school?	(n=18)	(n=31)	(n=21)
a. Never	22.2% (±21.3)	16.1% (±13.7)	4.8% (±9.9
b. Seldom	5.6% (±11.7)	22.6% (±15.6)	9.5% (±13.7
c. Sometimes	38.9% (±24.9)	32.3% (±17.4)	52.4% (±23.3
d. Often	22.2% (±21.3)	12.9% (±12.5)	28.6% (±21.
e. Almost always	11.1% (±16.1)	16.1% (±13.7)	4.8% (±9.9
214. Hate being in school?	(n=11)	(n=16)	(n=9)
a. Never	0.0% (±0.0)	12.5% (±18.2)	22.2% (±33.9
b. Seldom	9.1% (±20.3)	25.0% (±23.8)	11.1% (±25.6
c. Sometimes	45.5% (±35.1)	25.0% (±23.8)	22.2% (±33.9
d. Often	18.2% (±27.2)	31.3% (±25.5)	33.3% (±38.4

	Grade 8	Grade 10	Grade 12
215. Try to do your best work in school?	% (± CI) (n=11)	% (± CI) (n=16)	% (± CI) (n=9)
a. Never	9.1% (±20.3)	0.0% (±0.0)	0.0% (±0.
b. Seldom	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.
c. Sometimes	27.3% (±31.4)	18.8% (±21.5)	11.1% (±25
d. Often	9.1% (±20.3)	31.3% (±25.5)	44.4% (±40
e. Almost always	54.5% (±35.1)	50.0% (±27.5)	44.4% (±40
216. During the LAST 4 WEEKS, how many whole days of school have you			
missed because you skipped or "cut"? a. None	(n=11) 81.8% (±27.2)	(n=16) 68.8% (±25.5)	(n=9)
b. 1		, ,	88.9% (±25
	0.0% (±0.0)	12.5% (±18.2)	0.0% (±0.
6. 2	0.0% (±0.0)	18.8% (±21.5)	11.1% (±25
d. 3	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.
e. 4-5	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.
f. 6-10	9.1% (±20.3)	0.0% (±0.0)	0.0% (±0.
g. 11 or more	9.1% (±20.3)	0.0% (±0.0)	0.0% (±0
portunities for Prosocial Involvement (Questions 217-221)			
217. In my school, students have lots of chances to help decide things like class activities and rules.	(n=11)	(n=16)	(n=9)
a. NO!	9.1% (±20.3)	6.3% (±13.3)	0.0% (±0.
b. No	54.5% (±35.1)	43.8% (±27.3)	55.6% (±40
c. yes	27.3% (±31.4)	50.0% (±27.5)	44.4% (±40
d. YES!	9.1% (±20.3)	0.0% (±0.0)	0.0% (±0
· ·			
teacher one-on-one.	(n=11)	(n=16)	(n=8)
teacher one-on-one. a. NO!	9.1% (±20.3)	6.3% (±13.3)	0.0% (±0.
teacher one-on-one. a. NO! b. No	9.1% (±20.3) 27.3% (±31.4)	6.3% (±13.3) 12.5% (±18.2)	0.0% (±0. 12.5% (±29
teacher one-on-one. a. NO! b. No c. yes	9.1% (±20.3) 27.3% (±31.4) 45.5% (±35.1)	6.3% (±13.3) 12.5% (±18.2) 68.8% (±25.5)	0.0% (±0. 12.5% (±29 87.5% (±29
teacher one-on-one. a. NO! b. No	9.1% (±20.3) 27.3% (±31.4)	6.3% (±13.3) 12.5% (±18.2)	0.0% (±0. 12.5% (±29. 87.5% (±29.
teacher one-on-one. a. NO! b. No c. yes d. YES! 219. Teachers ask me to work on special classroom projects.	9.1% (±20.3) 27.3% (±31.4) 45.5% (±35.1) 18.2% (±27.2) (n=11)	6.3% (±13.3) 12.5% (±18.2) 68.8% (±25.5) 12.5% (±18.2) (n=15)	0.0% (±0 12.5% (±29 87.5% (±29 0.0% (±0.
teacher one-on-one. a. NO! b. No c. yes d. YES! 219. Teachers ask me to work on special classroom projects. a. NO!	9.1% (±20.3) 27.3% (±31.4) 45.5% (±35.1) 18.2% (±27.2)	6.3% (±13.3) 12.5% (±18.2) 68.8% (±25.5) 12.5% (±18.2)	0.0% (±0 12.5% (±29 87.5% (±29 0.0% (±0.
teacher one-on-one. a. NO! b. No c. yes d. YES! 219. Teachers ask me to work on special classroom projects.	9.1% (±20.3) 27.3% (±31.4) 45.5% (±35.1) 18.2% (±27.2) (n=11)	6.3% (±13.3) 12.5% (±18.2) 68.8% (±25.5) 12.5% (±18.2) (n=15)	0.0% (±0 12.5% (±29 87.5% (±29 0.0% (±0 (n=8) 12.5% (±29
teacher one-on-one. a. NO! b. No c. yes d. YES! 219. Teachers ask me to work on special classroom projects. a. NO!	9.1% (±20.3) 27.3% (±31.4) 45.5% (±35.1) 18.2% (±27.2) (n=11) 27.3% (±31.4)	6.3% (±13.3) 12.5% (±18.2) 68.8% (±25.5) 12.5% (±18.2) (n=15) 6.7% (±14.3)	0.0% (±0 12.5% (±29 87.5% (±29 0.0% (±0) (n=8) 12.5% (±29 37.5% (±43
teacher one-on-one. a. NO! b. No c. yes d. YES! 219. Teachers ask me to work on special classroom projects. a. NO! b. No	9.1% (±20.3) 27.3% (±31.4) 45.5% (±35.1) 18.2% (±27.2) (n=11) 27.3% (±31.4) 36.4% (±33.9)	6.3% (±13.3) 12.5% (±18.2) 68.8% (±25.5) 12.5% (±18.2) (n=15) 6.7% (±14.3) 40.0% (±28.1)	0.0% (±0 12.5% (±29 87.5% (±29 0.0% (±0) (n=8) 12.5% (±29 37.5% (±43
a. NO! b. No c. yes d. YES! 219. Teachers ask me to work on special classroom projects. a. NO! b. No c. yes d. YES!	9.1% (±20.3) 27.3% (±31.4) 45.5% (±35.1) 18.2% (±27.2) (n=11) 27.3% (±31.4) 36.4% (±33.9) 27.3% (±31.4) 9.1% (±20.3)	6.3% (±13.3) 12.5% (±18.2) 68.8% (±25.5) 12.5% (±18.2) (n=15) 6.7% (±14.3) 40.0% (±28.1) 40.0% (±28.1) 13.3% (±19.5)	0.0% (±0.12.5% (±29.12.5% (±29.12.5% (±29.12.5% (±29.12.5% (±29.12.5% (±44.12.5% (±44.12.5% (±0.0% (
teacher one-on-one. a. NO! b. No c. yes d. YES! 219. Teachers ask me to work on special classroom projects. a. NO! b. No c. yes d. YES!	9.1% (±20.3) 27.3% (±31.4) 45.5% (±35.1) 18.2% (±27.2) (n=11) 27.3% (±31.4) 36.4% (±33.9) 27.3% (±31.4) 9.1% (±20.3)	6.3% (±13.3) 12.5% (±18.2) 68.8% (±25.5) 12.5% (±18.2) (n=15) 6.7% (±14.3) 40.0% (±28.1) 40.0% (±28.1) 13.3% (±19.5)	0.0% (±0. 12.5% (±29 87.5% (±29 0.0% (±0. (n=8) 12.5% (±29 37.5% (±43 50.0% (±44 0.0% (±0.
teacher one-on-one. a. NO! b. No c. yes d. YES! 219. Teachers ask me to work on special classroom projects. a. NO! b. No c. yes d. YES! 220. There are lots of chances for students in my school to get involved in sports, clubs, and other school activities outside of class. a. NO!	9.1% (±20.3) 27.3% (±31.4) 45.5% (±35.1) 18.2% (±27.2) (n=11) 27.3% (±31.4) 36.4% (±33.9) 27.3% (±31.4) 9.1% (±20.3) (n=11) 0.0% (±0.0)	6.3% (±13.3) 12.5% (±18.2) 68.8% (±25.5) 12.5% (±18.2) (n=15) 6.7% (±14.3) 40.0% (±28.1) 13.3% (±19.5) (n=15) 0.0% (±0.0)	0.0% (±0. 12.5% (±29 87.5% (±29 0.0% (±0. (n=8) 12.5% (±29 37.5% (±43 50.0% (±44 0.0% (±0. (n=9) 0.0% (±0.
teacher one-on-one. a. NO! b. No c. yes d. YES! 219. Teachers ask me to work on special classroom projects. a. NO! b. No c. yes d. YES! 220. There are lots of chances for students in my school to get involved in sports, clubs, and other school activities outside of class.	9.1% (±20.3) 27.3% (±31.4) 45.5% (±35.1) 18.2% (±27.2) (n=11) 27.3% (±31.4) 36.4% (±33.9) 27.3% (±31.4) 9.1% (±20.3)	6.3% (±13.3) 12.5% (±18.2) 68.8% (±25.5) 12.5% (±18.2) (n=15) 6.7% (±14.3) 40.0% (±28.1) 40.0% (±28.1) 13.3% (±19.5)	0.0% (±0. 12.5% (±29 87.5% (±29 0.0% (±0. (n=8) 12.5% (±29 37.5% (±43 50.0% (±44 0.0% (±0.

	Grade 8	Grade 10	Grade 12
221. I have lots of chances to be part of class discussions or activities.	% (± CI) (n=11)	% (± CI) (n=15)	% (± CI) (n=8)
a. NO!	9.1% (±20.3)	0.0% (±0.0)	0.0% (±0.0)
b. No	9.1% (±20.3)	13.3% (±19.5)	25.0% (±38.7)
c. yes	81.8% (±27.2)	80.0% (±22.9)	75.0% (±38.7)
d. YES!	0.0% (±0.0)	6.7% (±14.3)	0.0% (±0.0)

Rewards for Prosocial Involvement (Questions 222-225)

about it.	(n=11)	(n=15)	(n=9)
a. NO!	18.2% (±27.2)	6.7% (±14.3)	11.1% (±25.6
b. No	27.3% (±31.4)	26.7% (±25.3)	44.4% (±40.5
c. yes	45.5% (±35.1)	60.0% (±28.1)	44.4% (±40.5
d. YES!	9.1% (±20.3)	6.7% (±14.3)	0.0% (±0.0)
23. The school lets my parents know when I have done something well.	(n=11)	(n=16)	(n=9)
a. NO!	27.3% (±31.4)	31.3% (±25.5)	11.1% (±25.6
b. No	54.5% (±35.1)	50.0% (±27.5)	55.6% (±40.5)
c. yes	18.2% (±27.2)	18.8% (±21.5)	33.3% (±38.4
d. YES!	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
24. I feel safe at my school.	(n=27)	(n=34)	(n=21)
a. NO! ^{AC} /Definitely NOT true ^B	11.1% (±12.7)	8.8% (±10.0)	9.5% (±13.7)
b. no ^{AC} /Mostly not true ^B	18.5% (±15.7)	11.8% (±11.4)	19.0% (±18.3)
c. yes ^{AC} /Mostly true ^B	44.4% (±20.0)	70.6% (±16.1)	57.1% (±23.1)
d. YES! ^{AC} /Definitely true ^B	25.9% (±17.7)	8.8% (±10.0)	14.3% (±16.3)
25. My teachers praise me when I work hard in school.	(n=11)	(n=15)	(n=9)
a. NO!	18.2% (±27.2)	6.7% (±14.3)	11.1% (±25.6
b. No	54.5% (±35.1)	40.0% (±28.1)	55.6% (±40.5
c. yes	27.3% (±31.4)	53.3% (±28.6)	33.3% (±38.4)

Peer and Individual Domain

Perceived Risk of Drug Use (Questions 226-229)

How much do you think people risk harming themselves if they:

226. Smoke one or more packs of cigarettes per day?	(n=10)	(n=13)	(n=9)
a. No risk	10.0% (±22.6)	0.0% (±0.0)	0.0% (±0.0)
b. Slight risk	10.0% (±22.6)	0.0% (±0.0)	11.1% (±25.6)
c. Moderate risk	10.0% (±22.6)	30.8% (±29.0)	0.0% (±0.0)
d. Great risk	70.0% (±34.6)	69.2% (±29.0)	88.9% (±25.6)
e. Not sure	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)

8 Grade 10 (i) % (± Cl)) (n=13) (34.6) 30.8% (±29	% (± CI)
) (n=13)	, ,
34.6) 30.8% (±29	(n=8)
/	9.0) 62.5% (±43.3)
22.6) 46.2% (±31	1.4) 12.5% (±29.6)
±0.0) 7.7% (±16	6.8) 0.0% (±0.0)
±0.0) 7.7% (±16	6.8) 12.5% (±29.6)
30.2) 7.7% (±16	5.8) 12.5% (±29.6)
) (n=13)	(n=8)
34.6) 7.7% (±16	50.0% (±44.7)
34.6) 38.5% (±30	0.6) 12.5% (±29.6)
30.2) 30.8% (±29	9.0) 12.5% (±29.6)
±0.0) 15.4% (±22	2.7) 12.5% (±29.6)
30.2) 7.7% (±16	5.8) 12.5% (±29.6)
<i></i>	(n=8)
,	, , , ,
36.9) 30.8% (±29	9.0) 62.5% (±43.3)
30.2) 38.5% (±30	0.6) 25.0% (±38.7)
30.2) 30.8% (±29	9.0) 0.0% (±0.0)
	.0) 0.0% (±0.0)
)	1.30.2) 7.7% (±16 1.30.2) 7.7% (±16 1.30.2) (n=13) 1.22.6) 0.0% (±0. 1.36.9) 30.8% (±28 1.30.2) 38.5% (±30.2)

Early Initiation of Drug Use (Questions 230-233)

How old were you the first time you:

0. Used marijuana?	(n=21)	(n=29)	(n=20)
a. Never have	85.7% (±16.3)	62.1% (±18.8)	45.0% (±23.9)
b. 10 or younger	4.8% (±9.9)	3.4% (±7.1)	0.0% (±0.0)
c. 11	4.8% (±9.9)	0.0% (±0.0)	5.0% (±10.5)
d. 12	4.8% (±9.9)	3.4% (±7.1)	10.0% (±14.4)
e. 13	0.0% (±0.0)	20.7% (±15.7)	10.0% (±14.4)
f. 14	0.0% (±0.0)	3.4% (±7.1)	0.0% (±0.0)
g. 15	0.0% (±0.0)	6.9% (±9.8)	15.0% (±17.1)
h. 16	0.0% (±0.0)	0.0% (±0.0)	15.0% (±17.1)
i. 17 or older	0.0% (±0.0)	0.0% (±0.0)	, ,
		, ,	0.0% (±0.0) (n=8)
i. 17 or older 11. Smoked a cigarette, even just a puff? a. Never have	0.0% (±0.0) (n=7) 85.7% (±35.0)	0.0% (±0.0) (n=12) 83.3% (±24.7)	0.0% (±0.0) (n=8) 62.5% (±43.3)
1. Smoked a cigarette, even just a puff?	(n=7)	(n=12)	(n=8)
a. Never have	(n=7) 85.7% (±35.0)	(n=12) 83.3% (±24.7)	(n=8) 62.5% (±43.3)
a. Never have b. 10 or younger	(n=7) 85.7% (±35.0) 0.0% (±0.0)	(n=12) 83.3% (±24.7) 8.3% (±18.3)	(n=8) 62.5% (±43.3) 12.5% (±29.6)
a. Never have b. 10 or younger c. 11	(n=7) 85.7% (±35.0) 0.0% (±0.0) 0.0% (±0.0)	(n=12) 83.3% (±24.7) 8.3% (±18.3) 0.0% (±0.0)	(n=8) 62.5% (±43.3 12.5% (±29.6 0.0% (±0.0) 0.0% (±0.0)
a. Never have b. 10 or younger c. 11 d. 12	(n=7) 85.7% (±35.0) 0.0% (±0.0) 0.0% (±0.0) 14.3% (±35.0)	(n=12) 83.3% (±24.7) 8.3% (±18.3) 0.0% (±0.0) 0.0% (±0.0)	(n=8) 62.5% (±43.3 12.5% (±29.6 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)
a. Never have b. 10 or younger c. 11 d. 12 e. 13	(n=7) 85.7% (±35.0) 0.0% (±0.0) 0.0% (±0.0) 14.3% (±35.0) 0.0% (±0.0)	(n=12) 83.3% (±24.7) 8.3% (±18.3) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0)	(n=8) 62.5% (±43.3 12.5% (±29.6 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 12.5% (±29.6
a. Never have b. 10 or younger c. 11 d. 12 e. 13 f. 14	(n=7) 85.7% (±35.0) 0.0% (±0.0) 0.0% (±0.0) 14.3% (±35.0) 0.0% (±0.0) 0.0% (±0.0)	(n=12) 83.3% (±24.7) 8.3% (±18.3) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 8.3% (±18.3)	(n=8) 62.5% (±43.3 12.5% (±29.6 0.0% (±0.0)
a. Never have b. 10 or younger c. 11 d. 12 e. 13 f. 14 g. 15	(n=7) 85.7% (±35.0) 0.0% (±0.0) 0.0% (±0.0) 14.3% (±35.0) 0.0% (±0.0) 0.0% (±0.0)	(n=12) 83.3% (±24.7) 8.3% (±18.3) 0.0% (±0.0) 0.0% (±0.0) 0.0% (±0.0) 8.3% (±18.3) 0.0% (±0.0)	(n=8) 62.5% (±43. 12.5% (±29. 0.0% (±0.0 0.0% (±0.0 12.5% (±29. 12.5% (±29.

	Grade 8	Grade 10	Grade 12
232. Had more than a sip or two of beer, wine, or hard liquor (for example vodka, whiskey, or gin)?	% (± CI) (n=21)	% (± CI) (n=29)	% (± CI) (n=20)
a. Never have	66.7% (±22.0)	48.3% (±19.3)	30.0% (±22.
b. 10 or younger	4.8% (±9.9)	17.2% (±14.6)	20.0% (±19
c. 11	9.5% (±13.7)	0.0% (±0.0)	0.0% (±0.0
d. 12	4.8% (±9.9)	13.8% (±13.3)	10.0% (±14
e. 13	14.3% (±16.3)	10.3% (±11.8)	10.0% (±14
f. 14	0.0% (±0.0)	3.4% (±7.1)	0.0% (±0.
g. 15	0.0% (±0.0)	6.9% (±9.8)	5.0% (±10
h. 16	0.0% (±0.0)	0.0% (±0.0)	25.0% (±20
i. 17 or older	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.
233. Began drinking alcoholic beverages regularly, that is, at least once or twice a month?	(n=7)	(n=12)	(n=8)
a. Never have	100.0% (±0.0)	91.7% (±18.3)	100.0% (±0.
b. 10 or younger	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0
c. 11	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0
d. 12	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0
e. 13	0.0% (±0.0)	8.3% (±18.3)	0.0% (±0
f. 14	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0
g. 15	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0
h. 16	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.
i. 17 or older	0.0% (±0.0) 0.0% (±0.0)	0.0% (±0.0) 0.0% (±0.0)	0.0% (±0.4 0.0% (±0.4
i. 17 or older orable Attitudes Toward Drug Use (Questions 234-237) 234. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin)	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.
i. 17 or older vorable Attitudes Toward Drug Use (Questions 234-237)			0.0% (±0.0 (n=8)
i. 17 or older rorable Attitudes Toward Drug Use (Questions 234-237) 234. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly?	0.0% (±0.0) (n=6)	0.0% (±0.0) (n=12)	0.0% (±0 (n=8) 12.5% (±29
i. 17 or older rorable Attitudes Toward Drug Use (Questions 234-237) 234. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly? a. Very wrong	0.0% (±0.0) (n=6) 66.7% (±54.2)	0.0% (±0.0) (n=12) 41.7% (±32.7)	0.0% (±0.0%) (n=8) 12.5% (±29.37.5% (±43.0%)
i. 17 or older rorable Attitudes Toward Drug Use (Questions 234-237) 234. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly? a. Very wrong b. Wrong	0.0% (±0.0) (n=6) 66.7% (±54.2) 33.3% (±54.2)	(n=12) 41.7% (±32.7) 16.7% (±24.7)	(n=8) 12.5% (±29 37.5% (±43 37.5% (±43
i. 17 or older vorable Attitudes Toward Drug Use (Questions 234-237) 234. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly? a. Very wrong b. Wrong c. A little bit wrong d. Not wrong at all	(n=6) 66.7% (±54.2) 33.3% (±54.2) 0.0% (±0.0)	(n=12) 41.7% (±32.7) 16.7% (±24.7) 33.3% (±31.3)	(n=8) 12.5% (±29 37.5% (±43 37.5% (±43
i. 17 or older vorable Attitudes Toward Drug Use (Questions 234-237) 234. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly? a. Very wrong b. Wrong c. A little bit wrong	(n=6) 66.7% (±54.2) 33.3% (±54.2) 0.0% (±0.0)	(n=12) 41.7% (±32.7) 16.7% (±24.7) 33.3% (±31.3)	(n=8) 12.5% (±29 37.5% (±43 37.5% (±43
i. 17 or older rorable Attitudes Toward Drug Use (Questions 234-237) 234. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly? a. Very wrong b. Wrong c. A little bit wrong d. Not wrong at all How wrong do YOU think it is for someone your age to: 234. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin)	0.0% (±0.0) (n=6) 66.7% (±54.2) 33.3% (±54.2) 0.0% (±0.0) 0.0% (±0.0)	(n=12) 41.7% (±32.7) 16.7% (±24.7) 33.3% (±31.3) 8.3% (±18.3)	(n=8) 12.5% (±29) 37.5% (±43) 37.5% (±43) 12.5% (±29)
i. 17 or older rorable Attitudes Toward Drug Use (Questions 234-237) 234. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly? a. Very wrong b. Wrong c. A little bit wrong d. Not wrong at all How wrong do YOU think it is for someone your age to: 234. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly?	(n=6) 66.7% (±54.2) 33.3% (±54.2) 0.0% (±0.0) 0.0% (±0.0)	(n=12) 41.7% (±32.7) 16.7% (±24.7) 33.3% (±31.3) 8.3% (±18.3)	(n=8) 12.5% (±29) 37.5% (±43) 12.5% (±29) (n=8) 12.5% (±29)
i. 17 or older rorable Attitudes Toward Drug Use (Questions 234-237) 234. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly? a. Very wrong b. Wrong c. A little bit wrong d. Not wrong at all How wrong do YOU think it is for someone your age to: 234. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly? a. Very wrong	(n=6) 66.7% (±54.2) 33.3% (±54.2) 0.0% (±0.0) 0.0% (±0.0)	(n=12) 41.7% (±32.7) 16.7% (±24.7) 33.3% (±31.3) 8.3% (±18.3)	(n=8) 12.5% (±29) 37.5% (±43) 12.5% (±29) (n=8) 12.5% (±29) 37.5% (±43)
i. 17 or older rorable Attitudes Toward Drug Use (Questions 234-237) 234. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly? a. Very wrong b. Wrong c. A little bit wrong d. Not wrong at all How wrong do YOU think it is for someone your age to: 234. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly? a. Very wrong b. Wrong	(n=6) 66.7% (±54.2) 33.3% (±54.2) 0.0% (±0.0) (n=6) 66.7% (±54.2) 33.3% (±54.2)	(n=12) 41.7% (±32.7) 16.7% (±24.7) 33.3% (±31.3) 8.3% (±18.3) (n=12) 41.7% (±32.7) 16.7% (±24.7)	(n=8) 12.5% (±29) 37.5% (±43) 37.5% (±43) 12.5% (±29) (n=8) 12.5% (±29) 37.5% (±43)
i. 17 or older rorable Attitudes Toward Drug Use (Questions 234-237) 234. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly? a. Very wrong b. Wrong c. A little bit wrong d. Not wrong at all How wrong do YOU think it is for someone your age to: 234. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly? a. Very wrong b. Wrong c. A little bit wrong d. Not wrong at all	(n=6) 66.7% (±54.2) 33.3% (±54.2) 0.0% (±0.0) (n=6) 66.7% (±54.2) 33.3% (±54.2) 0.0% (±0.0)	(n=12) 41.7% (±32.7) 16.7% (±24.7) 33.3% (±31.3) 8.3% (±18.3) (n=12) 41.7% (±32.7) 16.7% (±24.7) 33.3% (±31.3)	(n=8) 12.5% (±29) 37.5% (±43) 37.5% (±43) 12.5% (±29) 12.5% (±29) 37.5% (±43) 37.5% (±43)
i. 17 or older rorable Attitudes Toward Drug Use (Questions 234-237) 234. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly? a. Very wrong b. Wrong c. A little bit wrong d. Not wrong at all How wrong do YOU think it is for someone your age to: 234. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly? a. Very wrong b. Wrong c. A little bit wrong d. Not wrong at all	(n=6) 66.7% (±54.2) 33.3% (±54.2) 0.0% (±0.0) (n=6) 66.7% (±54.2) 33.3% (±54.2) 0.0% (±0.0)	(n=12) 41.7% (±32.7) 16.7% (±24.7) 33.3% (±31.3) 8.3% (±18.3) (n=12) 41.7% (±32.7) 16.7% (±24.7) 33.3% (±31.3) 8.3% (±18.3)	(n=8) 12.5% (±29) 37.5% (±43) 12.5% (±29) (n=8) 12.5% (±29) 37.5% (±43) 37.5% (±43) 37.5% (±43) 12.5% (±29)
i. 17 or older corable Attitudes Toward Drug Use (Questions 234-237) 234. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly? a. Very wrong b. Wrong c. A little bit wrong d. Not wrong at all How wrong do YOU think it is for someone your age to: 234. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly? a. Very wrong b. Wrong c. A little bit wrong d. Not wrong at all 236. Use marijuana?	(n=6) 66.7% (±54.2) 33.3% (±54.2) 0.0% (±0.0) (n=6) 66.7% (±54.2) 33.3% (±54.2) 0.0% (±0.0) (n=6)	(n=12) 41.7% (±32.7) 16.7% (±24.7) 33.3% (±31.3) 8.3% (±18.3) (n=12) 41.7% (±32.7) 16.7% (±24.7) 33.3% (±31.3) 8.3% (±18.3)	(n=8) 12.5% (±29) 37.5% (±43) 12.5% (±29) (n=8) 12.5% (±29) 37.5% (±43) 37.5% (±43) 12.5% (±29) (n=8) 0.0% (±0.0%)
i. 17 or older vorable Attitudes Toward Drug Use (Questions 234-237) 234. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly? a. Very wrong b. Wrong c. A little bit wrong d. Not wrong at all How wrong do YOU think it is for someone your age to: 234. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly? a. Very wrong b. Wrong c. A little bit wrong d. Not wrong at all 236. Use marijuana? a. Very wrong	(n=6) 66.7% (±54.2) 33.3% (±54.2) 0.0% (±0.0) (n=6) 66.7% (±54.2) 33.3% (±54.2) 0.0% (±0.0) (n=6) 33.3% (±54.2)	(n=12) 41.7% (±32.7) 16.7% (±24.7) 33.3% (±31.3) 8.3% (±18.3) (n=12) 41.7% (±32.7) 16.7% (±24.7) 33.3% (±31.3) 8.3% (±18.3) (n=11) 45.5% (±35.1)	(n=8) 12.5% (±29) 37.5% (±43) 12.5% (±29) (n=8) 12.5% (±29) 37.5% (±43) 37.5% (±43) 37.5% (±43)

	Grade 8	Grade 10	Grade 12
237. Use LSD, cocaine, amphetamines, or another illegal drug?	% (± CI) (n=6)	% (± CI) (n=12)	% (± CI) (n=8)
a. Very wrong	100.0% (±0.0)	83.3% (±24.7)	50.0% (±44.7)
b. Wrong	0.0% (±0.0)	16.7% (±24.7)	37.5% (±43.3)
c. A little bit wrong	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
d. Not wrong at all	0.0% (±0.0)	0.0% (±0.0)	12.5% (±29.6)

Friends Use Drugs (Questions 238-241)

Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have...

238. Smoked cigarettes?	(n=6)	(n=12)	(n=7)
a. None of my friends	83.3% (±42.8)	75.0% (±28.7)	28.6% (±45.1)
b. 1 of my friends	0.0% (±0.0)	25.0% (±28.7)	42.9% (±49.4)
c. 2 of my friends	16.7% (±42.8)	0.0% (±0.0)	14.3% (±35.0)
d. 3 of my friends	0.0% (±0.0)	0.0% (±0.0)	14.3% (±35.0)
e. 4 of my friends	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
239. Tried beer, wine, or hard liquor (for example vodka, whiskey, or gin) when their parents didn't know about it?	(n=6)	(n=12)	(n=7)
a. None of my friends	66.7% (±54.2)	58.3% (±32.7)	42.9% (±49.4)
b. 1 of my friends	0.0% (±0.0)	8.3% (±18.3)	14.3% (±35.0)
c. 2 of my friends	0.0% (±0.0)	25.0% (±28.7)	42.9% (±49.4)
d. 3 of my friends	0.0% (±0.0)	8.3% (±18.3)	0.0% (±0.0)
e. 4 of my friends	33.3% (±54.2)	0.0% (±0.0)	0.0% (±0.0)
240. Used marijuana?	(n=6)	(n=12)	(n=7)
a. None of my friends	33.3% (±54.2)	41.7% (±32.7)	28.6% (±45.1)
b. 1 of my friends	50.0% (±50.0)	8.3% (±18.3)	28.6% (±45.1)
c. 2 of my friends	0.0% (±0.0)	25.0% (±28.7)	0.0% (±0.0)
d. 3 of my friends	16.7% (±42.8)	8.3% (±18.3)	0.0% (±0.0)
e. 4 of my friends	0.0% (±0.0)	16.7% (±24.7)	42.9% (±49.4)
241. Used LSD, cocaine, amphetamines, or other illegal drugs?	(n=6)	(n=11)	(n=7)
a. None of my friends	100.0% (±0.0)	100.0% (±0.0)	85.7% (±35.0)
b. 1 of my friends	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
c. 2 of my friends	0.0% (±0.0)	0.0% (±0.0)	14.3% (±35.0)
d. 3 of my friends	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)
e. 4 of my friends	0.0% (±0.0)	0.0% (±0.0)	0.0% (±0.0)

Social Skills (Questions 242-244)

242. You're looking at shirts in a store with a friend. You look up and see her slip a shirt under her coat. She smiles and says, "Which one do you want? Go ahead, take it while nobody's around." There are no security cameras, no employees, and no other customers. What	Grade 8 % (± CI)	Grade 10 % (± CI)	Grade 12 % (± Cl)
would you do now?	(n=6)	(n=11)	(n=7)
a. Ignore her	16.7% (±42.8)	18.2% (±27.2)	28.6% (±45.1)
b. Grab a shirt and leave the store	0.0% (±0.0)	9.1% (±20.3)	14.3% (±35.0)
c. Tell her to put the shirt back	66.7% (±54.2)	36.4% (±33.9)	28.6% (±45.1)
d. Act like it's a joke and ask her to put the shirt back	16.7% (±42.8)	36.4% (±33.9)	28.6% (±45.1)
243. You are visiting another part of town and you don't know any of the people your age there. You are walking down the street and some teenager you don't know is walking toward you. He is about your size. As he is about to pass you, he deliberately bumps into you and you almost lose your balance. What would you say or do?	(n=6)	(n=11)	(n=7)
a. Push the person back	16.7% (±42.8)	9.1% (±20.3)	28.6% (±45.1)
b. Say nothing and keep on walking	66.7% (±54.2)	54.5% (±35.1)	42.9% (±49.4)
c. Say, "Watch where you're going," and keep on walking	0.0% (±0.0)	27.3% (±31.4)	28.6% (±45.1)
d. Swear at the person and walk away	16.7% (±42.8)	9.1% (±20.3)	0.0% (±0.0)
244. You are at a party at someone's house and one of your friends offers you a drink containing alcohol. What would you say or do?	(n=6)	(n=11)	(n=7)
a. Drink it	16.7% (±42.8)	18.2% (±27.2)	28.6% (±45.1)
b. Tell your friend, "No thanks. I don't drink," and suggest that you and your friend go and do something else	50.0% (±50.0)	27.3% (±31.4)	28.6% (±45.1)
c. Just say, "No, thanks," and walk away	16.7% (±42.8)	45.5% (±35.1)	28.6% (±45.1)
d. Make up a good excuse, tell your friend you had something else to do, and leave	16.7% (±42.8)	9.1% (±20.3)	14.3% (±35.0)

Questions by Topics

Questions about a single topic are not always grouped together in this report. For example, some questions about alcohol are presented in the Alcohol, Tobacco, and Other Drug (ATOD) Use section and others are presented in the Risk and Protective Factor section. The following list, groups the questions by topic so you can easily locate them in this report.

Abuse 134-140

Activities and Clubs 103, 184-186

Alcohol

Access 63, 172
Age at first use 232-233
Current use 38, 60-61
Drinking and driving 123, 125
Family influence 64-65, 194-195, 205
Lifetime use 23
Perceived norms 66-67, 69, 178, 180, 234
Perceived risks 68, 229
Prevention/intervention 79, 160
Use at school 76, 77

Usual type 62 Asthma 105-106

Bullying/Harassment 152-159

Children's Hope Scale 167-171

Demographics 1, 3-9, 11-20

Disability 111-114

Family

Food insecurity 84-85 Living situations 12-14 Migrant or seasonal work 17 Military service 16 Mother's education 11

Fighting 131, 243

Fitness

Physical activity 95-98, 101-103 Sedentary behavior 99-100

Gangs 132-133

HIV/STD/Pregnancy Prevention 119, 163-164

Health or Health Care Doctor visit 104 Oral Health 107-108 Sleep 110

Honesty 20

Marijuana

Access 73, 174
Age at first use 230
Current use 39
Family influence 70, 74, 207
Lifetime use 24
Perceived norms 75, 177, 182, 236, 240
Perceived risks 227-228
Simultaneous use with alcohol 78
Use at school 77
Using and driving 126-127

Mental Health

Usual type 71

Anxiety and worry 147-148 Depression 141 Help with mental health 149-151 Suicide 142-144 Nutrition

Breakfast 86
Food insecurity 84-85
Fruit/Vegetable servings 87
Junk food 93-94
Soda and Sugar Drinks 88-90

Other Drugs

Access 175 Current use 40-44 Family influence 80, 194 Lifetime use 24-30 Perceived norms 81, 237, 241 Perceived risks 82 Prevention/intervention 79, 160 Use at school 76-77

Quality of Life 165

Safety-related Behaviors Swimming 121-122 Wearing Safety Gear

School Climate

Absence 18, 197, 216
Achievement 208-209
After-school activities 103, 184-186
Bullying/harassment 152-159
Changed school in past year 19
Counseling and support 161-162
Engagement 210-215, 217-225
Nutrition 15, 89-90, 93-94
Physical activity 97-98, 101-102
Prevention/intervention 79, 119, 151, 160, 162-163
Safety at 155, 224
Substance use at 76-77
Weapons at 130

Sexual Behaviors 115-119

Sexual Identity 4

Sexual Orientation 5

Substance Use Prevention 79, 160

Texting and Driving 129

Tobacco and Electronic Cigarettes/Vaping Access 49, 58, 173

Age at first use 56, 231 Current use 32-37, 45 Family 46, 206 Lifetime use 21-22 Perceived norms 50, 17

Perceived norms 50, 179, 235, 238 Perceived risks 59, 226

Prevention/intervention 160 Secondhand smoke 47 Suscepibility to smoking 51-53 Use at school 77

Use at school 7 Usual type 57

Weapons 130, 176, 181, 196

Weight and Weight Loss 83

Core Questions

"Core" questions that appeared on both Forms A and B (the secondary versions of the survey) are listed below. All other questions appeared on either Form A or Form B, but not both. Core questions may or may not have appeared on Form C (the elementary version).

Activities

Participation in after school activities 103

Alcohol

Age when first drank alcohol 232

Binge drinking 60

Current alcohol drinking (past 30 days) 38

Levels of alcohol use 61

Lifetime alcohol use 23

Bullying

Been bullied (past 30 days) 152

Demographics

Age 1

Education level of mother 11

Food insecurity 85

Gender 3

Gender identity 4

Language spoken in home 8

Loss of home due to family finances 14

Race/Ethnicity 6, 7

Sexual orientation 5

Where you live 13

Who you live with 12

Fighting

Physical fighting (past 12 months) 131

Gangs

Gang involvement 132

Gangs at school 133

Honesty

Honesty in completing survey 20

Marijuana

Age when first used marijuana 230

Current marijuana use (past 30 days) 39

Lifetime marijuana use 24

Mental Health

Bothered by anxiety 147

Bothered by worrying 148

Depression (past 12 months) 141

Person(s) turned to when depressed 150

Seriously considered attempting suicide 142

Other Drugs

Current painkiller use (past 30 days) 42

School Climate

Absent from school 18

Been bullied (past 30 days) 152

Enjoyed being in school (past 12 months) 213

Feel safe at school 224

Grades in school (past 12 months) 208

Participation in after school activities 103

Substance use on school property 78

Weapon carrying on school property (past 12 months) 130

Texting and Driving

Texting and driving (past 30 days) 129

Tobacco

Current cigarette smoking (past 30 days) 32

Weapons

Weapon carrying on school property (past 12 months) 130

For more information on which survey forms each question was on, see the Survey Crosswalk at www.AskHYS.net, under HYS Results - QxQ