

January 12, 2023

Kevin Roberts
Professional Service Industries, Inc.
11826 Borman Dr
Maryland Heights, MO 63146
TEL: (314) 432-8073
FAX: (314) 432-5119



Illinois	100226
Kansas	E-10374
Louisiana	05002
Louisiana	05003
Oklahoma	9978

RE: Hudson Elementary 0029-5660

WorkOrder: 22121760

Dear Kevin Roberts:

TEKLAB, INC received 29 samples on 12/30/2022 3:20:00 PM for the analysis presented in the following report.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column. Unless otherwise documented within this report, Teklab Inc. analyzes samples utilizing the most current methods in compliance with 40CFR. All tests are performed in the Collinsville, IL laboratory unless otherwise noted in the Case Narrative.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,



Marvin L. Darling
Project Manager
(618)344-1004 ex 41
mdarling@teklabinc.com



Report Contents

<http://www.teklabinc.com/>

Client: Professional Service Industries, Inc.

Work Order: 22121760

Client Project: Hudson Elementary 0029-5660

Report Date: 12-Jan-23

This reporting package includes the following:

Cover Letter	1
Report Contents	2
Definitions	3
Case Narrative	5
Accreditations	6
Laboratory Results	7
Receiving Check List	8
Chain of Custody	Appended

Client: Professional Service Industries, Inc.

Work Order: 22121760

Client Project: Hudson Elementary 0029-5660

Report Date: 12-Jan-23

Abbr Definition

* Analytes on report marked with an asterisk are not NELAP accredited

CCV Continuing calibration verification is a check of a standard to determine the state of calibration of an instrument between recalibration.

CRQL A Client Requested Quantitation Limit is a reporting limit that varies according to customer request. The CRQL may not be less than the MDL.

DF Dilution factor is the dilution performed during analysis only and does not take into account any dilutions made during sample preparation. The reported result is final and includes all dilution factors.

DNI Did not ignite

DUP Laboratory duplicate is a replicate aliquot prepared under the same laboratory conditions and independently analyzed to obtain a measure of precision.

ICV Initial calibration verification is a check of a standard to determine the state of calibration of an instrument before sample analysis is initiated.

IDPH IL Dept. of Public Health

LCS Laboratory control sample is a sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes and analyzed exactly like a sample to establish intra-laboratory or analyst specific precision and bias or to assess the performance of all or a portion of the measurement system.

LCSD Laboratory control sample duplicate is a replicate laboratory control sample that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

MBLK Method blank is a sample of a matrix similar to the batch of associated sample (when available) that is free from the analytes of interest and is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedures, and in which no target analytes or interferences should present at concentrations that impact the analytical results for sample analyses.

MDL "The method detection limit is defined as the minimum measured concentration of a substance that can be reported with 99% confidence that the measured concentration is distinguishable from method blank results."

MS Matrix spike is an aliquot of matrix fortified (spiked) with known quantities of specific analytes that is subjected to the entire analytical procedures in order to determine the effect of the matrix on an approved test method's recovery system. The acceptable recovery range is listed in the QC Package (provided upon request).

MSD Matrix spike duplicate means a replicate matrix spike that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).

MW Molecular weight

NC Data is not acceptable for compliance purposes

ND Not Detected at the Reporting Limit

NELAP NELAP Accredited

PQL Practical quantitation limit means the lowest level that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operation conditions.

RL The reporting limit the lowest level that the data is displayed in the final report. The reporting limit may vary according to customer request or sample dilution. The reporting limit may not be less than the MDL.

RPD Relative percent difference is a calculated difference between two recoveries (ie. MS/MSD). The acceptable recovery limit is listed in the QC Package (provided upon request).

SPK The spike is a known mass of target analyte added to a blank sample or sub-sample; used to determine recovery deficiency or for other quality control purposes.

Surr Surrogates are compounds which are similar to the analytes of interest in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.

TIC Tentatively identified compound: Analytes tentatively identified in the sample by using a library search. Only results not in the calibration standard will be reported as tentatively identified compounds. Results for tentatively identified compounds that are not present in the calibration standard, but are assigned a specific chemical name based upon the library search, are calculated using total peak areas from reconstructed ion chromatograms and a response factor of one. The nearest Internal Standard is used for the calculation. The results of any TICs must be considered estimated, and are flagged with a "T". If the estimated result is above the calibration range it is flagged "ET"

TNTC Too numerous to count (> 200 CFU)

Client: Professional Service Industries, Inc.

Work Order: 22121760

Client Project: Hudson Elementary 0029-5660

Report Date: 12-Jan-23

Qualifiers

- # - Unknown hydrocarbon
- C - RL shown is a Client Requested Quantitation Limit
- H - Holding times exceeded
- J - Analyte detected below quantitation limits
- ND - Not Detected at the Reporting Limit
- S - Spike Recovery outside recovery limits
- X - Value exceeds Maximum Contaminant Level
- B - Analyte detected in associated Method Blank
- E - Value above quantitation range
- I - Associated internal standard was outside method criteria
- M - Manual Integration used to determine area response
- R - RPD outside accepted recovery limits
- T - TIC(Tentatively identified compound)



Case Narrative

<http://www.teklabinc.com/>

Client: Professional Service Industries, Inc.

Work Order: 22121760

Client Project: Hudson Elementary 0029-5660

Report Date: 12-Jan-23

Cooler Receipt Temp: NA °C

Locations

Collinsville

Address 5445 Horseshoe Lake Road
Collinsville, IL 62234-7425
Phone (618) 344-1004
Fax (618) 344-1005
Email jhriley@teklabinc.com

Collinsville Air

Address 5445 Horseshoe Lake Road
Collinsville, IL 62234-7425
Phone (618) 344-1004
Fax (618) 344-1005
Email EHurley@teklabinc.com

Springfield

Address 3920 Pintail Dr
Springfield, IL 62711-9415
Phone (217) 698-1004
Fax (217) 698-1005
Email KKlostermann@teklabinc.com

Chicago

Address 1319 Butterfield Rd.
Downers Grove, IL 60515
Phone (630) 324-6855
Fax
Email arenner@teklabinc.com

Kansas City

Address 8421 Nieman Road
Lenexa, KS 66214
Phone (913) 541-1998
Fax (913) 541-1998
Email jhriley@teklabinc.com



Accreditations

<http://www.teklabinc.com/>

Client: Professional Service Industries, Inc.

Work Order: 22121760

Client Project: Hudson Elementary 0029-5660

Report Date: 12-Jan-23

State	Dept	Cert #	NELAP	Exp Date	Lab
Illinois	IEPA	100226	NELAP	1/31/2023	Collinsville
Kansas	KDHE	E-10374	NELAP	4/30/2023	Collinsville
Louisiana	LDEQ	05002	NELAP	6/30/2023	Collinsville
Louisiana	LDEQ	05003	NELAP	6/30/2023	Collinsville
Oklahoma	ODEQ	9978	NELAP	8/31/2023	Collinsville
Arkansas	ADEQ	88-0966		3/14/2023	Collinsville
Illinois	IDPH	17584		5/31/2023	Collinsville
Iowa	IDNR	430		6/1/2024	Collinsville
Kentucky	UST	0073		1/31/2023	Collinsville
Missouri	MDNR	00930		5/31/2023	Collinsville
Missouri	MDNR	930		1/31/2025	Collinsville



Laboratory Results

<http://www.teklabinc.com/>

Client: Professional Service Industries, Inc.

Work Order: 22121760

Client Project: Hudson Elementary 0029-5660

Report Date: 12-Jan-23

Matrix: DRINKING WATER

Sample ID	Client Sample ID	Certification	Qual	RL	Result	Units	DF	Date Analyzed	Date Collected
EPA 600 4.1.4, 200.8 R5.4, METALS BY ICPMS (TOTAL)									
Lead									
22121760-001A	HE-F-101-1-1	NELAP		1.0	15.9	µg/L	5	01/09/2023 15:58	12/30/2022 7:50
22121760-002A	HE-F-100-1-2	NELAP		1.0	18.1	µg/L	5	01/09/2023 16:03	12/30/2022 7:51
22121760-003A	HE-WC-H1-1-3	NELAP		1.0	< 1.0	µg/L	1	01/07/2023 10:34	12/30/2022 7:53
22121760-004A	HE-NF-NuR-1-4	NELAP		1.0	1.7	µg/L	1	01/07/2023 11:18	12/30/2022 7:55
22121760-005A	HE-F-99-1-5	NELAP		1.0	9.4	µg/L	1	01/07/2023 11:24	12/30/2022 7:56
22121760-006A	HE-F-102-1-6	NELAP		1.0	9.9	µg/L	1	01/07/2023 11:46	12/30/2022 7:57
22121760-007A	HE-F-B-1-7	NELAP		1.0	6.2	µg/L	1	01/07/2023 11:29	12/30/2022 7:58
22121760-008A	HE-WC-H1-1-8	NELAP		1.0	< 1.0	µg/L	1	01/07/2023 11:35	12/30/2022 7:59
22121760-009A	HE-F-104-1-9	NELAP		1.0	5.3	µg/L	1	01/08/2023 19:21	12/30/2022 8:00
22121760-010A	HE-F-103-1-10	NELAP		1.0	13.7	µg/L	1	01/11/2023 11:24	12/30/2022 8:01
22121760-011A	HE-F-106-1-11	NELAP		1.0	8.2	µg/L	1	01/11/2023 11:29	12/30/2022 8:02
22121760-012A	HE-WC-H2-1-12	NELAP		1.0	< 1.0	µg/L	5	01/09/2023 16:36	12/30/2022 8:03
22121760-013A	HE-F-107-1-13	NELAP		1.0	14.9	µg/L	1	01/12/2023 8:53	12/30/2022 8:04
22121760-014A	HE-F-8-G-14	NELAP		2.0	3.8	µg/L	10	01/10/2023 9:05	12/30/2022 8:05
22121760-015A	HE-F-6-G-15	NELAP		1.0	6.4	µg/L	1	01/12/2023 9:06	12/30/2022 8:07
22121760-016A	HE-BF-H4-G-16	NELAP		1.0	< 1.0	µg/L	1	01/11/2023 11:33	12/30/2022 8:06
22121760-017A	HE-WC-Café-G-17	NELAP		1.0	< 1.0	µg/L	5	01/09/2023 16:47	12/30/2022 8:08
22121760-018A	HE-F-Café-G-18	NELAP		1.0	13.2	µg/L	1	01/11/2023 11:38	12/30/2022 8:09
22121760-019A	HE-KF-Kit-G-19	NELAP		1.0	< 1.0	µg/L	5	01/09/2023 16:53	12/30/2022 8:10
22121760-020A	HE-WC-H3-G-20	NELAP		1.0	< 1.0	µg/L	1	01/11/2023 11:52	12/30/2022 8:18
22121760-021A	HE-F-3-G-21	NELAP		10.0	11.8	µg/L	10	01/12/2023 9:12	12/30/2022 8:19
22121760-022A	HE-F-2-G-22	NELAP		1.0	5.3	µg/L	5	01/09/2023 16:58	12/30/2022 8:20
22121760-023A	HE-F-ART-G-23	NELAP		4.0	5.1	µg/L	20	01/10/2023 8:56	12/30/2022 8:22
22121760-024A	HE-F-ART-G-24	NELAP		2.0	< 2.0	µg/L	10	01/10/2023 9:09	12/30/2022 8:23
22121760-025A	HE-WC-GF-1-25	NELAP		1.0	< 1.0	µg/L	1	01/11/2023 11:43	12/30/2022 8:26
22121760-026A	HE-WC-GF-1-26	NELAP		1.0	< 1.0	µg/L	1	01/11/2023 11:47	12/30/2022 8:27
22121760-027A	HE-WF-Kit-G-27	NELAP		1.0	< 1.0	µg/L	1	01/12/2023 7:43	12/30/2022 8:11
22121760-028A	HE-SN-Kit-G-28	NELAP		1.0	7.1	µg/L	5	01/09/2023 17:14	12/30/2022 8:12
22121760-029A	HE-IM-Kit-G-29	NELAP		1.0	< 1.0	µg/L	1	01/12/2023 9:31	12/30/2022 8:15

Dilution required on HE-F-ART-G-24 to meet internal standard recovery criteria.



Receiving Check List

<http://www.teklabinc.com/>

Client: Professional Service Industries, Inc.

Work Order: 22121760

Client Project: Hudson Elementary 0029-5660

Report Date: 12-Jan-23

Carrier: Justin Colp

Received By: ANC

Completed by:

Reviewed by:

On:

03-Jan-23

Payton Yoch

On:

03-Jan-23

Elizabeth A. Hurley

Pages to follow: Chain of custody

Extra pages included

- Shipping container/cooler in good condition? Yes No Not Present Temp °C **NA**
- Type of thermal preservation? None Ice Blue Ice Dry Ice
- Chain of custody present? Yes No
- Chain of custody signed when relinquished and received? Yes No
- Chain of custody agrees with sample labels? Yes No
- Samples in proper container/bottle? Yes No
- Sample containers intact? Yes No
- Sufficient sample volume for indicated test? Yes No
- All samples received within holding time? Yes No
- Reported field parameters measured: Field Lab NA
- Container/Temp Blank temperature in compliance? Yes No

When thermal preservation is required, samples are compliant with a temperature between 0.1°C - 6.0°C, or when samples are received on ice the same day as collected.

- Water – at least one vial per sample has zero headspace? Yes No No VOA vials
- Water - TOX containers have zero headspace? Yes No No TOX containers
- Water - pH acceptable upon receipt? Yes No NA
- NPDES/CWA TCN interferences checked/treated in the field? Yes No NA

Any No responses must be detailed below or on the COC.

Samples were checked for turbidity and then preserved with nitric acid upon arrival in the laboratory.

CHAIN OF CUSTODY

pg. 2 of 3 Work order # 22121760

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

Client: Professional Service Industries, Inc.
Address: 11826 Borman Dr
City / State / Zip: Maryland Heights, MO 63146
Contact: Kevin Roberts **Phone:** (314) 432-8073
E-Mail: kevin.roberts@intertek.com **Fax:**

Samples on: ICE BLUE ICE NO ICE _____ °C **LTG#** _____
Preserved in: LAB FIELD **FOR LAB USE ONLY**
Lab Notes
Client Comments: Courier

Are these samples known to be involved in litigation? If yes, a surcharge will apply Yes No
 Are these samples known to be hazardous? Yes No
 Are there any required reporting limits to be met on the requested analysis?. If yes, please provide limits in the comment section. Yes No

Project Name/Number	Sample Collector's Name	MATRIX	INDICATE ANALYSIS REQUESTED
Hudson Elementary 0029-5660	KCR/SJ		

Results Requested	Billing Instructions	# and Type of Containers								Drinking Water	Soil	Sludge	Special Waste	Groundwater	Lead
<input checked="" type="checkbox"/> Standard <input type="checkbox"/> 1-2 Day (100% Surcharge) <input type="checkbox"/> Other _____ <input type="checkbox"/> 3 Day (50% Surcharge)		UNPRES	HNO3	NaOH	H2SO4	HCL	MeOH	NaHSO4	OTHER						

Lab Use Only	Sample Identification	Date/Time Sampled	UNPRES	HNO3	NaOH	H2SO4	HCL	MeOH	NaHSO4	OTHER	Drinking Water	Soil	Sludge	Special Waste	Groundwater	Lead
421760-011	HE-F-106-1-11	12/30/22/0802	1								X				X	
012	HE-WC-H2-1-12	/0803	1								X				X	
013	HE-F-107-1-13	/0804	1								X				X	
014	HE-F-8-6-14	/0805	1								X				X	
015	HE-F-6-6-15	/0807	1								X				X	
016	HE-BF-H4-6-16	/0806	1								X				X	
017	HE-WC-Cafe-6-17	/0808	1								X				X	
018	HE-F-Cafe-6-18	/0809	1								X				X	
019	HE-KF-Kit-6-19	/0810	1								X				X	
020	HE-WC-H3-6-20	/0818	1								X				X	

Relinquished By	Date/Time	Received By	Date/Time
<i>[Signature]</i>	12/30/22 @ 1150	J. Cole	12-30 1410
J. Cole	12-30 1520	Alison Cole	12/30 1520

