

ANALYTICAL REPORT

PREPARED FOR

Attn: Ian St. John
St. John Environmental Consulting
5515 Grace Ave.
Saint Louis, Missouri 63116

Generated 1/25/2024 1:18:48 AM

JOB DESCRIPTION

Francis Howell School District-Becky David Elem

JOB NUMBER

810-90772-1

Eurofins Eaton Analytical South Bend

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

Authorization



Generated
1/25/2024 1:18:48 AM

Authorized for release by
Pamela Brown, Project Manager
Pamela.Brown@et.eurofinsus.com
(574)233-4777

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	10
QC Sample Results	17
QC Association Summary	20
Lab Chronicle	22
Certification Summary	29
Method Summary	30
Sample Summary	31
Chain of Custody	32
Receipt Checklists	39



Definitions/Glossary

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Qualifiers

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: St. John Environmental Consulting
Project: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Job ID: 810-90772-1

Eurofins Eaton Analytical South Bend

Job Narrative 810-90772-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 1/17/2024 9:45 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice.

Metals

Method 200.8_SDWA: The continuing calibration verification (CCV) analyzed in 810-86640 was outside the method criteria of + 10 % but within + 15% for Lead. As indicated in the reference method, this continuing calibration verification (CCV) will be used as the closing CCV and previous samples will not be reanalyzed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Eaton Analytical South Bend

Detection Summary

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Client Sample ID: FHBD-1 Sink

Lab Sample ID: 810-90772-1

No Detections.

Client Sample ID: FHBD-2 Sink

Lab Sample ID: 810-90772-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Lead	3.5		0.50		ug/L	1		200.8	Total/NA

Client Sample ID: FHBD-3 WF

Lab Sample ID: 810-90772-3

No Detections.

Client Sample ID: FHBD-4 WF

Lab Sample ID: 810-90772-4

No Detections.

Client Sample ID: FHBD-5 WF

Lab Sample ID: 810-90772-5

No Detections.

Client Sample ID: FHBD-6 WF

Lab Sample ID: 810-90772-6

No Detections.

Client Sample ID: FHBD-7 WF

Lab Sample ID: 810-90772-7

No Detections.

Client Sample ID: FHBD-8 Sink

Lab Sample ID: 810-90772-8

No Detections.

Client Sample ID: FHBD-9 WF

Lab Sample ID: 810-90772-9

No Detections.

Client Sample ID: FHBD-10 Bubbler

Lab Sample ID: 810-90772-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Lead	1.1		0.50		ug/L	1		200.8	Total/NA

Client Sample ID: FHBD-11 Sink

Lab Sample ID: 810-90772-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Lead	0.87		0.50		ug/L	1		200.8	Total/NA

Client Sample ID: FHBD-12 Bubbler

Lab Sample ID: 810-90772-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Lead	2.5		0.50		ug/L	1		200.8	Total/NA

Client Sample ID: FHBD-13 Sink

Lab Sample ID: 810-90772-13

No Detections.

Client Sample ID: FHBD-14 Bubbler

Lab Sample ID: 810-90772-14

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Lead	0.75		0.50		ug/L	1		200.8	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Eaton Analytical South Bend

Detection Summary

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Client Sample ID: FHBD-15 Sink

Lab Sample ID: 810-90772-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Lead	0.58		0.50		ug/L	1		200.8	Total/NA

Client Sample ID: FHBD-16 Bubbler

Lab Sample ID: 810-90772-16

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Lead	1.2		0.50		ug/L	1		200.8	Total/NA

Client Sample ID: FHBD-17 Sink

Lab Sample ID: 810-90772-17

No Detections.

Client Sample ID: FHBD-18 WF

Lab Sample ID: 810-90772-18

No Detections.

Client Sample ID: FHBD-19 WF

Lab Sample ID: 810-90772-19

No Detections.

Client Sample ID: FHBD-20 WF

Lab Sample ID: 810-90772-20

No Detections.

Client Sample ID: FHBD-21 WF

Lab Sample ID: 810-90772-21

No Detections.

Client Sample ID: FHBD-22 Sink

Lab Sample ID: 810-90772-22

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Lead	1.8		0.50		ug/L	1		200.8	Total/NA

Client Sample ID: FHBD-23 Sink

Lab Sample ID: 810-90772-23

No Detections.

Client Sample ID: FHBD-24 Sink

Lab Sample ID: 810-90772-24

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Lead	3.5		0.50		ug/L	1		200.8	Total/NA

Client Sample ID: FHBD-25 Sink

Lab Sample ID: 810-90772-25

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Lead	0.97		0.50		ug/L	1		200.8	Total/NA

Client Sample ID: FHBD-26 Sink

Lab Sample ID: 810-90772-26

No Detections.

Client Sample ID: FHBD-27 Sink

Lab Sample ID: 810-90772-27

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Lead	10		0.50		ug/L	1		200.8	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Eaton Analytical South Bend

Detection Summary

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Client Sample ID: FHBD-28 Sink

Lab Sample ID: 810-90772-28

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Lead	100		0.50		ug/L	1		200.8	Total Recoverable

Client Sample ID: FHBD-29 ICE

Lab Sample ID: 810-90772-29

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Lead	6.0		0.50		ug/L	1		200.8	Total/NA

Client Sample ID: FHBD-30 Sink

Lab Sample ID: 810-90772-30

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Lead	26		0.50		ug/L	1		200.8	Total Recoverable

Client Sample ID: FHBD-31 WF

Lab Sample ID: 810-90772-31

No Detections.

Client Sample ID: FHBD-32 WF

Lab Sample ID: 810-90772-32

No Detections.

Client Sample ID: FHBD-33 Sink

Lab Sample ID: 810-90772-33

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Lead	1.0		0.50		ug/L	1		200.8	Total/NA

Client Sample ID: FHBD-34 Sink

Lab Sample ID: 810-90772-34

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Lead	0.68		0.50		ug/L	1		200.8	Total/NA

Client Sample ID: FHBD-35 Sink

Lab Sample ID: 810-90772-35

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Lead	0.62		0.50		ug/L	1		200.8	Total/NA

Client Sample ID: FHBD-36 Sink

Lab Sample ID: 810-90772-36

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Lead	0.80		0.50		ug/L	1		200.8	Total/NA

Client Sample ID: FHBD-37 Sink

Lab Sample ID: 810-90772-37

No Detections.

Client Sample ID: FHBD-38 Sink

Lab Sample ID: 810-90772-38

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Lead	1.1		0.50		ug/L	1		200.8	Total/NA

Client Sample ID: FHBD-39 WF

Lab Sample ID: 810-90772-39

No Detections.

Client Sample ID: FHBD-40 WF

Lab Sample ID: 810-90772-40

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Eaton Analytical South Bend

Detection Summary

Client: St. John Environmental Consulting

Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Client Sample ID: FHBD-41 WF

Lab Sample ID: 810-90772-41

No Detections.

Client Sample ID: FHBD-42 WF

Lab Sample ID: 810-90772-42

No Detections.

Client Sample ID: FHBD-43 WF

Lab Sample ID: 810-90772-43

No Detections.

This Detection Summary does not include radiochemical test results.

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Client Sample Results

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Client Sample ID: FHBD-1 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-1

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 17:23	1

Client Sample ID: FHBD-2 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-2

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.5		0.50		ug/L			01/22/24 17:26	1

Client Sample ID: FHBD-3 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-3

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 17:40	1

Client Sample ID: FHBD-4 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-4

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 17:42	1

Client Sample ID: FHBD-5 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-5

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 17:45	1

Client Sample ID: FHBD-6 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-6

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 17:48	1

Client Sample ID: FHBD-7 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-7

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 17:51	1

Client Sample Results

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Client Sample ID: FHBD-8 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-8

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 17:53	1

Client Sample ID: FHBD-9 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-9

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 18:02	1

Client Sample ID: FHBD-10 Bubbler

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-10

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.1		0.50		ug/L			01/22/24 18:05	1

Client Sample ID: FHBD-11 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-11

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.87		0.50		ug/L			01/22/24 18:07	1

Client Sample ID: FHBD-12 Bubbler

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-12

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.5		0.50		ug/L			01/22/24 18:10	1

Client Sample ID: FHBD-13 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-13

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/23/24 09:15	1

Client Sample ID: FHBD-14 Bubbler

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-14

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.75		0.50		ug/L			01/23/24 09:16	1

Client Sample Results

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Client Sample ID: FHBD-15 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-15

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.58		0.50		ug/L			01/22/24 18:24	1

Client Sample ID: FHBD-16 Bubbler

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-16

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.2		0.50		ug/L			01/22/24 18:27	1

Client Sample ID: FHBD-17 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-17

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 18:30	1

Client Sample ID: FHBD-18 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-18

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 18:32	1

Client Sample ID: FHBD-19 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-19

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 18:35	1

Client Sample ID: FHBD-20 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-20

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 18:44	1

Client Sample ID: FHBD-21 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-21

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 18:46	1

Client Sample Results

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Client Sample ID: FHBD-22 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-22

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.8		0.50		ug/L			01/22/24 18:49	1

Client Sample ID: FHBD-23 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-23

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 19:03	1

Client Sample ID: FHBD-24 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-24

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.5		0.50		ug/L			01/22/24 19:06	1

Client Sample ID: FHBD-25 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-25

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.97		0.50		ug/L			01/22/24 19:09	1

Client Sample ID: FHBD-26 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-26

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 19:11	1

Client Sample ID: FHBD-27 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-27

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	10		0.50		ug/L			01/22/24 19:14	1

Client Sample ID: FHBD-28 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-28

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	100		0.50		ug/L		01/23/24 11:40	01/24/24 14:25	1

Eurofins Eaton Analytical South Bend

Client Sample Results

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Client Sample ID: FHBD-29 ICE

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-29

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	6.0		0.50		ug/L			01/22/24 19:17	1

Client Sample ID: FHBD-30 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-30

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	26		0.50		ug/L		01/23/24 11:40	01/24/24 14:28	1

Client Sample ID: FHBD-31 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-31

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 19:20	1

Client Sample ID: FHBD-32 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-32

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 19:22	1

Client Sample ID: FHBD-33 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-33

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.0		0.50		ug/L			01/22/24 19:31	1

Client Sample ID: FHBD-34 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-34

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.68		0.50		ug/L			01/22/24 19:34	1

Client Sample ID: FHBD-35 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-35

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.62		0.50		ug/L			01/22/24 19:42	1

Eurofins Eaton Analytical South Bend

Client Sample Results

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Client Sample ID: FHBD-36 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-36

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.80		0.50		ug/L			01/22/24 19:45	1

Client Sample ID: FHBD-37 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-37

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 19:47	1

Client Sample ID: FHBD-38 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-38

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.1		0.50		ug/L			01/22/24 19:50	1

Client Sample ID: FHBD-39 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-39

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 19:53	1

Client Sample ID: FHBD-40 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-40

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 19:56	1

Client Sample ID: FHBD-41 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-41

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 19:59	1

Client Sample ID: FHBD-42 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-42

Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 20:01	1

Eurofins Eaton Analytical South Bend

Client Sample Results

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Client Sample ID: FHBD-43 WF
Date Collected: 01/15/24 09:00
Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-43
Matrix: Drinking Water

Method: EPA 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 20:04	1

QC Sample Results

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Method: 200.8 - Metals (ICP/MS)

Lab Sample ID: MB 810-86377/12
Matrix: Drinking Water
Analysis Batch: 86377

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 16:10	1

Lab Sample ID: MB 810-86377/42
Matrix: Drinking Water
Analysis Batch: 86377

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 17:34	1

Lab Sample ID: MB 810-86377/72
Matrix: Drinking Water
Analysis Batch: 86377

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/22/24 18:57	1

Lab Sample ID: LCS 810-86377/13
Matrix: Drinking Water
Analysis Batch: 86377

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Lead	50.0	48.2		ug/L		96	85 - 115

Lab Sample ID: LCS 810-86377/43
Matrix: Drinking Water
Analysis Batch: 86377

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Lead	50.0	49.5		ug/L		99	85 - 115

Lab Sample ID: LCS 810-86377/73
Matrix: Drinking Water
Analysis Batch: 86377

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Lead	50.0	47.4		ug/L		95	85 - 115

Lab Sample ID: LLCS 810-86377/11
Matrix: Drinking Water
Analysis Batch: 86377

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits
Lead	0.300	0.271	J	ug/L		90	50 - 150

Lab Sample ID: 810-90772-8 MS
Matrix: Drinking Water
Analysis Batch: 86377

Client Sample ID: FHBD-8 Sink
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Lead	<0.50		50.0	49.2		ug/L		98	70 - 130

Eurofins Eaton Analytical South Bend

QC Sample Results

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Method: 200.8 - Metals (ICP/MS)

Lab Sample ID: 810-90772-8 MSD

Matrix: Drinking Water

Analysis Batch: 86377

Client Sample ID: FHBD-8 Sink

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Lead	<0.50		50.0	49.5		ug/L		99	70 - 130	1	20

Lab Sample ID: 810-90772-19 MS

Matrix: Drinking Water

Analysis Batch: 86377

Client Sample ID: FHBD-19 WF

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Lead	<0.50		50.0	48.6		ug/L		97	70 - 130		

Lab Sample ID: 810-90772-19 MSD

Matrix: Drinking Water

Analysis Batch: 86377

Client Sample ID: FHBD-19 WF

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Lead	<0.50		50.0	48.9		ug/L		98	70 - 130	1	20

Lab Sample ID: 810-90772-32 MS

Matrix: Drinking Water

Analysis Batch: 86377

Client Sample ID: FHBD-32 WF

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Lead	<0.50		50.0	49.0		ug/L		98	70 - 130		

Lab Sample ID: 810-90772-32 MSD

Matrix: Drinking Water

Analysis Batch: 86377

Client Sample ID: FHBD-32 WF

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Lead	<0.50		50.0	49.5		ug/L		99	70 - 130	1	20

Lab Sample ID: 810-90772-43 MS

Matrix: Drinking Water

Analysis Batch: 86377

Client Sample ID: FHBD-43 WF

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Lead	<0.50		50.0	46.1		ug/L		92	70 - 130		

Lab Sample ID: 810-90772-43 MSD

Matrix: Drinking Water

Analysis Batch: 86377

Client Sample ID: FHBD-43 WF

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Lead	<0.50		50.0	46.3		ug/L		93	70 - 130	0	20

Lab Sample ID: MB 810-86435/11

Matrix: Drinking Water

Analysis Batch: 86435

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L			01/23/24 09:11	1

Eurofins Eaton Analytical South Bend

QC Sample Results

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Method: 200.8 - Metals (ICP/MS)

Lab Sample ID: LCS 810-86435/12

Matrix: Drinking Water

Analysis Batch: 86435

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Lead	50.0	48.3		ug/L		97	85 - 115

Lab Sample ID: LLCS 810-86435/10

Matrix: Drinking Water

Analysis Batch: 86435

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits
Lead	0.300	0.310	J	ug/L		103	50 - 150

Lab Sample ID: MB 810-86432/1-A

Matrix: Drinking Water

Analysis Batch: 86640

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 86432

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.50		0.50		ug/L		01/23/24 11:40	01/24/24 13:28	1

Lab Sample ID: LCS 810-86432/6-A

Matrix: Drinking Water

Analysis Batch: 86640

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 86432

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Lead	50.0	54.9		ug/L		110	85 - 115

Lab Sample ID: LLCS 810-86432/2-A

Matrix: Drinking Water

Analysis Batch: 86640

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 86432

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits
Lead	0.300	0.338	J	ug/L		113	50 - 150

QC Association Summary

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Metals

Analysis Batch: 86377

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
810-90772-1	FHBD-1 Sink	Total/NA	Drinking Water	200.8	
810-90772-2	FHBD-2 Sink	Total/NA	Drinking Water	200.8	
810-90772-3	FHBD-3 WF	Total/NA	Drinking Water	200.8	
810-90772-4	FHBD-4 WF	Total/NA	Drinking Water	200.8	
810-90772-5	FHBD-5 WF	Total/NA	Drinking Water	200.8	
810-90772-6	FHBD-6 WF	Total/NA	Drinking Water	200.8	
810-90772-7	FHBD-7 WF	Total/NA	Drinking Water	200.8	
810-90772-8	FHBD-8 Sink	Total/NA	Drinking Water	200.8	
810-90772-9	FHBD-9 WF	Total/NA	Drinking Water	200.8	
810-90772-10	FHBD-10 Bubbler	Total/NA	Drinking Water	200.8	
810-90772-11	FHBD-11 Sink	Total/NA	Drinking Water	200.8	
810-90772-12	FHBD-12 Bubbler	Total/NA	Drinking Water	200.8	
810-90772-15	FHBD-15 Sink	Total/NA	Drinking Water	200.8	
810-90772-16	FHBD-16 Bubbler	Total/NA	Drinking Water	200.8	
810-90772-17	FHBD-17 Sink	Total/NA	Drinking Water	200.8	
810-90772-18	FHBD-18 WF	Total/NA	Drinking Water	200.8	
810-90772-19	FHBD-19 WF	Total/NA	Drinking Water	200.8	
810-90772-20	FHBD-20 WF	Total/NA	Drinking Water	200.8	
810-90772-21	FHBD-21 WF	Total/NA	Drinking Water	200.8	
810-90772-22	FHBD-22 Sink	Total/NA	Drinking Water	200.8	
810-90772-23	FHBD-23 Sink	Total/NA	Drinking Water	200.8	
810-90772-24	FHBD-24 Sink	Total/NA	Drinking Water	200.8	
810-90772-25	FHBD-25 Sink	Total/NA	Drinking Water	200.8	
810-90772-26	FHBD-26 Sink	Total/NA	Drinking Water	200.8	
810-90772-27	FHBD-27 Sink	Total/NA	Drinking Water	200.8	
810-90772-29	FHBD-29 ICE	Total/NA	Drinking Water	200.8	
810-90772-31	FHBD-31 WF	Total/NA	Drinking Water	200.8	
810-90772-32	FHBD-32 WF	Total/NA	Drinking Water	200.8	
810-90772-33	FHBD-33 Sink	Total/NA	Drinking Water	200.8	
810-90772-34	FHBD-34 Sink	Total/NA	Drinking Water	200.8	
810-90772-35	FHBD-35 Sink	Total/NA	Drinking Water	200.8	
810-90772-36	FHBD-36 Sink	Total/NA	Drinking Water	200.8	
810-90772-37	FHBD-37 Sink	Total/NA	Drinking Water	200.8	
810-90772-38	FHBD-38 Sink	Total/NA	Drinking Water	200.8	
810-90772-39	FHBD-39 WF	Total/NA	Drinking Water	200.8	
810-90772-40	FHBD-40 WF	Total/NA	Drinking Water	200.8	
810-90772-41	FHBD-41 WF	Total/NA	Drinking Water	200.8	
810-90772-42	FHBD-42 WF	Total/NA	Drinking Water	200.8	
810-90772-43	FHBD-43 WF	Total/NA	Drinking Water	200.8	
MB 810-86377/12	Method Blank	Total/NA	Drinking Water	200.8	
MB 810-86377/42	Method Blank	Total/NA	Drinking Water	200.8	
MB 810-86377/72	Method Blank	Total/NA	Drinking Water	200.8	
LCS 810-86377/13	Lab Control Sample	Total/NA	Drinking Water	200.8	
LCS 810-86377/43	Lab Control Sample	Total/NA	Drinking Water	200.8	
LCS 810-86377/73	Lab Control Sample	Total/NA	Drinking Water	200.8	
LLCS 810-86377/11	Lab Control Sample	Total/NA	Drinking Water	200.8	
810-90772-8 MS	FHBD-8 Sink	Total/NA	Drinking Water	200.8	
810-90772-8 MSD	FHBD-8 Sink	Total/NA	Drinking Water	200.8	
810-90772-19 MS	FHBD-19 WF	Total/NA	Drinking Water	200.8	
810-90772-19 MSD	FHBD-19 WF	Total/NA	Drinking Water	200.8	
810-90772-32 MS	FHBD-32 WF	Total/NA	Drinking Water	200.8	

Eurofins Eaton Analytical South Bend

QC Association Summary

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Metals (Continued)

Analysis Batch: 86377 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
810-90772-32 MSD	FHBD-32 WF	Total/NA	Drinking Water	200.8	
810-90772-43 MS	FHBD-43 WF	Total/NA	Drinking Water	200.8	
810-90772-43 MSD	FHBD-43 WF	Total/NA	Drinking Water	200.8	

Prep Batch: 86432

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
810-90772-28	FHBD-28 Sink	Total Recoverable	Drinking Water	200.8	
810-90772-30	FHBD-30 Sink	Total Recoverable	Drinking Water	200.8	
MB 810-86432/1-A	Method Blank	Total Recoverable	Drinking Water	200.8	
LCS 810-86432/6-A	Lab Control Sample	Total Recoverable	Drinking Water	200.8	
LLCS 810-86432/2-A	Lab Control Sample	Total Recoverable	Drinking Water	200.8	

Analysis Batch: 86435

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
810-90772-13	FHBD-13 Sink	Total/NA	Drinking Water	200.8	
810-90772-14	FHBD-14 Bubbler	Total/NA	Drinking Water	200.8	
MB 810-86435/11	Method Blank	Total/NA	Drinking Water	200.8	
LCS 810-86435/12	Lab Control Sample	Total/NA	Drinking Water	200.8	
LLCS 810-86435/10	Lab Control Sample	Total/NA	Drinking Water	200.8	

Analysis Batch: 86640

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
810-90772-28	FHBD-28 Sink	Total Recoverable	Drinking Water	200.8	86432
810-90772-30	FHBD-30 Sink	Total Recoverable	Drinking Water	200.8	86432
MB 810-86432/1-A	Method Blank	Total Recoverable	Drinking Water	200.8	86432
LCS 810-86432/6-A	Lab Control Sample	Total Recoverable	Drinking Water	200.8	86432
LLCS 810-86432/2-A	Lab Control Sample	Total Recoverable	Drinking Water	200.8	86432

Lab Chronicle

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Client Sample ID: FHBD-1 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-1

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 17:23

Client Sample ID: FHBD-2 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-2

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 17:26

Client Sample ID: FHBD-3 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-3

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 17:40

Client Sample ID: FHBD-4 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-4

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 17:42

Client Sample ID: FHBD-5 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-5

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 17:45

Client Sample ID: FHBD-6 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-6

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 17:48

Client Sample ID: FHBD-7 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-7

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 17:51

Lab Chronicle

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Client Sample ID: FHBD-8 Sink

Lab Sample ID: 810-90772-8

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 17:53

Client Sample ID: FHBD-9 WF

Lab Sample ID: 810-90772-9

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 18:02

Client Sample ID: FHBD-10 Bubbler

Lab Sample ID: 810-90772-10

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 18:05

Client Sample ID: FHBD-11 Sink

Lab Sample ID: 810-90772-11

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 18:07

Client Sample ID: FHBD-12 Bubbler

Lab Sample ID: 810-90772-12

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 18:10

Client Sample ID: FHBD-13 Sink

Lab Sample ID: 810-90772-13

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86435	CA	EA SB	01/23/24 09:15

Client Sample ID: FHBD-14 Bubbler

Lab Sample ID: 810-90772-14

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86435	CA	EA SB	01/23/24 09:16

Lab Chronicle

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Client Sample ID: FHBD-15 Sink

Lab Sample ID: 810-90772-15

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 18:24

Client Sample ID: FHBD-16 Bubbler

Lab Sample ID: 810-90772-16

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 18:27

Client Sample ID: FHBD-17 Sink

Lab Sample ID: 810-90772-17

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 18:30

Client Sample ID: FHBD-18 WF

Lab Sample ID: 810-90772-18

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 18:32

Client Sample ID: FHBD-19 WF

Lab Sample ID: 810-90772-19

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 18:35

Client Sample ID: FHBD-20 WF

Lab Sample ID: 810-90772-20

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 18:44

Client Sample ID: FHBD-21 WF

Lab Sample ID: 810-90772-21

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 18:46

Lab Chronicle

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Client Sample ID: FHBD-22 Sink

Lab Sample ID: 810-90772-22

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 18:49

Client Sample ID: FHBD-23 Sink

Lab Sample ID: 810-90772-23

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 19:03

Client Sample ID: FHBD-24 Sink

Lab Sample ID: 810-90772-24

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 19:06

Client Sample ID: FHBD-25 Sink

Lab Sample ID: 810-90772-25

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 19:09

Client Sample ID: FHBD-26 Sink

Lab Sample ID: 810-90772-26

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 19:11

Client Sample ID: FHBD-27 Sink

Lab Sample ID: 810-90772-27

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 19:14

Client Sample ID: FHBD-28 Sink

Lab Sample ID: 810-90772-28

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	200.8			86432	NB	EA SB	01/23/24 11:40
Total Recoverable	Analysis	200.8		1	86640	NB	EA SB	01/24/24 14:25

Lab Chronicle

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Client Sample ID: FHBD-29 ICE

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-29

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 19:17

Client Sample ID: FHBD-30 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-30

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	200.8			86432	NB	EA SB	01/23/24 11:40
Total Recoverable	Analysis	200.8		1	86640	NB	EA SB	01/24/24 14:28

Client Sample ID: FHBD-31 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-31

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 19:20

Client Sample ID: FHBD-32 WF

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-32

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 19:22

Client Sample ID: FHBD-33 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-33

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 19:31

Client Sample ID: FHBD-34 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-34

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 19:34

Client Sample ID: FHBD-35 Sink

Date Collected: 01/15/24 09:00

Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-35

Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 19:42

Eurofins Eaton Analytical South Bend

Lab Chronicle

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Client Sample ID: FHBD-36 Sink

Lab Sample ID: 810-90772-36

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 19:45

Client Sample ID: FHBD-37 Sink

Lab Sample ID: 810-90772-37

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 19:47

Client Sample ID: FHBD-38 Sink

Lab Sample ID: 810-90772-38

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 19:50

Client Sample ID: FHBD-39 WF

Lab Sample ID: 810-90772-39

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 19:53

Client Sample ID: FHBD-40 WF

Lab Sample ID: 810-90772-40

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 19:56

Client Sample ID: FHBD-41 WF

Lab Sample ID: 810-90772-41

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 19:59

Client Sample ID: FHBD-42 WF

Lab Sample ID: 810-90772-42

Date Collected: 01/15/24 09:00

Matrix: Drinking Water

Date Received: 01/17/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 20:01

Lab Chronicle

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Client Sample ID: FHBD-43 WF
Date Collected: 01/15/24 09:00
Date Received: 01/17/24 09:45

Lab Sample ID: 810-90772-43
Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	200.8		1	86377	NB	EA SB	01/22/24 20:04

Laboratory References:
EA SB = Eurofins Eaton Analytical South Bend, 110 S Hill Street, South Bend, IN 46617, TEL (574)233-4777



Accreditation/Certification Summary

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Laboratory: Eurofins Eaton Analytical South Bend

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Missouri	State	880	09-30-24

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: St. John Environmental Consulting

Job ID: 810-90772-1

Project/Site: Francis Howell School District-Becky David Elem

Method	Method Description	Protocol	Laboratory
200.8	Metals (ICP/MS)	EPA	EA SB
200.8	Preparation, Total Recoverable Metals	EPA	EA SB

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

EA SB = Eurofins Eaton Analytical South Bend, 110 S Hill Street, South Bend, IN 46617, TEL (574)233-4777

Sample Summary

Client: St. John Environmental Consulting
Project/Site: Francis Howell School District-Becky David Elem

Job ID: 810-90772-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
810-90772-1	FHBD-1 Sink	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-2	FHBD-2 Sink	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-3	FHBD-3 WF	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-4	FHBD-4 WF	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-5	FHBD-5 WF	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-6	FHBD-6 WF	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-7	FHBD-7 WF	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-8	FHBD-8 Sink	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-9	FHBD-9 WF	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-10	FHBD-10 Bubbler	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-11	FHBD-11 Sink	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-12	FHBD-12 Bubbler	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-13	FHBD-13 Sink	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-14	FHBD-14 Bubbler	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-15	FHBD-15 Sink	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-16	FHBD-16 Bubbler	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-17	FHBD-17 Sink	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-18	FHBD-18 WF	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-19	FHBD-19 WF	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-20	FHBD-20 WF	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-21	FHBD-21 WF	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-22	FHBD-22 Sink	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-23	FHBD-23 Sink	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-24	FHBD-24 Sink	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-25	FHBD-25 Sink	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-26	FHBD-26 Sink	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-27	FHBD-27 Sink	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-28	FHBD-28 Sink	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-29	FHBD-29 ICE	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-30	FHBD-30 Sink	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-31	FHBD-31 WF	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-32	FHBD-32 WF	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-33	FHBD-33 Sink	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-34	FHBD-34 Sink	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-35	FHBD-35 Sink	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-36	FHBD-36 Sink	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-37	FHBD-37 Sink	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-38	FHBD-38 Sink	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-39	FHBD-39 WF	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-40	FHBD-40 WF	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-41	FHBD-41 WF	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-42	FHBD-42 WF	Drinking Water	01/15/24 09:00	01/17/24 09:45
810-90772-43	FHBD-43 WF	Drinking Water	01/15/24 09:00	01/17/24 09:45

eurofins Eaton Analytical: South Bend
110 South Hill Street
South Bend, IN 46617
Phone (574) 233-4777

Chain of Custody Record

eurofins Environment Testing
America

Client Information		Sampler: <u>Lead-St. John</u>		Lab PM:		Carrier Tracking No(s):		COC No:	
Client Contact: <u>Don Allison</u>		Phone: <u>314-853-4668</u>		E-Mail: <u>ian@stjohnenv.com</u>		State of Origin: <u>MO</u>		F Page <u>6 of 4</u>	
Company: <u>Francis Howell School Dist.</u>		Address: <u>4606 Central School Road</u>		City: <u>St. Charles</u>		State: <u>MO</u>		Job #: <u>1125</u>	
Phone: <u>636-851-6176</u>		Project Name: <u>Don. Allison@FHSchools.org</u>		Project #: <u>1125</u>		SSOW#: <u>1125</u>		Analysis Requested	
Due Date Requested:		TAT Requested (days): <u>Standard</u>		Compliance Project: ☐ Yes ☒ No		PO #:		Preservation Codes:	
WO #:		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Matrix (W=water, B=soil, O=vegetation, A=air)	
Sample Identification		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Matrix (W=water, B=soil, O=vegetation, A=air)	
FHBD-1 Smk		1/15/24		0900		G		W	
FHBD-2 Smk									
FHBD-3 WF									
FHBD-4 WF									
FHBD-5 WF									
FHBD-6 WF									
FHBD-7 WF									
FHBD-8 Smk									
FHBD-9 WF									
FHBD-10 Bubble									
FHBD-11 Smk									
Possible Hazard Identification		☐ Non-Hazard		☐ Flammable		☐ Skin Irritant		☐ Poison B	
Deliverable Requested: I, II, III, IV, Other (specify)		☐ Unknown		☐ Radiological		☐ Return To Client		☒ Disposal By Lab	
Empty Kit Relinquished by:		Date:		Time:		Method of Shipment:		Special Instructions/QC Requirements:	
Relinquished by: <u>Don. Allison</u>		Date: <u>1/15/24</u>		Time:		Company:		Date/Time: <u>1/17/24 945</u>	
Relinquished by:		Date/Time:		Company:		Date/Time:		Company:	
Relinquished by:		Date/Time:		Company:		Date/Time:		Company:	
Custody Seals Intact: ☐ Yes ☒ No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks:					

7/2

Chain of Custody Record

Client Information

Client Contact: Deal Allison

Company: Francis Howell School Dist.

Address: 4606 Central School Road

City: St. Charles

State, Zip: MO

Phone: 636-851-6176

Email: Don. Allison@FHSschools.org

Project Name: Francis Howell School Dist

Site: Becky David Elementary

Due Date Requested:

TAT Requested (days): Standard

Compliance Project: ☐ Yes ☒ No

PO #: MO

WO #: MO

Project #: MO

SSOW#: MO

Sampler: Jan St. John

Phone: 314-853-4668

PWSID: MO

Lab PM: Jan St. John

E-Mail: jan.stjohn@ev.com

State of Origin: MO

COG No: Page 2 of 2

Job #: 2024

Analysis Requested

Preservation Codes:

A - HCL

B - NaOH

C - Zn Acetate

D - Nitric Acid

E - NaHSO4

F - MeOH

G - Amchlor

H - Ascorbic Acid

I - Ice

J - DI Water

K - EDTA

L - EDA

Other: PH verified <2

M - Hexane

N - None

O - AsNaO2

P - Na2O4S

Q - Na2SO3

R - Na2S2O3

S - H2SO4

T - TSP Dodecahydrate

U - Acetone

V - MCAA

W - pH 4-5

Y - Trizma

Z - other (specify)

Sample Identification

Sample Date

Sample Time

Sample Type (C=comp, G=grab)

Matrix (W=water, S=solid, O=soil, BT=Tissue, A=Air)

Field Filtered Sample (Yes or No)

Preservation Code

Special Instructions/Note

FHBD-12	1/15/24	0900	G	W	X	PH in Drinking water
FHBD-13						
FHBD-14						
FHBD-15						
FHBD-16						
FHBD-17						
FHBD-18						
FHBD-19						
FHBD-20						
FHBD-21						
FHBD-22						

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months

Special Instructions/QC Requirements:

Deliverable Requested: ☐ Skin Irritant ☐ Flammable ☐ Non-Hazard ☐ I, II, III, IV, Other (specify)

Empty Kit Relinquished by: Don. Allison

Relinquished by: Don. Allison

Date/Time: 1/15/24

Date/Time: 1/15/24

Date/Time: 1/15/24

Date: 1/15/24

Date: 1/15/24

Date: 1/15/24

Company

Company

Company

Page 33 of 39

1/25/2024

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Chain of Custody Record

110 South Hill Street
South Bend, IN 46617
Phone (574) 233-4777

Client Information

Client Contact: Don Allison

Company: Francis Howell School Dist.

Address: 4606 Central School Road

City: St. Charles

State: MO

Phone: 636-851-6176

Email: Don.Allison@FHSchools.org

Project Name: Francis Howell School Dist

Site: Becky David Elementary

Sampler: Jan St. John

Phone: 314-853-4668

PWSID:

Lab PM:

E-Mail:

Carrier Tracking No(s): 110

State of Origin:

Analysis Requested

Due Date Requested:

TAT Requested (days):

Standard

Compliance Project: ☐ Yes ☒ No

PO #:

WO #:

Project #:

SSOW#:

Sample Type (C=comp, G=grab)

Sample Time

Sample Date

Matrix (W=water, S=solid, O=soil, T=tissue, A=air)

Preservation Code:

Sample Identification

FHBD-23 Sink

FHBD-24 Sink

FHBD-25

FHBD-26

FHBD-27

FHBD-28

FHBD-29 ICE

FHBD-30 Sink

FHBD-31 WF

FHBD-32 WF

FHBD-33 Sink

Possible Hazard Identification

☐ Non-Hazard ☐ Flammable ☐ Skin Irritant

Deliverable Requested: I, II, III, IV, Other (specify)

Empty Kit Relinquished by:

Relinquished by:

Relinquished by:

Date/Time:

Date/Time:

Date/Time:

Date:

Date/Time:

Date/Time:

Date/Time:

Time:

Date/Time:

Date/Time:

Date/Time:

Method of Shipment:

Date/Time:

Date/Time:

Date/Time:

Company

Company

Company

Company

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months

Special Instructions/QC Requirements:

Special Instructions/Note:

PH verified <2

Pb in Drinking Water

Total Number of Containers

Preservation Codes:

A - HCL
B - NaOH
C - Zn Acetate
D - Nitric Acid
E - NaHSO4
F - MeOH
G - Anchor
H - Ascorbic Acid
I - Ice
J - DI Water
K - EDTA
L - EDA
M - Hexane
N - None
O - AsNaO2
P - Na2O4S
Q - Na2SO3
R - Na2SO3
S - H2SO4
T - TSP Dodecahydrate
U - Acetone
V - MCAA
W - pH 4-5
Y - Trizma
Z - other (specify)

1
2
3
4
5
6
7
8
9
10
11
12
13
14

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



eurofins
 Enviro
 Analytical
 COC No:
 F F Page 4
 Job #

Environ
Americ

Client Information		Phone:		E-Mail:		COC No:	
Client Contact:		State of Origin:		Job #:		F Page 4 of 8	
Dan Allison		(314) 853-4668		ionastjohnenv.com		MO	
Address:		Due Date Requested:		Analysis Requested		Preservation Codes:	
Francis Howell School Dist.		TAT Requested (days):		Standard		A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Add I - Ice J - DI Water K - EDTA L - EDA Other:	
4606 Central School Road		Compliance Project: ☐ Yes ☐ No		Field Filtered Sample (Yes or No)		M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO3 S - H2SO4 T - TSP Dodecylhyd U - Acetone V - MCAA W - pH 4-5 Y - Trizma Z - other (specify)	
St. Charles		PO #:		Form MS/MSD (Yes or No)		Special Instructions/Note:	
Date, Zip: MO		WO #:		Total Number of containers		pH verified <2	
Phone: 636-851-6176		Project #:		Matrix (W=water, S=solid, O=wastefoil, BT=tissue, A=air)			
Email: Dan.Allison@FHSschools.org		SSOW#:		Sample Type (C=comp, G=grab)			
Project Name: Francis Howell School Dist		Sample Date		Sample Time			
Site: Becky David Elementary		1/15/24		0900		W	
Sample Identification		Preservation Code:		X			
FHBD-34 Sink		G		W			
FHBD-35							
FHBD-36							
FHBD-37							
FHBD-38							
FHBD-39 WF							
FHBD-40 WF							
FHBD-41 WF							
FHBD-42 WF							
FHBD-43 WF							
FHBD							
Possible Hazard Identification		Sample B		Unknown		Radiological	
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B							
Deliverable Requested: I, II, III, IV, Other (specify)							
Empty Kit Relinquished by:		Date:		Time:		Method of Shipment:	
Relinquished by:		1/15/24				Received by:	
Relinquished by:						Received by:	
Relinquished by:						Received by:	
Custody Seals Intact:		Custody Seal No.:					

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Login Sample Receipt Checklist

Client: St. John Environmental Consulting

Job Number: 810-90772-1

Login Number: 90772

List Source: Eurofins Eaton Analytical South Bend

List Number: 1

Creator: Alfred, Robbin

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	