

- 1. Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response requires
 further attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

Building and Grounds Maintenance Checklist

Room or Area: Entire Builting Date Completed: 5/5/24	Name: Mike Motzon
Room or Area: Entire Builting Date Completed: 5/5/24	School: Nonneway High School
Signature: Nichael P Swifeys	
	Signature: Michael P. Maylow
	Signaturo.

1.	BUILDING MAINTENANCE SUPPLIES Yes	No	N/A
	Developed appropriate procedures and stocked supplies for spill control		
	Reviewed supply labels		
ic.	Ensured that air from chemical and trash storage areas vents to the outdoors	ם (а
1 d.	Stored chemical products and supplies in sealed, clearly labeled containers		۵
1e.	Researched and selected the safest products available		
	Ensured that supplies are being used according to manufacturers' instructions		0
1 g.	Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions		
11.	Substituted less- or non-hazardous materials (where possible)		
1n. 1i.	· · · · · · · · · · · · · · · · · · ·	u	3
11.	when the school is unoccupied		
1j.	Ventilated affected areas during and after the use of odorous or hazardous chemicals		
2.	GROUNDS MAINTENANCE SUPPLIES		
2a.	Stored grounds maintenance supplies in appropriate area(s)		
2b.	Ensured that supplies are used and stored according to manufacturers' instructions		۵
2c	Established and followed procedures to minimize exposure to fumes		
	from supplies		
2d.	Reviewed and followed manufacturers' guidelines for maintenance		
	Replaced portable gas cans with low-emission cans		
	Stored chemical products and supplies in sealed, clearly-labeled		
	containers		
2g.	Ensured that chemicals, chemical-containing wastes, and containers are		
_	disposed of according to manufacturers' instructions		
3.	DUST CONTROL		
3a.	Installed and maintained barrier mats for entrances		
	` <u></u>		
3c.	Used proper dusting techniques		
3d.	Wrapped feather dusters with a dust cloth		
3e.	Cleaned air return grilles and air supply vents		



4.	FLOOR CLEANING Yes	No	N/A	
4b.	Established and followed schedule for vacuuming and mopping floors	0	0	
5.	DRAIN TRAPS			
5a. 5b. 5c.	Poured water down floor drains once per week (about 1 quart of water)	0	0 0 0	
6.	MOISTURE, LEAKS, AND SPILLS			
	Checked for moldy odors			
6b.	Inspected ceiling tiles, floors, and walls for leaks or discoloration (may indicate periodic leaks)		a	
	Checked areas where moisture is commonly generated (e.g., kitchens, locker rooms, and bathrooms)	a	a	
6d.	Checked that windows, windowsills, and window frames are free of condensate		a	
	Checked that indoor surfaces of exterior walls and cold water pipes are free of condensate			
6f.	Ensured the following areas are free from signs of leaks and water damage: Indoor areas near known roof or wall leaks			
	Walls around leaky or broken windows			
	Floors and ceilings under plumbing		Q	
	Duct interiors near humidifiers, cooling coils, and outdoor air intakes			
7.	COMBUSTION APPLIANCES			
7a.	Checked for odors from combustion appliances			
	Checked appliances for backdrafting (using chemical smoke)			
	Inspected exhaust components for leaks, disconnections, or deterioration			
	Inspected flue components for corrosion and soot			
8.	PEST CONTROL			
8a.	Completed the Integrated Pest Management Checklist	a		



- 1. Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
 - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

Waste Management Checklist

Name: Mice Molzon
School: Normewarg high School
Room or Area: Entire Building Date Completed: 3/5/24
Signature: Michael Myst

No	
L	0
L	0
L	<u> </u>
L	<u> </u>
L	
L	_
	Г
Q	

Auditorium, & gym.



Walkthrough Inspection Checklist

Name: Mike Mola	ZOM
School: Nonneway Hig	h School
Room or Area: Entire Build	Date Completed: 3/5/24
Signature: Milas P.	Andas
Signature:	Traffi

1. GROUND LEVEL Instructions 1. Read the IAQ Backgrounder and 1c. Checked for nests and droppings near outdoor air intakes the Background 1d. Determined that dumpsters are located away from doors, windows, and Information for this checklist. 1e. Checked potential sources of air contaminants near the building 2. Keep the (chimneys, stacks, industrial plants, exhaust from nearby buildings) Background 1f. Ensured that vehicles avoid idling near outdoor air intakes Information and 1g. Minimized pesticide application make a copy of 1h. Ensured that there is proper drainage away from the building (including the checklist for roof downspouts) 🏋 future reference. 1i. Ensured that sprinklers spray away from the building and outdoor 3. Complete the Checklist. Ensured that walk-off mats are used at exterior entrances and that · Check the "yes," "no," or "not applicable" 2. ROOF box beside each While on the roof, consider inspecting the HVAC units (use the Ventilation Checklist). item. (A "no" response 2a. Ensured that the roof is in good condition requires further 2b. Checked for evidence of water ponding attention.) Make comments 2d. Ensured that exhaust fans operate properly (air flows out)...... in the "Notes" 2e. Ensured that air intakes remain open, even at minimum setting


section as necessary. 2g. Ensured that air from plumbing stacks and exhaust outlets flows away 4. Return the checklist portion of this document to the 3. ATTIC IAQ Coordinator. 3a. Checked for evidence of roof and plumbing leaks..... 3b. Checked for birds and animal nests 4. GENERAL CONSIDERATIONS 4a. Ensured that temperature and humidity are maintained within


acceptable ranges

4d. Checked for signs of mold and mildew growth

NHS

4.	GENERAL CONSIDERATIONS (continued)	Yes	No	N/A
	Checked for signs of water damage)		
	Checked for evidence of pests and obvious food sources	,		
4g.	Noted and reviewed all concerns from school occupants	X I		
5.	BATHROOMS AND GENERAL PLUMBING			
	Ensured that bathrooms and restrooms have operating exhaust fans Ensured proper drain trap maintenance:	4	a	
	Water is poured down floor drains once per week (approx. 1 quart of water)\ Z (
	Water is poured into sinks at least once per week (about 2 cups of water)	/a t		
	Toilets are flushed at least once per week)		
6.	MAINTENANCE SUPPLIES			
6a.	Ensured that chemicals are used only with adequate ventilation and when building is unoccupied	/š t.	a	a
	Ensured that vents in chemical and trash storage areas are operating properly)		
6c.	Ensured that portable fuel containers are properly closed	X		
6d.	Ensured that power equipment, like snowblowers and lawn mowers, have been serviced and maintained according to manufacturers' guidelines) ¤		
	COMBUSTION APPLIANCES			
7a.	Checked for combustion gas and fuel odors) A(
7b.	Ensured that combustion appliances have flues or exhaust hoods	.XZI		
	Checked for leaks, disconnections, and deterioration			<u></u>
7d.	Ensured there is no soot on inside or outside of flue components	54		
8.	OTHER			
8a.	Checked for peeling and flaking paint (if the building was built before 1980, this could be a lead hazard)	/Q)		a
8b.	Determined date of last radon test	. / Ø		





- 1. Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.


Integrated Pest Management Checklist

Name: 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Room or Area: Entire Building Date Completed: 3/5/24 Signature: Modern Policy STATEMENT	
Signature: Markey P. Moyov 1. OFFICIAL POLICY STATEMENT	
1 OFFICIAL POLICY STATEMENT	
1. OFFICIAL POLICY STATEMENT Ves. No. N	
1. OFFICIAL POLICY STATEMENT Ves. No. N	
1. OFFICIAL POLICY STATEMENT Ves. No. N	
	/A
1a. Developed or located the school's official policy statement for integrated	,
)
·	
2. DESIGNATING PEST MANAGEMENT ROLES	
2a. Assigned and trained a qualified person to be the pest manager	\Box
25. Involved decision makers in the 11 M program	
2c. Educated students and staff (the occupants of the building) about IPM	_
and asked them to keep their areas clean and free of clutter	_
at home	ري⊑
2e. Developed a program to educate and train all IPM participants	ב
2f. Included language about IPM into contracts with pest management	
professionals	
- CHINA DECEMBER OF SECTION	
3. SETTING PEST MANAGEMENT OBJECTIVES	
3a. Set appropriate pest management objectives for school buildings (such as	
preventing pests from interfering with students' learning environment	_
and preserving the integrity of the building structure)	_
providing safe playing areas and the best athletic surfaces possible)	
, (
4. INSPECTING, IDENTIFYING, AND MONITORING	
4a. Inspected all buildings and grounds for pest evidence, entry points,	
4b. Identified potential pest habitats in buildings and grounds	
4c. Pinpointed the source of any current pest problems	
4c. Pinpointed the source of any current pest problems	
4c. Pinpointed the source of any current pest problems	□
 4c. Pinpointed the source of any current pest problems 4d. Monitored to determine the extent of pest problems and to estimate pest populations 4e. Developed plans to modify habitat (for example, exclusion, repair, and 	

estimate pest population levels and identify evidence of pests and




5. SETTING ACTION THRESHOLDS 5a. Evaluated all available data obtained through inspecting, identifying, Yes No N/A and monitoring 5b. Determined how many pests the school buildings, grounds, and 5c. Set action thresholds 6. PREVENTIVE STRATEGIES INDOOR SITES 6a. Implemented appropriate strategies to prevent pests from inhabiting the following areas: • Entryways • Classrooms • Gymnasiums 📉 • Offices • Food preparation and serving areas **OUTDOOR SITES** 6b. Implemented appropriate strategies to prevent pests from inhabiting the following areas: • Playgrounds • Parking lots • Teaching gardens or greenhouses • Loading docks • Dumpsters • Other 7. PESTICIDE USE AND STORAGE 7a. Explored alternative pest management methods before concluding that 7b. Ensured that pest management professionals integrate IPM into their 7c. Identified the least toxic, target-specific chemical (or pesticide formulation) that is the most effective to address the pest problem, preferably as baitsand granules 7d. Reviewed and followed all label instructions on pesticides and learned 7e. Used spot-treatment (or bait, crack, and crevice applications) to apply pesticides whenever possible and only treated the obviously infested 7g. Placed all pesticides in tamper-resistant bait boxes or locations that are







	7.	PESTICIDE USE AND STORAGE (cont.)		
	7h.	Locked or fastened lids of all bait boxes and placed bait away from the runway of the box	No □	N/
		they would not be exposed to the elicinteate		
		Ensured that school occupants (students and staff) are notified of upcoming pesticide applications through posted notices and/or letters	a	
		Ensured that parents are notified of upcoming pesticide applications through letters		
		Kept copies of current pesticide labels and information on pesticides easily accessible		
		Stored pesticides off site or in areas that are locked and accessible only to designated personnel	Q	
	7n.	Ensured that storage areas are adequately ventilated and are located away from areas prone to flooding or where spills or leaks may contaminate the environment	a	
	7o.	Ensured that flammable liquids are stored away from ignition sources		
	7p.	Ensured that pesticides are stored in their original containers and all lids are securely fastened	Q	
.,	7ą.	Ensured that air in the storage space cannot mix with the air in the central ventilation system	a	
	8.	EVALUATING RESULTS AND RECORD KEEPING		
		Ensured that accurate, up-to-date records of IPM practices and a pest management log for each property are kept	۵	
		Ensured that pesticide records necessary to meet all state, local, and school board requirements are maintained		
	8c.	Ensured that each log book contains the following items: Copy of the pest management plan Service schedules for maintenance of buildings and grounds Current EPA-registered labels Current Material Safety Data Sheets (MSDS) for each pesticide project Pest surveillance data sheets Diagram noting the location of pest activity, traps, and bait stations	00000	
		Diagram noting the location of pest activity, traps, and bait stations	ā	



Food Service Checklist

Name: Make Moteon
School: Nonneway High School
Room or Area: Entire Building Date Completed: 3/5/24
Signature: Michael R. Myrry
Signature, June 10

Instructions

- 1. Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 the checklist for
 future reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

	-			
1.	COOKING AREA			
	excessively noisy)	X C		N/A
1b.	Checked for odors near cooking, preparation, and eating areas			
lc.		-C.	_	,
	and cleaning			ā
	Determined that gas appliances function properly			
	Verified that gas appliances are vented outdoors	_		Æ
1f.	drafting, or headaches when gas appliances are used	ρĸ		
1σ.	Ensured that kitchen is clean after use		_	_
	Checked for signs of microbiological growth in the kitchen, including		_	
	the upper walls and ceiling (for example, mold, slime, and algae)	(
li.	Selected biocides registered by EPA (if required), followed the			
	manufacturer's directions for use, and carefully reviewed the			
	method of application	Ö		
1j.	Verified the kitchen is free of plumbing and ceiling leaks (signs include	- NO		
	stains, discoloration, and damp areas)	KI/	u	
2.	FOOD HANDLING AND STORAGE			
2a.				
	and vermin (for example, feces or remains)	4		
2b.	Stored leftovers in well-sealed containers with no traces of food on outside surfaces	1		
	surfaces			٥
	Disposed of food scraps properly and removed crumbs			٥
	Cleaned counters with soap and water or a disinfectant (according to	an.	ч	
20.	school policy)	Ø)		
2f.	Swept and wet mopped floors			
	,			
3.	WASTE MANAGEMENT			
3a.	Selected and placed waste in appropriate containers	E)		
	Ensured that containers' lids are securely closed		Q	
3c.		-		
	if possible	A)		
	Stored waste containers in a well-ventilated area	2)/		
3e.				
	vents, operable windows, and food service doors in relation to	0		



4.	DELIVERIES	Voc	Nο	NI/A	
	Instructed vendors to avoid idling their engines during deliveries	X	Ü		
	receiving areas	🗅		Œ	(
70.	and kitchen	X			•



- 1. Read the IAQ
 Backgrounder and
 the Background
 Information for
 this checklist.
- 2. Keep the
 Background
 Information and
 make a copy of
 this checklist for
 each ventilation
 unit in your school,
 as well as a
 copy for future
 reference.
- 3. Complete the Checklist.
 - Check the "yes,"
 "no," or
 "not applicable"
 box beside each
 item. (A "no"
 response
 requires further
 attention.)
 - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

Ventilation Checklist

Name: Mike Wolson		
School: Norneway High School		
Unit Ventilator/AHU No: AHU 1,23 and DOA'S 12,3,4,5,6,7,8°	4/1	<u> </u>
Room or Area: Date Completed: 3/5/24		
Signature: Mishay P. Myln		
1. OUTDOOR AIR INTAKES		
1a. Marked locations of all outdoor air intakes on a small floor plan (for example, a fire escape floor plan)	No	N/A
1b. Ensured that the ventilation system was on and operating in "occupied"		
mode		
ACTIVITY 1: OBSTRUCTIONS		
1c. Ensured that outdoor air intakes are clear of obstructions, debris, clogs, or covers	П	П
1d. Installed corrective devices as necessary (e.g., if snowdrifts or leaves	<u></u>	_
frequently block an intake)		
ACTIVITY 2: POLLUTANT SOURCES		
1e. Checked ground-level intakes for pollutant sources (dumpsters, loading		
docks, and bus-idling areas)	u	
toilet, or laboratory exhaust fans; puddles; and mist from		
air-conditioning cooling towers)	Ч	U.
intakes (e.g., relocated dumpster or extended exhaust pipe)		u
ACTIVITY 3: AIRFLOW		
1h. Obtained chemical smoke (or a small piece of tissue paper or light plastic)		W
1i. Confirmed that outdoor air is entering the intake appropriately		
2. SYSTEM CLEANLINESS		
ACTIVITY 4: AIR FILTERS		
2a. Replaced filters per maintenance schedule to per year		
2b. Shut off ventilation system fans while replacing filters (prevents dirt from blowing downstream)		
2c. Vacuumed filter areas before installing new filters	Q	
2d. Confirmed proper fit of filters to prevent air from bypassing (flowing around) the air filter		
2e. Confirmed proper installation of filters (correct direction for airflow)		



2 of 5

2.	SYSTEM CLEANLINESS (continued)			
2f.			N/A	
2g. 2h.	accumulating)			
A C	TIVITY 6: COILS			
	Ensured that heating and cooling coils are clean			
AC	TIVITY 7: AIR-HANDLING UNITS, UNIT VENTILATORS			
	Ensured that the interior of air-handling unit(s) or unit ventilator (air-mixing chamber and fan blades) is clean	0	۵	
2k.	Ensured that ducts are clean			
AC	TIVITY 8: MECHANICAL ROOMS			
21.	Checked mechanical room for unsanitary conditions, leaks, and spills			
2m	Ensured that mechanical rooms and air-mixing chambers are free of trash, chemical products, and supplies			
3.	CONTROLS FOR OUTDOOR AIR SUPPLY			
3a.	Ensured that air dampers are at least partially open (minimum position)			DOA'S 100% outside air
30,	for occupants			
۸.	TIVITY 9: CONTROLS INFORMATION			
	Obtained and reviewed all design inside/outside temperature and humidity requirements, controls specifications, as-built mechanical drawings,	П	<u> </u>	
	and controls operations manuals (often uniquely designed)	_	_	
AC	TIVITY 10: CLOCKS, TIMERS, SWITCHES		_	, , ,
3d.	Turned summer-winter switches to the correct position		Sau	RMS system is automation
	Ensured that settings fit the actual schedule of building use (including night/weekend use)			
	ingiti weekend use)	-	 1	
	TIVITY 11: CONTROL COMPONENTS			•
Зg.	Ensured appropriate system pressure by testing line pressure at both the occupied (day) setting and the unoccupied (night) setting		A.	
3h.	Checked that the line dryer prevents moisture buildup		, ≥ 20 	
	Replaced control system filters at the compressor inlet based on the compressor manufacturer's recommendation (for example, when you			
2:	blow down the tank)		X	
<i>ა</i> ე.	level (no leakage or obstructions)		×	
A C	TIVITY 12: OUTDOOR AIR DAMPERS			o so so and
3k.	Ensured that the outdoor air damper is visible for inspection			of as designed
31.	Ensured that the outdoor air damper is visible for inspection			
	for inspection			
3m	Ensured that air temperature in the indoor area(s) served by each outdoor air damper is within the normal operating range	Q	۵	
NC	TE: It is necessary to ensure that the damper is operating properly and within the	nor	mal	

range to continue.






3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued)			
3n. Checked that the outdoor air damper fully closes within a few minutes of shutting off appropriate air handler			N/A
30. Checked that the outdoor air damper opens (at least partially with no delay when the air handler is turned on	ı).		
3p. If in heating mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 85°F) S⁄		۵
3q. If in cooling mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 60°F and mixed air thermostat is set to 45°F		a	X.
 3r. If the outdoor air damper does not move, confirmed the following items: The damper actuator links to the damper shaft, and any linkage set screws or bolts are tight 	‴,2 2 0	۵	
 Moving parts are free of impediments (e.g., rust, corrosion) Electrical wire or pneumatic tubing connects to the damper actuator)Z 0		
The outside air thermostat(s) is functioning properly (e.g., in the right location, calibrated correctly)	'		
Proceed to Activities 13–16 if the damper seems to be operating properly.			
ACTIVITY 13: FREEZE STATS 3s. Disconnected power to controls (for automatic reset only) to test continuity across terminals			瓜
OR 3t. Confirmed (if applicable) that depressing the manual reset button (usually red) trips the freeze stat (clicking sound indicates freeze stat was tripped)			۵
3u. Assessed the feasibility of replacing all manual reset freeze-stats with automatic reset freeze-stats			'
NOTE: HVAC systems with water coils need protection from the cold. The freez close the outdoor air damper and disconnect the supply air when tripped. The range is 35°F to 42°F.	e-stat	may	
ACTIVITY 14: MIXED AIR THERMOSTATS 3v. Ensured that the mixed air stat for heating mode is set no higher			
than 65°F	🗅	رٍ ت	X
3w. Ensured that the mixed air stat for cooling mode is set no lower than the room thermostat setting	()æ (۵
ACTIVITY 15: ECONOMIZERS 3x. Confirmed proper economizer settings based on design specifications or local practices	🗅	٥	X
NOTE: The dry-bulb is typically set at 65°F or lower.			
 3y. Checked that sensor on the economizer is shielded from direct sunlight 3z. Ensured that dampers operate properly (for outside air, return air, exhaust/relief air, and recirculated air), per the design specifications 			_ >267
NOTE: Economizers use varying amounts of cool outdoor air to assist with the load of the room or rooms. There are two types of economizers, dry-bulb and end of the conomizers vary the amount of outdoor air based on outdoor temperand enthalpy economizers vary the amount of outdoor air based on outdoor ten and humidity level.	r cooli nthalp rature	ng y.	



3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued)

	TIVITY 16: FANS Ensured that all fans (supply fans and associated return or relief fans) that move outside air indoors continuously operate during occupied hours (even when room thermostat is satisfied)	Yes)XÛ	No □	N/A
	TE: If fan shuts off when the thermostat is satisfied, adjust control cycle as a ure sufficient outdoor air supply.	neces.	sary	to
4.	AIR DISTRIBUTION			
AC	TIVITY 17: AIR DISTRIBUTION			
	Ensured that supply and return air pathways in the existing ventilation syst perform as required	em X		
4b.	Ensured that passive gravity relief ventilation systems and transfer grilles between rooms and corridors are functioning	🗅		X
	TE: If ventilation system is closed or blocked to meet current fire codes, cor fessional engineer for remedies.	isult v	vith d	a
4c.	Made sure every occupied space has supply of outdoor air (mechanical system or operable windows)) &		a
4d.	Ensured that supply and return vents are open and unblocked	\\		
	TE: If outlets have been blocked intentionally to correct drafts or discomfor I correct the cause of the discomfort and reopen the vents.	t, inve	estigo	ate
4e.	Modified the HVAC system to supply outside air to areas without an outdo air supply	or 🗆		×
	Modified existing HVAC systems to incorporate any room or zone layout and population changes	🗅		X
4g.	Moved all barriers (for example, room dividers, large free-standing blackboards or displays, bookshelves) that could block movement of air in the room, especially those blocking air vents	🗅	۵	` X (
4h.	Ensured that unit ventilators are quiet enough to accommodate classroom activities			•
4i.	Ensured that classrooms are free of uncomfortable drafts produced by air from supply terminals	. } 6		
AC	TIVITY 18: PRESSURIZATION IN BUILDINGS	•		
mai	TE: To prevent infiltration of outdoor pollutants, the ventilation system is deintain positive pressurization in the building. Therefore, ensure that the system exhaust fans, is operating on the "occupied" cycle when doing this activity	em, in	clud	ing
4j.	Ensured that air flows out of the building (using chemical smoke) through windows, doors, or other cracks and holes in exterior wall (for example, floor joints, pipe openings)			×
5.	EXHAUST SYSTEMS			
	TIVITY 19: EXHAUST FAN OPERATION			
5a.	Checked (using chemical smoke) that air flows into exhaust fan grille(s))29	, 🗖	
If fo	 ans are running but air is not flowing toward the exhaust intake, check for the following interpretable dampers Obstructed, leaky, or disconnected ductwork 	re foli	lowin	ıg:
	Undersized or improperly installed fanBroken fan belt			




5. EXHAUST SYSTEMS (continued)


TIVITY 20: EXHAUST AIRFLOW			
			5 ,
Checked (using chemical smoke) that air is drawn into the room from adjacent spaces	es S	No	N/A
door opening (see "How to Measure Airflow").		ow ii	n
Ensured that air is flowing toward the exhaust intake	9	a	ū
TIVITY 21: EXHAUST DUCTWORK Checked that the exhaust ductwork downstream of the exhaust fan (which is		۵	o,
QUANTITY OF OUTDOOR AIR			
TIVITY 22: OUTDOOR AIR MEASUREMENTS AND CALCULATION	IS		
TE: Refer to "How to Measure Airflow" for techniques.			
	-	۵	Ø
under consideration			Yo
Divided outdoor air supply (22a) by the number of occupants (22b) to determine the existing quantity of outdoor air supply per person (22c)			7
TIVITY 23: ACCEPTABLE LEVELS OF OUTDOOR AIR QUANTITIE	S		•
Compared the existing outdoor air per person (22c) to the recommended levels in Table 1			Þ
Corrected problems with ventilation units that supplied inadequate quantities of outdoor air to ensure that outdoor air quantities (22c) meet the recommended levels in Table 1	۵		\(\frac{1}{2} \)
	TE: Prevent migration of indoor contaminants from areas such as bathrooms, it labs by keeping them under negative pressure (as compared to surrounding some Checked (using chemical smoke) that air is drawn into the room from adjacent spaces	TE: Prevent migration of indoor contaminants from areas such as bathrooms, kited labs by keeping them under negative pressure (as compared to surrounding space Checked (using chemical smoke) that air is drawn into the room from adjacent spaces	TE: Prevent migration of indoor contaminants from areas such as bathrooms, kitchemical labs by keeping them under negative pressure (as compared to surrounding spaces). Checked (using chemical smoke) that air is drawn into the room from adjacent spaces

Our DOA units bring in 100% outside aires every day and run it through an air to air heat exchanger.





NONNEWAUG H.S. ACADEMIC BUILDING




CAFETERIA MECHANICAL ROOM DOA6



Panel_Main

MO



100

Fan Fail Alarm is ACTIVE! Check Fan Oper... /AS_Student_Services/.../UH_KEF1/Fan Fail Alarm

Source name Fan Fail Alarm Timestamp 03/05/2024 R-04-38 AM Acknowledged by


Acknowledge tim-



=

Panel_Main

МО



100

Fan Fail Alarm is ACTIVE! Check Fan Oper...

/AS_Student_Services/.../UH_KEF1/Fan Fail Alarm
/10\ 12 days ago

Source name
Fan Fail Alarm
Timestamp
03/05/20024 6:04:36 AM

Category


Acknowledged by

Acknowledge tim-



Panel_Main

MO



100

Fan Fail Alarm is ACTIVE! Check Fan Oper... /AS_Student_Services/.../UH_KEF1/Fan Fail Alarm (10) 12 dave ann


Source name Fan Fail Alarm Timestamp 03/05/2024 6:04:36 AM Category

Acknowledge tim-



Panel_Main

MO



03/05/2024 6-04-36 AM

https://10.9.1.46/#%2FServer 1%2FPanel_Main

(10) 12 days ago