

## Fact Sheet

### **Sexual Behavior for Issaquah School District**

Year: 2023 Grade: 8 Sex: All Number of Students Surveyed: 1,348


#### Background:

- Comprehensive Sexual Health Education is required for all students in grades 4-12, by the 2022-23 school year. Districts must ensure sexual health
  education follows requirements of RCW 28A.300.475 and other relevant state laws:
  <a href="https://www.k12.wa.us/student-success/resources-subject-area/sexual-health-education">https://www.k12.wa.us/student-success/resources-subject-area/sexual-health-education</a>
- Washington Health Education K-12 Learning Standards provide guidance to districts, schools and teachers with grade-level outcomes related to sexual health education: www.k12.wa.us/HealthFitness/Standards.aspx.
- Evidence-based programs can significantly delay first intercourse, decrease sexual risk taking, and increase condom and contraceptive use: https://www.cdc.gov/healthyyouth/whatworks/what-works-sexual-health-education.htm.
- Results for youth of all genders and sexual orientations are combined in this report.


#### For More Information:

 Contact Sexual Health Education, Office of Superintendent of Public Instruction: https://www.k12.wa.us/student-success/resources-subject-area/sexual-health-education

Questions about sexual behavior were included at the discretion of each school district. Therefore, local results may be missing or may not reflect a representative sample of all students in the community. In order to improve the quality and usefulness of data, it is recommended that all schools include these questions when administering the Healthy Youth Survey.




#### STIs and Pregnancy Prevention Taught in School Grade 8, 2023



\*Other ways to prevent STIs and pregnancy might include contraception, vaccination, and behavioral interventions.

#### STIs and Pregnancy Prevention Methods among Sexually Active Students Grade 8, 2023




In 2023, students who reported more depression and alcohol use were more likely to also report having had sex compared to those who did not report depression and alcohol use.

Prevalence is displayed with 95% confidence intervals (as ± or black bar |)

Washington HYS results generated at www.AskHYS.net on 02-25-2024

▼▲ indicates a significant difference between state and local results, p<0.05 Color indicates a positive or negative difference

# Statewide Relationship between Ever Had Sex and Demographics, Grade 8, 2023



<sup>\*</sup>Categories in this demographic factor are presented alone or in combination with other categories of the same factor; students who select more than one response are shown under each response.

<sup>\*\*</sup>Sexually or gender diverse youth are defined as any student selecting "transgender", "questioning/not sure", "something else fits better", or multiple options for gender identity, or any student selecting "gay or lesbian", "bisexual", "questioning/not sure", "something else fits better", or multiple response options for sexual orientation.

S - results are suppressed because less than 5 students answered this way



## **Fact Sheet**

## **Sexual Behavior for Issaquah School District**

Year: 2023 Grade: 10 Sex: All Number of Students Surveyed: 1,175


### Background:


- Comprehensive Sexual Health Education is required for all students in grades 4-12, by the 2022-23 school year. Districts must ensure sexual health
  education follows requirements of RCW 28A.300.475 and other relevant state laws:
  <a href="https://www.k12.wa.us/student-success/resources-subject-area/sexual-health-education">https://www.k12.wa.us/student-success/resources-subject-area/sexual-health-education</a>
- Washington Health Education K-12 Learning Standards provide guidance to districts, schools and teachers with grade-level outcomes related to sexual health education: www.k12.wa.us/HealthFitness/Standards.aspx.
- Evidence-based programs can significantly delay first intercourse, decrease sexual risk taking, and increase condom and contraceptive use: https://www.cdc.gov/healthyyouth/whatworks/what-works-sexual-health-education.htm.
- Results for youth of all genders and sexual orientations are combined in this report.


#### For More Information:

 Contact Sexual Health Education, Office of Superintendent of Public Instruction: https://www.k12.wa.us/student-success/resources-subject-area/sexual-health-education

Questions about sexual behavior were included at the discretion of each school district. Therefore, local results may be missing or may not reflect a representative sample of all students in the community. In order to improve the quality and usefulness of data, it is recommended that all schools include these questions when administering the Healthy Youth Survey.








\*Other ways to prevent STIs and pregnancy might include contraception, vaccination, and behavioral interventions.

#### STIs and Pregnancy Prevention Methods among Sexually Active Students Grade 10, 2023




In 2023, students who reported more depression and alcohol use were more likely to also report having had sex compared to those who did not report depression and alcohol use.

Prevalence is displayed with 95% confidence intervals (as ± or black bar |)

Washington HYS results generated at www.AskHYS.net on 02-25-2024

▼▲ indicates a significant difference between state and local results, p<0.05 Color indicates a positive or negative difference

## Statewide Relationship between Ever Had Sex and Demographics, Grade 10, 2023



<sup>\*</sup>Categories in this demographic factor are presented alone or in combination with other categories of the same factor; students who select more than one response are shown under each response.

<sup>\*\*</sup>Sexually or gender diverse youth are defined as any student selecting "transgender", "questioning/not sure", "something else fits better", or multiple options for gender identity, or any student selecting "gay or lesbian", "bisexual", "questioning/not sure", "something else fits better", or multiple response options for sexual orientation.



### **Sexual Behavior for Issaquah School District**

Year: 2023 Grade: 12 Sex: All Number of Students Surveyed: 683


### Background:

- · Comprehensive Sexual Health Education is required for all students in grades 4-12, by the 2022-23 school year. Districts must ensure sexual health education follows requirements of RCW 28A.300.475 and other relevant state laws: https://www.k12.wa.us/student-success/resources-subject-area/sexual-health-education
- · Washington Health Education K-12 Learning Standards provide guidance to districts, schools and teachers with grade-level outcomes related to sexual health education: www.k12.wa.us/HealthFitness/Standards.aspx.
- · Evidence-based programs can significantly delay first intercourse, decrease sexual risk taking, and increase condom and contraceptive use: https://www.cdc.gov/healthyyouth/whatworks/what-works-sexual-health-education.htm.
- · Results for youth of all genders and sexual orientations are combined in this report.


#### For More Information:

• Contact Sexual Health Education, Office of Superintendent of Public Instruction: https://www.k12.wa.us/student-success/resources-subject-area/sexual-health-education

Questions about sexual behavior were included at the discretion of each school district. Therefore, local results may be missing or may not reflect a representative sample of all students in the community. In order to improve the quality and usefulness of data, it is recommended that all schools include these questions when administering the Healthy Youth Survey.




### **STIs and Pregnancy Prevention Taught in School** Grade 12, 2023



\*Other ways to prevent STIs and pregnancy might include contraception, vaccination, and behavioral interventions

#### STIs and Pregnancy Prevention Methods among Sexually Active Students Grade 12, 2023




In 2023, students who reported more depression and alcohol use were more likely to also report having had sex compared to those who did not report depression and alcohol use.

Prevalence is displayed with 95% confidence intervals (as ± or black bar |)

Washington HYS results generated at www.AskHYS.net on 02-25-2024

▼▲ indicates a significant difference between state and local results, p<0.05 Color indicates a positive or negative difference

## Statewide Relationship between Ever Had Sex and Demographics, Grade 12, 2023



<sup>\*</sup>Categories in this demographic factor are presented alone or in combination with other categories of the same factor; students who select more than one response are shown under each response.

<sup>\*\*</sup>Sexually or gender diverse youth are defined as any student selecting "transgender", "questioning/not sure", "something else fits better", or multiple options for gender identity, or any student selecting "gay or lesbian", "bisexual", "questioning/not sure", "something else fits better", or multiple response options for sexual orientation.