

<u>ATHLETIC PARTICIPATION AND PARENTAL CONSENT FORM</u>

Name:		Grade:	School Year:	
Home Phone:	Cell:	Sport(s	s):	
Double of the state of the stat				h
may range from minor to seve	re including tot	al disability, para	orts clubs include a risk of injury whic alysis or even death. Although seriou lubs it is possible only to minimize no	IS
They must obey all safety rule	s, report any a	nd all physical p	e of injury to themselves and others. roblems to their coaches or club by Andover Regional School District	
On behalf our our student			, I (We) hereby:	
1 GIVE CONSENT	Γ for him/her to			


- a. Participate in the above named sport during the 2023-24 school year. Such participation, per New Jersey statute, shall be subject to the approval of the school physician prior to the student participating in tryouts and/or practice and further subject to the receipt by the school nurse of the Medical History Form and the PreParticipation Physical Evaluation and Acknowledgment of Receipt regarding the Sudden Cardiac Arrest Pamphlet. (The school physician's approval or non-approval will be documented in a letter sent to the student's parent/guardian a copy of which will be kept on file at the school).
- b. Accompany the team or sports club herein referenced on any of its local or out of town trips (excluding over-night trips). I understand that transportation may or may not be provided by the Andover Regional School District.
- 2. RELEASE AND WAIVE, and further agree to indemnify, hold harmless or reimburse the Andover Regional School District, the Board of Education, its successors and assigns, its members, agents, employees and representatives thereof, as well as any trip supervisors, from and against any and all claims which I, my child or my representatives may have or claim to have, known or unknown, directly or indirectly from any losses,

damages, or injuries arising out of or in connection with my student's participation in the above mentioned sport, any trip associated with that sport or the rendering of emergency medical procedures, treatment or interventions relative to that sport.

- 3. **VERIFY**, that all information contained on this document, the Medical History Form, and the PreParticipation Physical Evaluation as well as any additional information provided by me with regard to my child's participation in this sport is true and accurate.
- 4. **ACKNOWLEDGE**, that I understand that my child's participation on any level (try-outs, practice, games), per New Jersey law, is contingent upon receipt of the above detailed documentation as well as receipt of approval from the school physician, which approval shall be sought by the District only after submission of all necessary and required documentation.

With my signature on this form below I hereby acknowledge that I have read and understand the risks of participation in the above referenced sport and agree to the terms contained herein. This acknowledgement of risk and consent to participation shall remain in effect until revoked in writing delivered to the Andover Regional School District. (Parents or students who do not wish to accept the conditions and terms herein set forth should refuse to execute this document and thereafter their request to participate shall be considered withdrawn).

SIGNATURE OF PARENT(S)/GUARDIAN(S)	DATE	
SIGNATURE OF STUDENT-ATHLETE	DATE	



Andover Regional School District 707 Limecrest Road Newton, NJ 07860

P: 973-315-5256 x303

F: 973-579-2690

Use and Misuse of Opioid Drugs Fact Sheet

Student-Athlete and Parent/Guardian Sign-Off

In accordance with *N.J.S.A.* 18A:40-41.10, public school districts, approved private schools for students with disabilities, and nonpublic schools participating in an interscholastic sports program must distribute this *Opioid Use and Misuse Educational Fact Sheet* to all student-athletes and cheerleaders. In addition, schools and districts must obtain a signed acknowledgement of receipt of the fact sheet from each student-athlete and cheerleader, and for students under age 18, the parent or guardian must also sign.

This sign-off sheet is due to the appropriate school personnel as determined by your district prior to the first official practice session of the spring 2018 athletic season (March 2, 2018, as determined by the New Jersey State Interscholastic Athletic Association) and annually thereafter prior to the student-athlete's or cheerleader's first official practice of the school year.

Name of School:	LPS	FMB	(circle one)	
Name of School Dist	rict: Andov	er Regior	nal School District	
//We acknowledge thof Opioid Drugs.	nat we receiv	ed and r	eviewed the Educational Fact Sheet on the Use and N	⁄lisuse
Student Signature: _				
Parent/Guardian Sig	nature (if st	udent is ι	under age 18):	
-				
Date:				

¹Does not include athletic clubs or intramural events.

State of New Jersey DEPARTMENT OF EDUCATION

Sudden Cardiac Death Pamphlet Sign-Off Sheet

Name of School District:
Name of Local School:
I/We acknowledge that we received and reviewed the Sudden Cardiac Death in Young Athletes pamphlet.
Student Signature:
Parent or Guardian Signature:
Deter
Date:

■ PREPARTICIPATION PHYSICAL EVALUATION CLEARANCE FORM

Name	Sex M F Age	Date of birth
☐ Cleared for all sports without restriction		
☐ Cleared for all sports without restriction with recommendations for further eva	luation or treatment for	i i
□ Not cleared		
☐ Pending further evaluation		
☐ For any sports		
□ For certain sports		
Reason		
Recommendations		
EMERGENCY INFORMATION		
EMERGENCY INFORMATION		
Allergies		
Other information		
HCP OFFICE STAMP	SCHOOL PHYSICIAN:	
	Reviewed on	(Date)
	Approved Not A	
	Signature:	
I have examined the above-named student and completed the prepartional contraindications to practice and participate in the sport(s) and can be made available to the school at the request of the parent the physician may rescind the clearance until the problem is resolve (and parents/guardians).	as outlined above. A copy of the p ts. If conditions arise after the ath	hysical exam is on record in my office lete has been cleared for participation,
Name of physician, advanced practice nurse (APN), physician assistant (PA)		Date
Address		
Signature of physician, APN, PA		
Completed Cardiac Assessment Professional Development Module		
Date Signature		

NOTE: The preparticiaption physical examination must be conducted by a health care provider who 1) is a licensed physician, advanced practice nurse, or physician assistant; and 2) completed the Student-Athlete Cardiac Assessment Professional Development Module.

■ PREPARTICIPATION PHYSICAL EVALUATION

PHYSICAL EXAMINATION FORM

Name Date of birth **PHYSICIAN REMINDERS** Consider additional questions on more sensitive issues Do you feel stressed out or under a lot of pressure? Do you ever feel sad, hopeless, depressed, or anxious? Do you feel safe at your home or residence? • Have you ever tried cigarettes, chewing tobacco, snuff, or dip? During the past 30 days, did you use chewing tobacco, snuff, or dip? Do you drink alcohol or use any other drugs?
 Have you ever taken anabolic steroids or used any other performance supplement? Have you ever taken any supplements to help you gain or lose weight or improve your performance? Do you wear a seat belt, use a helmet, and use condoms? 2. Consider reviewing questions on cardiovascular symptoms (questions 5-14). EXAMINATION Height Weight ☐ Male ☐ Female RP Vision R 20/ L 20/ Corrected □ Y □ N Pulse 1 MEDICAL NORMAL **ABNORMAL FINDINGS Appearance** · Marfan stigmata (kyphoscoliosis, high-arched palate, pectus excavatum, arachnodactyly, arm span > height, hyperlaxity, myopia, MVP, aortic insufficiency) Eyes/ears/nose/throat Pupils equalHearing Lymph nodes Heart^a . Murmurs (auscultation standing, supine, +/- Valsalva) · Location of point of maximal impulse (PMI) · Simultaneous femoral and radial pulses Lungs Abdomen Genitourinary (males only)b Skin HSV, lesions suggestive of MRSA, tinea corporis Neurologic c MUSCULOSKELETAL Neck Back Shoulder/arm Elbow/forearm Wrist/hand/fingers Hip/thigh Knee Leg/ankle Foot/toes Functional Duck-walk, single leg hop *Consider ECG, echocardiogram, and referral to cardiology for abnormal cardiac history or exam.

*Consider GU exam if in private setting. Having third party present is recommended.

*Consider cognitive evaluation or baseline neuropsychiatric testing if a history of significant concussion. ☐ Cleared for all sports without restriction ☐ Cleared for all sports without restriction with recommendations for further evaluation or treatment for ____ □ Not cleared □ Pending further evaluation ☐ For any sports ☐ For certain sports ____ Reason Recommendations I have examined the above-named student and completed the preparticipation physical evaluation. The athlete does not present apparent clinical contraindications to practice and participate in the sport(s) as outlined above. A copy of the physical exam is on record in my office and can be made available to the school at the request of the parents. If conditions arise after the athlete has been cleared for participation, a physician may rescind the clearance until the problem is resolved and the potential consequences are completely explained to the athlete (and parents/quardians). Name of physician, advanced practice nurse (APN), physician assistant (PA) (print/type)___ Date of exam ___

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

Address

Signature of physician, APN, PA

Phone

■ PREPARTICIPATION PHYSICAL EVALUATION

THE ATHLETE WITH SPECIAL NEEDS: SUPPLEMENTAL HISTORY FORM

Name _				Date of birt	h	
Sex	Age	Grade	School	Sport(s)		
1 Time o	of disability					
	of disability					
	fication (if available)					
		as socident/troums other)				
		se, accident/trauma, other)				
5. LIST UI	e sports you are interest	ed in piaying			Yes	No
6. Do you	u regularly use a brace, a	assistive device, or prostheti	c?			110
		or assistive device for sports				
8. Do you	u have any rashes, press	ure sores, or any other skin	problems?			
9. Do you	u have a hearing loss? D	o you use a hearing aid?				
10. Do you	u have a visual impairme	ent?				
11. Do you	u use any special device:	s for bowel or bladder functi	on?			
12. Do you	u have burning or discon	nfort when urinating?				
	you had autonomic dysre					
			hermia) or cold-related (hypothermia) illness?			
	u have muscle spasticity					
16. Do you	u have frequent seizures	that cannot be controlled by	/ medication?			L
Explain "ye	es" answers here					
Please indi	icate if you have ever h	ad any of the following.				
					Yes	No
Atlantoaxia	al instability					
X-ray evalu	uation for atlantoaxial ins	stability				
Dislocated	joints (more than one)					
Easy bleed	ding					
Enlarged s						
	spleen					
Hepatitis	spieen					
	a or osteoporosis					
Osteopenia Difficulty c	a or osteoporosis					
Osteopenia Difficulty o	a or osteoporosis controlling bowel controlling bladder					
Osteopenia Difficulty o	a or osteoporosis	ands				
Osteopenia Difficulty of Difficulty of Numbness Numbness	a or osteoporosis controlling bowel controlling bladder s or tingling in arms or ha s or tingling in legs or fee					
Osteopenia Difficulty of Difficulty of Numbness Numbness Weakness	a or osteoporosis controlling bowel controlling bladder s or tingling in arms or ha s or tingling in legs or fee in arms or hands					
Osteopenia Difficulty of Difficulty of Numbness Numbness Weakness Weakness	a or osteoporosis controlling bowel controlling bladder s or tingling in arms or ha s or tingling in legs or fee in arms or hands in legs or feet					
Osteopenia Difficulty of Difficulty of Numbness Numbness Weakness Weakness Recent cha	a or osteoporosis controlling bowel controlling bladder s or tingling in arms or ha s or tingling in legs or fee in arms or hands in legs or feet ange in coordination					
Osteopenia Difficulty c Difficulty c Numbness Numbness Weakness Weakness Recent cha	a or osteoporosis controlling bowel controlling bladder s or tingling in arms or ha s or tingling in legs or fee in arms or hands in legs or feet ange in coordination ange in ability to walk					
Osteopenia Difficulty c Difficulty c Numbness Numbness Weakness Weakness Recent cha Recent cha	a or osteoporosis controlling bowel controlling bladder s or tingling in arms or ha s or tingling in legs or fee in arms or hands in legs or feet ange in coordination ange in ability to walk					
Osteopenia Difficulty c Difficulty c Numbness Numbness Weakness Weakness Recent cha	a or osteoporosis controlling bowel controlling bladder s or tingling in arms or ha s or tingling in legs or fee in arms or hands in legs or feet ange in coordination ange in ability to walk					
Osteopenia Difficulty of Difficulty of Numbness Numbness Weakness Weakness Recent cha Recent cha Spina bifid Latex aller	a or osteoporosis controlling bowel controlling bladder s or tingling in arms or ha s or tingling in legs or fee in arms or hands in legs or feet ange in coordination ange in ability to walk					
Osteopenia Difficulty of Difficulty of Numbness Numbness Weakness Weakness Recent cha Recent cha Spina bifid Latex aller	a or osteoporosis controlling bowel controlling bladder s or tingling in arms or ha s or tingling in legs or fee in arms or hands in legs or feet ange in coordination ange in ability to walk la					
Osteopenia Difficulty of Difficulty of Numbness Numbness Weakness Weakness Recent cha Recent cha Spina bifid Latex aller	a or osteoporosis controlling bowel controlling bladder s or tingling in arms or ha s or tingling in legs or fee in arms or hands in legs or feet ange in coordination ange in ability to walk la					
Osteopenia Difficulty of Difficulty of Numbness Numbness Weakness Weakness Recent cha Recent cha Spina bifid Latex aller	a or osteoporosis controlling bowel controlling bladder s or tingling in arms or ha s or tingling in legs or fee in arms or hands in legs or feet ange in coordination ange in ability to walk la					
Osteopenia Difficulty of Difficulty of Numbness Numbness Weakness Weakness Recent cha Recent cha Spina bifid Latex aller	a or osteoporosis controlling bowel controlling bladder s or tingling in arms or ha s or tingling in legs or fee in arms or hands in legs or feet ange in coordination ange in ability to walk la					
Osteopenia Difficulty of Difficulty of Numbness Numbness Weakness Weakness Recent cha Recent cha Spina bifid Latex aller	a or osteoporosis controlling bowel controlling bladder s or tingling in arms or ha s or tingling in legs or fee in arms or hands in legs or feet ange in coordination ange in ability to walk la					
Osteopenia Difficulty of Difficulty of Numbness Numbness Weakness Weakness Recent cha Recent cha Spina bifid Latex aller	a or osteoporosis controlling bowel controlling bladder s or tingling in arms or ha s or tingling in legs or fee in arms or hands in legs or feet ange in coordination ange in ability to walk la					
Osteopenia Difficulty of Difficulty of Numbness Numbness Weakness Weakness Recent cha Spina bifid Latex aller	a or osteoporosis controlling bowel controlling bladder s or tingling in arms or he s or tingling in legs or fee in arms or hands in legs or feet ange in coordination ange in ability to walk la gy as" answers here	t .		Lower		
Osteopenia Difficulty of Difficulty of Numbness Numbness Weakness Weakness Recent cha Spina bifid Latex aller	a or osteoporosis controlling bowel controlling bladder s or tingling in arms or he s or tingling in legs or fee in arms or hands in legs or feet ange in coordination ange in ability to walk la gy as" answers here	t .	's to the above questions are complete and	I correct.		
Osteopenia Difficulty c Difficulty c Numbness Numbness Numbness Weakness Weakness Recent cha Recent cha Spina bifid Latex aller Explain "ye	a or osteoporosis controlling bowel controlling bladder s or tingling in arms or ha s or tingling in legs or fee in arms or hands in legs or feet ange in coordination ange in ability to walk la rgy es" answers here	t .	s to the above questions are complete and	I correct.		

ATTENTION PARENT/GUARDIAN: The preparticipation physical examination (page 3) must be completed by a health care provider who has completed the Student-Athlete Cardiac Assessment Professional Development Module.

■ PREPARTICIPATION PHYSICAL EVALUATION

HISTORY FORM

lame					Date of birth			
					Sport(s)			
Medicines	and Allergies: Pl	ease list all of the prescription and ov	er-the-co	unter m	edicines and supplements (herbal and nutritional) that you are currently	taking		
Do you hav □ Medicir	e any allergies? nes	☐ Yes ☐ No If yes, please io ☐ Pollens	dentify spe	ecific all	ergy below. □ Food □ Stinging Insects			
xplain "Yes	" answers below.	Circle questions you don't know the	answers t	0.				
GENERAL Q	JESTIONS		Yes	No	MEDICAL QUESTIONS	Yes	No	
1. Has a do any reas		estricted your participation in sports for			26. Do you cough, wheeze, or have difficulty breathing during or after exercise?			
		dical conditions? If so, please identify			27. Have you ever used an inhaler or taken asthma medicine?			
		emia 🗆 Diabetes 🗀 Infections			28. Is there anyone in your family who has asthma?			
Other: _ 3. Have you	ever spent the nigh	it in the hospital?			29. Were you born without or are you missing a kidney, an eye, a testicle (males), your spleen, or any other organ?			
	ever had surgery?				30. Do you have groin pain or a painful bulge or hernia in the groin area?			
	TH QUESTIONS AB		Yes	No	31. Have you had infectious mononucleosis (mono) within the last month?		_	
5. Have you AFTER ex		nearly passed out DURING or			32. Do you have any rashes, pressure sores, or other skin problems?	-	╄	
		t, pain, tightness, or pressure in your	1		33. Have you had a herpes or MRSA skin infection?		⊢	
	ring exercise?	,, pan, ag., and a process of pro			34. Have you ever had a head injury or concussion? 35. Have you ever had a hit or blow to the head that caused confusion,		⊢	
7. Does you	ir heart ever race or	skip beats (irregular beats) during exercise	?		prolonged headache, or memory problems?			
	ctor ever told you th that apply:	at you have any heart problems? If so,			36. Do you have a history of seizure disorder?			
	blood pressure	☐ A heart murmur			37. Do you have headaches with exercise?			
	cholesterol asaki disease	☐ A heart infection Other:			38. Have you ever had numbness, tingling, or weakness in your arms or legs after being hit or falling?			
9. Has a do echocard		test for your heart? (For example, ECG/EKG			39. Have you ever been unable to move your arms or legs after being hit or falling?			
		el more short of breath than expected			40. Have you ever become ill while exercising in the heat?			
during e		laland anlauva	+		41. Do you get frequent muscle cramps when exercising?		-	
	et more tired or sho	rt of breath more quickly than your friends			42. Do you or someone in your family have sickle cell trait or disease? 43. Have you had any problems with your eyes or vision?	-	\vdash	
during e		it of Broad more quietly than your monde			44. Have you had any eye injuries?	-	+	
HEART HEA	LTH QUESTIONS AE	OUT YOUR FAMILY	Yes	No	45. Do you wear glasses or contact lenses?	-		
		elative died of heart problems or had an			46. Do you wear protective eyewear, such as goggles or a face shield?		\vdash	
		udden death before age 50 (including ccident, or sudden infant death syndrome)?	,		47. Do you worry about your weight?			
		nave hypertrophic cardiomyopathy, Marfanight ventricular cardiomyopathy, long QT			48. Are you trying to or has anyone recommended that you gain or lose weight?			
	e, short QT syndrom ohic ventricular tach	e, Brugada syndrome, or catecholaminergi	С		49. Are you on a special diet or do you avoid certain types of foods?			
		nave a heart problem, pacemaker, or			50. Have you ever had an eating disorder?		1	
	d defibrillator?	avo a nourt problem, pacemanor, or			51. Do you have any concerns that you would like to discuss with a doctor?			
		d unexplained fainting, unexplained			FEMALES ONLY		188	
	or near drowning? JOINT QUESTIONS		Yes	No	52. Have you ever had a menstrual period? 53. How old were you when you had your first menstrual period?			
		to a bone, muscle, ligament, or tendon	162	MO	54. How many periods have you had in the last 12 months?			
	sed you to miss a pr				Explain "yes" answers here			
		en or fractured bones or dislocated joints?			Explain you allowed the			
	ı ever had an injury s, therapy, a brace, a	that required x-rays, MRI, CT scan, a cast, or crutches?						
	u ever had a stress f						_	
		you have or have you had an x-ray for ned ability? (Down syndrome or dwarfism)	k					
22. Do you r	egularly use a brace	, orthotics, or other assistive device?						
		, or joint injury that bothers you?						
		e painful, swollen, feel warm, or look red?						
		ivenile arthritis or connective tissue diseas	- O I	1				

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

What Should a Student-Athlete do if they think they have a concussion?

- Don't hide it. Tell your Athletic Trainer, Coach, School Nurse, or Parent/Guardian.
- **Report it.** Don't return to competition or practice with symptoms of a concussion or head injury. The sooner you report it, the sooner you may return-to-play.
- Take time to recover. If you have a concussion your brain needs time to heal. While your brain is healing you are much more likely to sustain a second concussion. Repeat concussions can cause permanent brain injury.

What can happen if a student-athlete continues to play with a concussion or returns to play to soon?

- Continuing to play with the signs and symptoms of a concussion leaves the student-athlete vulnerable to second impact syndrome.
- Second impact syndrome is when a student-athlete sustains a second concussion while still having symptoms from a previous concussion or head injury.
- Second impact syndrome can lead to severe impairment and even death in extreme cases.

Should there be any temporary academic accommodations made for Student-Athletes who have suffered a concussion?

- To recover cognitive rest is just as important as physical rest. Reading, texting, testing-even watching movies can slow down a student-athletes recovery.
- Stay home from school with minimal mental and social stimulation until all symptoms have resolved.
- Students may need to take rest breaks, spend fewer hours at school, be given extra time to complete assignments, as well as being offered other instructional strategies and classroom accommodations.

Student-Athletes who have sustained a concussion should complete a graduated return-to-play before they may resume competition or practice, according to the following protocol:

- Step 1: Completion of a full day of normal cognitive activities (school day, studying for tests, watching practice, interacting with peers) without reemergence of any signs or symptoms. If no return of symptoms, next day advance.
- Step 2: Light Aerobic exercise, which includes walking, swimming, and stationary cycling, keeping the intensity below 70% maximum heart rate. No resistance training. The objective of this step is increased heart rate.
- Step 3: Sport-specific exercise including skating, and/or running: no head impact activities. The objective of this step is to add movement.
- Step 4: Non contact training drills (e.g. passing drills). Student-athlete may initiate resistance training.
- Step 5: Following medical clearance (consultation between school health care personnel and studentathlete's physician), participation in normal training activities. The objective of this step is to restore confidence and assess functional skills by coaching and medical staff.
- Step 6: Return to play involving normal exertion or game activity.

For further information on Sports-Related C www.cdc.gov/concussion/sports/inc	Injuries, please visit: www.nfhs.com		
www.ncaa.org/health-safety	www.bianj.org	www.atsnj.org	
Signature of Student-Athlete	Print Student-A	thlete's Name	Date
Signature of Parent/Guardian	Print Parent/Gua	ardian's Name	Date

Sports-Related Concussion and Head Injury Fact Sheet and Parent/Guardian Acknowledgement Form

A concussion is a brain injury that can be caused by a blow to the head or body that disrupts normal functioning of the brain. Concussions are a type of Traumatic Brain Injury (TBI), which can range from mild to severe and can disrupt the way the brain normally functions. Concussions can cause significant and sustained neuropsychological impairment affecting problem solving, planning, memory, attention, concentration, and behavior.

The Centers for Disease Control and Prevention estimates that 300,000 concussions are sustained during sports related activities nationwide, and more than 62,000 concussions are sustained each year in high school contact sports. Second-impact syndrome occurs when a person sustains a second concussion while still experiencing symptoms of a previous concussion. It can lead to severe impairment and even death of the victim.

Legislation (P.L. 2010, Chapter 94) signed on December 7, 2010, mandated measures to be taken in order to ensure the safety of K-12 student-athletes involved in interscholastic sports in New Jersey. It is imperative that athletes, coaches, and parent/guardians are educated about the nature and treatment of sports related concussions and other head injuries. The legislation states that:

- All Coaches, Athletic Trainers, School Nurses, and School/Team Physicians shall complete an Interscholastic Head Injury Safety Training Program by the 2011-2012 school year.
- All school districts, charter, and non-public schools that participate in interscholastic sports will distribute annually this educational fact to all student athletes and obtain a signed acknowledgement from each parent/guardian and student-athlete.
- Each school district, charter, and non-public school shall develop a written policy describing the prevention and treatment of sports-related concussion and other head injuries sustained by interscholastic student-athletes.
- Any student-athlete who participates in an interscholastic sports program and is suspected of sustaining a
 concussion will be immediately removed from competition or practice. The student-athlete will not be
 allowed to return to competition or practice until he/she has written clearance from a physician trained in
 concussion treatment and has completed his/her district's graduated return-to-play protocol.

Ouick Facts

- Most concussions do not involve loss of consciousness
- You can sustain a concussion even if you do not hit your head
- A blow elsewhere on the body can transmit an "impulsive" force to the brain and cause a concussion

Signs of Concussions (Observed by Coach, Athletic Trainer, Parent/Guardian)

- Appears dazed or stunned
- Forgets plays or demonstrates short term memory difficulties (e.g. unsure of game, opponent)
- Exhibits difficulties with balance, coordination, concentration, and attention
- Answers questions slowly or inaccurately
- Demonstrates behavior or personality changes
- Is unable to recall events prior to or after the hit or fall

Symptoms of Concussion (Reported by Student-Athlete)

- Headache
- Nausea/vomiting
- Balance problems or dizziness
- Double vision or changes in vision

- Sensitivity to light/sound
- Feeling of sluggishness or fogginess
- Difficulty with concentration, short term memory, and/or confusion

Most Common
Types of Eye
Injuries

The most common types of eye injuries that can result from sports injuries are blunt injuries, corneal abrasions and penetrating injuries.

- ◆ Blunt injuries: Blunt injuries occur when the eye is suddenly compressed by impact from an object. Blunt injuries, often caused by tennis balls, racquets, fists or elbows, sometimes cause a black eye or hyphema (bleeding in front of the eye). More serious blunt injuries often break bones near the eye, and may sometimes seriously damage important eye structures and/or lead to vision loss.
- Corneal abrasions: Corneal abrasions are painful scrapes on the outside of the eye, or the cornea. Most corneal abrasions eventually heal on their

own, but a doctor can best assess the extent of the abrasion, and may prescribe medication to help control the pain. The most common cause of a sports-related corneal abrasion is being poked in the eye by a finger.

- ◆ Penetrating injuries: Penetrating injuries are caused by a foreign object piercing the eye. Penetrating injuries are very serious, and often result in severe damage to the eye. These injuries often occur when eyeglasses break while they are being worn. Penetrating injuries must be treated quickly in order to preserve vision.⁴
- Pain when looking up and/or down, or difficulty seeing;
- Tenderness:
- Sunken eye;
- Double vision;
- Severe eyelid and facial swelling;
- Difficulty tracking;

Signs or Symptoms of an Eye Injury



- The eye has an unusual pupil size or shape;
- Blood in the clear part of the eye;
- Numbness of the upper cheek and gum; and/or
- Severe redness around the white part of the eye.

What to do if a Sports-Related Eye Injury
Occurs

If a child sustains an eye injury, it is recommended that he/she receive immediate treatment from a licensed HCP (e.g., eye doctor) to reduce the risk of serious damage, including blindness. It is also recommended that the child, along with his/her parent or guardian, seek guidance from the HCP regarding the appropriate amount of time to wait before returning to sports competition or practice after sustaining an eye injury. The school nurse and the child's teachers should also be notified when a child sustains an eye injury. A parent or guardian should also provide the school nurse with a physician's note detailing the nature of the eye injury, any diagnosis, medical orders for

the return to school, as well as any prescription(s) and/or treatment(s) necessary to promote healing, and the safe resumption of normal activities, including sports and recreational activities.

Return to Play and Sports

According to the American Family Physician Journal, there are several guidelines that should be followed when students return to play after sustaining an eye injury. For

example, students who have sustained significant ocular injury should receive a full examination and clearance by an ophthalmologist or optometrist. In addition, students should not return to play until the period of time recommended by their HCP has elapsed. For more minor eye injuries, the athletic trainer may determine that

it is safe for a student to resume play based on the nature of the injury, and how the student feels. No matter what degree of eye injury is sustained, it is recommended that students wear protective eyewear when returning to play and immediately report any concerns with their vision to their coach and/or the athletic trainer.

Additional information on eye safety can be found at http://isee.nei.nih.gov and http://www.nei.nih.gov/sports.

SPORTS-RELATED EYE INJURIES:

AN EDUCATIONAL FACT SHEET FOR PARENTS



Participating in sports and recreational activities is an important part of a healthy, physically active lifestyle for children. Unfortunately, injuries can, and do, occur. Children are at particular risk for sustaining a sports-related eye injury and most of these injuries can be prevented. Every year, more than 30,000 children sustain serious sports-related eye injuries. Every 13 minutes, an emergency room in the United States treats a sports-related eye injury. According to the National Eye Institute, the sports with the highest rate of eye injuries are: baseball/softball, ice hockey, racquet sports, and basketball, followed by fencing, lacrosse, paintball and boxing.

Thankfully, there are steps that parents can take to ensure their children's safety on the field, the court, or wherever they play or participate in sports and recreational activities.

Prevention of Sports-Related
Eye Injuries

Approximately 90% of sports-related eye injuries can be prevented with simple precautions, such as using protective eyewear.² Each sport has a certain type of recommended protective eyewear, as determined by the American Society for Testing and Materials (ASTM). Protective eyewear should sit comfortably on the face. Poorly fitted equipment may be uncomfortable, and may not offer the best eye protection. Protective eyewear for sports includes, among other things, safety goggles and eye guards, and it should be made of polycarbonate lenses, a strong, shatterproof plastic. Polycarbonate lenses are much stronger than regular lenses.³

Health care providers (HCP), including family physicians, ophthalmologists, optometrists, and others, play a critical role in advising students, parents and guardians about the proper use of protective eyewear. To find out what kind of eye protection is recommended, and permitted for your child's sport, visit the National Eye Institute at http://www.nei.nih.gov/sports/findingprotection.asp. Prevent Blindness America also offers tips for choosing and buying protective eyewear at http://www.preventblindness.org/tips-buying-sports-eye-protectors, and http://www.preventblindness.org/ recommended-sports-eye-protectors.

It is recommended that all children participating in school sports or recreational sports wear protective eyewear. Parents and coaches need to make sure young athletes protect their eyes, and properly gear up for the game. Protective eyewear should be part of any uniform to help reduce the occurrence of sports-related eye injuries. Since many youth teams do not require eye protection, parents may need to ensure that their children wear safety glasses or goggles whenever they play sports. Parents can set a good example by wearing protective eyewear when they play sports.

¹ National Eye Institute, National Eye Health Education Program, Sports-Related Eye Injuries: What You Need to Know and Tips for Prevention, www.nei.nih.gov/sports/pdf/sportsrelatedeyeInjuries.pdf, December 26, 2013.

² Rodriguez, Jorge O., D.O., and Lavina, Adrian M., M.D., Prevention and Treatment of Common Eye Injuries in Sports, http://www.aafp.org/afp/2003/0401/p1481.html, September 4, 2014; National Eye Health Education Program, Sports-Related Eye Injuries: What You Need to Know and Tips for Prevention, www.nei.nih.gov/sports/pdf/sportsrelatedeyeInjuries.pdf, December 26, 2013.

³ Bedinghaus, Troy, O.D., Sports Eye Injuries, http://vision.about.com/od/emergencyeyecare/a/Sports_Injuries.htm, December 27, 2013.