


Asthma Treatment Plan – Student

(This asthma action plan meets NJ Law N.J.S.A. 18A:40-12.8) (Physician's Orders)



(Please Print)

Name		Date of Birth	Effective Date
Doctor	Parent/Guardian (if applicable)		Emergency Contact
Phone	Phone		Phone

HEALTHY (Green Zone)



You have all of these:

- Breathing is good
- No cough or wheeze
- Sleep through the night
- Can work, exercise, and play

And/or Peak flow above _____

Take daily control medicine(s). Some inhalers may be more effective with a "spacer" – use if directed.

MEDICINE	HOW MUCH to take and HOW OFTEN to take it
<input type="checkbox"/> Advair® HFA <input type="checkbox"/> 45, <input type="checkbox"/> 115, <input type="checkbox"/> 230	2 puffs twice a day
<input type="checkbox"/> Aerospir™	<input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day
<input type="checkbox"/> Alvesco® <input type="checkbox"/> 80, <input type="checkbox"/> 160	<input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day
<input type="checkbox"/> Dulera® <input type="checkbox"/> 100, <input type="checkbox"/> 200	2 puffs twice a day
<input type="checkbox"/> Flovent® <input type="checkbox"/> 44, <input type="checkbox"/> 110, <input type="checkbox"/> 220	2 puffs twice a day
<input type="checkbox"/> Qvar® <input type="checkbox"/> 40, <input type="checkbox"/> 80	<input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day
<input type="checkbox"/> Symbicort® <input type="checkbox"/> 80, <input type="checkbox"/> 160	<input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day
<input type="checkbox"/> Advair Diskus® <input type="checkbox"/> 100, <input type="checkbox"/> 250, <input type="checkbox"/> 500	1 inhalation twice a day
<input type="checkbox"/> Asmanex® Twisthaler® <input type="checkbox"/> 110, <input type="checkbox"/> 220	<input type="checkbox"/> 1, <input type="checkbox"/> 2 inhalations <input type="checkbox"/> once or <input type="checkbox"/> twice a day
<input type="checkbox"/> Flovent® Diskus® <input type="checkbox"/> 50 <input type="checkbox"/> 100 <input type="checkbox"/> 250	1 inhalation twice a day
<input type="checkbox"/> Pulmicort Flexhaler® <input type="checkbox"/> 90, <input type="checkbox"/> 180	<input type="checkbox"/> 1, <input type="checkbox"/> 2 inhalations <input type="checkbox"/> once or <input type="checkbox"/> twice a day
<input type="checkbox"/> Pulmicort Respules® (Budesonide) <input type="checkbox"/> 0.25, <input type="checkbox"/> 0.5, <input type="checkbox"/> 1.0	1 unit nebulized <input type="checkbox"/> once or <input type="checkbox"/> twice a day
<input type="checkbox"/> Singulair® (Montelukast) <input type="checkbox"/> 4, <input type="checkbox"/> 5, <input type="checkbox"/> 10 mg	1 tablet daily
<input type="checkbox"/> Other	
<input type="checkbox"/> None	

Remember to rinse your mouth after taking inhaled medicine.

If exercise triggers your asthma, take _____ puff(s) _____ minutes before exercise.

Triggers

Check all items that trigger patient's asthma:

- ☐ Colds/flu
- ☐ Exercise
- ☐ Allergens
 - Dust Mites, dust, stuffed animals, carpet
 - Pollen - trees, grass, weeds
 - Mold
 - Pets - animal dander
 - Pests - rodents, cockroaches
- ☐ Odors (Irritants)
 - Cigarette smoke & second hand smoke
 - Perfumes, cleaning products, scented products
 - Smoke from burning wood, inside or outside
- ☐ Weather
 - Sudden temperature change
 - Extreme weather - hot and cold
 - Ozone alert days
- ☐ Foods:
 - _____
 - _____
 - _____
- ☐ Other:
 - _____
 - _____
 - _____

CAUTION (Yellow Zone)



You have any of these:

- Cough
- Mild wheeze
- Tight chest
- Coughing at night
- Other: _____

If quick-relief medicine does not help within 15-20 minutes or has been used more than 2 times and symptoms persist, call your doctor or go to the emergency room.

And/or Peak flow from _____ to _____

Continue daily control medicine(s) and ADD quick-relief medicine(s).

MEDICINE	HOW MUCH to take and HOW OFTEN to take it
<input type="checkbox"/> Albuterol MDI (Pro-air® or Proventil® or Ventolin®)	2 puffs every 4 hours as needed
<input type="checkbox"/> Xopenex®	2 puffs every 4 hours as needed
<input type="checkbox"/> Albuterol <input type="checkbox"/> 1.25, <input type="checkbox"/> 2.5 mg	1 unit nebulized every 4 hours as needed
<input type="checkbox"/> Duoneb®	1 unit nebulized every 4 hours as needed
<input type="checkbox"/> Xopenex® (Levalbuterol) <input type="checkbox"/> 0.31, <input type="checkbox"/> 0.63, <input type="checkbox"/> 1.25 mg	1 unit nebulized every 4 hours as needed
<input type="checkbox"/> Combivent Respimat®	1 inhalation 4 times a day
<input type="checkbox"/> Increase the dose of, or add:	
<input type="checkbox"/> Other	

• If quick-relief medicine is needed more than 2 times a week, except before exercise, then call your doctor.

EMERGENCY (Red Zone)



Your asthma is getting worse fast:

- Quick-relief medicine did not help within 15-20 minutes
- Breathing is hard or fast
- Nose opens wide • Ribs show
- Trouble walking and talking
- Lips blue • Fingernails blue
- Other: _____

And/or Peak flow below _____

Take these medicines NOW and CALL 911. Asthma can be a life-threatening illness. Do not wait!

MEDICINE	HOW MUCH to take and HOW OFTEN to take it
<input type="checkbox"/> Albuterol MDI (Pro-air® or Proventil® or Ventolin®)	4 puffs every 20 minutes
<input type="checkbox"/> Xopenex®	4 puffs every 20 minutes
<input type="checkbox"/> Albuterol <input type="checkbox"/> 1.25, <input type="checkbox"/> 2.5 mg	1 unit nebulized every 20 minutes
<input type="checkbox"/> Duoneb®	1 unit nebulized every 20 minutes
<input type="checkbox"/> Xopenex® (Levalbuterol) <input type="checkbox"/> 0.31, <input type="checkbox"/> 0.63, <input type="checkbox"/> 1.25 mg	1 unit nebulized every 20 minutes
<input type="checkbox"/> Combivent Respimat®	1 inhalation 4 times a day
<input type="checkbox"/> Other	

This asthma treatment plan is meant to assist, not replace, the clinical decision-making required to meet individual patient needs.

Disclaimer: The use of the Pediatric/Adult Asthma Treatment Plan is to assist in emergency care. This plan is provided as a guide only. It is not intended to replace the professional judgment of a physician. The American Lung Association of New Jersey and the American Lung Association of New Jersey do not assume any liability for any adverse effects or consequences resulting from the use of this plan. The American Lung Association of New Jersey and the American Lung Association of New Jersey do not assume any liability for any adverse effects or consequences resulting from the use of this plan. The American Lung Association of New Jersey and the American Lung Association of New Jersey do not assume any liability for any adverse effects or consequences resulting from the use of this plan.

Permission to Self-administer Medication:

- ☐ This student is capable and has been instructed in the proper method of self-administering of the non-nebulized inhaled medications named above in accordance with NJ Law.
- ☐ This student is not approved to self-medicate.

PHYSICIAN/APN/PA SIGNATURE _____ DATE _____

Physician's Orders

PARENT/GUARDIAN SIGNATURE _____

PHYSICIAN STAMP

REVISED AUGUST 2014

Permission to reproduce blank form - www.pacnj.org

Make a copy for parent and for physician file, send original to school nurse or child care provider.

Asthma Treatment Plan – Student Parent Instructions



The **PACNJ Asthma Treatment Plan** is designed to help everyone understand the steps necessary for the individual student to achieve the goal of controlled asthma.

1. Parents/Guardians: Before taking this form to your Health Care Provider, complete the top left section with:

- Child's name
- Child's doctor's name & phone number
- Parent/Guardian's name & phone number
- Child's date of birth
- An Emergency Contact person's name & phone number

2. Your Health Care Provider will complete the following areas:

- The effective date of this plan
- The medicine information for the Healthy, Caution and Emergency sections
- Your Health Care Provider will check the box next to the medication and check how much and how often to take it
- Your Health Care Provider may check **"OTHER"** and:
 - ❖ Write in asthma medications not listed on the form
 - ❖ Write in additional medications that will control your asthma
 - ❖ Write in generic medications in place of the name brand on the form
- Together you and your Health Care Provider will decide what asthma treatment is best for your child to follow

3. Parents/Guardians & Health Care Providers together will discuss and then complete the following areas:

- Child's peak flow range in the Healthy, Caution and Emergency sections on the left side of the form
- Child's asthma triggers on the right side of the form
- Permission to Self-administer Medication section at the bottom of the form: Discuss your child's ability to self-administer the inhaled medications, check the appropriate box, and then both you and your Health Care Provider must sign and date the form

4. Parents/Guardians: After completing the form with your Health Care Provider:

- Make copies of the Asthma Treatment Plan and give the signed original to your child's school nurse or child care provider
- Keep a copy easily available at home to help manage your child's asthma
- Give copies of the Asthma Treatment Plan to everyone who provides care for your child, for example: babysitters, before/after school program staff, coaches, scout leaders

PARENT AUTHORIZATION

I hereby give permission for my child to receive medication at school as prescribed in the Asthma Treatment Plan. Medication must be provided in its original prescription container properly labeled by a pharmacist or physician. I also give permission for the release and exchange of information between the school nurse and my child's health care provider concerning my child's health and medications. In addition, I understand that this information will be shared with school staff on a need to know basis.

Parent/Guardian Signature

Phone

Date

FILL OUT THE SECTION BELOW ONLY IF YOUR HEALTH CARE PROVIDER CHECKED PERMISSION FOR YOUR CHILD TO SELF-ADMINISTER ASTHMA MEDICATION ON THE FRONT OF THIS FORM.

RECOMMENDATIONS ARE EFFECTIVE FOR ONE (1) SCHOOL YEAR ONLY AND MUST BE RENEWED ANNUALLY

- ☐ I do request that my child be **ALLOWED** to carry the following medication _____ for self-administration in school pursuant to N.J.A.C.:6A:16-2.3. I give permission for my child to self-administer medication, as prescribed in this Asthma Treatment Plan for the current school year as I consider him/her to be responsible and capable of transporting, storing and self-administration of the medication. Medication must be kept in its original prescription container. I understand that the school district, agents and its employees shall incur no liability as a result of any condition or injury arising from the self-administration by the student of the medication prescribed on this form. I indemnify and hold harmless the School District, its agents and employees against any claims arising out of self-administration or lack of administration of this medication by the student.
- ☐ I **DO NOT** request that my child self-administer his/her asthma medication.

Parent/Guardian Signature

Phone

Date

ASTHMA EMERGENCY PLAN **Individualized Health Care Plan**

Asthma is defined as an intermittent obstruction (blockage) of the airways (air passages) that is at least partially reversible either spontaneously or with appropriate medication.

Student: _____ Birthday: _____ School: _____ Grd: _____

Conditions that trigger asthma episode: _____

Parent Name: _____ Phone #'s: _____

Physician's Name: _____ Phone #: _____ Home _____ Work _____ Cell _____

PLEASE CHECK ALL THAT APPLY:

GENERAL SYMPTOMS	SIGNS OF MODERATE ASTHMA	SIGNS OF SEVERE ASTHMA
<input type="checkbox"/> chest tightness <input type="checkbox"/> shortness of breath <input type="checkbox"/> wheezing <input type="checkbox"/> coughing <input type="checkbox"/> other: _____ _____ _____	<input type="checkbox"/> breathing changes: coughing, shortness of breath, breathing through mouth <input type="checkbox"/> verbal complaints: chest tightness, chest "hurts", hard to breathe, headache, dry mouth, doesn't feel well <input type="checkbox"/> facial appearance: pale, swollen or red; increased perspiration; circles under eyes <input type="checkbox"/> mood changes: anything that is different from child's usual behavior	<input type="checkbox"/> Can't speak or cry; can't utter more than 2-3 words. <input type="checkbox"/> Pale/blue around mouth <input type="checkbox"/> Sucking in of chest skin between the ribs and at the front and sides of the neck. <input type="checkbox"/> Body hunched over <input type="checkbox"/> Failure of medication to reduce symptoms

IF THE ABOVE SYMPTOMS ARE NOTED:
 Prescribed treatment: _____

TREATMENT FOR MILD-MODERATE ASTHMA:

1. Have student relax; "whistle" breathe or purse lips to encourage diaphragmatic breathing.
2. Give prescribed rescue medication (oral or inhaled) as per physician's instructions.
3. Have student sip room temperature water.
4. Have student determine respiratory status with own "peak flow meter" if provided by parent/guardian.
5. Reassure.
6. Return student to class when symptoms stop.
7. If symptoms do not improve after treatment (2 uses of prescribed inhaler at 2 puffs/use), CALL 911 and parent.
8. If moderate symptoms progress to severe, CALL 911 and parent.
9. Other: _____

TREATMENT FOR SEVERE ASTHMA:

1. CALL 911
2. Administer prescribed rescue inhaler: _____
3. Other: _____

SIGNATURES

 Physician's Signature/Date

 Parent Signature/Date

 District Nurse Signature/Date

PATERSON PUBLIC SCHOOLS
ACTIVITY LIMITATION FORM

PS# _____ (973) 321- _____ DATE GIVEN: _____ DATE RETURNED _____
STUDENT _____ DOB: _____ GRADE/HR _____

Dear Doctor:

Our records indicate that the above named student requires an individual activity plan. Please provide a diagnosis and what accommodations, if any, are needed. Will you kindly check below the activities that the student may participate in.

PROGRAM OF FULL PARTICIPATION:

_____ YES _____ NO

Relating to **DIAGNOSIS:** _____

Student **MAY PARTICIPATE FULLY** in the school program **WITHOUT RESTRICTIONS.**

PHYSICIAN PRINT/ STAMP _____ PHONE _____

PHYSICIAN SIGNATURE _____ DATE _____

OR:

PROGRAM OF RESTRICTED ACTIVITY:

Start Date _____ End Date _____

Relating to **DIAGNOSIS:**

Student **MAY PARTICIPATE** in the following activities: _____, the following plan is indicated.

	Yes	No
WARM-UP EXERCISES: Stretching, walking		
LOW IMPACT AEROBIC: Jumping, hopping, jogging, dance, TaeBo		
STUNTS: Tumbling, rolling, balance, strength		
PHYSICAL FITNESS TESTING: Running, sit-ups, push-ups, pull-ups		
NON-CONTACT GAMES: Paddle ball, jump-rope, badminton, tennis, Bowling, other racket sports		
WEIGHT TRAINING PROGRAM: Free weights, treadmill		
TRACK AND FIELD: Sprints, intermediate & distance running, long jump, high jump, shot-put		
APPARATUS: Climbing, vaulting, support, suspension		
COMPETITIVE GAMES: Soccer, hockey, basketball, baseball, softball, wiffleball, volleyball, speedball, touch football		
RECESS PLAY		

STAIR CLIMBING (circle): YES NO * Number of flights of stairs allowed per day _____

USE OF HELMET in gym: YES NO in recess: YES NO in class: YES NO

OTHER PROTECTIVE and/or ASSISTIVE DEVICES (please specify): _____

OTHER RESTRICTIONS: _____

PHYSICIAN PRINT / STAMP _____ PHONE _____

PHYSICIAN SIGNATURE _____ DATE _____

_____ INITIAL EXAM

_____ ANNUAL FOLLOW UP

