

TEST ID NUMBER: 1219758
DATE RECEIVED: 02/26/2019
REPORT DATE: 02/28/2019

BRUCE RIEMER
700 WARRENDALE RD.
GIBSONIA, PA 15044

TEST LOCATION
700 WARRENDALE RD.
ALLEGHENY
GIBSONIA, PA

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4623358	1ST FLOOR CLASS RM. 144	Feb 22, 2019 4:30 PM	Feb 25, 2019 7:40 AM	Feb 27, 2019 1:36 AM	1.1 pCi/L
4622977	1ST FLOOR CLASS RM. 144	Feb 22, 2019 4:30 PM	Feb 25, 2019 7:40 AM	Feb 27, 2019 1:46 AM	1.3 pCi/L

AVERAGE RADON LEVEL (average result of two tests) : 1.2 pCi/L

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER.

Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (800) 237-2366.**

NOTICE TO CLIENTS IN THE STATE OF PENNSYLVANIA

The Radon Certification Act requires that anyone who provides any radon-related service or product to the general public must be certified by the Pennsylvania Department of Environmental Resources. You are entitled to evidence of certification from any person who provides such services or products. You are also entitled to a price list for services and products offered. All radon measurement data will be sent to the Department as required in the Act and will be kept confidential. If you have any questions, please contact the Pennsylvania Bureau of Radiation Protection, 400 Market Street, RCSOB 13th Floor, Harrisburg, PA 17101, (717) 783-3594.

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS

NRPP CERT# 109347 RT
NRSB CERT # 18SS007
PA CERT #3324



James E. McDonnell IV

PRO-LAB NRSB # ARL0028
PRO-LAB NEHA ID # 101461AL
PRO-LAB PA CERT # 2327

TEST ID NUMBER: 1219759
DATE RECEIVED: 02/26/2019
REPORT DATE: 02/28/2019

BRUCE RIEMER
700 WARRENDALE RD.
GIBSONIA, PA 15044

TEST LOCATION
700 WARRENDALE RD.
ALLEGHENY
GIBSONIA, PA 15044

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4531093	1ST FLOOR CLASS RM.333	Feb 23, 2019 6:34 AM	Feb 25, 2019 8:43 AM	Feb 27, 2019 1:56 AM	0.6 pCi/L
4531354	1ST FLOOR CLASS RM.333	Feb 23, 2019 6:34 AM	Feb 25, 2019 8:43 AM	Feb 27, 2019 2:06 AM	0.8 pCi/L

AVERAGE RADON LEVEL (average result of two tests) : 0.7 pCi/L

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER.

Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (800) 237-2366.**

NOTICE TO CLIENTS IN THE STATE OF PENNSYLVANIA

The Radon Certification Act requires that anyone who provides any radon-related service or product to the general public must be certified by the Pennsylvania Department of Environmental Resources. You are entitled to evidence of certification from any person who provides such services or products. You are also entitled to a price list for services and products offered. All radon measurement data will be sent to the Department as required in the Act and will be kept confidential. If you have any questions, please contact the Pennsylvania Bureau of Radiation Protection, 400 Market Street, RCSOB 13th Floor, Harrisburg, PA 17101, (717) 783-3594.

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS

NRPP CERT# 109347 RT
NRSB CERT # 18SS007
PA CERT #3324



James E. McDonnell IV

PRO-LAB NRSB # ARL0028
PRO-LAB NEHA ID # 101461AL
PRO-LAB PA CERT # 2327

TEST ID NUMBER: 1219760
DATE RECEIVED: 02/26/2019
REPORT DATE: 02/28/2019

BRUCE RIEMER
 700 WARRENDALE RD.
 GIBSONIA, PA 15044

TEST LOCATION
 700 WARRENDALE RD.
 ALLEGHENY
 GIBSONIA, PA 15044

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4622870	1ST FLOOR CLASS RM.334	Feb 23, 2019 6:31 AM	Feb 25, 2019 8:42 AM	Feb 27, 2019 2:16 AM	0.7 pCi/L
4623274	1ST FLOOR CLASS RM.334	Feb 23, 2019 6:31 AM	Feb 25, 2019 8:42 AM	Feb 27, 2019 2:26 AM	0.7 pCi/L

AVERAGE RADON LEVEL (average result of two tests) : 0.7 pCi/L

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER.

Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (800) 237-2366.**

NOTICE TO CLIENTS IN THE STATE OF PENNSYLVANIA

The Radon Certification Act requires that anyone who provides any radon-related service or product to the general public must be certified by the Pennsylvania Department of Environmental Resources. You are entitled to evidence of certification from any person who provides such services or products. You are also entitled to a price list for services and products offered. All radon measurement data will be sent to the Department as required in the Act and will be kept confidential. If you have any questions, please contact the Pennsylvania Bureau of Radiation Protection, 400 Market Street, RCSOB 13th Floor, Harrisburg, PA 17101, (717) 783-3594.

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS

NRPP CERT# 109347 RT
 NRSB CERT # 18SS007
 PA CERT #3324

PRO-LAB NRSB # ARL0028
 PRO-LAB NEHA ID # 101461AL
 PRO-LAB PA CERT # 2327



James E. McDonnell IV

TEST ID NUMBER: 1219761
DATE RECEIVED: 02/26/2019
REPORT DATE: 02/28/2019

BRUCE RIEMER
 700 WARRENDALE RD.
 GIBSONIA, PA 15044

TEST LOCATION
 700 WARRENDALE RD.
 ALLEGHENY
 GIBSONIA, PA 15044

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4623250	1ST FLOOR CLASS RM.332	Feb 23, 2019 6:38 AM	Feb 25, 2019 8:45 AM	Feb 27, 2019 1:16 AM	1.1 pCi/L
4622936	1ST FLOOR CLASS RM.332	Feb 23, 2019 6:38 AM	Feb 25, 2019 8:45 AM	Feb 27, 2019 1:26 AM	0.9 pCi/L

AVERAGE RADON LEVEL (average result of two tests) : 1.0 pCi/L

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER.

Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (800) 237-2366.**

NOTICE TO CLIENTS IN THE STATE OF PENNSYLVANIA

The Radon Certification Act requires that anyone who provides any radon-related service or product to the general public must be certified by the Pennsylvania Department of Environmental Resources. You are entitled to evidence of certification from any person who provides such services or products. You are also entitled to a price list for services and products offered. All radon measurement data will be sent to the Department as required in the Act and will be kept confidential. If you have any questions, please contact the Pennsylvania Bureau of Radiation Protection, 400 Market Street, RCSOB 13th Floor, Harrisburg, PA 17101, (717) 783-3594.

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS

NRPP CERT# 109347 RT
 NRSB CERT # 18SS007
 PA CERT #3324

PRO-LAB NRSB # ARL0028
 PRO-LAB NEHA ID # 101461AL
 PRO-LAB PA CERT # 2327



James E. McDonnell IV

TEST ID NUMBER: 1222436
DATE RECEIVED: 03/11/2019
REPORT DATE: 03/13/2019

BRUCE RIEMER
700 WARRENDALE RD.
GIBSONIA, PA 15044

TEST LOCATION
700 WARRENDALE RD.
ALLEGHENY
GIBSONIA, PA 15044

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4756224	1ST FLOOR CLASS RM 331	Mar 06, 2019 6:35 AM	Mar 08, 2019 6:38 AM	Mar 12, 2019 11:19 PM	0.9 pCi/L
4756150	1ST FLOOR CLASS RM 331	Mar 06, 2019 6:35 AM	Mar 08, 2019 6:38 AM	Mar 12, 2019 11:09 PM	0.7 pCi/L

AVERAGE RADON LEVEL (average result of two tests) : 0.8 pCi/L

THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER.

Please read the EPA Citizen's Guide to Radon at www.epa.gov/radon/pubs/citguide.html. Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (800) 237-2366.**

NOTICE TO CLIENTS IN THE STATE OF PENNSYLVANIA

The Radon Certification Act requires that anyone who provides any radon-related service or product to the general public must be certified by the Pennsylvania Department of Environmental Resources. You are entitled to evidence of certification from any person who provides such services or products. You are also entitled to a price list for services and products offered. All radon measurement data will be sent to the Department as required in the Act and will be kept confidential. If you have any questions, please contact the Pennsylvania Bureau of Radiation Protection, 400 Market Street, RCSOB 13th Floor, Harrisburg, PA 17101, (717) 783-3594.

LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS

NRPP CERT# 109347 RT
NRSB CERT # 18SS007
PA CERT #3324

PRO-LAB NRSB # ARL0028
PRO-LAB NEHA ID # 101461AL
PRO-LAB PA CERT # 2327



James E. McDonnell IV