

December 19, 2023

Mr. Matthew Griffin Facilities Supervisor Kyrene School District No. 28 8700 South Kyrene Road Tempe, AZ 85284-2197

**Subject:** 6-Month Surveillance

Inspection Asbestos-Containing Building Materials Kyrene Akimel A-al Middle School 2720 East Liberty Lane,

**Phoenix** 

Dear Mr. Griffin:

Dominion has completed the 6-Month Surveillance Inspection of Asbestos-Containing Building Materials (ACBM) at the subject school. The forms detailing the results of this reinspection and reassessment of known ACBM are attached.

The attached tables and forms have been updated to reflect the findings as of the date of this Reinspection and should serve as the Management Plan update.

#### Items of significance are:

#### **Main Building**

None

#### **Gym Building**

None)

#### **Concession Building**

None

If you have any questions regarding this correspondence, please contact us

immediately. Sincerely,

Basilio Marcos

President

Tracey Carpenter

AHERA Building Inspector

Attachments: 6-Month Surveillance Inspection Forms

Inspector Certification



School/Facility: Kyren	e Akimel A-al Middle School	Inspection Date: <u>3 / 11 / 2024</u>
Concessions Building		

Gracey Carpenter

Inspector: <u>Tracey Carpenter</u> Cert. No.: <u>ON-4644-14588-090523</u> Signature:

Material Description	Material Code	Material Observed				Material Condition Description	Assessment Classification
				Same	Changed	(If Change Noted)	
Spray-Applied Texture, White, Chalky	S·SAT·01	Y	N	Х	3		1 2 3 4 5 6 7
Gypsum Wallboard, White, Chalky	M·GWB·02	Y	N	Х			1 2 3 4 5 6 7
Joint Compound, White, Chalky	S·JTC·03	Y	N	X			1 2 3 4 5 6 7
Glazed Wall Tile, 4"X4", White, Smooth	M-GWT-04	¥	N	N/A		Sample Date: 3/11/2024 Project # AZ1418.11	1 2 3 4 5 6 7
Glazed Wall Tile (Pattern), 4"X4", Blue, Smooth	M·GWT·05	Y	N	X			1 2 3 4 5 6 7
Glazed Wall Tile (Pattern), 2"X2", Tan, Smooth	M·GWT·06	Y	N	Х			1 2 3 4 5 6 7
Grout, Gray, Cementitious	M-GRT-07	¥	N	N/A		Sample Date: 3/11/2024 Project # AZ1418.11	1 2 3 4 5 6 7
Ceramic Mosaic Tile, 2"X2", Tan, Smooth	M·CMT·08	Y	N	X		<u> </u>	1 2 3 4 5 6 7
Ceramic Mosaic Tile (Pattern), 2"X2", Tan, Smooth, White Specks	M-CMT-09	Y	N	Х			1 2 3 4 5 6 7
Ceramic Mosaic Tile (Pattern), 1"X1", Tan, Smooth, White Specks	M-CMT-10	Y	N	Х			1 2 3 4 5 6 7
Grout, Gray, Cementitious	M-GRT-11	Y	N	Х			1234567
Sealant (Doors, Millwork, Fixtures), White, Pliable	M·SLT·12	Y	N	Х			1 2 3 4 5 6 7
Spray-Applied Texture, White, Chalky	S·SAT·13	Y	N	Х			1 2 3 4 5 6 7
Gypsum Wallboard, White, Chalky	M·GWB·14	Y	N	Х			1 2 3 4 5 6 7
Joint Compound, White, Chalky	S·JTC·15	Y	N	Х			1 2 3 4 5 6 7
Wallbase (Coved), 4", Blue, Vinyl-Like	M·WAB·16	Y	N	Х			1234567
Adhesive, Cream, Pliable	M·ADH·17	Y	N	Х			1 2 3 4 5 6 7
Concrete (Foundation), Gray, Cementitious	M·CON·18	Y	N	X			1 2 3 4 5 6 7
Fire Door Insulation, Metal/Wood Cladding	M·FDI·19	Y	N	X			1 2 3 4 5 6
Concrete Masonry Unit, 8"X16", Gray, Cementitious, Smooth	M·CMU·20	Y	N	Х			1 2 3 4 5 6 7
Concrete Masonry Unit, 4"X16", Gray, Cementitious, Smooth	M·CMU·21	Y	N	Х			1 2 3 4 5 6 7
Concrete Masonry Unit, 8"X16", Gray, Cementitious, Rough	M·CMU·22	Y	N	Х			1 2 3 4 5 6 7
Concrete Masonry Unit, 8"X8", Gray, Cementitious, Smooth	M·CMU·23	Y	N	Х			1 2 3 4 5 6 7
Concrete Masonry Unit, 4"X8", Gray, Cementitious, Smooth	M·CMU·24	Υ	N	Х			1 2 3 4 5 6 7
Concrete Masonry Unit, 4"X8", Gray, Cementitious, Rough	M·CMU·25	Y	N	Х			1 2 3 4 5 6 7



Material Description	Material Code	Material Observed		Material Condition Status		Material Condition Description	Assessment Classification
					Changed	(If Change Noted)	
Mortar, Gray, Cementitious	M·MRT·26	Y	N	Х			1 2 3 4 5 6 7
Sink Acoustical Coating, Gray, Rough	M·SAC·27	Y	N	Х			1 2 3 4 5 6 7
Gypsum Wallboard, White, Chalky	M·GWB·28	Y	N	Х			1 2 3 4 5 6 7
Joint Compound, White, Chalky	S·JTC·29	Y	N	Х			1 2 3 4 5 6 7
Stucco, Gray, Cementitious	S·STU·30	Y	N	Х			1 2 3 4 5 6 7
Sealant (Flashings), Black, Gummy	M·SLT·31	Y	N	Х			1 2 3 4 5 6 7
Sealant (Doors, Walls), Brown, Pliable	M·SLT·32	Y	N	Х			1 2 3 4 5 6 7
Concrete (Entries), Gray, Cementitious	M·CON·33	Y	N	Х			1 2 3 4 5 6 7
Glazed Wall Tile, 12" x12" Brown Smooth	M-GWT-34	Y	N	Х			1 2 3 4 5 6 7
Sealant (Firestop), Re d, Brittle	M·SLT·35	Y	N	Х			1 2 3 4 5 6 7
Gasket, 4" 6", Black, Vinyl-like	M-GAS-36	Y	N	Х			1 2 3 4 5 6 7
Built-Up Roofing, Black, Asphaltic, Silver Coating	M-BUR-37	Y	N	Х			1 2 3 4 5 6 7
Mastic (Penetrations & Flashings) Black, Asphaltic	M-MAS-38	Y	N	Х			1 2 3 4 5 6 7
Sealant (Flashings), White, Pliable	M·SLT·39	Y	N	Х			1 2 3 4 5 6 7
Sealant (Flashings), Black, Tar- Like	M·SLT·40	Y	N	Х			1 2 3 4 5 6 7
Sealant (Duct), Gray, Pliable	M·SLT·41	Y	N	Х			1234567

- 1. Damaged or significantly damaged thermal system insulation ACBM.
- 2. Damaged friable surfacing ACBM.
- 3. Significantly damaged friable surfacing ACBM.
- 4. Damaged or significantly damaged friable miscellaneous ACBM.
- 5. ACBM with potential for damage.
- 6. ACBM with potential for significant damage.
- 7. Any remaining friable ACBM or friable suspected ACBM.



Building: Gym Building

Inspector: Tracey Carpenter Cert. No.: ON-4644-14588-090523 Signature:

Material Description	Material Code	Material Observed								-	nterial ion Status	Material Condition Description	Assessment Classification
				Same	Changed	(If Change Noted)							
Vinyl Composition Tile 12" x12", White, Smooth, Gray Mottles	M·VCT·10	Y	N	Х			1 2 3 4 5 6 7						
Vinyl Composition Tile (Pattern), 12" x12", Blue, Smooth, Dark Blue Specks	M·VCT·11	Y	N	X			1 2 3 4 5 6 7						
Vinyl Composition Tile (Pattern), 12" x12", Tan, Smooth, Gray Mottles	M·VCT·12	¥	N	N/A		Sample Date: 3/11/2024 Project # AZ1418.11	1 2 3 4 5 6 7						
Vinyl Composition Tile (Pattern), 12" x12", Tan, Smooth, Black Specks	M·VCT·13	Y	N	Х			1 2 3 4 5 6 7						
Mastic, Yellow Tacky	M·MAS-14	Y	N	Х			1 2 3 4 5 6 7						
Sink Acoustical Coating, Black, Rough	M·SAC·15	Y	N	Х			1 2 3 4 5 6 7						
Pipe End Sealant (Fire Sprinklers) White, Pliable	M-PSL-18	Y	N	Х			1 2 3 4 5 6 7						
Fire Door Insulation, Metal/Wood Cladding	M-FDI-19	Y	N	Х			1 2 3 4 5 6						
Concrete (Foundation), Gray, Cementitious	M·CON·21	Y	N	X			1234567						
Woven Duct Boot 4", Black, Canvas	M-WDB-22	Y	N	X			1234567						
Spray-Applied Texture, White, Chalky	S-SAT-31	¥	N	N/A		Sample Date: 1/15/2015	1 2 3 4 5 6 7						
Gypsum Wallboard, White, Chalky	M+GWB+32	¥	N	N/A		Project # AZ0959.856	1 2 3 4 5 6 7						
Joint Compound, White, Chalky	S-JTC-33	¥	Н	N/A			1 2 3 4 5 6 7						
Vinyl Composition Tile (Pattern), 12" x12", Gray, Smooth, Dark Gray Mottles	M·VCT·37	Y	N	X			1 2 3 4 5 6 7						
Wallbase (Coved) 4" Blue. Vinyl- Like	M-WAB-38	¥	N	N/A		Sample Date: 1/15/2015 Project # AZ0959.856	1234567						
Adhesive, Cream, Pliable	M-ADH-39	¥	N	N/A		,	1 2 3 4 5 6 7						
Quarry/Paver Tile, 12" x 12" Tan, Smooth, Blue Specks	M-QPT-42	¥	N	N/A		Sample Date: 1/15/2015 Project # AZ0959.856	1 2 3 4 5 6 7						
Quarry/Paver Tile, 12" x 12" Blue, Smooth, Blue Specks	M-QPT-43	Y	N	Х			1 2 3 4 5 6 7						
Grout, Gray, Cementitious	M-GRT-44	¥	N	N/A		Sample Date: 1/15/2015 Project # AZ0959.856	1234567						
Glazed Wall Tile, 4"X6", Tan, Smooth, Blue Specks	M-GWT-45	¥	N	N/A		Sample Date: 6/7/2021 Project # AZ0959.2719	1 2 3 4 5 6 7						
Grout, Gray, Cementitious	M-GRT-46	¥	N	N/A			1 2 3 4 5 6 7						
Adhesive (FRP) Black, Brittle	M-ADH-47	¥	N	N/A		Sample Date: 6/7/2021 Project # AZ0959.2719	1234567						
Sealant (Duct) Gray, Pliable	M·SLT·49	Y	N	Х			1234567						
Sealant (Flashings) White, Brittle	M-SLT-53	Y	N	Х	1		1 2 3 4 5 6 7						
Pipe End Sealant, Gray, Pliable	M-PES- 54	Y	N	Х			1234567						



Material Description	Material Code	Material Observed		_	aterial ion Status	Material Condition Description (If Change Noted)	Assessment Classification
				Same	Changed	(ii chango motou)	
Mastic (Penetrations & Flashings) Black, Tar-Like	M·MAS-56	Y	N	Х			1 2 3 4 5 6 7
Sealant (Flashings) White, Pliable	M-SLT-57	Y	N	Х			1 2 3 4 5 6 7
Sealant (Duct) Gray, Pliable	M-SLT-58	Y	N	X			1 2 3 4 5 6 7
Asphalt Prepared Roofing (Rolled), Black, Asphaltic, White Coating	M-APR-59	Y	N	Х			1234567
Sealant (Flashings) Black, Pliable	M-SLT-560	Y	N	Х			1234567
Woven Duct Boot 4" Gray Cloth- Like	M-WDB-61	Y	N	Х			1234567
Sealant (Skylights) Gray, Pliable	M-SLT-62	Y	N	X			1234567
Vinyl Stair Tread, 12"X48", Blue, Textured, Circle Pattern	M·VST·63	Y	N	Х			1234567
Mastic, Black, Brittle	M-MAS-64	Y	N	X			1 2 3 4 5 6 7
Spray-Applied Texture, White, Chalky	S+SAT+65	¥	N	N/A		Sample Date: 1/15/2015	1234567
Gypsum Wallboard, White, Chalky	M-GWB-66	¥	N	N/A		Project # AZ0959.856	1234567
Joint Compound, White, Chalky	S-JTC-67	¥	N	N/A			1234567
Glazed Wall Tile, 12" x12" Red, Smooth	M-GWT-68	Y	N	Х			1 2 3 4 5 6 7
Mortar (GWT & Glass Block) Gray, Cementitious	M-MRT-69	Y	N	Х			1 2 3 4 5 6 7
Sealant (Doors), Black, Pliable	M·SLT·70	Y	N	Х			1 2 3 4 5 6 7
Carpet (Pattern) Blue, Fibrous	M-CPT-71	Y	N	X			1234567
Gypsum Wallboard, White, Chalky	M·GWB-72	Y	N	Х			1234567
Joint Compound, White, Chalky	S·JTC·73	Y	N	Х			1 2 3 4 5 6 7
Glazed Wall Tile, 4"X4", White, Smooth	M-GWT-74	¥	N	N/A		Sample Date: 7/20/2022 Project # AZ0959.3119	1234567
Glazed Wall Tile (Pattern), 2"X2", Blue, Smooth	M·GWT-75	Y	N	X			1 2 3 4 5 6 7
Glazed Wall Tile (Pattern), 2"X2", Tan, Smooth	M·GWT·76	Y	N	X			1 2 3 4 5 6 7
Grout, Gray, Cementitious	M-GRT-77	¥	N	N/A		Sample Date: 7/20/2022 Project # AZ0959.3119	1234567
Ceramic Mosaic Tile, 2"X2", White, Peppered	M·CMT·78	Y	N	Х			1 2 3 4 5 6 7
Ceramic Mosaic Tile (Pattern), 2"X2", Tan, Smooth, Peppered	M-CMT-79	Y	N	X			1234567
Ceramic Mosaic Tile (Pattern), 1"X1", Tan, Smooth, Peppered	M-CMT-80	Y	N	Х			1 2 3 4 5 6 7
Grout, Gray, Cementitious	M-GRT-81	Y	N	Х			1 2 3 4 5 6 7
Wallbase (L-Shaped) 4" Black, Vinyl-Like	M-WAB-82	Y	N	Х			1234567
Adhesive, Cream, Pliable	M-ADH-83	Y	N	Х			1234567
Adhesive (FRP), Black, Brittle	M-ADH-84	¥	N	N/A		Sample Date: 1/15/2015 Project # AZ0959.856	1234567
Quarry/Paver Tile, 12" x12" White, Textured	M-QPT-85	¥	N	N/A		Sample Date: 1/15/2015	1234567
Grout, Gray Cementitious	M-GWT-86	¥	N	N/A		Project # AZ0959.856	1 2 3 4 5 6 7



Material Description	Material Material Code Observe			Material Condition Status		Material Condition Description	Assessment Classification
				Same	Changed	(If Change Noted)	
Glazed Wall Tile (Coved), 4"X6", White, Textured	M-GWT-87	¥	N	N/A		Sample Date: 1/15/2015	1234567
Grout, Gray, Cementitious	M-GRT-88	¥	N	N/A		Project # AZ0959.856	1234567
Gypsum Wallboard, White, Chalky	M·GWB·89	Y	N	Х			1234567
Joint Compound, White, Chalky	S·JTC-90	Y	N	Х			1234567
Expansion Joint, Gray, Pliable	M-EXJ-91	Y	N	Х			1234567
Concrete Masonry Unit, 8" x 8", Gray, Cementitious, Cross Cut Pattern	M- CMU-96	Y	N	Х			1 2 3 4 5 6 7

- 1. Damaged or significantly damaged thermal system insulation ACBM.
- 2. Damaged friable surfacing ACBM.
- 3. Significantly damaged friable surfacing ACBM.
- 4. Damaged or significantly damaged friable miscellaneous ACBM.
- 5. ACBM with potential for damage.
- 6. ACBM with potential for significant damage.
- 7. Any remaining friable ACBM or friable suspected ACBM.



School/Facility: Kyrene Altadena Middle School Inspection Date: 3/11/2024

Building: Main Building

Inspector: <u>Tracey Carpenter</u> Cert. No.: <u>ON-4644-14588-090523</u> Signature:

Material Description	Material Code	Material Observed		-	aterial on Status	Material Condition Description	Assessment Classification
				Same	Changed	(If Change Noted)	
Vinyl Composition Tile 12" x12", White, Smooth, Gray Mottles	M-VCT-10	¥	N	N/A		Sample Date: 6/8/2017 Project # AZ1418.05	1234 07
Vinyl Composition Tile (Pattern), 12" x12", Blue, Smooth, Dark Blue Specks	M·VCT-11	Y	N	Х		<u>,</u>	1234567
Vinyl Composition Tile (Pattern), 12" x12", Tan, Smooth, Gray Mottles	M+VCT-12	¥	N	N/A		Sample Date: 5/15/2023 Project # AZ0959.3384	1234 07
Vinyl Composition Tile (Pattern), 12" x12", Tan, Smooth, Black Specks	M·VCT-13	Y	N	Х			1 2 3 4 📗 6 7
Mastic, Yellow Tacky	M-MAS-14	¥	N	N/A		Sample Date: 5/15/2023 Project # AZ0959.3384	1234567
Fire Door Insulation, Metal/Wood Cladding	M-FDI-18	Y	N	Х			1 2 3 4 5 6 7
Pipe End Sealant (Fire Sprinklers) White, Pliable	M-PSL-20	Y	N	X			1 2 3 4 5 6 7
Sealant (Duct), Gray, Pliable	M-SLT-21	Y	N	X			1234567
Sink Acoustical Coating, Gray, Rough	M·SAC·22	Y	N	Х			1 2 3 4 5 6 7
Tackable Wall Panel, White, Chalky, Vinyl Cover	M0TWP-23	Y	N	X			1234567
Spray-Applied Texture, White, Chalky	<del>S</del> + <del>SAT</del> +25	¥	N	N/A		Sample Date: 5/15/2023	1 2 3 4 5 6 7
Gypsum Wallboard, White, Chalky	M-GWB-26	¥	N	N/A		Project # AZ0959.3384	1 2 3 4 5 6 7
Joint Compound, White, Chalky	S+JTC+27	¥	N	N/A			1 2 3 4 5 6 7
Glazed Wall Tile, 4"X4", White, Smooth	M+GWT+28	¥	N	N/A		Sample Date: 5/15/2023 Project # AZ0959.3384	1234567
Glazed Wall Tile (Pattern), 2"X2", Tan, Smooth	M·GWT-29	Y	N	Х			1234567
Glazed Wall Tile (Pattern), 2"X2", Blue, Smooth	M·GWT·30	Y	N	Х			1 2 3 4 5 6 7
Grout, Gray, Cementitious	M-GRT-31	¥	N	N/A		Sample Date: 5/15/2023 Project # AZ0959.3384	1 2 3 4 5 6 7
Ceramic Mosaic Tile, 2"X2", Tan, Smooth	M·CMT·32	Y	N	Х			1 2 3 4 5 6 7
Ceramic Mosaic Tile (Pattern), 2"X2", Tan, Smooth, White Specks	M-CMT-33	Y	N	X			1 2 3 4 5 6 7
Ceramic Mosaic Tile (Pattern), 1"X1", Tan, Smooth, White Specks	M-CMT-34	Y	N	X			1 2 3 4 5 6 7
Grout, Gray, Cementitious	M-GRT-35	Y	N	Х			1 2 3 4 5 6 7
Spray-Applied Texture, White, Chalky	S-SAT-36	¥	N	N/A		Sample Date: 6/8/2017	1234567
Gypsum Wallboard, White, Chalky	M-GWB-37	¥	N	N/A		Project # AZ1418.05	1 2 3 4 5 6 7
Joint Compound, White, Chalky	S-JTC-38	¥	N	N/A			1 2 3 4 5 6 7
Ceramic Mosaic Tile, 2"X2", White, Smooth, Peppered	M·CMT·39	Y	N	Х			1 2 3 4 5 6 7
Ceramic Mosaic Tile (Pattern), 2"X2", Tan, Smooth, Brown Specks	M-CMT-40	Y	N	Х			1 2 3 4 5 6 7
Ceramic Mosaic Tile (Pattern), 1"X1", Tan, Smooth, Brown Specks	M-CMT-41	Y	N	Х			1 2 3 4 5 6 7
Grout, Gray, Cementitious	M-GRT-42	Y	N	X			1 2 3 4 5 6 7



Material Description	Material Code	Material Observed			aterial ion Status	Material Condition Description	Assessment Classification
				Same	Changed	(If Change Noted)	
Glazed Wall Tile (Coved), 4"X6", White, Smooth	M-GWT-43	¥	N	N/A		Sample Date: 6/8/2017 Project # AZ1418.05	1 2 3 4 5 6 7
Grout, Gray, Cementitious	M-GRT-44	¥	N	N/A		110,000 // 1221110100	1 2 3 4 5 6 7
Troweled On- Texture, White, Chalky	S-TOT-52	¥	H	N/A		G 1 D ( (10/2017	1 2 3 4 5 6 7
Gypsum Wallboard, White, Chalky	M-GWB-53	¥	N	N/A		Sample Date: 6/8/2017 Project # AZ1418.05	1 2 3 4 5 6 7
Joint Compound, White, Chalky	S-JTC-54	¥	И	N/A		,	1 2 3 4 5 6 7
Troweled On- Texture, White, Chalky	S-TOT-55	Y	N	Х			1234567
Gypsum Wallboard, White, Chalky	M-GWB-56	Y	N	Х			1 2 3 4 5 6 7
Joint Compound, White, Chalky	S-JTC-57	Y	N	Х			1 2 3 4 5 6 7
Concrete (Equipment Pad), Gray Cementitious	M-CON-58	Y	N	Х			1234567
Vinyl Composition Tile 24" x24", Blue, Textured, Circle Pattern	M-VCT-59	Y	N	Х			1 2 3 4 5 6 7
Mastic, Yellow, Tacky	M-MAS-60	Y	N	X			1 2 3 4 5 6 7
Vinyl Stair Tread, 12" x 36", Blue, Textured, Circle Pattern	M-VST-61	Y	N	X			1 2 3 4 5 6 7
Mastic, Yellow, Tacky	M-MAS-62	Y	N	X			1 2 3 4 5 6 7
Gypsum Wallboard, White, Chalky, Vinyl Cover	M-GWB-67	Y	N	X			1 2 3 4 5 6 7
Joint Compound, White, Chalky	S-JTC-68	Y	N	X			1 2 3 4 5 6 7
Mortar (GWT & Glass Block) Gray, Cementitious	M-MRT-69	Y	N	X			1234567
Glazed Wall Tile, 12" x 12", Brown, Smooth	M-GWT-72	Y	N	Х			1 2 3 4 5 6 7
Grout, Gray, Cementitious	M-GRT-73	Y	N	X			1 2 3 4 5 6 7
Glazed Wall Tile, 8" x 8", Brown, Smooth	M-GWT-74	Y	N	Х			1 2 3 4 5 6 7
Quarry/Paver Tile 12" x12" White, Smooth	M-QPT-75	Y	N	X			1 2 3 4 5 6 7
Grout, Gray, Cementitious	M-GRT-76	Y	N	Х			1234567
Quarry/Paver Tile 12" x12" Blue, Smooth	M-QPT-77	Y	N	X			1 2 3 4 5 6 7
Concrete (Foundation), Gray, Cementitious	M·CON·78	Y	N	Х			1234567
Gypsum Wallboard, White, Chalky, Vinyl Cover	M·GWB·79	Y	N	Х			1234567
Joint Compound, White, Chalky	S·JTC·80	Y	N	X			1 2 3 4 5 6 7
Mortar (Glass Block), Gray, Cementitious	M·MRT-86	Y	N	X			1 2 3 4 5 6 7
Sealant (Flashings), Tan, Pliable	M·SLT-88	Y	N	X			1 2 3 4 5 6 7
Sealant (Flashings), White, Brittle Sealant (Doors, Windows), Brown,	M·SLT-89 M·SLT-91	Y	N N	X			1 2 3 4 5 6 7
Pliable Concrete (Entries), Gray, Cementitious	M·CON·92	Y	N	X			1 2 3 4 5 6 7
Expansion Joint, Gray, Pliable	M-EXJ-93	Y	N	X			1234567
Concrete Gray, Cementitious	M·CON·94	Y	N	X			1 2 3 4 5 6 7
Expansion Joint, Brown, Pliable	M-EXJ-95	Y	N	Х			1 2 3 4 5 6 7
Glazed Wall Tile, 8" x 8", Brown, Smooth	M-GWT-96	Y	N	Х			1 2 3 4 5 6 7
Glazed Wall Tile, 4" x 8", Brown, Smooth	M-GWT-97	Y	N	Х			1234567
Grout, Gray, Cementitious	M-GRT-98	Y	N	Х			1 2 3 4 5 6 7
Ceramic Mosaic Tile, Various Sizes, White, Smooth, Various Colors	M-CMT-99	Y	N	Х			1 2 3 4 5 6 7
Grout, Gray, Cementitious	M-GRT-100	Y	N	Х			1 2 3 4 5 6 7



- 1. Damaged or significantly damaged thermal system insulation ACBM.
- 2. Damaged friable surfacing ACBM.
- 3. Significantly damaged friable surfacing ACBM.
- 4. Damaged or significantly damaged friable miscellaneous ACBM.
- 5. ACBM with potential for damage.
- 6. ACBM with potential for significant damage.
- 7. Any remaining friable ACBM or friable suspected ACBM.



School/Facility: Kyrene Altadena Middle School	Inspection Date:	3/11/2024
--	------------------	-----------

Building: Storage Building 1

Gracey Carpenter

Inspector: <u>Tracey Carpenter</u> Cert. No.: <u>ON-4644-14588-090523</u> Signature:

Material Description	Material Code	Material Observed				Material Condition Description	Assessment Classification
				Same	Changed	(If Change Noted)	
Concrete Masonry Unit, 8'x16", Gray, Cementitious, Smooth	M·CMU·01	Y	N	Х			1 2 3 4 6 7
Mortar, Gray, Cementitious	M·MRT-02	Y	N	Х			1 2 3 4 6 7
Concrete (Foundation) Gray, Cementitious	M·CON·03	Y	N	Х			1 2 3 4 5 6 7
Asphalt Prepared Roofing (Shingles), Black, Asphaltic Brown Mineral Cap	M-APR-04	Y	N	Х			1 2 3 4 📗 6 7
Vapor Barrier Felt, Black, Asphaltic	M-VBF-05	Y	N	Х			1234567

- 1. Damaged or significantly damaged thermal system insulation ACBM.
- 2. Damaged friable surfacing ACBM.
- 3. Significantly damaged friable surfacing ACBM.
- 4. Damaged or significantly damaged friable miscellaneous ACBM.
- 5. ACBM with potential for damage.
- 6. ACBM with potential for significant damage.
- 7. Any remaining friable ACBM or friable suspected ACBM.



School/Facility: Kyrene Altadena Middle School	Inspection Date:	<u>3/11/2024</u>
Building: Storage Building 2		

Inspector: <u>Tracey Carpenter</u> Cert. No.: <u>ON-4644-14588-090523</u> Signature:

Gracey Carpenter

Material Description	Material Code	Material Observed		Material Condition Status		Material Condition Description	Assessment Classification
				Same	Changed	(If Change Noted)	
Asphalt Prepared Roofing (Shingles), Black, Asphaltic Tan Mineral Cap	M-APR-01	Y	N	Х			1 2 3 4   6 7
Vapor Barrier Felt, Black, Asphaltic	M-VBF-02	Y	N	Х			1 2 3 4 5 6 7
Concrete (Foundation) Gray, Cementitious	M·CON·03	Y	N	Х			1 2 3 4 6 7

- 1. Damaged or significantly damaged thermal system insulation ACBM.
- 2. Damaged friable surfacing ACBM.
- 3. Significantly damaged friable surfacing ACBM.
- 4. Damaged or significantly damaged friable miscellaneous ACBM.
- 5. ACBM with potential for damage.
- 6. ACBM with potential for significant damage.
- 7. Any remaining friable ACBM or friable suspected ACBM.

# THE ASBESTOS INSTITUTE

Certifies that

## **Tracey Carpenter**

has attended and received instruction in the EPA approved course

### **AHERA Building Inspector Refresher**

on

### September 05, 2023

and successfully completed and passed the competency exam.

Certificate: ON-4644-14588-090523

Date of Examination:

5-Sep-2023

Date of Expiration:

05-Sep-2024

Approved Instructor

#### THE ASBESTOS INSTITUTE

Director

20033 N. 19<sup>th</sup> Ave, Building 6, Phoenix, AZ 85027 602-864-6564 – www.theasbestosinstitute.com