

March 19, 2024

Mr. Matthew Griffin Facilities Supervisor Kyrene School District No. 28 8700 South Kyrene Road Tempe, AZ 85284-2197

Subject: 6-Month Surveillance Inspection

Asbestos-Containing Building Materials Kyrene Centennial Middle School 13808 South 36th Street, Phoenix

Dear Mr. Griffin:

Dominion has completed the 6-Month Surveillance Inspection of Asbestos-Containing Building Materials (ACBM) at the subject school. The forms detailing the results of this reinspection and reassessment of known ACBM are attached.

The attached tables and forms have been updated to reflect the findings as of the date of this Reinspection and should serve as the Management Plan update.

Items of significance are:

Building A

None

Building B

None

Building C

None

Building D

None

Building E/Multi-purpose Room

None

Building F

None

Building G

None

Building H

None

If you have any questions regarding this correspondence, please contact us immediately. Sincerely,

Basilio Marcos President Tracey Carpenter AHERA Building Inspector

Gracey Carpenter

Attachments: 6-Month Surveillance Inspection Forms

Inspector Certification



School/Facility: Kyrene Centennial Middle School	Inspection Date: <u>3/12/2024.</u>
Building: Building A	

Material Description	ial Description Material Material Code Observed		-	aterial ion Status	Material Condition Description	Assessment Classification	
				Same	Changed	(If Change Noted)	
Brick, 4"X16", Tan, Cementitious	M·BRK·06	Y*	N	Х			1 2 3 4 5 6 7
Brick, 4"X16", Red, Cementitious	M·BRK·07	Y*	N	Х			1 2 3 4 5 6 7
Mortar, Gray, Cementitious	M·MRT·08	Y*	N	Х			1 2 3 4 5 6 7
Expansion Joint, Brown, Pliable	M·EXJ·09	Y*	N	Х			1 2 3 4 5 6 7
Mortar (Glass Block), Gray, Cementitious	M·MRT·11	Y*	N	Х			1 2 3 4 5 6 7
Fire Door Insulation, Metal/Wood Cladding	M·FDI·12	Y*	N	Х			1234567
Sealant (Windows), Black, Gummy	M·SLT·18	Y*	N	Х			1 2 3 4 5 6 7
Sealant (Doors, Windows, Fixtures), Tan, Pliable	M·SLT·19	Y*	N	X			1 2 3 4 5 6 7
Pipe Sealant (Fire Sprinklers), White, Pliable	M·PSL·21	Y*	N	X			1 2 3 4 5 6 7
Troweled-On Texture, White, Chalky	S·TOT·22	Y*	N	X			1 2 3 4 5 6 7
Gypsum Wallboard, White, Chalky	M·GWB·23	Y*	N	Х			1 2 3 4 5 6 7
Joint Compound, White, Chalky	S·JTC·24	Y*	N	Х			1 2 3 4 5 6 7
Wallbase (Coved), 4", Brown, Vinyl-Like	M·WAB·25	Y*	N	Х			1 2 3 4 5 6 7
Adhesive, Cream, Pliable	M·ADH·26	Y*	N	Х			1 2 3 4 5 6 7
Vinyl Composition Tile, 12"X12", White, Smooth, Gray Mottles	M -VCT-27	¥	N	N/A		Sample Date: 3/12/2024 Project # AZ1418.11	1 2 3 4 5 6 7
Mastic, Yellow, Tacky	M·MAS·28	¥	N	N/A			1 2 3 4 5 6 7
Gypsum Wallboard, White, Chalky	M-GWB-29	¥	N	N/A			1234567
Joint Compound, White, Chalky	S-JTC-30	¥	N	N/A		Sample Date: 3/12/2024	1 2 3 4 5 6 7
Spray-Applied Texture, White, Chalky	S-SAT-31	¥	N	N/A		Project # AZ1418.11	1234567
Gypsum Wallboard, White, Chalky	M-GWB-32	¥	N	N/A			1 2 3 4 5 6 7
Joint Compound, White, Chalky	S-JTC-33	¥	И	N/A			1 2 3 4 5 6 7
Sink Acoustical Coating, Black, Rough	M·SAC·34	Y*	N	Х			1 2 3 4 5 6 7
Concrete (Entries), Gray, Cementitious	M·CON·36	Y*	N	Х			1 2 3 4 5 6 7
Stucco, Gray, Cementitious	S·STU·37	Y*	N	Х			1 2 3 4 5 6 7
Built-Up Roofing, Black, Asphaltic, Gravel Cap	M·BUR·38	Y*	N	Х			1 2 3 4 5 6 7
Mastic (Penetrations And Flashings), Black, Tar-Like, Silver	M·MAS·39	Y*	N	Х			1 2 3 4 5 6 7
Sealant (Flashings), Black, Pliable, Silver	M·SLT·40	Y*	N	Х			1 2 3 4 5 6 7
Sealant (Flashings), Gray, Pliable	M·SLT·41	Y*	N	Х			1 2 3 4 5 6 7
Pipe End Sealant, Gray, Pliable	M·PES·42	Y*	N	X			1 2 3 4 5 6 7



- Damaged or significantly damaged thermal system insulation ACBM. 1.
- 2. Damaged friable surfacing ACBM.
- 3.
- Significantly damaged friable surfacing ACBM. Damaged or significantly damaged friable miscellaneous ACBM. 4.
- 5. ACBM with potential for damage.
- ACBM with potential for significant damage. 6.
- 7. Any remaining friable ACBM or friable suspected ACBM.



School/Facility: <u>Kyrene Centennial Middle School</u>	Inspection Date: <u>3/12/2024.</u>
Building: <u>Building B</u>	

Gracey Carpenter

Material Description	Material Code	Material Observed		-	nterial ion Status	Material Condition Description	Assessment Classification
				Same	Changed	(If Change Noted)	
Wallbase (Coved), 4", Blue, Vinyl-Like	M·WAB·06	Υ*	N	X			1234567
Adhesive, Cream, Pliable	M·ADH·07	Y*	N	Х			1 2 3 4 5 6 7
Sealant (Doors, Windows, Millwork, Fixtures), White, Pliable	M·SLT·10	Y*	N	Х			1 2 3 4 5 6 7
Sealant (Windows), Black, Gummy	M·SLT·11	Υ*	N	Х			1234567
Fire Door Insulation, Metal/Wood Cladding	M·FDI·12	Y*	N	Х			1234567
Sealant (Doors, Windows), Tan, Pliable	M·SLT·13	Y*	N	Х			1234567
Sink Acoustical Coating, Black, Rough	M·SAC·14	Y*	N	X			1234567
Pipe Sealant (Fire Sprinklers), White, Pliable	M·PSL·16	Y*	N	X			1 2 3 4 5 6 7
Plaster, Gray, Cementitious	S·PLA·17	Y*	N	Х			1 2 3 4 5 6 7
Brick, 4"X16", Tan, Cementitious	M·BRK·18	Y*	N	Х			1 2 3 4 5 6 7
Brick, 4"X16", Red, Cementitious	M·BRK·19	Y*	N	Х			1 2 3 4 5 6 7
Mortar, Gray, Cementitious	M·MRT·20	Y*	N	Х			1 2 3 4 5 6 7
Expansion Joint, Brown, Pliable	M·EXJ·21	Y*	N	Х			1 2 3 4 5 6 7
Concrete (Foundation), Gray, Cementitious	M·CON·22	Y*	N	Х			1 2 3 4 5 6 7
Vinyl Composition Tile, 12"X12", White, Smooth, Gray Mottles	M·VCT·23	Y*	N	Х			1234567
Mastic, Yellow, Tacky	M·MAS·24	Y*	N	Х			1 2 3 4 5 6 7
Wallbase (Coved), 4", Brown, Vinyl-Like	M+WAB+25	¥	N	N/A		Removed: Now Blue Cove Base Throughout	1 2 3 4 5 6 7
Adhesive, Cream, Pliable	M-ADH-26	¥	N	N/A			1 2 3 4 5 6 7
Spray-Applied Texture, White, Chalky	S·SAT·27	Y*	N	Х			1234567
Gypsum Wallboard, White, Chalky	M·GWB·28	Υ*	N	X			1234567
Joint Compound, White, Chalky	S·JTC·29	Y*	N	Х			1 2 3 4 5 6 7
Troweled-On Texture, White, Chalky	S·TOT·30	Y*	N	X			1234567
Gypsum Wallboard, White, Chalky	M·GWB·31	Υ*	N	Х			1 2 3 4 5 6 7
Joint Compound, White, Chalky	S·JTC·32	Y*	N	X			1 2 3 4 5 6 7
Spray-Applied Texture, White, Chalky	S·SAT·33	Υ*	N	Х			1 2 3 4 5 6 7
Gypsum Wallboard, White, Chalky	M·GWB·34	Y*	N	Х			1 2 3 4 5 6 7
Joint Compound, White, Chalky	S·JTC·35	Y*	N	Х			1 2 3 4 5 6 7
Glazed Wall Tile, 4"X4", White, Smooth	M-GWT-36	¥	N	N/A		Sample Date: 3/12/2024 Project # AZ1418.11	1 2 3 4 5 6 7



Material Description	Material Code	Material Observed			aterial ion Status	Material Condition Description	Assessment Classification
				Same	Changed	(If Change Noted)	
Glazed Wall Tile (Pattern), 4"X4", Tan, Smooth	M·GWT·37	Y*	N	Х			1 2 3 4 5 6 7
Grout, Gray, Cementitious	M⁺GRT+38	¥	N	N/A		Sample Date: 3/12/2024 Project # AZ1418.11	1 2 3 4 5 6 7
Ceramic Mosaic Tile, 2"X2", White, Smooth, Peppered	M+CMT+39	¥	N	N/A		Sample Date: 3/12/2024 Project # AZ1418.11	1234567
Ceramic Mosaic Tile (Pattern), 2"X2", Tan, Smooth	M-CMT-40	¥	N	N/A		Removed: Floor Tiles are Pink, Green & White	1234567
Ceramic Mosaic Tile (Pattern), 2"X2", Green, Smooth	M·CMT·41	Υ*	N	Х			1 2 3 4 5 6 7
Grout, Gray, Cementitious	M·GRT·42	Y*	N	Х			1 2 3 4 5 6 7
Concrete (Entries), Gray, Cementitious	M·CON·43	Y*	N	Х			1 2 3 4 5 6 7
Concrete (Courtyards), Gray, Cementitious, Gravel Finish	M·CON·44	Υ*	N	Х			1 2 3 4 5 6 7
Brick (Planters), 4"X16", Red, Cementitious, White	M·BRK·45	Υ*	N	Х			1 2 3 4 5 6 7
Mortar, Gray, Cementitious	M·MRT·46	Y*	N	Х			1 2 3 4 5 6 7
Stucco, Gray, Cementitious	S·STU·47	Y*	N	Х			1 2 3 4 5 6 7
Built-Up Roofing, Black, Asphaltic, Gravel Cap	M·BUR·48	Υ*	N	Х			1 2 3 4 5 6 7
Mastic (Penetrations And Flashings), Black, Tar-Like, Silver	M·MAS·49	Y*	N	Х			1 2 3 4 5 6 7
Sealant (Flashings), Black, Pliable, Silver	M·SLT·50	Y*	N	Х			1 2 3 4 5 6 7
Sealant (Flashings), Gray, Pliable	M·SLT·51	Y*	N	Х			1 2 3 4 5 6 7
Pipe End Sealant, Gray, Pliable	M·PES·52	Y*	N	Х			1 2 3 4 5 6 7

- 1. Damaged or significantly damaged thermal system insulation ACBM.
- 2. Damaged friable surfacing ACBM.
- Significantly damaged friable surfacing ACBM.
- 4. Damaged or significantly damaged friable miscellaneous ACBM.
- 5. ACBM with potential for damage.
- 6. ACBM with potential for significant damage.
- 7. Any remaining friable ACBM or friable suspected ACBM.



School/Facility: <u>Kyrene Centennial Middle School</u>	Inspection Date: <u>3/12/2024.</u>
Building: Building C	

Material Description	Material Material Code Observed		_	aterial ion Status	Material Condition Description	Assessment Classification	
				Same	Changed	(If Change Noted)	
Wallbase (Coved), 4", Blue, Vinyl-Like	M·WAB·08	Y*	N	Х			1 2 3 4 5 6 7
Adhesive, Cream, Pliable	M·ADH·09	Y*	N	X			1 2 3 4 5 6 7
Sealant (Doors, Windows, Millwork, Fixtures), White, Pliable	M·SLT·10	Y*	N	Х			1 2 3 4 5 6 7
Fire Door Insulation, Metal/Wood Cladding	M·FDI·11	Y*	N	Х			1 2 3 4 5 6 7
Sealant (Windows), Black, Gummy	M·SLT·12	Y*	N	Х			1 2 3 4 5 6 7
Sink Acoustical Coating, Black, Rough	M·SAC·13	Y*	N	Х			1 2 3 4 5 6 7
Pipe Sealant (Fire Sprinklers), White, Pliable	M·PSL·15	Y*	N	X			1 2 3 4 5 6 7
Concrete (Foundation), Gray, Cementitious	M·CON·16	Y*	N	X			1 2 3 4 5 6 7
Brick, 4"X16", Tan, Cementitious	M·BRK·17	Y*	N	X			1 2 3 4 5 6 7
Brick, 4"X16", Red, Cementitious	M·BRK·18	Y*	N	Х			1 2 3 4 5 6 7
Mortar, Gray, Cementitious	M·MRT·19	Y*	N	X			1 2 3 4 5 6 7
Expansion Joint, Brown, Pliable	M·EXJ·20	Y*	N	X			1 2 3 4 5 6 7
Plaster, Gray, Cementitious	S·PLA·21	Y*	N	X			1 2 3 4 5 6 7
Troweled-On Texture, White, Chalky	S·TOT·22	Y*	N	Х			1 2 3 4 5 6 7
Gypsum Wallboard, White, Chalky	M·GWB·23	Y*	N	Х			1 2 3 4 5 6 7
Joint Compound, White, Chalky	S·JTC·24	Y*	N	X			1 2 3 4 5 6 7
Wallbase (Coved), 4", Brown, Vinyl-Like	M·WAB·25	Y*	N	X			1 2 3 4 5 6 7
Adhesive, Cream, Pliable	M·ADH·26	Y*	N	X			1 2 3 4 5 6 7
Sealant (Doors, Windows, Fixtures), Tan, Pliable	M·SLT·27	Y*	N	Х			1 2 3 4 5 6 7
Vinyl Composition Tile, 12"X12", White, Smooth, Gray Mottles	M·VCT·28	Y*	N	X			1 2 3 4 5 6 7
Mastic, Yellow, Tacky	M·MAS·29	Y*	N	X			1 2 3 4 5 6 7
Sink Acoustical Coating, Gray, Rough	M·SAC·30	Y*	N	X			1 2 3 4 5 6 7
Spray-Applied Texture, White, Chalky	S·SAT·31	Y*	N	Х			1 2 3 4 5 6 7
Gypsum Wallboard, White, Chalky	M·GWB·32	Y*	N	X			1 2 3 4 5 6 7
Joint Compound, White, Chalky	S·JTC·33	Y*	N	X			1 2 3 4 5 6 7
Glazed Wall Tile, 4"X4", White, Smooth	M·GWT·34	Y*	N	X			1 2 3 4 5 6 7
Glazed Wall Tile (Pattern), 4"X4", Pink, Smooth	M·GWT·35	Y*	N	Х			1 2 3 4 5 6 7
Grout, Gray, Cementitious	M·GRT·36	Y*	N	X			1 2 3 4 5 6 7



Material Description	Material Material Code Observed			aterial ion Status	Material Condition Description	Assessment Classification	
				Same	Changed	(If Change Noted)	
Ceramic Mosaic Tile, 2"X2", White, Smooth, Peppered	M·CMT·37	Y*	N	Х			1 2 3 4 5 6 7
Ceramic Mosaic Tile (Pattern), 2"X2", Pink, Smooth	M·CMT·38	Y*	N	Х			1234567
Ceramic Mosaic Tile (Pattern), 2"X2", Blue, Smooth	M·CMT·39	Y*	N	Х			1 2 3 4 5 6 7
Grout, Gray, Cementitious	M·GRT·40	Y*	N	Х			1 2 3 4 5 6 7
Glazed Wall Tile, 4"X4", White, Smooth	M-GWT-41	¥	N	N/A		Sample Date: 3/12/2024 Project # AZ1418.11	1 2 3 4 5 6 7
Glazed Wall Tile (Pattern), 4"X4", Tan, Smooth	M·GWT·42	Y*	N	Х		, and the second	1 2 3 4 5 6 7
Glazed Wall Tile (Pattern), 4"X4", Gray, Smooth	M·GWT·43	Y*	N	Х			1234567
Grout, Gray, Cementitious	M+GRT+44	¥	N	N/A		Sample Date: 3/12/2024 Project # AZ1418.11	1 2 3 4 5 6 7
Ceramic Mosaic Tile, 2"X2", White, Smooth	M·CMT·45	Υ*	Z	X			1 2 3 4 5 6 7
Ceramic Mosaic Tile (Pattern), 2"X2", Light Blue, Smooth	M·CMT·46	Y*	N	X			1234567
Ceramic Mosaic Tile (Pattern), 2"X2", Dark Blue, Smooth	M·CMT·47	Y*	N	X			1 2 3 4 5 6 7
Grout, Gray, Cementitious	M·GRT·48	Y*	Ν	Х			1 2 3 4 5 6 7
Concrete (Entries), Gray, Cementitious	M·CON·49	Y*	N	X			1234567
Stucco, Gray, Cementitious	S·STU·50	Y*	N	Х			1 2 3 4 5 6 7
Concrete (Courtyards), Gray, Cementitious, Gravel Finish	M·CON·51	Y*	N	Х			1234567
Brick (Planters), 4"X16", Red, Cementitious, White	M·BRK·52	Y*	N	X			1 2 3 4 5 6 7
Mortar, Gray, Cementitious, Associated With Brick (Planters), 4"X16", Red, Cementitious, White	M·MRT·53	Y*	N	X			1 2 3 4 5 6 7
Built-Up Roofing, Black, Asphaltic, Gravel Cap	M·BUR·54	Y*	N	Х			1 2 3 4 5 6 7
Mastic (Penetrations And Flashings), Black, Tar-Like, Silver	M·MAS·55	Y*	N	Х			1 2 3 4 5 6 7
Sealant (Flashings), Black, Pliable, Silver	M·SLT·56	Y*	N	Х			1 2 3 4 5 6 7
Sealant (Flashings), Gray, Pliable	M·SLT·57	Y*	N	Х			1234567
Pipe End Sealant, Gray, Pliable	M·PES·58	Υ*	N	Х			1 2 3 4 5 6 7

- 1. Damaged or significantly damaged thermal system insulation ACBM.
- 2. Damaged friable surfacing ACBM.
- 3. Significantly damaged friable surfacing ACBM.
- 4. Damaged or significantly damaged friable miscellaneous ACBM.
- ACBM with potential for damage.
- 6. ACBM with potential for significant damage.
- 7. Any remaining friable ACBM or friable suspected ACBM.



School/Facility: Kyrene Centennial Middle School	Inspection Date:	3/12/2024
Building: Building D		

Material Description	Material Code				nterial on Status	Material Condition Description	Assessment Classification
				Same	Changed	(If Change Noted)	
Wallbase (Coved), 4", Blue, Vinyl-Like	M+WAB+06	¥	N	N/A		Sample Date: 7/11/2022 Project # AZ0959.3105	1 2 3 4 5 6 7
Adhesive, Cream, Pliable	M-ADH-07	¥	N	N/A		,	1 2 3 4 5 6 7
Sealant (Doors, Windows, Millwork, Fixtures), White, Pliable	M·SLT·10	Y*	Ν	Х			1 2 3 4 5 6 7
Sink Acoustical Coating, Black, Rough	M·SAC·11	Υ*	Z	X			1234567
Fire Door Insulation, Metal/Wood Cladding	M·FDI·12	Υ*	Z	X			1234567
Pipe Sealant (Fire Sprinklers), White, Pliable	M·PSL·14	Y*	Z	X			1 2 3 4 5 6 7
Sealant (Windows), Black, Gummy	M·SLT·15	Y*	N	X			1234567
Pipe End Sealant, White, Pliable	M·PES·16	Y*	N	Х			1 2 3 4 5 6 7
Concrete (Foundation), Gray, Cementitious	M·CON·17	Y*	Ν	X			1 2 3 4 5 6 7
Plaster, Gray, Cementitious	S·PLA·18	Y*	N	Х			1 2 3 4 5 6 7
Brick, 4"X16", Tan, Cementitious	M·BRK·19	Y*	Z	X			1 2 3 4 5 6 7
Brick, 4"X16", Red, Cementitious	M·BRK·20	Y*	N	Х			1 2 3 4 5 6 7
Mortar, Gray, Cementitious	M·MRT·21	Y*	Ν	X			1 2 3 4 5 6 7
Expansion Joint, Brown, Pliable	M·EXJ·22	Y*	Ν	X			1 2 3 4 5 6 7
Vinyl Composition Tile, 12"X12", White, Smooth, Gray Mottles	M·VCT·23	Υ*	Z	X			1 2 3 4 5 6 7
Mastic, Yellow, Tacky	M·MAS·24	Y*	Ν	X			1 2 3 4 5 6 7
Wallbase (Coved), 4", Brown, Vinyl-Like	M+WAB+25	¥	N	N/A		Sample Date: 7/11/2022 Project # AZ0959.3105	1234567
Adhesive, Cream, Pliable	M-ADH-26	¥	N	N/AX			1 2 3 4 5 6 7
Sink Acoustical Coating, Gray, Rough	M·SAC·27	Υ*	Z	X			1 2 3 4 5 6 7
Troweled-On Texture, White, Chalky	S-TOT-28	¥	H	N/A		Sample Date: 9/29/2021	1234567
Gypsum Wallboard, White, Chalky	M-GWB-29	¥	N	N/A		Project # AZ0959.2917	1234567
Joint Compound, White, Chalky	S-JTC-30	¥	N	N/A			1 2 3 4 5 6 7
Sealant (Doors, Windows), Tan, Pliable	M·SLT·31	Y*	N	X			1 2 3 4 5 6 7
Spray-Applied Texture, White, Chalky	S-SAT-32	¥	N	N/A		Sample Date: 7/11/2022	1 2 3 4 5 6 7
Gypsum Wallboard, White, Chalky	M-GWB-33	¥	N	N/A		Project # AZ0959.3105	1 2 3 4 5 6 7
Joint Compound, White, Chalky	S-JTC-34	¥	N	N/A			1 2 3 4 5 6 7
Glazed Wall Tile, 4"X4", White, Smooth	M-GWT-35	¥	N	N/A		Sample Date: 3/12/2024 Project # AZ1418.11	1 2 3 4 5 6 7
Glazed Wall Tile (Pattern), 4"X4", Pink, Smooth	M·GWT·36	Y *	N	X			1 2 3 4 5 6 7
Grout, Gray, Cementitious	M·GRT·37	Y*	Z	Х			1 2 3 4 5 6 7



Material Description	Material Code				aterial ion Status	Material Condition Description	Assessment Classification
					Changed	(If Change Noted)	
Ceramic Mosaic Tile, 2"X2", White, Smooth, Peppered	M-CMT-38	¥	N	N/A			1234 07
Ceramic Mosaic Tile (Pattern), 2"X2", Pink, Smooth	M-CMT-39	¥	N	N/A		Sample Date: 3/12/2024 Project # AZ1418.11	1234 07
Ceramic Mosaic Tile (Pattern), 2"X2", Green, Smooth	M-CMT-40	¥	N	N/A			1234 07
Grout, Gray, Cementitious	M-GRT-41	¥	N	N/A			1234 07
Concrete (Entries), Gray, Cementitious	M·CON·42	Y*	N	Х			1 2 3 4 6 7
Concrete (Courtyards), Gray, Cementitious, Gravel Finish	M·CON·43	Y*	N	Х			1 2 3 4 6 7
Stucco, Gray, Cementitious	S·STU·44	Y*	N	Х			1 2 3 4 6 7
Built-Up Roofing, Black, Asphaltic, Gravel Cap	M·BUR·45	Y*	N	Х			1 2 3 4 6 7
Mastic (Penetrations And Flashings), Black, Tar-Like, Silver	M·MAS·46	Y*	N	Х			1 2 3 4 6 7
Sealant (Flashings), Black, Pliable, Silver	M·SLT·47	Y*	N	Х			1 2 3 4 6 7
Sealant (Flashings), Gray, Pliable	M·SLT·48	Y*	N	Х			1 2 3 4 6 7
Pipe End Sealant, Gray, Pliable	M·PES·49	Y*	N	Х			1 2 3 4 6 7

- Damaged or significantly damaged thermal system insulation ACBM. 1.
- 2. Damaged friable surfacing ACBM.
- 3. Significantly damaged friable surfacing ACBM.
- Damaged or significantly damaged friable miscellaneous ACBM. ACBM with potential for damage. 4.
- 5.
- 6. ACBM with potential for significant damage.
- 7. Any remaining friable ACBM or friable suspected ACBM.



School/Facility: Kyrene Centennial Middle School	Inspection Date: <u>3/12/2024</u>
Building: Building F	· · · · · · · · · · · · · · · · · · ·

Gracey Corpenter

Material Description	Material Code	Material Observed		_	aterial ion Status	Material Condition Description	Assessment Classification
				Same	Changed	(If Change Noted)	
Sink Acoustical Coating, Black, Rough	M·SAC·05	Y*	N	Х			1 2 3 4 5 6 7
Wallbase (Coved), 4", Blue, Vinyl-Like	M·WAB·06	Y*	N	Х			1 2 3 4 5 6 7
Adhesive, Cream, Pliable	M·ADH·07	Y*	Ν	Х			1 2 3 4 5 6 7
Fire Door Insulation, Metal/Wood Cladding	M·FDI·13	Y*	N	Х			1 2 3 4 5 6 7
Pipe Sealant (Fire Sprinklers), White, Pliable	M·PES·15	Υ*	Ν	X			1 2 3 4 5 6 7
Pipe End Sealant, White, Pliable	M·PES·16	Y*	Z	X			1 2 3 4 5 6 7
Mortar, Gray, Cementitious	M·MRT·27	Y*	N	Х			1 2 3 4 5 6 7
Mortar (Glass Block), Gray, Cementitious	M·MRT·30	Y*	N	Х			1 2 3 4 5 6 7
Vinyl Stair Tread, 12"X36", Brown, Textured, Circle Pattern	M+VST+31	¥	N	N/A		Sample Date: 3/12/2024 Project # AZ1418.11	1 2 3 4 5 6 7
Mastic, Black, Brittle	M·MAS·32	¥	И	N/A			1 2 3 4 5 6 7
Vinyl Composition Tile, 24"X24", Red, Textured, Circle Pattern	M·VCT·33	¥	Ŋ	N/A		Sample Date: 3/12/2024 Project # AZ1418.11	1 2 3 4 5 6 7
Mastic, Black, Brittle	M-MAS-34	¥	N	N/A			1 2 3 4 5 6 7
Quarry/Paver Tile, 6"X6", Tan, Smooth	M·QPT·44	Υ*	Ν	X			1 2 3 4 5 6 7
Grout, Gray, Cementitious	M·GRT·45	Y*	N	Х			1 2 3 4 5 6 7
Troweled-On Texture, White, Chalky	S·TOT·46	Y*	N	X			1 2 3 4 5 6 7
Gypsum Wallboard, White, Chalky	M·GWB·47	Y*	Ν	X			1 2 3 4 5 6 7
Joint Compound, White, Chalky	S·JTC·48	Y*	N	Х			1 2 3 4 5 6 7
Sealant (Duct), White, Pliable	M·SLT·57	Υ	Z	Х			1 2 3 4 5 6 7
Stucco, Gray, Cementitious	S·STU·58	Y*	Z	Х			1 2 3 4 5 6 7
Concrete (Entries), Gray, Cementitious	M·CON·59	Υ*	Ν	X			1 2 3 4 5 6 7
Sealant (Windows), Black, Pliable	M·SLT·60	Y*	N	Х			1 2 3 4 5 6 7
Spray-Applied Texture, White, Chalky	S·SAT·61	Y*	N	X			1 2 3 4 5 6 7
Gypsum Wallboard, White, Chalky	M·GWB·62	Y*	N	Х			1 2 3 4 5 6 7
Joint Compound, White, Chalky	S·JTC·63	Y *	N	Х			1 2 3 4 5 6 7
Glazed Wall Tile, 4"X4", White, Smooth	M -GWT-64	¥	N	N/A		Sample Date: 3/12/2024 Project # AZ1418.11	1 2 3 4 5 6 7
Glazed Wall Tile (Pattern), 4"X4", Tan, Smooth	M·GWT·65	Y*	N	Х			1 2 3 4 5 6 7
Glazed Wall Tile (Pattern), 4"X4", Gray, Smooth	M·GWT·66	Y*	N	Х			1 2 3 4 5 6 7
Grout, Gray, Cementitious	M-GRT-67	¥	N	N/A		Sample Date: 3/12/2024 Project # AZ1418.11	1 2 3 4 5 6 7
Ceramic Mosaic Tile, 2"X2", White, Smooth, Peppered	M-CMT-68	¥	И	N/A		Sample Date: 3/12/2024 Project # AZ1418.11	1 2 3 4 5 6 7



Material Description	Material Code	Material Observed				Material Condition Description (If Change Noted)	Assessment Classification
					Changed	(5.1	
Ceramic Mosaic Tile (Pattern), 2"X2", Blue, Smooth, Peppered	M·CMT·69	Y*	N	Х			1 2 3 4 5 6 7
Ceramic Mosaic Tile (Pattern), 2"X2", Gray, Smooth	M·CMT·70	Υ*	N	Х			1 2 3 4 5 6 7
Grout, Gray, Cementitious	M+GRT+71	¥	N	N/A		Sample Date: 3/12/2024 Project # AZ1418.11	1234567
Concrete (Equipment Pads), Gray, Cementitious	M·CON·72	Υ*	N	X			1 2 3 4 5 6 7
Built-Up Roofing, Black, Asphaltic, Gravel Cap	M·BUR·73	Υ*	N	Х			1 2 3 4 5 6 7
Mastic (Penetrations And Flashings), Black, Tar-Like, Silver	M·MAS·74	Υ*	N	Х			1 2 3 4 5 6 7
Asphalt Prepared Roofing (Rolled), Black, Asphaltic, Tan Mineral Cap	M·APR·75	Y*	N	Х			1 2 3 4 5 6 7
Sealant (Flashings), Black, Pliable, Silver	M·SLT·76	Y*	N	Х			1 2 3 4 5 6 7
Sealant (Flashings), Gray, Pliable	M·SLT·77	Y*	N	Х			1234567
Pipe Sealant, Gray, Pliable	M·PSL·78	Y*	N	Х			1 2 3 4 5 6 7
Woven Duct Boot, 4", Black, Vinyl-Like	M·WDB·79	Y*	N	Х			1 2 3 4 5 6 7
Built-Up Roofing, Black, Asphaltic, Gray Mineral Cap	M·BUR·80	Y*	N	Х			1 2 3 4 5 6 7
Mastic (Penetrations And Flashings), Black, Tar-Like	M·MAS·81	Υ*	N	Х			1 2 3 4 5 6 7
Sealant (Duct), Gray, Brittle	M·SLT·82	Y*	N	Х			1 2 3 4 5 6 7

- 1. Damaged or significantly damaged thermal system insulation ACBM.
- 2. Damaged friable surfacing ACBM.
- 3.
- Significantly damaged friable surfacing ACBM.

 Damaged or significantly damaged friable miscellaneous ACBM. 4.
- 5. ACBM with potential for damage.
- ACBM with potential for significant damage. 6.
- Any remaining friable ACBM or friable suspected ACBM. 7.



School/Facility: <u>Kyrene Centennial Middle School</u>	Inspection Date: <u>_3/12/2024</u> _
Building: Building F	

Material Description	Material Code	Material Observed		-	aterial ion Status	Material Condition Description	Assessment Classification
				Same	Changed	(If Change Noted)	
Wallbase (Coved), 4", Blue, Vinyl-Like	M·WAB·06	Y*	N	Х			1 2 3 4 5 6 7
Adhesive, Cream, Pliable	M·ADH·07	Y*	N	X			1 2 3 4 5 6 7
Fire Door Insulation, Metal/Wood Cladding	M·FDI·10	Y*	N	Х			1 2 3 4 5 6 7
Sealant (Doors, Windows, Millwork, Fixtures), White, Pliable	M·SLT·11	Y*	N	Х			1 2 3 4 5 6 7
Spray-Applied Texture, White, Chalky	S·SAT·13	Y*	N	Х			1 2 3 4 5 6 7
Gypsum Wallboard, White, Chalky	M·GWB·14	Y*	N	Х			1 2 3 4 5 6 7
Joint Compound, White, Chalky	S·JTC·15	Y*	N	X			1 2 3 4 5 6 7
Vinyl Composition Tile, 12"X12", White, Smooth, Gray Mottles	M·VCT·16	Y*	N	Х			1 2 3 4 5 6 7
Mastic, Yellow, Tacky	M·MAS·17	Υ*	N	Х			1 2 3 4 5 6 7
Wallbase (Coved), 4", Brown, Vinyl-Like	M+WAB+18	¥	N	N/A		Removed: Gray in F-5	1 2 3 4 5 6 7
Adhesive, Cream, Pliable	M-ADH-19	¥	N	N/A			1 2 3 4 5 6 7
Sealant (Windows), Black, Gummy	M·SLT·20	Y*	N	Х			1 2 3 4 5 6 7
Pipe Sealant (Fire Sprinklers), White, Pliable	M·PSL·22	Y*	N	Х			1 2 3 4 5 6 7
Concrete (Foundation), Gray, Cementitious	M·CON·23	Y *	N	X			1 2 3 4 5 6 7
Woven Duct Boot, 4", Black, Vinyl-Like	M·WDB·24	Y *	N	Х			1 2 3 4 5 6 7
Tackable Wall Panel (Moveable), Brown, Fibrous, Vinyl-Cover	M·TWP·25	Y*	N	X			1 2 3 4 5 6 7
Brick, 4"X16", Tan, Cementitious	M·BRK·26	Y*	N	X			1 2 3 4 5 6 7
Brick, 4"X16", Red, Cementitious	M·BRK·27	Y*	Ν	Х			1 2 3 4 5 6 7
Mortar, Gray, Cementitious	M·MRT·28	Y*	N	X			1 2 3 4 5 6 7
Expansion Joint, Brown, Pliable	M·EXJ·29	Y*	N	X			1 2 3 4 5 6 7
Sealant (Doors, Windows, Fixtures), Tan, Pliable	M·SLT·30	Y*	N	Х			1 2 3 4 5 6 7
Concrete (Entries), Gray, Cementitious	M·CON·31	Y*	N	Х			1 2 3 4 5 6 7
Quarry/Paver Tile, 4"X8", Gray, Cementitious, Sand Filled	M·QPT·32	Y*	N	Х			1234567
Concrete (Equipment Pads), Gray, Cementitious	M·CON·33	Y*	N	Х			1 2 3 4 5 6 7
Troweled-On Texture, White, Chalky	S·TOT·34	Y*	N	Х			1 2 3 4 5 6 7
Gypsum Wallboard, White, Chalky	M·GWB·35	Y*	N	Х			1 2 3 4 5 6 7
Joint Compound, White, Chalky	S·JTC·36	Y*	Ν	X			1 2 3 4 5 6 7
Built-Up Roofing, Black, Asphaltic, Gravel Cap	M∙BUR∙37	Υ*	N	Х			1234567



Material Description	Material Code	Material Observed							aterial ion Status	Material Condition Description	Assessment Classification
				Same	Changed	(If Change Noted)					
Mastic (Penetrations And Flashings), Black, Tar-Like, Silver	M·MAS·38	Y*	N	Х			1 2 3 4 6 7				
Sealant (Flashings), Black, Pliable, Silver	M·SLT·39	Y*	N	Х			1 2 3 4 6 7				
Sealant (Canopies), Gray, Pliable	M·SLT·41	Y*	N	Х			1 2 3 4 6 7				
Pipe Sealant, Gray, Pliable	M·PSL·42	Y*	N	Х			1 2 3 4 6 7				

- 1. Damaged or significantly damaged thermal system insulation ACBM.
- 2. Damaged friable surfacing ACBM.
- 3. Significantly damaged friable surfacing ACBM.
- 4. Damaged or significantly damaged friable miscellaneous ACBM.
- 5. ACBM with potential for damage.
- 6. ACBM with potential for significant damage.
- 7. Any remaining friable ACBM or friable suspected ACBM.



School/Facility: Kyrene Centennial Middle School	Inspection Date: <u>3/12/2024</u>
Building: Building G	· ·

Gracey Carpenter

Material Description	Material Code	Material Observed		-	aterial ion Status	Material Condition Description	Assessment Classification
				Same	Changed	(If Change Noted)	
Wallbase (Coved), 4", Blue, Vinyl-Like	M·WAB·06	Y*	N	Х			1 2 3 4 5 6 7
Adhesive, Cream, Pliable	M·ADH·07	Y*	N	Х			1 2 3 4 5 6 7
Sealant (Doors, Windows, Millwork, Fixtures), White, Pliable	M·SLT·10	Y*	N	Х			1 2 3 4 5 6 7
Sealant (Windows), Black, Gummy	M·SLT·11	Y*	N	Х			1 2 3 4 5 6 7
Fire Door Insulation, Metal/Wood Cladding	M·FDI·12	Y	N	Х			1 2 3 4 5 6 7
Sink Acoustical Coating, Black, Rough	M·SAC·13	Y	N	Х			1 2 3 4 5 6 7
Pipe Sealant (Fire Sprinklers), White, Pliable	M·PSL·15	Y	N	X			1 2 3 4 5 6 7
Vinyl Composition Tile, 12"X12", White, Smooth, Gray Mottles	M·VCT·16	Y	N	X			1 2 3 4 5 6 7
Mastic, Yellow, Tacky	M·MAS·17	Y	N	Х			1 2 3 4 5 6 7
Wallbase (Coved), 4", Brown, Vinyl-Like	M·WAB·18	Y	N	Х			1 2 3 4 5 6 7
Adhesive, Cream, Pliable	M·ADH·19	Y	N	Х			1 2 3 4 5 6 7
Spray-Applied Texture, White, Chalky	S·SAT·20	Y	N	Х			1 2 3 4 5 6 7
Gypsum Wallboard, White, Chalky	M·GWB·21	Y	N	Х			1 2 3 4 5 6 7
Joint Compound, White, Chalky	S·JTC·22	Y	N	Х			1 2 3 4 5 6 7
Sealant (Duct), White, Pliable	M·SLT·23	Y	N	Х			1 2 3 4 5 6 7
Mortar (Glass Block), Gray, Cementitious	M·MRT·24	Y	N	Х			1 2 3 4 5 6 7
Troweled-On Texture, White, Chalky	S·TOT·25	Y	N	Х			1 2 3 4 5 6 7
Gypsum Wallboard, White, Chalky	M·GWB·26	Y	N	Х			1 2 3 4 5 6 7
Joint Compound, White, Chalky	S·JTC·27	Y	N	Х			1 2 3 4 5 6 7
Concrete (Foundation), Gray, Cementitious	M·CON·28	Y	N	X			1 2 3 4 5 6 7
Spray-Applied Texture, White, Chalky	S·SAT·29	Y	N	X			1 2 3 4 5 6 7
Gypsum Wallboard, White, Chalky	M·GWB·30	Y	N	Х			1 2 3 4 5 6 7
Joint Compound, White, Chalky	S·JTC·31	Y	N	Х			1 2 3 4 5 6 7
Concrete (Entries), Gray, Cementitious	M·CON·32	Y	N	Х			1 2 3 4 5 6 7
Expansion Joint, Gray, Pliable	M·EXJ·33	Y	N	X			1 2 3 4 5 6 7
Brick, 4"X16", Red, Cementitious	M·BRK·34	Y	N	Х			1 2 3 4 5 6 7
Brick, 4"X16", Tan, Cementitious	M·BRK·35	Y	N	Х			1 2 3 4 5 6 7
Mortar, Gray, Cementitious	M·MRT·36	Y	N	Х			1 2 3 4 5 6 7
Expansion Joint, Brown, Pliable	M·EXJ·37	Y	N	Х			1 2 3 4 5 6 7



Material Description	Material Code	Material Observed			aterial ion Status	Material Condition Description	Assessment Classification
				Same	Changed	(If Change Noted)	
Sealant (Doors, Windows), Tan, Pliable	M·SLT·38	Y	N	Х			1 2 3 4 6 7
Stucco, Gray, Cementitious	S·STU·39	Y	N	Х			1 2 3 4 6 7
Built-Up Roofing, Black, Asphaltic, Gravel Cap	M·BUR·40	Y	N	Х			1 2 3 4 6 7
Mastic (Penetrations And Flashings), Black, Tar-Like	M·MAS·41	Y	N	Х			1 2 3 4 6 7
Asphalt Prepared Roofing (Rolled), Black, Asphaltic, Tan Mineral Cap	M·APR·42	Y	N	Х			1 2 3 4 6 7
Sealant (Flashings), Black, Pliable, Silver	M·SLT·43	Y	N	Х			1 2 3 4 6 7
Sealant (Flashing), Gray, Pliable	M·SLT·44	Y	N	Х			1 2 3 4 6 7
Pipe Sealant, Gray, Pliable	M·PSL·45	Y	N	Х			1 2 3 4 6 7

- 1. Damaged or significantly damaged thermal system insulation ACBM.
- 2. Damaged friable surfacing ACBM.
- 3. Significantly damaged friable surfacing ACBM.
- 4. Damaged or significantly damaged friable miscellaneous ACBM.
- 5. ACBM with potential for damage.
- 6. ACBM with potential for significant damage.
- 7. Any remaining friable ACBM or friable suspected ACBM.



School/Facility: Kyrene Centennial Middle School	Inspection Date:_	3/12/2024
Building: Building H		

Material Description	Material Code	Material Observed		-	aterial ion Status	Material Condition Description	Assessment Classification
				Same	Changed	(If Change Noted)	
Spray-Applied Texture, White, Chalky	S-SAT-02	¥	N	N/A		Sample Date: 3/12/2024	1234 01
Gypsum Wallboard, White, Chalky	M-GWB-03	¥	N	N/A		Project # AZ1418.11	1234 01
Joint Compound, White, Chalky	S-JTC-04	¥	N	N/A			1234 07
Tackable Wall Panel, Brown, Fibrous, Vinyl-Cover, Mechanically Attached	M·TWP·05	Y	N	Х			1 2 3 4 6 7
Tackable Wall Panel (Moveable), White, Chalky	M-TWP-06	¥	N	N/A		Sample Date: 3/12/2024 Project # AZ1418.11	1234 07
Sealant (Doors, Windows, Millwork, Fixtures), White, Pliable	M·SLT·11	Y	N	Х			1 2 3 4 6 7
Fire Door Insulation, Metal/Wood Cladding	M·FDI·12	Y	N	Х			1 2 3 4 5 6
Sink Acoustical Coating, Black, Rough	M·SAC·13	Y	N	Х			1234567
Sealant (Windows), Black, Gummy	M·SLT·14	Y	N	Х			1234567
Troweled-On Texture, White, Chalky	S·TOT·15	Y	N	Х			1 2 3 4 5 6 7
Gypsum Wallboard, White, Chalky	M·GWB·16	Y	N	Х			1 2 3 4 5 6 7
Joint Compound, White, Chalky	S·JTC·17	Y	N	Х			1 2 3 4 5 6 7
Vinyl Composition Tile, 12"X12", White, Smooth, Gray Mottles	M·VCT·18	Y	N	N/A		Sample Date: 3/12/2024 Project # AZ1418.11	1234567
Mastic, Yellow, Tacky	M·MAS·19	Y	N	N/A		v	1 2 3 4 5 6 7
Pipe Sealant (Fire Sprinklers), White, Pliable	M·PSL·21	Y	N	Х			1 2 3 4 5 6 7
Spray-Applied Texture, White, Chalky	S+SAT+22	¥	N	N/A		Sample Date: 3/12/2024	1234567
Gypsum Wallboard, White, Chalky	M-GWB-23	¥	N	N/A		Project # AZ1418.11	1234567
Joint Compound, White, Chalky	S-JTC-24	¥	N	N/A			1 2 3 4 5 6 7
Glazed Wall Tile, 4"X4", White, Smooth	M·GWT·25	Y	N	Х			1 2 3 4 5 6 7
Glazed Wall Tile (Pattern), 4"X4", Tan, Smooth	M·GWT·26	Y	N	Х			1 2 3 4 5 6 7
Glazed Wall Tile (Pattern), 4"X4", Gray, Smooth	M·GWT·27	Y	N	Х			1 2 3 4 5 6 7
Grout, Gray, Cementitious	M·GRT·28	Y	N	Х			1 2 3 4 5 6 7
Ceramic Mosaic Tile, 2"X2", White, Smooth, Peppered	M·CMT·29	Y	N	Х			1 2 3 4 5 6 7
Ceramic Mosaic Tile (Pattern), 2"X2", Light Blue, Smooth	M·CMT·30	Y	N	Х			1 2 3 4 5 6 7
Ceramic Mosaic Tile (Pattern), 2"X2", Dark Blue, Smooth	M·CMT·31	Y	N	Х			1 2 3 4 5 6 7
Grout, Gray, Cementitious	M·GRT·32	Y	N	Х			1 2 3 4 5 6 7



Material Description	Material Code	Material Observed			aterial ion Status	Material Condition Description	Assessment Classification
				Same	Changed	(If Change Noted)	
Brick, 4"X16", Tan, Cementitious	M·BRK·33	Y	N	Х			1 2 3 4 5 6 7
Brick, 4"X16", Red, Cementitious	M·BRK·34	Y	N	Х			1 2 3 4 5 6 7
Mortar, Gray, Cementitious	M·MRT·35	Y	N	Х			1 2 3 4 5 6 7
Expansion Joint, Brown, Pliable	M·EXJ·36	Y	N	Х			1 2 3 4 5 6 7
Sealant (Doors, Windows, Fixtures), Tan, Pliable	M·SLT·37	Y	N	Х			1 2 3 4 5 6 7
Cementitious Building Board, Gray, Brittle	M·CBB·38	Y	N	Х			1 2 3 4 5 6 7
Mortar (Glass Block), Gray, Cementitious	M·MRT·39	Y	N	Х			1234567
Vinyl Composition Tile, 24"X24", Gray, Textured, Circle Pattern	M·VCT·43	Y	N	X			1234567
Mastic, Yellow, Tacky	M·MAS·44	Y	N	X			1 2 3 4 5 6 7
Gypsum Wallboard, White, Chalky	M·GWB·45	Y	N	Х			1 2 3 4 5 6 7
Joint Compound, White, Chalky	S·JTC·46	Y	N	Х			1 2 3 4 5 6 7
Concrete (Foundation), Gray, Cementitious	M·CON·47	Y	N	Х			1234567
Concrete (Entries), Gray, Cementitious	M·CON·48	Y	N	Х			1 2 3 4 5 6 7
Stucco, Gray, Cementitious	S·STU·49	Y	N	Х			1 2 3 4 5 6 7
Built-Up Roofing, Black, Asphaltic, Gravel Cap	M·BUR·50	Y	N	Х			1 2 3 4 5 6 7
Mastic (Penetrations And Flashings), Black, Tar-Like, Silver	M·MAS·51	Y	N	X			1 2 3 4 5 6 7
Asphalt Prepared Roofing (Rolled), Black, Asphaltic, Tan Mineral Cap	M·APR·52	Y	N	Х			1 2 3 4 5 6 7
Sealant (Flashings), Black, Pliable, Silver	M·SLT·53	Y	N	Х			1 2 3 4 5 6 7
Sealant (Duct), Gray, Brittle	M·SLT·54	Y	N	Х			1 2 3 4 5 6 7
Woven Duct Boot, 4", Black, Vinyl-Like	M·WDB·55	Y	N	Х			1 2 3 4 5 6 7

- Damaged or significantly damaged thermal system insulation ACBM. Damaged friable surfacing ACBM. 1.
- 2.
- 3. Significantly damaged friable surfacing ACBM.
- Damaged or significantly damaged friable miscellaneous ACBM. 4.
- 5. ACBM with potential for damage.
- 6. ACBM with potential for significant damage.
- 7. Any remaining friable ACBM or friable suspected ACBM.



School/Facility: Kyrene Centennial Middle School	Inspection Date: <u>3/12/2024</u>
Building: <u>Ramada</u>	
<u> </u>	

Inspector: Tracey Carpenter Cert. No.: ON-4644-14588-090523 Signature:

Material Description	Material Code	Material Observed		Material Condition Status		Material Condition Description	Assessment Classification	
				Same	Changed	(If Change Noted)		
Brick, 4"X16", Tan, Cementitious	M·BRK·01	Y	N	X			1 2 3 4	6 7
Brick, 4"X16", Red, Cementitious	M·BRK·02	Y	N	Х			1 2 3 4	6 7
Mortar, Gray, Cementitious	M·MRT·03	Y	N	Х			1 2 3 4	6 7
Expansion Joint, Brown, Pliable	M·EXJ·04	Y	N	Х			1 2 3 4	6 7
Concrete (Foundation), Gray, Cementitious	M·CON·05	Y	N	Х			1 2 3 4	6 7

- 1. Damaged or significantly damaged thermal system insulation ACBM.
- 2. Damaged friable surfacing ACBM.
- 3. Significantly damaged friable surfacing ACBM.
- 4. Damaged or significantly damaged friable miscellaneous ACBM.
- 5. ACBM with potential for damage.
- 6. ACBM with potential for significant damage.
- 7. Any remaining friable ACBM or friable suspected ACBM.



School/Facility: <u>Kyrene Centennial Middle School</u>	Inspection Date: <u>3/12/2024</u>
Building: Storage	

Gracey Corpenter

Inspector: <u>Tracey Carpenter</u> Cert. No.: <u>ON-4644-14588-090523</u> Signature:

Material Description	Material Code	Material Observed		Material Condition Status		Material Condition Description	Assessment Classification	
				Same	Changed	(If Change Noted)		
Brick, 4"X16", Tan, Cementitious	M·BRK·01	Y	N	X			1 2 3 4 6 7	
Brick, 4"X16", Red, Cementitious	M·BRK·02	Y	N	Х			1 2 3 4 6 7	
Mortar, Gray, Cementitious	M·MRT·03	Y	N	Х			1 2 3 4 6 7	
Concrete (Foundation), Gray, Cementitious	M·CON·04	Y	N	Х			1 2 3 4 6 7	
Concrete (Entries), Gray, Cementitious	M·CON·05	Y	N	Х			1 2 3 4 6 7	

- 1. Damaged or significantly damaged thermal system insulation ACBM.
- 2. Damaged friable surfacing ACBM.
- 3. Significantly damaged friable surfacing ACBM.
- 4. Damaged or significantly damaged friable miscellaneous ACBM.
- 5. ACBM with potential for damage.
- 6. ACBM with potential for significant damage.
- 7. Any remaining friable ACBM or friable suspected ACBM.

THE ASBESTOS INSTITUTE

Certifies that

Tracey Carpenter

has attended and received instruction in the EPA approved course

AHERA Building Inspector Refresher

on

September 05, 2023

and successfully completed and passed the competency exam.

Certificate: ON-4644-14588-090523

Date of Examination: 5-Sep-2023

Date of Expiration:

05-Sep-2024

Approved Instructor

П

Director

THE ASBESTOS INSTITUTE

20033 N. 19th Ave, Building 6, Phoenix, AZ 85027 602-864-6564 – www.theasbestosinstitute.com