



# SOUTHEAST AUDITORIUM

## Technical Specifications

### HOUSE & STAGE

<b>Total Audience Seats:</b>	<b>295</b>		
<b>Stage</b>		<b>Dimensions</b>	
Type:	Proscenium Arch	Proscenium:	29'7" W x 16'3" H
ADA Access:	Ramp from house right to front of stage	Stage Height:	3'
		Stage Depth:	28'7"
<b>Net Playing Space</b>		Apron:	58'1" x 4'1"
Net Stage Width: <i>(leg to leg)</i>	34'1"	SR Wing:	8'10" x 34'1"
Net Stage Depth:	32'8"	SL Wing:	8'10" x 34'1"
<i>(front of apron to back curtain)</i>		Crossover:	5'3" x 58'1"

Note: unless otherwise noted, all US/DS dimensions are taken from the plasterline

### SUPPORT SPACES

<b>Lobby</b>		<b>Loading Area</b>	
Ticket Booth:	None	Loading Dock:	None
Concessions Stand:	None	Building/Stage Access:	Single door to backstage area
<b>Backstage</b>			
Dressing Rooms:	2		
Greenroom:	None		
Scene Shop:	None		

### STAGE EQUIPMENT

<b>Dance Floor:</b>	Yes	<b>Choir Risers:</b>	6 Wenger Tourmaster
<b>Dance Booms:</b>	6	<b>Piano:</b>	1 Baby Grand

### PROJECTION

<b>Projector:</b>	Not available	<b>Screen:</b>	Yes
Inputs:	1 VGA in booth		

### AUDIO

*Additional equipment available on request*

<b>Console:</b>	Soundcraft MFX-i		
<b>Stage Inputs:</b>	9 XLR	<b>Stage Outputs:</b>	None
<b>Wireless Receivers:</b>	2	<b>Portable Stage Monitors:</b>	2
<b>Microphones</b>		<b>Playback Devices</b>	
Wireless Handhelds:	2	CD Player:	Yes
Lavaliers:	0	Bluetooth:	No
Choir Mics: <i>(hanging)</i>	3	3.5mm Aux Input:	Yes
		<b>Intercom System:</b>	No

# SOUTHEAST AUDITORIUM

## Technical Specifications

### LIGHTING

<b>Console:</b>	<b>ETC Element II</b>		
<b>Color Washes</b>		<b>Stage Dimmers</b>	
Front of House:	2 ( <i>warm, cool</i> )	Qty:	80
Overhead:	2 ( <i>warm, cool</i> )	Wattage:	2400w
Pipe-ends:	1 ( <i>lav</i> )	Connector Type:	Stage Pin ( <i>OH</i> )
Cyc:	None		Twist lock ( <i>FOH &amp; offstage</i> )
Dance Booms: ( <i>if set up</i> )	3	<b>DMX/ETCnet Distribution:</b>	None
<b>Specials</b>			
Front of House:	2 ( <i>CS, SR</i> )		
Overhead:	3 ( <i>DC, CS, US</i> )		

### RIGGING

<b>Front of House:</b>	1 Dead-hung Electric	<b>Overhead:</b>	Dead-Hung
------------------------	----------------------	------------------	-----------

### LINESET SCHEDULE

Lineset	Position	Trim	Description	Dimensions	Material
	0' 1"	16'3"	MAIN VALENCE	32' W x 3' H	<i>Green Velour</i>
1	1' 0"	15'5"	MAIN CURTAIN	18' W x 16' H (2 panels)	<i>Green Velour</i>
2	1'11"	17'1"	1 <sup>ST</sup> ELECTRIC		
3	8' 3"	19'11"	BORDER	38' W x 6' H	<i>Black Herringbone</i>
4	9' 6"	18'3"	1 <sup>ST</sup> TRAVELER	23' W x 18' H (2 panels)	<i>Black Herringbone</i>
5	12' 0"	17'1"	2 <sup>ND</sup> ELECTRIC		
6	15' 4"	18'3"	BORDER	38' W x 4' H	<i>Black Herringbone</i>
7	16' 5"	18'3"	2 <sup>ND</sup> TRAVELER	23' W x 18' H (2 panels)	<i>Black Herringbone</i>
8	22' 2"	18'3"	BORDER	38' W x 4' H	<i>Black Herringbone</i>
9	23' 7"	18'3"	3 <sup>RD</sup> TRAVELER	23' W x 18' H (2 panels)	<i>Black Herringbone</i>
10	25' 0"	17'1"	3 <sup>RD</sup> ELECTRIC		
11	27' 7"	18'3"	BORDER	38' W x 4' H	<i>Black Herringbone</i>
12	29' 0"	18'3"	REAR TRAVELER	23' W x 18' H (2 panels)	<i>Black Herringbone</i>

Note: When opened, traveler curtains function as legs

# SOUTHEAST AUDITORIUM FLOOR PLAN

