



ST. LOUIS
123 N. Main Street
St. Charles, Missouri 63301
Phone: 636-757-3060

DALLAS/FORT WORTH
2235 St. Andrew Drive
Highland Village, Texas 75077
Phone: 214-735-8055

April 22, 2024

Mr. Michael Smith
Director of Operations
Ritenour School District
2420 Woodson Road
St. Louis, MO 63114

Via: smithm@ritenourschools.org

Re: Lead In Drinking Water Sampling
Ritenour Middle School - Resampling
April 2, 2024

Dear Michael,

This letter will serve as our report concerning the water resampling of the previous elevated test result locations at Ritenour Middle School on April 2, 2024, for compliance with the State of Missouri Title XI, Chapter 160.077, "Get The Lead Out of School Drinking Water Act". The initial sampling was conducted December 29, 2023.

Potable water sources for drinking or food preparation such as sinks, faucets, water fountains, ice makers, etc., were identified and first draw water samples were collected after a stagnation period of at least eight hours. Two hundred and fifty milliliter non-preservative plastic containers were utilized for the sample collection. The water samples were analyzed by EPA 200.8 methods at a laboratory accredited for analysis of drinking water by the National Environmental Laboratory Accreditation Program (NELAP) and the Illinois EPA (ILEPA). Results are reported in micrograms per liter ($\mu\text{g/L}$), which is the same as parts per billion (ppb). Water sample results must be less than ($<$) 5.0 $\mu\text{g/L}$ or ppb, per the regulation. Results above 5.0 $\mu\text{g/L}$ require corrective actions.

Twenty-one sample results from the testing on December 29, 2023, were above the mandated threshold of $<5.0 \mu\text{g/L}$. Corrective actions were implemented for the twenty-one locations and the locations were resampled. The results for the resampled locations ranged from 1.93 $\mu\text{g/L}$ to 2,210 $\mu\text{g/L}$. It appears the corrective actions were successful for five locations and unsuccessful for the other sixteen locations. Sample locations and laboratory results are contained in the attached table.

Sincerely,

Gregory K. Young
Senior Project Manager

TABLE 1
Lead Re-Sampling Results
Ritenour Middle School (April 2, 2024)

Sample ID	Location	Results (µg/L)
RMS(R)-1	2 nd Floor, Classroom 225, Island Sink	6.45
RMS(R)-2	2 nd Floor, Classroom 227, Island Sink	20.3
RMS(R)-3	2 nd Floor, Classroom 231, Island Sink	39.5
RMS(R)-4	2 nd Floor, Classroom 201, Island Sink	8.39
RMS(R)-5	1 st Floor, Nurse's Office Room 111, Sink	7.53
RMS(R)-6	1 st Floor, Kitchen, Middle Prep Table Sink	2.20
RMS(R)-7	1 st Floor, Kitchen, Pot Filling Wand Near Stove	10.1
RMS(R)-8	Ground Floor, Boy's Locker Room Restroom, Middle Sink	3.04
RMS(R)-9	Ground Floor, Boy's Locker Room Restroom, Right Sink	1.93
RMS(R)-10	Ground Floor, Boy's Locker Room, Water Fountain, Left	4.91
RMS(R)-11	Ground Floor, Boy's Locker Room, Water Fountain, Right	3.92
RMS(R)-12	Ground Floor, Room 054, Island Sink	156
RMS(R)-13	Ground Floor, Old Restroom Used for Storage, Left Sink	2,210
RMS(R)-14	Ground Floor, Old Restroom Used for Storage, Right Sink	183
RMS(R)-15	Ground Floor, Girl's Locker Room Restroom, Left Sink	27.9
RMS(R)-16	Ground Floor, Girl's Locker Room Restroom, Left Middle Sink	216
RMS(R)-17	Ground Floor, Girl's Locker Room Restroom, Middle Sink	220
RMS(R)-18	Ground Floor, Girl's Locker Room Restroom, Right Middle Sink	17.4
RMS(R)-19	Ground Floor, Girl's Locker Room Restroom, Right Sink	1,210
RMS(R)-20	Ground Floor, Classroom 31, Sink South	13.8
RMS(R)-21	Ground Floor, Classroom 31, Sink North	17.5

Note:
µg/L – micrograms per liter



Pace Analytical Services, LLC

2231 W. Altorfer Drive

Peoria, IL 61615

(800)752-6651

April 17, 2024

Greg Young
Jurgiel & Associates, Inc.
123 North Main Street
St. Charles, MO 63301

RE: Ritenour Drinking Water-RMS Resampling

Dear Greg Young:

Please find enclosed the analytical results for the **21** sample(s) the laboratory received on **4/5/24 4:00 pm** and logged in under work order **HD01335**. All testing is performed according to our current TNI accreditations unless otherwise noted. This report cannot be reproduced, except in full, without the written permission of Pace Analytical Services, LLC.

If you have any questions regarding your report, please contact your project manager. Quality and timely data is of the utmost importance to us.

Pace Analytical Services appreciates the opportunity to provide you with analytical expertise. We are always trying to improve our customer service and we welcome you to contact the General Manager, Lisa Grant, with any feedback you have about your experience with our laboratory at 309-683-1764 or lisa.grant@pacelabs.com.

A handwritten signature in black ink, appearing to read 'Chenise Lambert-Sykes'.

Chenise Lambert-Sykes
Project Manager
(314)432-0550
Chenise.Lambert-Sykes@pacelabs.com

**SAMPLE RECEIPT CHECK LIST**

Items not applicable will be marked as in compliance

Work Order HD01335

YES	Samples received within temperature compliance when applicable
YES	COC present upon sample receipt
YES	COC completed & legible
YES	Sampler name & signature present
YES	Unique sample IDs assigned
YES	Sample collection location recorded
YES	Date & time collected recorded on COC
YES	Relinquished by client signature on COC
YES	COC & labels match
YES	Sample labels are legible
YES	Appropriate bottle(s) received
YES	Sufficient sample volume received
YES	Sample containers received undamaged
NO	Zero headspace, <6 mm present in VOA vials
NO	Trip blank(s) received
YES	All non-field analyses received within holding times
YES	Short hold time analysis
YES	Current PDC COC submitted
NO	Case narrative provided



ANALYTICAL RESULTS

Sample: HD01335-01
Name: RMS(R) - 1
Matrix: Drinking Water - Grab

Sampled: 04/02/24 08:00
Received: 04/05/24 16:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	6.45	ug/L		04/16/24 08:01	1	1.00	04/16/24 09:45	BRS	EPA 200.8 REV 5.4
------	------	------	--	----------------	---	------	----------------	-----	-------------------

Sample: HD01335-02
Name: RMS(R) - 2
Matrix: Drinking Water - Grab

Sampled: 04/02/24 08:00
Received: 04/05/24 16:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	20.3	ug/L		04/16/24 08:01	1	1.00	04/16/24 09:47	BRS	EPA 200.8 REV 5.4
------	------	------	--	----------------	---	------	----------------	-----	-------------------

Sample: HD01335-03
Name: RMS(R) - 3
Matrix: Drinking Water - Grab

Sampled: 04/02/24 08:00
Received: 04/05/24 16:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	39.5	ug/L		04/12/24 13:50	1	1.00	04/12/24 18:18	BRS	EPA 200.8 REV 5.4
------	------	------	--	----------------	---	------	----------------	-----	-------------------

Sample: HD01335-04
Name: RMS(R) - 4
Matrix: Drinking Water - Grab

Sampled: 04/02/24 08:00
Received: 04/05/24 16:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	8.39	ug/L		04/16/24 08:01	1	1.00	04/16/24 09:51	BRS	EPA 200.8 REV 5.4
------	------	------	--	----------------	---	------	----------------	-----	-------------------



ANALYTICAL RESULTS

Sample: HD01335-05
Name: RMS(R) - 5
Matrix: Drinking Water - Grab

Sampled: 04/02/24 08:00

Received: 04/05/24 16:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	7.53	ug/L		04/16/24 08:01	1	1.00	04/16/24 09:52	BRS	EPA 200.8 REV 5.4
------	------	------	--	----------------	---	------	----------------	-----	-------------------

Sample: HD01335-06
Name: RMS(R) - 6
Matrix: Drinking Water - Grab

Sampled: 04/02/24 08:00

Received: 04/05/24 16:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	2.20	ug/L		04/16/24 08:01	1	1.00	04/16/24 09:53	BRS	EPA 200.8 REV 5.4
------	------	------	--	----------------	---	------	----------------	-----	-------------------

Sample: HD01335-07
Name: RMS(R) - 7
Matrix: Drinking Water - Grab

Sampled: 04/02/24 08:00

Received: 04/05/24 16:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	10.1	ug/L		04/12/24 13:50	1	1.00	04/12/24 18:19	BRS	EPA 200.8 REV 5.4
------	------	------	--	----------------	---	------	----------------	-----	-------------------

Sample: HD01335-08
Name: RMS(R) - 8
Matrix: Drinking Water - Grab

Sampled: 04/02/24 08:00

Received: 04/05/24 16:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	3.04	ug/L		04/16/24 08:01	1	1.00	04/16/24 09:55	BRS	EPA 200.8 REV 5.4
------	------	------	--	----------------	---	------	----------------	-----	-------------------



ANALYTICAL RESULTS

Sample: HD01335-09
Name: RMS(R) - 9
Matrix: Drinking Water - Grab

Sampled: 04/02/24 08:00

Received: 04/05/24 16:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	1.93	ug/L		04/16/24 08:01	1	1.00	04/16/24 09:59	BRS	EPA 200.8 REV 5.4
------	------	------	--	----------------	---	------	----------------	-----	-------------------

Sample: HD01335-10
Name: RMS(R) - 10
Matrix: Drinking Water - Grab

Sampled: 04/02/24 08:00

Received: 04/05/24 16:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	4.91	ug/L		04/16/24 08:01	1	1.00	04/16/24 10:00	BRS	EPA 200.8 REV 5.4
------	------	------	--	----------------	---	------	----------------	-----	-------------------

Sample: HD01335-11
Name: RMS(R) - 11
Matrix: Drinking Water - Grab

Sampled: 04/02/24 08:00

Received: 04/05/24 16:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	3.92	ug/L		04/16/24 08:01	1	1.00	04/16/24 10:02	BRS	EPA 200.8 REV 5.4
------	------	------	--	----------------	---	------	----------------	-----	-------------------

Sample: HD01335-12
Name: RMS(R) - 12
Matrix: Drinking Water - Grab

Sampled: 04/02/24 08:00

Received: 04/05/24 16:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	156	ug/L		04/16/24 08:01	1	1.00	04/16/24 10:03	BRS	EPA 200.8 REV 5.4
------	-----	------	--	----------------	---	------	----------------	-----	-------------------



ANALYTICAL RESULTS

Sample: HD01335-13
Name: RMS(R) - 13
Matrix: Drinking Water - Grab

Sampled: 04/02/24 08:00

Received: 04/05/24 16:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	2210	ug/L		04/12/24 13:50	10	10.0	04/15/24 10:08	BRS	EPA 200.8 REV 5.4
------	------	------	--	----------------	----	------	----------------	-----	-------------------

Sample: HD01335-14
Name: RMS(R) - 14
Matrix: Drinking Water - Grab

Sampled: 04/02/24 08:00

Received: 04/05/24 16:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	183	ug/L		04/12/24 13:50	1	1.00	04/12/24 18:22	BRS	EPA 200.8 REV 5.4
------	-----	------	--	----------------	---	------	----------------	-----	-------------------

Sample: HD01335-15
Name: RMS(R) - 15
Matrix: Drinking Water - Grab

Sampled: 04/02/24 08:00

Received: 04/05/24 16:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	27.9	ug/L		04/16/24 08:01	1	1.00	04/16/24 10:05	BRS	EPA 200.8 REV 5.4
------	------	------	--	----------------	---	------	----------------	-----	-------------------

Sample: HD01335-16
Name: RMS(R) - 16
Matrix: Drinking Water - Grab

Sampled: 04/02/24 08:00

Received: 04/05/24 16:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	216	ug/L		04/16/24 08:01	1	1.00	04/16/24 10:06	BRS	EPA 200.8 REV 5.4
------	-----	------	--	----------------	---	------	----------------	-----	-------------------



ANALYTICAL RESULTS

Sample: HD01335-17
Name: RMS(R) - 17
Matrix: Drinking Water - Grab

Sampled: 04/02/24 08:00

Received: 04/05/24 16:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	220	ug/L		04/16/24 08:01	1	1.00	04/16/24 10:10	BRS	EPA 200.8 REV 5.4
------	-----	------	--	----------------	---	------	----------------	-----	-------------------

Sample: HD01335-18
Name: RMS(R) - 18
Matrix: Drinking Water - Grab

Sampled: 04/02/24 08:00

Received: 04/05/24 16:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	17.4	ug/L		04/16/24 08:01	1	1.00	04/16/24 10:12	BRS	EPA 200.8 REV 5.4
------	------	------	--	----------------	---	------	----------------	-----	-------------------

Sample: HD01335-19
Name: RMS(R) - 19
Matrix: Drinking Water - Grab

Sampled: 04/02/24 08:00

Received: 04/05/24 16:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	1210	ug/L		04/16/24 08:01	10	10.0	04/16/24 12:19	BRS	EPA 200.8 REV 5.4
------	------	------	--	----------------	----	------	----------------	-----	-------------------

Sample: HD01335-20
Name: RMS(R) - 20
Matrix: Drinking Water - Grab

Sampled: 04/02/24 08:00

Received: 04/05/24 16:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
-----------	--------	------	-----------	----------	----------	-----	----------	---------	--------

Total Metals - PIA

Lead	13.8	ug/L		04/16/24 08:01	1	1.00	04/16/24 10:17	BRS	EPA 200.8 REV 5.4
------	------	------	--	----------------	---	------	----------------	-----	-------------------



Pace Analytical Services, LLC

2231 W. Altorfer Drive

Peoria, IL 61615

(800)752-6651

ANALYTICAL RESULTS

Sample: HD01335-21

Name: RMS(R) - 21

Matrix: Drinking Water - Grab

Sampled: 04/02/24 08:00

Received: 04/05/24 16:00

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
<u>Total Metals - PIA</u>									
Lead	17.5	ug/L		04/16/24 08:01	1	1.00	04/16/24 10:18	BRS	EPA 200.8 REV 5.4



NOTES

Specifications regarding method revisions, method modifications, and calculations used for analysis are available upon request. Please contact your project manager.

* Not a TNI accredited analyte

Certifications

CHI - McHenry, IL - 4314-A W. Crystal Lake Road, McHenry, IL 60050

TNI Accreditation for Drinking Water and Wastewater Fields of Testing through IL EPA Accreditation No. 100279

Illinois Department of Public Health Bacterial Analysis in Drinking Water Approved Laboratory Registry No. 17556

PIA - Peoria, IL - 2231 W. Altorfer Drive, Peoria, IL 61615

TNI Accreditation for Drinking Water, Wastewater, Solid and Hazardous Material Fields of Testing through IL EPA Accreditation No. 100230

Illinois Department of Public Health Bacterial Analysis in Drinking Water Approved Laboratory Registry No. 17553

Drinking Water Certifications/Accreditations: Iowa (240); Kansas (E-10338); Missouri (870)

Wastewater Certifications/Accreditations: Arkansas (88-0677); Iowa (240); Kansas (E-10338)

Solid and Hazardous Material Certifications/Accreditations: Arkansas (88-0677); Iowa (240); Kansas (E-10338)

SPMO - Springfield, MO - 1805 W Sunset Street, Springfield, MO 65807

USEPA DMR-QA Program

STL - Hazelwood, MO - 944 Anglum Rd, Hazelwood, MO 63042

TNI Accreditation for Wastewater, Solid and Hazardous Material Fields of Testing through KS KDHE Certification No. E-10389

TNI Accreditation for Wastewater, Solid and Hazardous Material Fields of Testing through IL EPA Accreditation No. - 200080

Illinois Department of Public Health Bacterial Analysis in Drinking Water Approved Laboratory, Registry No. 171050

Missouri Department of Natural Resources - Certificate of Approval for Microbiological Laboratory Service - No. 1050



Certified by: Chenise Lambert-Sykes, Project Manager



PACE ANALYTICAL SERVICES
WWW.PACELABS.COM

REGULATORY PROGRAM (CIRCLE):	NPDES
MORBCA	RCRA
CCDD	TACO: RES OR IND/COMM

CHAIN OF CUSTODY RECORD

SAMPLE COLLECTED IN THE STATE OF MD

PAGE 1

ALL HIGHLIGHTED AREAS MUST BE COMPLETED BY CLIENT (PLEASE PRINT)

1 CLIENT <u>JOHNA JURGIEL & ASSOCIATES, INC.</u>		PROJECT NUMBER <u>RITENDOUR DRINKING WATER</u>		PROJECT LOCATION <u>RMS Resampling</u>		PURCHASE ORDER #		3 ANALYSIS REQUESTED		4 (FOR LAB USE ONLY) LOGIN # <u>HDO1335</u> LOGGED BY: <u>MR</u> CLIENT: _____ PROJECT: _____ PROJ. MGR.: _____ CUSTODY SEAL #: _____	
ADDRESS <u>123 N. MAIN ST.</u>		PHONE NUMBER <u>636-757-3060</u>		E-MAIL <u>gyoung@jurgiel.com</u>		DATE SHIPPED <u>4/2/24</u>		LEAD (EPA 200.8)		REMARKS	
CITY STATE ZIP <u>ST. CHARLES, MD 63301</u>		SAMPLER (PLEASE PRINT) <u>Kevin Obermiller</u>		MATRIX TYPES: WW- WASTEWATER DW- DRINKING WATER GW- GROUND WATER WWSL- SLUDGE NAS- NON AQUEOUS SOLID LCIL- LEACHATE OIL- OIL SO- SOIL SOL- SOLID							
CONTACT PERSON <u>GREG YOUNG</u>		SAMPLER'S SIGNATURE <u>Kevin Obermiller</u>		MATRIX TYPE		BOTTLE COUNT		PRES CODE CLIENT PROVIDED			
2 SAMPLE DESCRIPTION (UNIQUE DESCRIPTION AS IT WILL APPEAR ON THE ANALYTICAL REPORT)		DATE COLLECTED	TIME COLLECTED	SAMPLE TYPE GRAB	COMP	MATRIX TYPE	BOTTLE COUNT	PRES CODE CLIENT PROVIDED			
<u>RMS(R)-1</u>		<u>4/2/24</u>	<u>8:00pm</u>	<u>X</u>		<u>DW</u>	<u>1</u>		<u>X</u>		
<u>-2</u>											
<u>-3</u>											
<u>-4</u>											
<u>-5</u>											
<u>-6</u>											
<u>-7</u>											
<u>-8</u>											
<u>-9</u>											
<u>-10</u>											
<u>-11</u>											
CHEMICAL PRESERVATION CODES:		1 - HCL	2 - H2SO4	3 - HNO3	4 - NAOH	5 - NA2S2O3	6 - UNPRESERVED	7 - OTHER			
5 TURNAROUND TIME REQUESTED (PLEASE CIRCLE) (RUSH TAT IS SUBJECT TO PACE LABS APPROVAL AND SURCHARGE) NORMAL <u>RUSH</u>		DATE RESULTS NEEDED		6 I understand that by initialing this box I give the lab permission to proceed with analysis, even though it may not meet all sample conformance requirements as defined in the receiving facility's Sample Acceptance Policy and the data will be qualified. Qualified data may NOT be acceptable to report to all regulatory authorities. PROCEED WITH ANALYSIS AND QUALIFY RESULTS: (INITIALS) <u>GY</u>							
RUSH RESULTS VIA (PLEASE CIRCLE) EMAIL PHONE		EMAIL IF DIFFERENT FROM ABOVE:		PHONE # IF DIFFERENT FROM ABOVE:							
7 RELINQUISHED BY: (SIGNATURE) <u>Kevin Obermiller</u>		DATE <u>4/2/24</u> TIME <u>noon</u>		RECEIVED BY: (SIGNATURE)		DATE		8 COMMENTS: (FOR LAB USE ONLY)			
RELINQUISHED BY: (SIGNATURE)		DATE		RECEIVED BY: (SIGNATURE)		DATE		SAMPLE TEMPERATURE UPON RECEIPT _____ °C TEMPERATURE GUN ID _____ CHILL PROCESS STARTED PRIOR TO RECEIPT Y OR N SAMPLE(S) RECEIVED ON ICE Y OR N SAMPLE ACCEPTANCE NONCONFORMANT REPORT IS NEEDED Y OR N DATE AND TIME TAKEN FROM SAMPLE BOTTLE _____			
RELINQUISHED BY: (SIGNATURE)		DATE		RECEIVED BY: (SIGNATURE)		DATE					
		TIME				TIME					
		DATE				DATE					
		TIME				TIME					
		DATE				DATE					
		TIME				TIME					



PACE ANALYTICAL SERVICES
WWW.PACELABS.COM

REGULATORY PROGRAM (CIRCLE):	NPDES
MORBCA	RCRA
CCDD	TACO: RES OR IND/COMM

CHAIN OF CUSTODY RECORD

SAMPLE COLLECTED IN THE STATE OF MD

PAGE 2

ALL HIGHLIGHTED AREAS MUST BE COMPLETED BY CLIENT (PLEASE PRINT)

1 CLIENT <u>JOHN A. JURGIEL & ASSOCIATES, INC.</u>		PROJECT NUMBER <u>RITENDOUR DRINKING WATER</u>		PROJECT LOCATION <u>RMS Resampling</u>		PURCHASE ORDER #		3 ANALYSIS REQUESTED				4 (FOR LAB USE ONLY)	
ADDRESS <u>123 N. MAIN ST.</u>		PHONE NUMBER <u>636-757-3060</u>		E-MAIL <u>gyoung@jurgiel.com</u>		DATE SHIPPED <u>4/2/24</u>		LEAD (EPA 200.8)				LOGIN # _____	
CITY STATE ZIP <u>ST. CHARLES, MD 63301</u>		SAMPLER (PLEASE PRINT) <u>Kevin Obermiller</u>		MATRIX TYPES: WW-WASTEWATER DW-DRINKING WATER GW-GROUND WATER WWSL-SLUDGE NAS-NON AQUEOUS SOLID LCIL-LEACHATE OIL-OIL SO-SOIL SOL-SOLID		LOGGED BY: _____							
CONTACT PERSON <u>GREG YOUNG</u>		SAMPLER'S SIGNATURE <u>Kevin Obermiller</u>				CLIENT PROVIDED						CLIENT: _____	
2 SAMPLE DESCRIPTION (UNIQUE DESCRIPTION AS IT WILL APPEAR ON THE ANALYTICAL REPORT)		DATE COLLECTED	TIME COLLECTED	SAMPLE TYPE GRAB COMP		MATRIX TYPE	BOTTLE COUNT	PRES CODE	REMARKS				
<u>RMS(R)-12</u>		<u>4/2/24</u>	<u>8:00am</u>	<u>X</u>		<u>DW</u>	<u>1</u>						
<u>-13</u>													
<u>-14</u>													
<u>-15</u>													
<u>-16</u>													
<u>-17</u>													
<u>-18</u>													
<u>-19</u>													
<u>-20</u>													
<u>-21</u>													
CHEMICAL PRESERVATION CODES: 1-HCL 2-H2SO4 3-HNO3 4-NAOH 5-NA2S2O3 6-UNPRESERVED 7-OTHER													
5 TURNAROUND TIME REQUESTED (PLEASE CIRCLE) <u>NORMAL</u> RUSH (RUSH TAT IS SUBJECT TO PACE LABS APPROVAL AND SURCHARGE) RUSH RESULTS VIA (PLEASE CIRCLE) EMAIL PHONE EMAIL IF DIFFERENT FROM ABOVE: PHONE # IF DIFFERENT FROM ABOVE:				DATE RESULTS NEEDED		6 I understand that by initialing this box I give the lab permission to proceed with analysis, even though it may not meet all sample conformance requirements as defined in the receiving facility's Sample Acceptance Policy and the data will be qualified. Qualified data may <u>NOT</u> be acceptable to report to all regulatory authorities. PROCEED WITH ANALYSIS AND QUALIFY RESULTS: (INITIALS) <u>GY</u>							
7 RELINQUISHED BY: (SIGNATURE) <u>Kevin Obermiller</u>		DATE <u>4/2/24</u> TIME <u>noon</u>		RECEIVED BY: (SIGNATURE)				DATE		8 COMMENTS: (FOR LAB USE ONLY)			
RELINQUISHED BY: (SIGNATURE)		DATE TIME		RECEIVED BY: (SIGNATURE)				DATE TIME		SAMPLE TEMPERATURE UPON RECEIPT _____ °C TEMPERATURE GUN ID _____			
RELINQUISHED BY: (SIGNATURE)		DATE TIME		RECEIVED BY: (SIGNATURE)				DATE TIME		CHILL PROCESS STARTED PRIOR TO RECEIPT Y OR N SAMPLE(S) RECEIVED ON ICE Y OR N SAMPLE ACCEPTANCE NONCONFORMANT REPORT IS NEEDED Y OR N DATE AND TIME TAKEN FROM SAMPLE BOTTLE _____			