PAGE 1

A Workshop Meeting of the Board of Education, Seaford Union Free School District, was held on Thursday, March 19, 2007, in the All Purpose Room located in the Seaford Manor Elementary School, 1590 Washington Avenue, Seaford, New York.

PRESENT: Mr. Bradley Kass - President

Ms. Linda Hurley - Vice President

Mr. Richard DiBlasio - Trustee (arrived 6:56 p.m.)

Ms. Andrea Cajuste - Trustee

Mr. Michael Sapraicone - Trustee (arrived 6:38 p.m.)

Mr. Thomas J. Markle Mr. Brian Conboy Kenney W. Aldrich

Mr. Christopher Venator - Attorney

At 6:36 p.m., the President of the Board of Education opened the workshop meeting.

OPEN MEETING

Board President Bradley Kass asked to have a motion to enter into

executive session for the purpose of discussing:

Contract Negotiations

No action will be taken.

At 6:38 p.m., a motion was made by Ms. Hurley, second by Ms. Cajuste, to recess the Workshop Meeting and enter into executive session.

RECESS WORKSHOP

All ayes Motion carried.

At 7:37 p.m., a motion was made by Ms. Hurley, second by Ms. Cajuste, to adjourn Executive Session and return to the Workshop Meeting.

ADJOURN EXECUTIVE SESSION

All ayes Motion carried.

At 7:48 p.m., the President of the Board of Education reconvened the Workshop Meeting. As the first order of business, Mr. Kass led the audience in the Pledge of Allegiance.

RECONVENE WORKSHOP

MEETING

Comments, Questions and/or Concerns Raised by the Public:

PUBLIC COMMENTS

How to sell proposition to Community

Topics Discussed:

TOPICS DISCUSSED

- 1. ARCHITECT INTERVIEWS
- A. BBS
- B. Cannon
- C. H2M
- D. Thomas

Motion by Ms. Hurley, second by Mr. DiBlasio to table discussion of Use of Facilities - Manor School Traffic Control and Parking and Fence and Gate at Beechwood Place.

All ayes Motion carried.

There being no further business, a motion was made by Ms. Hurley, second by Ms. Cajuste, to adjourn the Workshop Meeting at 10:34 p.m.

ADJOURN WORKSHOP MEETING

All ayes Motion carried.

Respectfully submitted,

Linda Hurley Vice District Clerk