

CLINTON CENTRAL SCHOOL DISTRICT

75 Chenango Avenue
Clinton, New York 13323-1395
(315) 557-2231
Fax (315) 853-2313
Website: www.ccs.edu

Mr. Christopher Clancy
Superintendent of Schools

A NOTICE TO PARENTS, GUARDIANS, and STAFF

Clinton Elementary School

Lead Testing of School Drinking Water

May 2024

Dear Elementary School Families,

Safe and healthy school environments can foster healthy and successful children. To protect public health, the Public Health Law and New York State Health Department (NYS DOH) regulations require that all public schools test lead levels in water from every outlet that is being used, for drinking or cooking. If lead is found at any water outlet at levels above 5 parts per billion (ppb), which is equal to 5 micrograms per liter ($\mu\text{g/L}$), the NYS DOH requires that the school take action to reduce the exposure to lead.

We recently partnered with Pace Analytical Testing Laboratories and commenced testing of water samples for lead from the Elementary school. Testing sites included classroom sinks and drinking fountains, hallway drinking fountains, and cafeteria kitchen sinks. This notification includes the results of the testing, as well as steps the District has already taken to remediate outlets identified as above the allowable threshold.

What is “first draw” testing of school drinking water for lead?

The “on-again, off-again” nature of water use at most schools can raise lead levels in school drinking water. Water that remains in pipes overnight, over a weekend, or over vacation periods stays in contact with lead pipes or lead solder and, as a result, could contain higher levels of lead. This is why schools are required to collect a sample after the water has been sitting in the plumbing system for a certain period of time. This “first draw” sample is likely to show higher levels of lead for that outlet than what you would see if you sampled after using the water continuously. However, even if the first draw sample does not reflect what you would see with continuous usage, it is still important because it can identify outlets that have elevated lead levels.

What are the results of the testing?

Testing at the Elementary School included all classroom drinking fountains and sinks, all hallway drinking fountains, and cafeteria kitchen sinks. The following is a summary of outlets with results above the allowable threshold of 5 ppb.

Samples Collected on 4/19/24				
Floor	Function / Space	Room	Fixture Type	Sample Results
01	Classroom	A5	Drinking Fountain	6.1 ppb
01	Classroom	A3	Drinking Fountain	6.3 ppb
01	Classroom	A6	Drinking Fountain	5.9 ppb
01	Classroom	A4	Drinking Fountain	5.5 ppb
01	Classroom	A4	Classroom Sink	10.8 ppb
01	Classroom	C1	Classroom Sink	6.1 ppb
01	Classroom	C4	Drinking Fountain	5.4 ppb
01	Classroom	C8	Classroom Sink	5.5 ppb
01	Kitchen	D3	Steamer Cold	11.7 ppb
01	Kitchen	D3	Steamer Hot	5.4 ppb
01	Kitchen	D3	Serving Line Sink Hot	5.5 ppb
01	Kitchen	D3	3 Bay Sink 1 Cold	21.0 ppb
01	Kitchen	D3	3 Bay Sink 2 Cold	13.7 ppb
01	Kitchen	D3	3 Bay Sink 2 Hot	12.7 ppb
02	Classroom	204	Classroom Sink	5.8 ppb
02	Classroom	206	Classroom Sink	5.2 ppb
02	Classroom	208	Classroom Sink	6.7 ppb
02	Classroom	209	Classroom Sink	7.4 ppb

What is being done in response to the results?

After receiving the test reports, we took immediate action to begin remediation where necessary, as outlined in the NYSDOH Regulations. Outlets that tested with lead levels above the action level (5 ppb) were removed from service unless an outlet is a sink faucet needed for handwashing. In that case, a sign was posted at the outlet indicating that the sink is not to be used for drinking. Outlets that tested below the action level remain in service with no restrictions.

Classrooms with affected drinking fountains (identified above) have been provided with water coolers until retesting is completed. While the location of drinking water may temporarily change for some classrooms, access to fresh drinking water for all of our students has not been compromised by the results of this testing. Retesting of each of these outlets will occur soon.

What are the health effects of lead?

Lead is a metal that can harm children and adults when it gets into their bodies. Lead is a known neurotoxin, particularly harmful to the developing brain and nervous system of children under 6 years old. Lead can harm a young child's growth, behavior, and ability to learn. Lead exposure during pregnancy may contribute to low birth weight and developmental delays in infants. There are many sources of lead exposure in the environment, and it is important to reduce all lead exposure as much as possible. Water testing helps identify and correct possible sources of lead that contribute to exposure from drinking water.

What are the other sources of lead exposure?

Lead is a metal that has been used for centuries for many purposes, resulting in widespread distribution in the environment. Major sources of lead exposure include lead-based paint in older housing, and lead that built up over decades in soil and dust due to historical use of lead in gasoline, paint, and manufacturing. Lead can also be found in a number of consumer products, including certain types of pottery, pewter, brass fixtures, foods, plumbing materials, and cosmetics. Lead seldom occurs naturally in water supplies but drinking water could become a possible source of lead exposure if the building's plumbing contains lead. The primary source of lead exposure for most children with elevated blood-lead levels is lead-based paint.

Should your child be tested for lead?

The risk to an individual child from past exposure to elevated lead in drinking water depends on many factors, including but not limited to, a child's age, weight, amount of water consumed, and the amount of lead in the water. Children may also be exposed to other significant sources of lead including paint, soil, and dust. Since blood lead testing is the only way to determine a child's blood lead level, parents should discuss their child's health history with their child's physician to determine if blood lead testing is appropriate. Pregnant women or women of childbearing age should also consider discussing this matter with their physician.

Additional Resources

For information about lead in school drinking water, go to:

https://www.health.ny.gov/environmental/water/drinking/lead/lead_testing_of_school_drinking_water.htm
<http://www.p12.nysed.gov/facplan/LeadTestinginSchoolDrinkingWater.html>

For information about NYS DOH Lead Poisoning Prevention Program, go to:

<http://www.health.ny.gov/environmental/lead/>

For more information on blood lead testing and ways to reduce your child's risk of exposure to lead, see "What Your Child's Blood Lead Test Means":

<http://www.health.ny.gov/publications/2526/> (English)

https://www.health.ny.gov/environmental/lead/education_materials/index.htm (available in ten languages).

For more information regarding the testing program or sampling results, please visit our website at www.ccs.edu. Testing at the Middle and High Schools will commence in the coming months and a similar communication will be sent to families with testing results and remedial action plans.

Please contact me if you have any questions.

Sincerely,

Christopher M. Clancy
Superintendent of Schools