

Charleston County School District is testing drinking water from water taps within all schools to determine the possible presence of lead. We developed the testing program in consultation with officials from the S.C. Department of Health and Environmental Control (DHEC) and local municipal water systems.

We tested over 180 water taps at Wando High School and the results are shown below. You will find dates, locations, and results of testing in a table. You can tell what each sample represents by the sample #, for example "WHS-S-A118" refers to a sink in the Auditorium Concessions at Wando High School, "F" refers to fountain, and "IM" refers to ice machine. There is a "Key" at the top of the table to explain these abbreviations.

The results from this testing found that Wando High School's drinking water was at or below the recommended level of 15 parts per billion (ppb) for "first draw" testing except for a faucet in a sink in the Auditorium Concessions A118, a faucet in a sink in the Sewing Room B103, and a faucet in a sink in the CTE Child Development in B110. Our staff immediately turned off the faucets. The faucets were retested and found to be below the recommended level following typical use and flushing. Out of an abundance of caution, the faucets were replaced, a filter certified to remove lead was installed, and the water has been turned back on.

We have recently expanded a program that includes flushing of all water taps at our schools and we have expanded filtering of common-area water cooler-fountains, all of which are now filtered at Wando High School. These initiatives, in addition to the drinking water testing, demonstrate our intent to provide the highest quality of drinking water for our students.

You may also review some frequently asked questions about the testing and other helpful links about drinking water at the CCSD Facilities Management web page ([www.ccsdschools.com/watersampling](http://www.ccsdschools.com/watersampling)). If you have additional questions, you may contact our staff at (843) 566-1835 or [facilities@ccsdschools.com](mailto:facilities@ccsdschools.com).

## Wando HS

Notes: Threshold for action is 15.00 parts per billion (ppb).

Key: S=sink, F=fountain, FS=fountain sink, B=bubbler, IM=ice machine, BF=bottle filler, 1CS=one-compartment-sink, 2CS=two-compartment sink, 3CS=three-compartment sink

| Sample #      | Area                              | First-Draw Date Sampled | First-Draw Sample Result (parts per billions, ppb) | Immediate Action | Second and Flush Sample Date (if applicable) | Second First-Draw Sample Result (if applicable) | Flush Sample Result (if applicable) | Corrective Action (if applicable) |
|---------------|-----------------------------------|-------------------------|--|------------------|--|---|-------------------------------------|-----------------------------------|
| WHS-S-211     | Teacher Workroom 211              | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.1  |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.2  |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.3  |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.4  |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.5  |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.6  |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.7  |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.8  |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.9  |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.10 |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.11 |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.12 |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.13 |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.14 |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.15 |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-S-WR205   |                                   | 2/8/20                  | 2.2 PPB  |                  |  |   |                                     |                                   |
| WHS-S-WR206   |                                   | 2/8/20                  | 3.8 PPB  |                  |  |   |                                     |                                   |
| WHS-F-H200.16 |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.17 |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.18 |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.19 |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.20 |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.21 |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.22 |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.23 |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.24 |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.25 |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H200.26 |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-S-WR217   |                                   | 2/8/20                  | 1.1 PPB  |                  |  |   |                                     |                                   |
| WHS-F-H100.1  |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H100.2  |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H100.3  |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H100.4  |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H100.5  |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H100.6  |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H100.7  |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H100.8  |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H100.9  |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H100.10 |                                   | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-G112.1  | Wrestling /MultiPurpose Room G112 | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-BF-G112.1 | Wrestling /MultiPurpose Room G112 | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-G112.2  | Wrestling /MultiPurpose Room G112 | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-S-G114.1  | Training Room G114                | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-S-G114.2  | Training Room G114                | 2/8/20                  | Non-detect   |                  |  |   |                                     |                                   |
| WHS-IM-G114   | Training Room G114                | 2/8/2020                | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-G118.1  | Athletic LockerRoom G118          | 2/8/2020                | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-G118.2  | Athletic LockerRoom G118          | 2/8/2020                | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-G118.3  | Athletic LockerRoom G118          | 2/8/2020                | 12 PPB   |                  |  |   |                                     | Added filter at fixture           |
| WHS-F-G120.1  | Locker Room G120                  | 2/8/2020                | 1.0 PPB  |                  |  |   |                                     |                                   |
| WHS-F-H100.11 |                                   | 2/8/2020                | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H100.12 |                                   | 2/8/2020                | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H100.13 |                                   | 2/8/2020                | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H100.14 |                                   | 2/8/2020                | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-H100.15 |                                   | 2/8/2020                | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-107.1   |                                   | 2/8/2020                | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-107.2   |                                   | 2/8/2020                | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-107.3   |                                   | 2/8/2020                | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-G100.1  |                                   | 2/8/2020                | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-G100.2  |                                   | 2/8/2020                | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-G120.2  |                                   | 2/8/2020                | Non-detect   |                  |  |   |                                     |                                   |
| WHS-F-G120.3  |                                   | 2/8/2020                | Non-detect   |                  |  |   |                                     |                                   |

## Wando HS

Notes: Threshold for action is 15.00 parts per billion (ppb).

Key: S=sink, F=fountain, FS=fountain sink, B=bubbler, IM=ice machine, BF=bottle filler, 1CS=one-compartment-sink, 2CS=two-compartment sink, 3CS=three-compartment sink

| Sample #      | Area                        | First-Draw Date Sampled | First-Draw Sample Result (parts per billions, ppb) | Immediate Action        | Second and Flush Sample Date (if applicable) | Second First-Draw Sample Result (if applicable) | Flush Sample Result (if applicable) | Corrective Action (if applicable) |
|---------------|-----------------------------|-------------------------|--|-------------------------|--|---|-------------------------------------|-----------------------------------|
| WHS-F-G100.3  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-G100.4  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-G100.5  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-G100.6  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-F100.1  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-F100.2  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-FS-F108   | Workroom F108               | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-IM-F108   | Workroom F108               | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-H200.27 |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-H200.28 |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-H200.29 |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-H200.30 |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-H200.31 |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-H200.32 |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-S-WR202   |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-H200.33 |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-H200.34 |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-H200.35 |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-H200.36 |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-H200.37 |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-H200.38 |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-S-WR208   |                             | 2/8/2020                | 1.4 PPB  |                         |  |   |                                     |                                   |
| WHS-IM-WR208  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-H200.39 |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-H200.40 |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-D100.1  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-D100.2  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-A100.1  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-A100.2  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-A100.3  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-A100.4  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-A100.5  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-A100.6  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-IM-A118   | Auditorium Concessions A118 | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-S-A118    | Auditorium Concessions A118 | 2/8/2020                | 39 PPB   | Secured source of water | 4/8/2020                                     | ND  | ND                                  | N/A                               |
| WHS-F-B100.7  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-B100.8  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-B100.9  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-B100.10 |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-B100.11 |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-B100.12 |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-B100.13 |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-B100.14 |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-BF-B100.1 |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-S-WR211   |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-S-WR229   |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-D100.1  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-D100.2  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-D100.3  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-C100.1  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-C100.2  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-C100.3  |                             | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-S-E102.1  | Demo Kitchen E102           | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-S-E102.2  | Demo Kitchen E102           | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-S-E101    | Bistro E101                 | 2/8/2020                | 2.6 PPB  |                         |  |   |                                     |                                   |
| WHS-IM-E102   | Demo Kitchen E102           | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-S-C101A.1 | Cafeteria                   | 2/8/2020                | 2.2 PPB  |                         |  |   |                                     |                                   |
| WHS-S-C101A.2 | Cafeteria                   | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-S-C106    | Kitchen                     | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-IM-C106   | Kitchen                     | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-C102    | Clinic                      | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-C102B   | Clinic Exam Room            | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |

## Wando HS

Notes: Threshold for action is 15.00 parts per billion (ppb).

Key: S=sink, F=fountain, FS=fountain sink, B=bubbler, IM=ice machine, BF=bottle filler, 1CS=one-compartment-sink, 2CS=two-compartment sink, 3CS=three-compartment sink

| Sample #           | Area                             | First-Draw Date Sampled | First-Draw Sample Result (parts per billions, ppb) | Immediate Action        | Second and Flush Sample Date (if applicable) | Second First-Draw Sample Result (if applicable) | Flush Sample Result (if applicable) | Corrective Action (if applicable) |
|--------------------|----------------------------------|-------------------------|--|-------------------------|--|---|-------------------------------------|-----------------------------------|
| WHS-S-B103         | CTYE Sewing Room B103            | 2/8/2020                | 19 PPB   | Secured source of water | 9/29/2020                                    | 9.8 ppb   | 2.9 ppb                             | Change fixture and add filtration |
| WHS-S-B109         | Work Room B109                   | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-S-B110.1       | CTE Child Development B110       | 2/8/2020                | 44 PPB   | Secured source of water | 9/29/2020                                    | 5.2 ppb   | ND                                  | Change fixture and add filtration |
| WHS-S-B110.2       | CTE Child Development B110       | 2/8/2020                | 7.4 PPB  |                         |  |   |                                     |                                   |
| WHS-S-B110.3       | CTE Child Development B110       | 2/8/2020                | 6.8 PPB  |                         |  |   |                                     |                                   |
| WHS-S-B110.4       | CTE Child Development B110       | 2/8/2020                | 5.3 PPB  |                         |  |   |                                     |                                   |
| WHS-S-B110.5       | CTE Child Development B110       | 2/8/2020                | 3.7 PPB  |                         |  |   |                                     |                                   |
| WHS-S-B113A        | Room B113 Kitchen                | 2/8/2020                | 2.1 PPB  |                         |  |   |                                     |                                   |
| WHS-F-B120.1       | Room B120                        | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-B120.2       | Room B120                        | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-S-B129.1       | Living Lab B129                  | 2/8/2020                | 4.3 PPB  |                         |  |   |                                     |                                   |
| WHS-S-B129.2       | Living Lab B129                  | 2/8/2020                | 1.0 PPB  |                         |  |   |                                     |                                   |
| WHS-S-B129.3       | Living Lab B129                  | 2/8/2020                | 10 PPB   |                         |  |   |                                     |                                   |
| WHS-S-B129.4       | Living Lab B129                  | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-B100.1       |                                  | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-B100.2       |                                  | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-B100.3       |                                  | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-B100.4       |                                  | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-B100.5       |                                  | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-B100.6       |                                  | 2/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-S-E105.1       | Health Occupation Room E105      | 2/8/2020                | 1.0 PPB  |                         |  |   |                                     |                                   |
| WHS-S-E105.2       | Health Occupation Room E105      | 2/8/2020                | 1.1 PPB  |                         |  |   |                                     |                                   |
| WHS-S-E105.3       | Health Occupation Room E105      | 2/8/2020                | 6.4 PPB  |                         |  |   |                                     |                                   |
| WHS-IM-G111        | Laundry Room G111                | 4/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-G112.1       | Wrestling/Multipurpose Room G112 | 4/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-G112.2       | Wrestling/Multipurpose Room G112 | 4/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-BF-G112.2      | Wrestling/Multipurpose Room G112 | 4/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-E109         | Mechatronics Room E109           | 4/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-S-E109         | Mechatronics Room E109           | 4/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-S-105D         |                                  | 4/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-S-300.1        |                                  | 4/8/2020                | 3.3 PPB  |                         |  |   |                                     |                                   |
| WHS-S-300.2        |                                  | 4/8/2020                | 3.4 PPB  |                         |  |   |                                     |                                   |
| WHS-IM-300         |                                  | 4/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-300.3        |                                  | 4/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-300.4        |                                  | 4/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-300.1        |                                  | 4/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-300.2        |                                  | 4/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-IM-308         |                                  | 4/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-S-308.1        |                                  | 4/8/2020                | 8.5 PPB  |                         |  |   |                                     |                                   |
| WHS-S-308.2        |                                  | 4/8/2020                | 14 PPB   |                         |  |   |                                     |                                   |
| WHS-S-FH           |                                  | 4/8/2020                | 2.3 PPB  |                         |  |   |                                     |                                   |
| WHS-F-FH           |                                  | 4/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-S-108          |                                  | 4/8/2020                | 7.8 PPB  |                         |  |   |                                     |                                   |
| WHS-IM-108         |                                  | 4/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-S-104          |                                  | 4/8/2020                | 8.4 PPB  |                         |  |   |                                     |                                   |
| WHS-IM-104         |                                  | 4/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-200.1        |                                  | 4/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-200.2        |                                  | 4/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-IM-200         |                                  | 4/8/2020                | 7.7 PPB  |                         |  |   |                                     |                                   |
| WHS-S-200          |                                  | 4/8/2020                | 1.4 PPB  |                         |  |   |                                     |                                   |
| WHS-IM-P101        |                                  | 4/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-S-P101         |                                  | 4/8/2020                | 2.2 PPB  |                         |  |   |                                     |                                   |
| WHS-S-PBR          |                                  | 4/8/2020                | 3.3 PPB  |                         |  |   |                                     |                                   |
| WHS-F-Trailer Bath |                                  | 4/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-P100.1       |                                  | 4/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-F-P100.2       |                                  | 4/8/2020                | Non-detect   |                         |  |   |                                     |                                   |
| WHS-S-B110.6       | CTE Child Development B110       | 4/28/2020               | 5.2 PPB  |                         |  |   |                                     |                                   |
| WHS-S-H112         | Storage Room H112                | 4/28/2020               | 1.2 PPB  |                         |  |   |                                     |                                   |
| WHS-S-F204A        |                                  | 4/28/2020               | 3.3 PPB  |                         |  |   |                                     |                                   |
| WHS-S-E102.3       | Demo Kitchen E102                | 4/28/2020               | 1.1 PPB  |                         |  |   |                                     |                                   |