



INVITATION TO BID “ITB”

Notice is hereby given that the **LIBERTY PUBLIC SCHOOL DISTRICT, LIBERTY, MISSOURI**, requests written, sealed bids on the items specified on the attached sheet(s).

DESCRIPTION OF BID ITEMS

DATE: MAY 20, 2024

BID NUMBER: ITB 014-024

BID TITLE: OVEN REPLACEMENT BID

BIDS MUST be received on or before **TUESDAY, JUNE 18, 2024 at 12:00 PM CST**

BIDS MUST BE MAILED TO: Rachel Naumann, Purchasing Agent
Liberty Public School District 53
801 Kent St
Liberty, MO 64068
816-736-5293

All questions, requests for information or clarification pertaining to this bid must be submitted in writing to Rachel Naumann at rachel.naumann@lps53.org

The District reserves the right to accept or reject all or any part of any quote/proposal/bid, to waive technicalities, and to accept the offer that the District considers to be the most advantageous.

All supporting bid documents such as addenda, tabulation sheets, notices of action and/or notices of award will be posted on the website the District’s website at www.lps53.org/departments/purchasing. It is the responsibility of the bidder to monitor the website for all information regarding this bid or any upcoming bids/proposals.

BIDDER ACKNOWLEDGEMENT

Company Name _____

Address _____ City _____ State _____ Zip Code _____

Telephone _____ E-mail Address _____ Web Address _____

Name (Typed or Printed) _____

Signature of Authorized Representative: _____

Date _____

BID IDENTIFICATION LABEL

NOTICE TO ALL RESPONDENTS

For your convenience, the label below has been provided to properly identify your proposal submittal. Place your bid in a sealed envelope, type or print company name and address in area provided below and affix the label on the outer surface of the envelope or package.

The Liberty Public School District 53, Support Services Center (SSC) is a controlled access building. All visitors are required to use the phone at the front entrance to gain access. If you are hand delivering a proposal, notify the Purchasing Department that you have a proposal to deliver via the lobby telephone. A record of all deliveries and delivery times will be documented in the Purchasing Department.

PLEASE FILL OUT THE LABEL BELOW AND ATTACH IT TO THE OUTSIDE OF YOUR REPLY ENVELOPE.

DO NOT OPEN - SEALED BID - DO NOT OPEN

BID #: ITB 014-024, TITLE: OVEN REPLACEMENT BID

BID PROPOSALS DUE ON: JUNE 18, 2024 at 12:00 PM CST

FROM:

DELIVER TO:

LIBERTY PUBLIC SCHOOL DISTRICT
PURCHASING DEPARTMENT
ATTN: RACHEL NAUMANN
801 KENT ST
LIBERTY, MO 64068

BID INSTRUCTIONS

PURPOSE

The purpose of this ITB is to establish an agreement for the purchase, delivery and installation of a total of five (5) double stack conveyor pizza ovens and one (1) convection oven, with multiple install locations, for the District as specified herein. Service to include disconnect/removal/haul off of the equipment that is being replaced at each location.

CALENDAR OF EVENTS

Monday, May 20, 2024	Bid Release Date
Wednesday, June 12, 2024	Question Deadline – 3:00 PM CST
Tuesday, June 18, 2024	Submittal of Bid Deadline - 12:00 PM CST
Thursday, June 27, 2024	BOE Recommendation for Award
Monday, July 1, 2024	Vendor Award Notification

PRE-BID MEETING

A pre-bid meeting will not be scheduled for this bid opportunity. By submitting a bid, the bidder warrants that he/she is fully satisfied that these specifications, as amended if applicable, accurately describe or indicate that all conditions, site or otherwise, have been considered in determining the bid price(s). There will be no increase in the contract price based upon a bidder's misunderstanding or lack of knowledge about the intent of the solicitation.

CLARIFICATION DEADLINE

The Vendor is presumed to completely accept the Bid requirements as stated herein. Bidders having questions concerning ITB terminology, general or specific conditions should submit them in writing to the Purchasing Agent at rachel.naumann@lps53.org

The Vendor must raise any questions regarding the Bid requirements no later than June 12, 2024, 3:00 PM CST so that appropriate information may be researched and made available prior to the bid opening.

By submitting a bid, the bidder warrants that he/she is fully satisfied that these specifications, as amended if applicable, accurately describe or indicate that all conditions, site or otherwise, have been taken into account in determining the bid price(s). There will be no increase in the contract price based upon a bidder's misunderstanding or lack of knowledge about the intent of the solicitation. In addition, the vendor must list and outline, in their bid response, any exceptions to the Bid requirements. The timeliness, nature and number of the exceptions taken by the Vendor are among the factors that the District will consider in selecting the successful Vendor.

BONDING

A **Payment Bond** will be required from any vendor that submits a total bid proposal in excess of \$50,000. The undersigned Bidder, if awarded a contract, agrees to furnish a Payment Bond in the amount of 100% of the total contract value prior to execution of the formal service contract, agreement or issuance of an official district purchase order.

SPECIAL REQUIREMENTS

One original proposal clearly marked "**Original**", and one (1) digital copy on a jump drive, clearly marked "**Digital Copy**", must be submitted. The complete Bid Response should be sealed in an envelope or box for delivery to the Purchasing Office of Liberty Public Schools. "Copy" documents must be identical to Original Response submitted. The Liberty School District will not be held responsible for pricing sheets or materials left out of "Copy" or "Original" submittals.

The District may occasionally submit more than one separately numbered proposal packet to you in a single envelope. Please be aware that you must return separately numbered proposals to the District in separate envelopes. Multiple options within the same proposal may, however, be submitted together.

ADDENDA

All changes, additions, and/or clarifications in connection with this Bid will be issued by the Purchasing Office in the form of a written addendum. Signed acknowledgement of receipt of each addendum must be submitted with the Bid (see "Bid Response Form"). Verbal responses and/or representations shall not be binding.

BID CONTENTS AND SUBMISSION

Bid submissions shall include the following information:

- A. Name, address, and telephone number of Bidder(s).
- B. Full price for providing the Product, Equipment and/or Service in accordance with this Bid.
- C. A completed Bid Form attached to this Invitation for Bid.
- D. Name, address and telephone number of not less than two (2) references for whom the Vendor has provided similar Supplies, Equipment, and/or Services to within the last 2 years.
- E. Detailed description of material and services to be provided.

Vendors must use the forms provided for the purpose of submitting quotes and must give the unit price, extend totals, and sign the quote as required in each specific instance. If the vendor does not care to quote, we request that forms be returned and the reason noted. Provide all specifications and descriptive literature.

EVALUATION

In evaluating any aspect of the Response, the District may consider previous dealings with the Vendor, references from the Vendor's customers, inspections of other Supplies, Equipment or Services provided by the Vendor, and any other information the District obtains regarding the Vendor, or that the District deems relevant.

- 1. Responsive responses from Vendors will be evaluated on the basis of criteria that include the following:
 - a. Overall cost to the District, whether direct or indirect.
 - b. Delivery and/or lead-time required for receipt of goods/services.
 - c. Completed required forms and ability to meet the requirements of the attached service contract.
- 2. The timeliness, nature and number of any exceptions taken by the Vendor to the Bid will be considered by the District in evaluating a Response. Any one of these criteria alone, or in combination, may provide a basis for not accepting the Vendor's Response.
- 3. A responsible vendor is one who, in the opinion of the District, possesses the skill, experience, ability, integrity, financial and other resources necessary for providing the supplies, equipment, and/or services. In evaluating a Vendor's responsibility, or in evaluating any other aspect of the Response, the District may consider previous dealing with the District, references from the Vendor's customers, inspections of other supplies, equipment, and/or services supplied by the vendor, and may other information the District obtains regarding the Vendor or that the District deems relevant.

SUPPLEMENTAL MATERIALS

Vendors are responsible for including all pertinent product data in the returned proposal package. Literature, brochures, data sheets, specification information, completed forms requested as part of the proposal package and any other facts which may affect the evaluation and subsequent contract award should be included.

Materials such as legal documents and contractual agreements, which the vendor wishes to include as a condition of the proposal, must also be in the returned bid package. Failure to include all necessary and proper supplemental materials may be cause to reject the entire proposal.

BID EXPIRATION

All bids shall be considered as firm for a period of sixty (60) calendar days, commencing the date and time of the bid closing and expiring at 3:00 PM CST of the last day. **Please note any deviations to this requirement.**

DISTRICT OPTION

- A. Select more than one successful Bidder based on price break(s).
- B. During the term of this Bid, the District reserves the right to purchase, from the accepted Bidder, additional products, equipment or services at the herein proposed Bid price.
- C. The District does not guarantee that any minimum quantity will be purchased from the successful Bidder during the term of this Bid.

BID OPENING

The proposal/bid contents and any modifications shall be returned in a sealed envelope addressed to the Purchasing Department, Support Services Center, 801 Kent St, Liberty, Missouri, 64068. **The Bid number and Bid Opening date shall be shown on the face of the envelope, and must be labeled with the vendor's name.** Facsimile telegraph Bids will not be considered. Bids may be modified if sent in a sealed envelope, marked "Revised Bid", and be in the possession of the Purchasing Director by the Bid opening date and time. All prospective Bidders will utilize the attached Bid Form.

Bids will be opened and recorded on the date and time specified herein at the Support Services Center, 801 Kent St, Liberty, MO 64068.

Any bid proposal(s) delivered prior to the bid proposal due date must be delivered between the operational hours of 8:00 AM and 3:00 PM CST, Monday through Friday. This excludes major holidays. This is to ensure that Purchasing Department staff is on hand and available to accept bid proposals prior to the official due date and time.

BID REJECTION

The District reserves the right to accept or reject all or any part of any quote, to waive technicalities, and to accept the offer that the District considers to be the most advantageous.

ACCEPTANCE OF BIDS:

The District reserves the right to accept the Bid that, in its judgment, is the lowest and/or best Bid. The delivery date(s) or dates when work will start shall be stated in definite terms, as they will be taken into consideration when making the award.

LATE BIDS

Bids received after the date and time of the Bid opening stated herein shall not be considered and will be returned unopened.

MISTAKE IN BIDS

If the respondent discovers a mistake in Bid prior to the date and time specified for the Bid opening, he or she may correct the mistake by modifying or withdrawing the Bid. If the apparent low and best Bidder discovers a mistake in Bid of a serious and significant nature which is unfavorable to him or her prior to the issuance of a purchase order or a contract, he or she may request consideration be given to modifying the Bid if he or she remains the lowest Bidder or to withdrawing the Bid if the result of the correction of the mistake makes another Bidder lowest and best Bidder.

The mistake must be evident and provable. A mistake in Bid cannot be considered once a purchase order or contract is issued.

NEGOTIATION

- A. The District reserves the right to award a contract based on the initial Responses received, without engaging in discussions or negotiations. Accordingly, a Vendor should submit its initial Bid on the most favorable terms possible to the District. However, should only one Bid be received by the District, the District may, but is not obligated to, conduct negotiations with this vendor whose Response, in the opinion of the District, is competitive or may best meet the needs of the District.
- B. The District may, but is not obligated to, seek clarification of a Response submitted by a Vendor.
- C. If the District chooses to negotiate, negotiation may involve any issue bearing on the Response and may take place after submission of Response and before an award is made. The District reserves the right to follow negotiations with a request for submission of a best and final Response.

AWARD OF THE CONTRACT

It is the intent of the District to award all items on this bid to one bidder. After the Bids have been opened and duly considered, the lowest and/or most responsible and responsible Bid shall be submitted to the Liberty Public School District 53 Board of Education for formal approval. After approval by the District Board of Education, the Purchasing Director will notify, in writing, the successful Bidder. An approved Bid award by the Board of Education shall constitute the District's official award of the Bid. A written contract, or purchase order, noting the terms and conditions of this bid will be executed before "Notice to Proceed" is given. **Vendors with standardized contracts should submit them with the Bid Response.**

OTHER VENDOR AGREEMENTS

- A. As required by the **Buy American** provision, all products must be of domestic origin as required by 7 CFR Part 210.21(d). (210.21(d) is the Buy American Provision)
 - a. The District participates in the National School Lunch Program and School Breakfast Program and is required to use the nonprofit food service funds, to the maximum extent practical, to buy domestic commodities or products for Program meals. A "domestic commodity or product," is defined as one that is either produced in the U.S. or is processed in the U.S. substantially using agricultural commodities that are produced in the U.S. as provided in 7 CFR Part 210.21(d).
 - b. Exceptions to the Buy American provision should be used as a last resort; however, an alternative or exception may be approved upon request. To be considered for the alternative or exception, the request must be submitted in writing to a designated official, a minimum of ___ day (s) in advance of delivery. The request must include the: (a) Alternative substitute (s) that are domestic and meet the required specifications: (i) Price of the domestic food alternative substitute (s); and (ii) Availability of the domestic alternative substitute (s) in relation to the quantity ordered (b) Reason for exception: limited/lack of availability or price (include price): (i) Price of the domestic food product; and (ii) Price of the non-domestic product that meets the required specification of the domestic product.

B. Equal Employment Opportunity

During the performance of this contract, the contractor agrees as follows:

(1) The contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, sexual orientation, gender identity, or national origin. The contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment without regard to their race, color, religion, sex, sexual orientation, gender identity, or national origin. Such action shall include, but not be limited to the following:

Employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided setting forth the provisions of this nondiscrimination clause.

(2) The contractor will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, sexual orientation, gender identity, or national origin.

(3) The contractor will not discharge or in any other manner discriminate against any employee or applicant for employment because such employee or applicant has inquired about, discussed, or disclosed the compensation of the employee or applicant or another employee or applicant. This provision shall not apply to instances in which an employee who has access to the compensation information of other employees or applicants as a part of such employee's essential job functions discloses the compensation of such other employees or applicants to individuals who do not otherwise have access to such information, unless such disclosure is in response to a formal complaint or charge, in furtherance of an investigation, proceeding, hearing, or action, including an investigation conducted by the employer, or is consistent with the contractor's legal duty to furnish information.

(4) The contractor will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice to be provided advising the said labor union or workers' representatives of the contractor's commitments under this section, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.

(5) The contractor will comply with all provisions of Executive Order 11246 of September 24, 1965, and of the rules, regulations, and relevant orders of the Secretary of Labor.

(6) The contractor will furnish all information and reports required by Executive Order 11246 of September 24, 1965, and by rules, regulations, and orders of the Secretary of Labor, or pursuant thereto, and will permit access to his books, records, and accounts by the administering agency and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations, and orders.

(7) In the event of the contractor's noncompliance with the nondiscrimination clauses of this contract or with any of the said rules, regulations, or orders, this contract may be canceled, terminated, or suspended in whole or in part and the contractor may be declared ineligible for further Government contracts or federally assisted construction contracts in accordance with procedures authorized in Executive Order 11246 of September 24, 1965, and such other sanctions may be imposed and remedies invoked as provided in Executive Order 11246 of September 24, 1965, or by rule, regulation, or order of the Secretary of Labor, or as otherwise provided by law.

(8) The contractor will include the portion of the sentence immediately preceding paragraph (1) and the provisions of paragraphs (1) through (8) in every subcontract or purchase order unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to section 204 of Executive Order 11246 of September 24, 1965, so that such provisions will be binding upon each subcontractor or vendor. The contractor will take such action with respect to any subcontract or purchase order as the administering agency may direct as a means of enforcing such provisions, including sanctions for noncompliance:

Provided, however, that in the event a contractor becomes involved in, or is threatened with, litigation with a subcontractor or vendor as a result of such direction by the administering agency, the contractor may request the United States to enter into such litigation to protect the interests of the United States.

The applicant further agrees that it will be bound by the above equal opportunity clause with respect to its own employment practices when it participates in federally assisted construction work: *Provided*, That if the applicant so participating is a State or local government, the above equal opportunity clause is not applicable to any agency, instrumentality or subdivision of such government which does not participate in work on or under the contract.

The applicant agrees that it will assist and cooperate actively with the administering agency and the Secretary of Labor in obtaining the compliance of contractors and subcontractors with the equal opportunity clause and the rules, regulations, and relevant orders of the Secretary of Labor, that it will furnish the administering agency and the Secretary of Labor such information as they may require for the supervision of such compliance, and that it will otherwise assist the administering agency in the discharge of the agency's primary responsibility for securing compliance.

The applicant further agrees that it will refrain from entering into any contract or contract modification subject to Executive Order 11246 of September 24, 1965, with a contractor debarred from, or who has not demonstrated eligibility for, Government contracts and federally assisted construction contracts pursuant to the Executive Order and will carry out such sanctions and penalties for violation of the equal opportunity clause as may be imposed upon contractors and subcontractors by the administering agency or the Secretary of Labor pursuant to Part II, Subpart D of the Executive Order. In addition, the applicant agrees that if it fails or refuses to comply with these undertakings, the administering agency may take any or all of the following actions: Cancel, terminate, or suspend in whole or in part this grant (contract, loan, insurance, guarantee); refrain from extending any further assistance to the applicant under the program with respect to which the failure or refund occurred until satisfactory assurance of future compliance has been received from such applicant; and refer the case to the Department of Justice for appropriate legal proceedings.

APPLICABLE FEDERAL RULES

COMPLIANCE WITH LAWS

The preferred vendor shall warrant and certify that in the performance of the resultant agreement it has complied with or will comply with all applicable statutes, rules, regulations and orders of the United States, and any state or political subdivision thereof, including laws and regulations pertaining to labor, wages, hours and other conditions of employment. All materials, equipment, and supplies provided to the members must comply fully with all safety requirements, rules of the Industrial Commission on Safety, and all applicable OSHA Standards.

DEBARMENT

Federal Executive Order (E.O.) 12549 "Debarment" requires that all contractors receiving individual awards, using federal funds, and all subrecipients certify that the organization and its principals are not debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded by any Federal department or agency from doing business with the Federal Government. By signing this document, you certify that your organization and its principals are not debarred. Failure to comply or attempts to edit this language may disqualify your bid. Information on debarment is available at the following websites: www.sam.gov and <https://acquisition.gov/far/index.html>. See section 52.209-6.

GENERAL PROVISIONS AND CERTIFICATIONS FOR GOVERNMENT CONTRACTS

The following clauses are applicable on solicitations and awards in support of Government Contracts and are hereby incorporated by reference into solicitations and any purchase orders with the same force and effect as if set forth in full text. To the extent that an earlier version of any such clause is included in the prime contract or subcontract under which solicitation or purchase order is issued, the date of the clause as it appears in such prime contract or subcontract shall be controlling and said version is incorporated herein. Where necessary to make the context of the

Federal Acquisition Regulations (FAR) and Department of Defense Federal Acquisition Regulation Supplement (DFARS) clauses set forth in these General Provisions applicable to this solicitation or subcontract, the term “Contractor” shall mean “Subcontractor”, “Seller” or “Supplier”, the term “Contract” or “Subcontract” shall mean “Purchase Order”, the term “Government” shall mean “Buyer” or “District” and the term “Contracting Officer” shall mean “Buyer’s Purchasing Representative”. It is intended that the referenced clauses shall apply to Seller, the legal entity which contracts with the District under any solicitation or purchase order, in such manner as is necessary to reflect the position of Seller as a Supplier to the District, Buyer and legal entity issuing a solicitation or purchase order; to insure Seller’s obligations to the District and the United States Government; and to enable the District to meet its obligations under its prime contract or subcontract. The clauses incorporated by reference may be found in the Federal Acquisition Regulations (FAR), the DOD Federal Acquisition Regulation Supplement (DFARS), or the Code of Federal Regulations (CFR). Copies may be purchased from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402, or see the following websites for more information: <http://farsite.hill.af.mil/VFFARA.HTM> (click “FARSEARCH” tab)

<http://www.gpo.gov/fdsys/browse/collectionCfr.action?collectionCode=CFR> or
<http://www.acq.osd.mil/dpap/dars/dfars/html/r20110916/tochtml.htm>

Applicable when fixed price is greater than \$2,000

40 U.S.C. 3141-3148 Davis-Bacon Act

1. In accordance with the statute, contractors must be required to pay wages to laborers and mechanics at a rate not less than that prevailing wages specified in a wage determination made by the Secretary of Labor. In addition, contractors must be required to pay wages not less than once a week.
2. The decision to award a contract or subcontractor is conditioned upon the acceptance of this wage determination.

40 U.S.C. 3145 Copeland “Anti-Kickback,” Act

1. As prescribed, the act makes it unlawful to induce, by force, intimidation, threat of procuring dismissal from employment, or otherwise, any person employed in the construction or repair of public buildings or public works, financed in whole or in part by the United States, to give up any part of the compensation to which that person is entitled under a contract of employment.
2. The Copeland Act also requires each contractor and subcontractor to furnish weekly a statement of compliance with respect to the wages paid each employee during the preceding week.

37 CFR Part 401 Rights to Inventions Made Under a Contract or Agreement

1. To the extent that a non-government sponsor established a project which, although closely related, falls outside the planned and committed activities of a government-funded project and does not diminish or distract from the performance of such activities, inventions made in performance of the non-government sponsored project would not be subject to the conditions of these regulations. An example of such related but separate projects would be a government sponsored project having research objectives to expand scientific understanding in a field and a closely related industry sponsored project having as its objectives the application of such new knowledge to develop usable new technology. The time relationship in conducting the two projects and the use of new fundamental knowledge from one in the performance of the other are not important determinants since most inventions rest on a knowledge base built up by numerous independent research efforts extending over many years. Should such an invention be claimed by the performing organization to be the product of non-government sponsored research and be challenged by the sponsoring agency as being reportable to the government as a “subject invention”, the challenge is appealable as described in § 401.11(d).
2. (2) An invention which is made outside of the research activities of a government-funded project is not viewed as a “subject invention” since it cannot be shown to have been “conceived or first actually reduced to

practice” in performance of the project. An obvious example of this is a situation where an instrument purchased with government funds is later used, without interference with or cost to the government-funded project, in making an invention all expenses of which involve only non-government funds.

252.225-7001 Buy American Act

1. Cited in document

Applicable when fixed price is greater than \$10,000

41 CFR 60-1.4b Equal Opportunity (Mar 2007)

1. Cited in document

Applicable when fixed price is greater than \$30,000

By submitting a signed proposal or quotation in response to the District’s solicitation, the supplier is providing a negative assurance in accordance with FAR 52.209-5 Certification Regarding Debarment, Suspension, Proposed Debarment, and Other Responsibility Matters. Certification in paragraph (a) of this clause is material representation of fact upon which reliance is placed when making any resulting award.

Applicable when fixed price is greater than \$100,000

40 U.S.C 3701-3708 Contract Work Hours and Safety Standards Act

1. Vendors must maintain compliance with 40 U.S.C. 3702, stating the wages of every laborer and mechanic employed by any contractor or subcontractor in the performance of work on a contract described in section 3701 of this title shall be computed on the basis of a standard workweek of 40 hours. Work in excess of the standard workweek is permitted subject to this section. For each workweek in which the laborer or mechanic is so employed, wages include compensation, at a rate not less than one and one-half times the basic rate of pay, for all hours worked in excess of 40 hours in the workweek.
2. In addition, the requirements of 40 U.S.C. 3704 mandate “each contract in an amount greater than \$100,000 that is entered into under legislation subject to Reorganization Plan Numbered 14 of 1950 (eff. May 24, 1950, 64 Stat. 1267) and is for construction, alteration, and repair, including painting and decorating, must provide that no contractor or subcontractor contracting for any part of the contract work shall require any laborer or mechanic employed in the performance of the contract to work in surroundings or under working conditions that are unsanitary, hazardous, or dangerous to health or safety, as established under construction safety and health standards the Secretary of Labor prescribes by regulation based on proceedings pursuant to section 553 of title 5, provided that the proceedings include a hearing similar in nature to that authorized by section 553 of title 5.”

31 U.S.C. 1352 Byrd Anti Lobbying

1. Byrd Anti-Lobbying Amendment states if the negotiated contract exceeds \$100,000, distributor will submit a certificate that no federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence any federal agency or Congress with respect to the awarding of a federal contract, etc.
2. If a Distributor has paid, or will pay, any funds other than federal appropriated funds to any person for influencing or attempting to influence an officer or employee or any federal agency or Congress, Distributor is required to submit a “Disclose Form to Report Lobbying” at the time of the executed contract and at the time of any renewals.

Applicable when fixed price is greater than \$150,000

42 U.S.C. 7401-7671q Clean Air Act / 33 U.S.C. 1251-1387 Federal Water Pollution Control Act

1. Vendor agrees to comply with all applicable standards, orders or regulations issued pursuant
2. Violation must be reported to the Federal awarding agency and the Regional Office of the Environment Protection Agency

REFERENCES

Please provide references of entities that your company has provided services to and that the district may contact for reference.

Reference # 1

Organization Name: _____ Telephone #: _____

Contact Name: _____ Email: _____

Scope of Work Provided: _____

Project Dollar Value: _____ Contract Dates: _____

Reference # 2

Organization Name: _____ Telephone #: _____

Contact Name: _____ Email: _____

Scope of Work Provided: _____

Project Dollar Value: _____ Contract Dates: _____

Reference # 3

Organization Name: _____ Telephone #: _____

Contact Name: _____ Email: _____

Scope of Work Provided: _____

Project Dollar Value: _____ Contract Dates: _____

SERVICE CONTRACT

Below is the formal service contract, which includes all governing terms and conditions, **that shall be dually executed between the District and awarded Vendor** upon formal award of service by the District Board of Education. All materials such as legal documents and contractual agreements, which the vendor wishes to include as a condition of the proposal, must also be included within the returned proposal package for review by District. This is included as a courtesy for your review prior to submitting your bid response.



SERVICES CONTRACT

Between

LIBERTY PUBLIC SCHOOL DISTRICT #53

and

CONTRACTOR

Contract No. _____

THIS CONTRACT SHALL BE BINDING ON THE DISTRICT ONLY IF IT IS APPROVED BY THE BOARD OF EDUCATION AND SIGNED BY AN AUTHORIZED REPRESENTATIVE OF THE DISTRICT

This Services Contract ("Contract") is made by and between the Liberty Public School District #53, Liberty, MO 64068 ("LPS" or "Liberty Schools") and CONTRACTOR ("Contractor"). The parties agree as follows:

CONTRACTOR DATA

Contractor Name: _____

Contact Name: _____

Address: _____

City, State, ZIP: _____

Telephone: _____ Email: _____

Contractor must submit a completed "Request for Taxpayer Identification Number and Certification" (Form W-9) with this signed contract. Payment information will be reported to the Internal Revenue Services under the name and TIN or SSN, whichever is applicable, provided by Contractor. Contractor certifies under penalty of perjury that Contractor is a

☐ Sole Proprietor ☐ Corporation ☐ Limited Liability Company

☐ Partnership ☐ Nonprofit Corporation ☐ Other (describe : _____)

District Point of Contact: _____

Name of Building or Department: _____

Address: _____

***All information in this contract is subject to public records law. Please contact the District Point of Contact listed above if you have any questions.**

TERMS AND CONDITIONS

1. **Purpose.** This contract is for services other than (a) personal services or (b) architecture, engineering, or related services.
2. **Term and Termination.** This contract becomes effective on _____ or the date on which the Contract is fully executed by both parties, **whichever is later. No party shall perform work under this Contract before the effective date.** An email notification with a copy of the fully executed contract will be sent to the Contractor email listed above upon execution. At that time, work under the contract may begin.

Unless earlier terminated as provided below, this Contract shall continue through

Check if applicable:

___ As provided for in _____ (enter RFP/ITB/QUOTES solicitation number, e.g. RFP 010-018), this Contract may be renewed for up to _____ (e.g. four additional one-year terms) by amendment signed by both parties.

3. **Cooperative Purchasing Option.** At the discretion of the Contractor and pursuant to District policy, purchasing procedures, other public agencies may purchase the awarded goods and services from the awarded Contractor(s), under terms and conditions of this contract.

Any such purchases will be between the Contractor and the participating public agency under separate contract and will not impact the Contractor's obligations to the District. Any estimated purchase volumes listed in this Contract do not include other public agencies and the District makes no guarantee as to their participation.

4. **Detailed Description of Services/Statement of Work.** Contractor shall provide the services described in Exhibit A (Statement of Work).

5. **Contract Documents.** This Contract consists of these Terms and Conditions and the documents listed below in descending order of precedence. A conflict in these documents shall be resolved in the priority listed below with these Terms and Conditions taking precedence over all other documents. The Exhibits to this Contract include the following documents.

- o Exhibit A (Statement of Work)
- o Exhibit B (Felony Conviction Notification Form)
- o Exhibit C (Federal Work Authorization Program Affidavit Form)
- o Exhibit D (Federal Work Authorization Program ("E-Verify) Addendum Form)

6. **Maximum Total Payment; Invoicing.** The maximum total payment under this Contract is \$_____; This is a not-to-exceed amount, and the District will not pay more than this amount unless specifically agreed to in an amendment executed by the parties. Contractor shall invoice District, and District shall pay Contractor as described in Exhibit A. In all cases, District reserves the right to withhold

payments to Contractor for amounts reasonable and sufficient to (a) cover District's costs in processing invoices more than 60 days late and (b) protect the District from any loss, damage, or claim which may result from Contractor's failure to perform in accordance with the terms of the Contract or failure to make proper payment to suppliers or subcontractors.

7. Other Payment Issues.

- a. Method of Payment: Unless otherwise specified in Exhibit A, District shall pay Contractor net 30 days upon invoice approval and work acceptance.
- b. Payment on Early Termination: Upon termination pursuant to Section 15 (Early Termination), District shall pay Contractor as follows:
 - i. If District terminates this Contract for its convenience under Section 15 (a) or 15 (b), then District must pay Contractor for work performed before the termination date if and only if Contractor performed in accordance with this Contract. District shall not be liable for any direct, indirect, or consequential damages. Termination by District shall not constitute a waiver of any other claim District may have against Contractor.
 - ii. If Contractor terminates this Contract under Section 15 (c) or 15 (d) due to Contractor's breach, then District must pay Contractor for work performed before the termination date if and only if Contractor performed in accordance with this Contract.
 - iii. If District terminates this Contract under Sections 15 (c) or 15 (d) due to Contractor's breach, then District must pay Contractor for work performed before the termination date less any setoff to which District is entitled and if and only if Contractor performed such work in accordance with this Contract.
- c. Non-Appropriation; Adequate Funding: District is prohibited from contracting for services for which it has not received appropriated funds. If payment for work under this Contract extends into District's next fiscal year, District's obligation to pay for such work shall be subject to approval for future School Board appropriations to fund this Contract. Moreover, continuation of this Contract at specified levels is specifically conditioned on adequate funding under the District's budget adopted in June of each year. District reserves the right to adjust the level of services provided for in this Contract in accordance with the funding levels adopted by its Board of Education.

- 8. Cost Adjustments.** Both parties agree that contracted prices shall be fixed for the first 12 months of this Contract. Contractor must submit to District any proposed cost adjustments at least 60 days before the proposed effective date of such increases with a detailed explanation for each adjustment. District reserves the right to reject any changes to this Contract it deems unacceptable.

- 9. Independent Contractor Status:** By its signature on this contract, Contractor certifies that the service or services to be performed under this Contract are those of an independent contractor. And that Contractor is solely responsible for the work performed under this Contract. Contractor represents and warrants that Contractor, its subcontractors, employees, and agents are not "officers, agents, or employees" of the District.

- 10. Subcontracts and Assignment.** Contractor shall not subcontract, assign, delegate, or transfer any of its duties, rights, or interests under this Contract without the prior written consent of District. District may withhold such consent for any or no reason. If District consents to an assignment or subcontract, then in addition to any other provisions of this Contract, Contractor shall require any permitted subcontractor to be bound by all the terms and conditions of this Contract that would otherwise bind Contractor. The parties agree that any such subcontracts shall be construed as matters solely between Contractor and its subcontractor and shall not have any binding effect on District.
- 11. Successors in Interest.** This Contract shall bind and insure to the benefit of the parties, their successors, and approved assigns, if any.
- 12. No Third Party Beneficiaries.** District and Contractor are the only parties to this Contract and are the only parties entitled to enforce its terms. Nothing in this Contract gives or provides any benefit or right, directly or indirectly, to third parties unless they are individually identified by name in this Contract and expressly described as intended beneficiaries of this Contract.
- 13. Other Contractors.** If this Contract is for “services” and not “services requirements” (see Section 1 (Purpose)) District may enter into other contracts for additional or related work, and Contractor shall fully cooperate and coordinate its performance under the Contract with those other contractors and with relevant District employees. Contractor shall not commit or permit any act that will interfere with the performance of work by any other contractor or by District employees.
- 14. Nonperformance; Substituted Services.** As used in this Contract, “failure to perform” means failure (for whatever reason) to deliver the services as specified and/or scheduled in this Contract. If Contractor fails to perform under this Contract and does not cure that failure within seven days’ written notice from District, then District has the right to complete the services itself, to obtain the services from other sources, or to a combination thereof as necessary to accomplish the purpose of this Contract. Both parties agree that Contractor shall bear any reasonable cost difference for these substituted services.
- 15. Early Termination.** This Contract may be terminated as follows unless specified herein:
- a. Mutual: District and Contractor may terminate this Contract at any time by their written agreement.
 - b. District’s Sole Discretion: District in its sole discretion may terminate this Contract for any reason on 30 days’ written notice to Contractor.
 - c. Breach: Either party may terminate this Contract in the event of a breach by the other party. To be effective, the party seeking termination must give to the other party written notice of the breach and its intent to terminate. If the breaching party does not entirely cure the breach within 15 days of the date of the notice, then the non-breaching party may terminate this Contract at any time thereafter by giving a written notice of termination.
 - d. Contractor Licensing, etc.: Notwithstanding Section 15 (c), District may terminate this Contract immediately by written notice to Contractor upon denial, suspension, revocation, or non-renewal of any license, permit, or certificate that Contractor must hold to provide services under this Contract.

e. **Furlough:** District reserves the right to terminate or otherwise suspend this Contract if District's Board of Education determines that funding is insufficient to remain fully open and calls for a District-wide furlough or similar temporary District reduction in operations. Any temporary closure shall not affect amounts due Contractors under the Contract, subject to a pro-rated adjustment for reduction in services or need for goods during the furlough.

16. Remedies. In case of Contractor breach and in addition to the provisions of Section 13 and 14 of this Contract, the parties agree that District is entitled to any other available legal and equitable remedies. In case of District breach, the parties agree that Contractor's remedy is limited to Contract termination and receipt of Contract payments to which Contractor is entitled.

17. Hazardous Materials. Contractor shall notify District before using any products containing hazardous materials to which District employees, students, or the general public may be exposed. Upon District request, Contractor must immediately provide Material Safety Data Sheets to District for all Materials subject to this provision.

18. Errors. Contractor shall perform any additional work necessary to correct Contractor errors in the services it performs. Under this Contract and shall do so without undue delays or additional cost to District.

19. Access to Records; Contractor Financial Records. Contractor agrees that District and its authorized representatives are entitled to review all Contractor books, documents, papers, plans, and records, electronic or otherwise ("Records"), directly pertinent to this Contract for the purpose of making audit, examination, excerpts, and transcripts. Contractor shall maintain all Records, fiscal and otherwise, directly relating to this Contract in accordance with generally accepted accounting principles so as to document clearly Contractor's performance. Following final payment and termination of this Contract, Contractor shall retain and keep accessible all Records for a minimum of three years, or such longer period as may be required by law, or until the conclusion of any audit, controversy, or litigation arising out of or related to this Contract, whichever date is later.

20. Ownership of Work Products. Contractor agrees that all work product created or developed for District by Contractor pursuant to this Contract are intended as "work made for hire" and shall be the exclusive property of the District. If any such work product contains Contractor's intellectual property that is or could be protected by federal copyright, patent, or trademark laws, Contractor hereby grants District a perpetual, royalty-free, fully-paid, non-exclusive, and irrevocable license to copy, reproduce, deliver, publish, perform, dispose of, and use or re-use, in whole or in part, and to authorize others to do so, all such work product. District claims no right to any pre-existing work product of Contractor provided to District by the Contractor in the performance of this Contract, except to copy, use, or re-use any such work product for District use only.

21. Work performed on District Property. Contractor shall comply with the following:

a. **Identification:** When performing work on District property, Contractor shall be in appropriate work attire (or uniform, if applicable) at all times. If Contractor does not have a specific uniform, then Contractor shall provide identification tags and/or any other mechanism the District in its sole discretion determines is required to easily identify Contractor.

- b. Sign-In Required: As required by schools and other District locations, each day Contractor's employee are present on District property, those employees must sign into the location's main office to receive an in-school identification/visitors tag. Contractor's employees must display this tag on their person at all times while on District property.
 - c. No Smoking: All District properties are tobacco-free zones; Contractor is prohibited from using any tobacco product on District property.
 - d. No Drugs: All District properties are drug-free zones as enforced by law enforcement.
 - e. No Weapons or Firearms: Except as provided by statute and District policy, all District properties are weapons and firearms-free zones; Contractor is prohibited from possessing on its persons or in its vehicles any weapons or firearms while on District property.
22. **Security.** Any disclosure or removal of any District matter or property by Contractor shall be cause for immediate termination of this Contract. Contractor shall bear sole responsibility for any liability including, but not limited to attorney fees, resulting from any action or suit brought against District because of Contractor's willful or negligent release of information, documents, or property contained in or on District property.
23. **Employee Removal.** At District's request, Contractor shall immediately remove any Contractor employee from all District properties in cases where the District in its sole discretion determines that removal of that employee is in the District's best interests.
24. **Media Contacts.** Contractor shall issue no news release, press release, or other statement to members of the news media or any other publication regarding this Contract or the Services provided hereunder within one (1) year of Services completion without District's prior written authorization. Contractor shall not post or publish any textual or visual representations of the Services without approval of District.
30. **Compliance with Applicable Law.** Contractor shall comply with all federal, state, and local laws applicable to public contracts and the work done under this Contract, and with all regulations and administrative rules established pursuant to those laws.
31. **Indemnification.** Contractor shall defend and indemnify District, its officers, directors, employees, and agents from and against all liabilities, losses, expenses, claims, actions, or judgments (including attorney fees) recovered or made against District for any damage, injury, or death to persons or damage to property caused by the negligent or intentional acts or omissions of Contractor, its officers, employees, agents, or subcontractors related to Contractor's performance under this Contract. District must promptly notify Contractor in writing of any such claim or demand to indemnify and shall cooperate with Contractor in a reasonable manner to defend such claim.
32. **Insurance.** At all times while providing services under this Contract, Contractor shall maintain in force at Contractor's expense the following insurance coverage(s), as applicable:
- a. Workers' Compensation. As required by Chapter 287 of the Revised Statutes of Missouri, subject employers shall provide workers' compensation coverage in accordance with this law. Contractors shall submit a certificate of insurance to District showing proof of coverage.

- b. Professional Liability/Errors & Omissions (E&O). If Contractor is providing services that require a state license (including, but not limited to , accounting, architectural, auditing, legal, and medical), then Contractor shall maintain professional liability/E&O insurance coverage of at least 3,000,000 for each claimant, and at least \$3,000,000 coverage for each incident or occurrence.
- c. General Liability. Contractor shall provide general liability insurance coverage to sufficiently cover events adverse to the objectives of this Contract. Contractor shall maintain general liability insurance coverage of at least \$1,000,000 for each claimant and \$3,000,000 for each incident, or occurrence.
- d. Motor Vehicle Liability. If Contractor is providing services that require Contractor to transport District personnel, students, or property, then in addition to any legally required insurance coverage, Contractor shall maintain motor vehicle liability insurance of at least \$1,000,000 for each claimant, and \$3,000,000 for each incident, or occurrence.
- e. Other Insurance. District reserves the right to require other insurance (e.g. Builder's All –Risk Insurance for construction services) as may be reasonably prudent under this Contract.
- f. Additional Requirements. All insurance coverage shall be provided by an insurance company having an A.M. Best rating of at least A- and licensed to do business in Missouri. Contractor alone is responsible for paying all deductibles and retentions. Contractor's coverage shall be primary in the event of loss.
- g. Certificate of Insurance. Upon District request, Contractor shall furnish to District a current certificate of insurance for each of the above coverages within 48 hours of District request. Each certificate must state the relevant deductible or retention level. For general liability coverage, the certificate must state that District, its agents, officers, and employees are additional insureds with respect to Contractor's services provided under this Contract. The certificate must specify an additional insured endorsement, and Contractor shall attached a copy of the endorsement to the certificate. If requested by District, Contractor shall also provide complete copies of insurance policies to District.

33. Waiver; Severability. Waiver of any default or breach under this Contract by District does not constitute a waiver of any subsequent default or a modification of any other provisions of this Contract. If any term or provision of this Contract is declared by a court of competent jurisdiction to be illegal or in conflict with any law, the validity of the remaining terms and provisions shall not be affected, and the rights and obligations of the parties shall be construed and enforced as if the Contract did not contain the particular term or provision held invalid.

34. Non-discrimination Clause. Both parties agree that no person shall be subject to unlawful discrimination based on race; national or ethnic origin; color; sex; religion; age; sexual orientation; gender expression or identify; pregnancy; marital status; familial status; economic status or source of income; mental or physical disability or perceived disability; or military service in programs, activities, services, benefits, or employment in connection with this Contract. The parties further agree not to discriminate in their employment or personnel policies.

35. Confidentiality. Contractor agrees that all knowledge and information that it may receive from the Liberty Public School District or its employees, agents or consultants or by virtue of the performance of services under and pursuant to this agreement including but not limited to information concerning the students and employees of LPS shall for all time and for all purposes be regarded by Contractor as confidential and held by Contractor in confidence and shall be solely

for the benefit and use of LPS and shall not be used by Contractor or directly or indirectly disclosed by Contractor to any person or entity whatsoever excepting LPS or with the written permission of LPS or when required by law.

- 36. Controlling Law; Venue.** The parties agree that Missouri law will govern any dispute related to this Contract and to conduct any litigation arising out of this Contract in courts located in Clay County, Missouri.
- 37. Amendments; Renewal.** Any amendments, consents to or waivers of the terms of this Contract must be in writing and signed by both parties. The parties may renew this Contract by their signed, written instrument.
- 38. Counterparts.** The parties may execute this Contract in counterparts, each of which constitutes an original and all of which comprise one and the same Contract. Counterparts may be delivered by electronic means.
- 39. Entire Agreement.** When signed by both parties, this Contract (and any attached exhibits) is their final and entire agreement. As their final and entire expression, this Contract supersedes all prior and contemporaneous oral or written communications between the parties, their agents, and representatives. There are no representations, promises, terms, conditions, or obligations other than those contained herein.
- 40. Notices.** All notices or demands delivered upon depositing the notice or demand in the United States mail, certified or registered, postage prepaid, addressed to the respective party at the addresses herein.

PAYMENT METHOD: The District preferred method of payment is by check. Electronic payment is not available at this time. The district will issue an official purchase order once the Contract has been executed. All invoices should state the applicable purchase order number in order to expedite payment.

I have read this contract and its attached exhibits, if any. I certify that I have the authority to sign and enter into this contract on behalf of the party I represent and agree to be bound by its terms.

CONTRACTOR

DISTRICT

CONTRACTOR

LIBERTY PUBLIC SCHOOL DISTRICT
8 VICTORY LANE
LIBERTY, MO 64068

Signature

Steve Anderson
Chief Operations Officer

Contractor Printed Name and Title

Date

Date

ATTACHMENT (A) – STATEMENT OF WORK

This attachment will be provided by the awarded vendor once the bid award recommendation has been approved.

Either a Statement of Work by Vendor, the Bid Response Form, or a copy of the entire bid proposal submitted by the awarded vendor will be included in the Service Contract as Attachment A.

ATTACHMENT (B) - FELONY CONVICTION NOTIFICATION FORM

The person or business entity that enters into an agreement with this school district must give advance notice to the District if the person or an owner or operator of the business entity has been convicted of a felony. The notice must include a general description of the conduct resulting in the conviction of a felony.

The district may terminate this agreement with a person or business entity if the District determines that the person or business entity failed to give notice by the next preceding subsection, or misrepresented the conduct resulting in the conviction. The District will compensate the person or business entity for services performed before the termination of the agreement”.

By submitting this offer and signing this certificate, this bidder:

- Certifies that the owner/operator has not been convicted of a felony, except as indicated on a separate attachment to this offer, and
- Certifies that no employee who will enter school buildings or potentially have contact with school children has been convicted of any felony or a misdemeanor involving violence or sexual contact or sexual abuse. It shall be the duty of the vendor to conduct the appropriate background checks on its employees and vendor agrees to share this information with the District upon request.

Vendor Name: _____

Vendor Address: _____

Vendor E-mail Address: _____

Vendor Telephone: Fax Number: _____

Authorized Company Official's Name: _____ (Printed)

Signature of Company Official: _____

Date: _____

ATTACHMENT (C) - FEDERAL WORK AUTHORIZATION PROGRAM AFFIDAVIT

I, _____, being of legal age and having been duly sworn upon my oath, state the following facts are true:

1. I am more than twenty-one years of age; and have first-hand knowledge of the matters set forth herein.
2. I am employed by _____ (hereinafter "Company") and have authority to issue this affidavit on its behalf.
3. Company is enrolled in and participating in the United States E-Verify (formerly known as "Basic Pilot") federal work authorization program with respect to Company's employees working in connection with the services Company is providing to, or will provide to, the District, to the extent allowed by E-Verify.
4. Company does not knowingly employ any person who is an unauthorized alien in connection with the services the Company is providing to, or will provide to, the District.

FURTHER AFFIANT SAYETH NOT.

By: _____ (individual signature)

For _____ (company name)

Title: _____

Subscribed and sworn to before me on this _____ day of _____, 200 ____.

NOTARY PUBLIC

My commission expires:

ATTACHMENT (D) – FEDERAL WORK AUTHORIZATION PROGRAM (“E-VERIFY”) ADDENDUM

Pursuant to Missouri Revised Statute 285.530, all business entities awarded any contract in excess of five thousand dollars (\$5,000) with a Missouri public school district must, as a condition to the award of any such contract, be enrolled and participate in a federal work authorization program with respect to the employees working in connection with the contracted services being provided, or to be provided, to the District (to the extent allowed by E-Verify). In addition, the business entity must affirm the same through sworn affidavit and provision of documentation. In addition, the business entity must sign an affidavit that it does not knowingly employ any person who is an unauthorized alien in connection with the services being provided, or to be provided, to the District.

Accordingly, your company:

- a) agrees to have an authorized person execute the attached “Federal Work Authorization Program Affidavit” attached hereto as Exhibit A and deliver the same to the District prior to or contemporaneously with the execution of its contract with the District;
- b) affirms it is enrolled in the “E-Verify” (formerly known as “Basic Pilot”) work authorization program of the United States, and are participating in E-Verify with respect to your employees working in connection with the services being provided (to the extent allowed by E-Verify), or to be provided, by your company to the District;
- c) affirms that it is not knowingly employing any person who is an unauthorized alien in connection with the services being provided, or to be provided, by your company to the District;
- d) affirms you will notify the District if you cease participation in E-Verify, or if there is any action, claim or complaint made against you alleging any violation of Missouri Revised Statute 285.530, or any regulations issued thereto;
- e) agrees to provide documentation of your participation in E-Verify to the District prior to or contemporaneously with the execution of its contract with the District (or at any time thereafter upon request by the District), by providing to the District an E-Verify screen print-out (or equivalent documentation) confirming your participation in E-Verify;
- f) agrees to comply with any state or federal regulations or rules that may be issued subsequent to this addendum that relate to Missouri Revised Statute 285.530; and
- g) agrees that any failure by your company to abide by the requirements a) through f) above will be considered a material breach of your contract with the District.

By: _____ (signature)

Printed Name and Title: _____

For and on behalf of: _____ (company name)

INSTALLATION SPECIFICATION

This project is for a total of six (6) items at five (5) separate delivery locations: Discovery Middle School, Heritage Middle School, Liberty Middle School, South Valley Middle School, and Liberty North High School. Equipment cannot be shipped directly to the installation locations. The successful bidder must receive the equipment, inspect for damage, and handle any necessary damage/freight claims prior to installation.

Removal of existing equipment and installation of new equipment shall be completed during normal business hours at each District site, 7:00 AM to 3:00 PM Monday through Friday, minus major holidays. The removal/installation day must be scheduled in advance with Tony Becerra, at antonio.becerra@lps53.org or 816-665-6204, with rachel.naumann@lps53.org copied on installation communication.

All vendors are encouraged to conduct a site survey at each install location to ensure all necessary information is gathered and questions are answered. Please email all questions to rachel.naumann@lps53.org. Questions will be dispersed to the project team for follow up answers. The best time to visit each site is 1 PM to 2 PM CST, Monday through Friday. Visits must be scheduled in advance through Rachel Naumann and the contact at each location is the onsite Food Service Manager.

Liberty Public School District will be responsible for providing any required utility connections within 5 feet of this unit.

Successful bidder is responsible for equipment being received, delivered, uncrated, all packaging removed, verified to be undamaged, set in place with final connection made, operationally tested, and verified to be in good working order in the presence of a District representative. Equipment contractor is responsible for connecting the unit to utilities and for haul-away offsite of all packing debris.

Existing equipment (see photos below) must be moved/removed by the awarded vendor at the time of delivery and install of new equipment. Existing equipment must be delivered to Liberty Public School's District Warehouse, 801 Kent St, Liberty, MO during operating hours of 7am-3pm, Monday-Friday.

EQUIPMENT SPECIFICATIONS AND SCOPE OF WORK

ITEM #1

QTY. (2 REQ'D)

Bidder to provide (2) each Lincoln Impinger II Express Conveyor Pizza Ovens with Model 1116-000-U, gas conveyor ovens stacked together on a mobile stand provided by Lincoln Impinger.

Each 1116-000-U oven provided with 18" deep x 56" long conveyor belt with overall dimensions of 39" deep x 56" long. Conveyor belts to be reversible by operator.

Ovens to be stacked on a Lincoln model 1120-1 stainless steel stand with casters rated for double stack installation.

Each oven to have standard glass access window for front loading and Easy Touch controller that controls temperature, time, conveyor belt direction and cookbook.

- Oven to be provided with (2) each 1140, 12" exit shelves.
- Bidder to provide (2) each T&S model HG-4D-48SK gas hoses to be connected to each oven as part of turnkey installation.
- Natural gas operation.

PLEASE NOTE: ALTERNATE BRANDS WILL NOT BE ACCEPTED FOR THIS ITEM.

This bid includes turnkey installation by a Lincoln oven authorized installer. Turnkey installation to include the following:

- Delivery of this equipment to Discovery Middle School must be scheduled in advance with Tony Becerra, Liberty Schools, at 816-665-6204 and / or email antonio.becerra@lps53.org.
- Installer to receive this new equipment and handle any freight claims / damage if necessary.
- Equipment must be received in advance and delivery scheduled with Liberty Schools. Equipment can't be shipped directly to Discovery Middle School.
- School has a receiving dock for delivery of ovens.
- Installation to include disconnect, removal, and delivery to District Warehouse of existing double stack Lincoln conveyor ovens, stand, and existing gas hoses.
- Installation to include connecting new gas hoses specified above and supplied by equipment bidder to existing gas supply and new Lincoln Ovens.
- Installation to include plugging in each oven to 120-volt outlet behind the ovens.
- Installation is complete when new Lincoln ovens are in place and operational and startup has been performed by authorized service agency.
- All packaging and trash to be removed from school by the installer.
- Training on new ovens to be provided to kitchen staff by Kain McArthur.

Delivery and Install Location:

Discovery Middle School

800 Midjay Dr

Liberty, MO 64068

(Unloading Dock with direct access to the kitchen is available at Discovery Middle School)

Directions: from I-35 N take the US 69 Exit – Exit 13 toward Pleasant Valley/Liberty/Glenaire. Turn left at the light onto US-69 N. Turn right onto W Liberty Dr. turn left onto Midjay Drive. Turn left onto the first street. This will take you to the back of the school, loading dock for South Valley Middle School and Discovery Middle School. Discovery Middle School is on the left.



1100 Series Impinger® II Oven with easyTouch control

Project _____
 Item _____
 Quantity _____
 CSI Section 11400
 Approved _____
 Date _____

Models

- | | | | |
|--------------|--------------|--------------|--------------|
| • 1116-xxx-U | • 1131-xxx-U | • 1134-xxx-N | • 1157-xxx-N |
| • 1117-xxx-U | • 1132-xxx-U | • 1151-xxx-N | • 1164-xxx-E |
| • 1130-xxx-U | • 1133-xxx-U | • 1155-xxx-E | • 1158-xxx-N |



Lincoln Impinger Conveyor Ovens are the premier continuous cook platform for the food service industry. Using the latest advancements in air impingement technology, Impinger ovens allow for rapid heating, cooking, baking, and crisping of foods, typically done two to four times faster than conventional ovens.

Benefits

Faster Bake Times

- Improved Response to Customer
- Optional FastBake Technology Reduces Cook Time by Up to An Additional 30% With No Food Quality Loss or Noise Increase

New easyTouch controls

- 4.3" full color screen
- Displays up to 8 pre-set recipes – just press and go
- Intuitive, easy-to-use controls allow you to change belt direction, temperature or cook time and then save for future use

Easier Cleaning

- Front Load Conveyor
- Removable Door

Unparalleled Support

- Customer-specific Finger Setup for Menu Flexibility
- Research and Applications Team Help Achieve Ideal Cooking Results

Specifications

General

Stainless Steel Top, Front and Sides
 28" (711mm) Long Baking Chamber
 Front Removable Fingers
 Stackable Up To Three High
 Includes Oven Start-Up/Check-Out by Welbilt Authorized Service Agent

Conveyor

18" (457mm) Wide
 Front Removable
 Product Stop
 Twenty (20) seconds to Thirty (30) Minute Cook Time
 Reversible

Cooking

Customer Specific Finger Setup
 Temperature Range 250°F to 575°F (121°C to 302°C)
 Front Loading Glass Access Door with Cool to the Touch Handle
 Digital Controls

Optional

FastBake Technology Reduces Cook Time by Up to An Additional 35% With No Food Quality Loss or Noise Increase
 Entry and Exit Shelves
 Flexible Gas Connector
 Split Belt
 Ventless Electric models available



1200 Airport North Office Park
 STE. A&B, Fort Wayne, IN 46825

Tel: 844-724-2273
 E mail: info@lincolnfp.com

www.lincolnfp.com
 65648
 05/21



1100 Series Impinger® II Oven with easyTouch control



Gas Supply Pressure Recommendations

Gas Type	Supply (Inlet) Pressure (mbar)	Recommended Minimum Gas Pipe Size
Natural	7-12" WC (1.7 kPa / 17.4 mbar - 2.9 kPa / 29.9 mbar)	1½" (38 mm)
LP	11-12" WC (2.7 kPa / 27.36 mbar - 2.9 kPa / 29.9 mbar)	1½" (38 mm)

*Gas supply pressures are dependent on local gas type and on all applicable local codes. Agency approved flexible connection to each oven must be minimum ¼" (19 mm) NPT and length must not exceed six (6) feet (1829 mm).

Electrical Service

Each oven deck requires voltage, phase and hertz as indicated by model number. Neutral must be grounded at electrical service and receptacle properly polarized. Gas 120V units have a cord with NEMA 5-15 plug. All other models have terminal block connections. It is recommended that a separate circuit breaker be provided for each oven deck.

Recommended Minimum Clearances

Rear of oven to Combustible Surface: 6" (152mm). Additional clearance on right hand side from other cooking equipment: 24" (610mm). The conveyor is removable from the front.

Warranty

All new Impinger ovens installed in the United States and Canada come with a one (1) year parts and labor warranty starting from the date of start-up/check-out. All ovens installed in locations other than in the US and Canada are warranted for one (1) year parts and ninety (90) days labor starting from the date of start-up/check-out. Start-up must occur within 24 months of date of manufacture.


General Information

All 1100 Models	Length	Depth	Height Single	Height Double Stacked	Height Triple Stacked
	56" (1422 mm)	39" (991 mm)	42" (1067 mm)	59½" (1511 mm)	62" (1575 mm)

Model Number	Agency	Utility	Input Rate	Voltage	Amps	Hertz	Phase	Supply Wires
1116-xxx-U	UL EPH/CSA	Natural	40,000 BTU/Hr. 11.7 kW/42.2 MJ	120	7	60	1	3, 1 Pole+N+G
1157-xxx-N	UL EPH	Natural		220		60	1	3, 2 Pole+G
1117-xxx-U	UL EPH/CSA	LP		120	7	60	1	3, 1 Pole+N+G
1155-xxx-E	AGA/UL EPH/CE	LP		230	2	50	1	3, 2 Pole+G
1158-xxx-N	UL EPH	LP		220		60	1	3, 2 Pole+G
1130-xxx-U	UL EPH/UL/cUL	Electric	10 kW	120/208	48	60	1	3, 2 Pole+G
1131-xxx-U	UL EPH/UL/cUL	Electric		120/240	42	60	1	3, 2 Pole+G
1132-xxx-U	UL EPH/UL/cUL	Electric		208	28	60	3	4, 3 Pole+G
1133-xxx-U	UL EPH/UL/cUL	Electric		240	25	60	3	4, 3 Pole+G
1134-xxx-N	UL EPH	Electric		380/208		50	3	5, 3 Pole+N+G
1151-xxx-N	UL EPH	Electric		200	29	50/60	3	4, 3 Pole+G
1164-xxx-E	CE/UL EPH	Electric		400/230	15	50	3	5, 3 Pole+N+G






NOTE: Panel setups are added as kit numbers to the end of the model number to complete the oven order (Ex. 1116-000-U-K1837 is a 1116-000-U with Standard setup, Left to Right)





Conveyor Opening: 3" (76.2 mm)

Optional Split Belt (50/50):




Welbilt reserves the right to make changes to the design or specifications without prior notice.

Capacity Estimates | Pies Per Hour

Pie Size	BAKE TIME								
	3 min.	3½ min.	4 min.	4½ min.	5 min.	5½ min.	6 min.	6½ min.	7 min.
12" (30 cm)	53	46	40	35	32	29	26	25	23
14" (36 cm)	41	35	31	27	25	23	21	19	18
16" (41 cm)	35	30	26	24	21	19	18	16	15

Ventilation is required on all gas ovens. Ventilation is not required on electric models except when triple stacked. Local codes prevail. These are the "authority having jurisdiction" as stated by the National Fire Protection Association, Inc. in NFPA 96-1994. Estimates of CFM requirements can vary from 400 to as high as 2800 CFM exhaust. In all cases, the ambient temperature around the oven must not exceed 95°F (35°C) when the oven is operating. **In the case where a gas single or double stack oven is installed, the following information can be used as a guideline for ventilation.**



1. Double Stack: Range of 800-1200 cfm for double gas 1100 series oven. Single Stack: Range of 450-800 cfm for single gas 1100 series oven.
2. The capture velocity across the apron of canopy is to be 50-75 FPM at sides and front.
3. Double Stack: Width should be 72" (1828 mm) - inside dimensions. Depth should be 50" (1270 mm) - inside front to filters.
Single Stack: Width should be 48" (1219 mm) - inside dimension. Depth should be 50" (1270 mm) - inside front to filters.
4. The ovens are to be centered in the canopy space left-to-right and front-to-back if possible.
5. Room air diffusers must not be directed onto the oven and should be positioned a minimum of 3 feet from the perimeter of the hood to keep them from affecting the oven.
6. Bottom of canopy should be 78" (1981 mm) above finished floor (AFF).
7. Recommend 70% make-up air provided outside of the canopy through perf metal diffusers directed straight down... not at the oven; located at front, sides or both.
8. Use of a Type I or Type II application and overall final installation is determined per local codes.

Welbilt reserves the right to make changes to the design or specifications without prior notice.

Photos of Existing Qty. (2) Equipment to be Removed from Discovery Middle



ITEM #2

QTY. (2 REQ'D)

Bidder to provide (2) each Lincoln Impinger II Express Conveyor Pizza Oven with Model 1116-000-U, gas conveyor ovens stacked together on a mobile stand provided by Lincoln Impinger.

Each 1116-000-U oven provided with 18" deep x 56" long conveyor belt with overall dimensions of 39" deep x 56" long. Conveyor belts to be reversible by operator.

Ovens to be stacked on a Lincoln model 1120-1 stainless steel stand with casters rated for double stack installation.

Each oven to have standard glass access window for front loading and Easy Touch controller that controls temperature, time, conveyor belt direction and cookbook.

- Oven to be provided with (2) each 1140, 12" exit shelves.
- Bidder to provide (2) each T&S model HG-4D-48SK gas hoses to be connected to each oven as part of turnkey installation.
- Natural gas operation.

PLEASE NOTE: ALTERNATE BRANDS WILL NOT BE ACCEPTED FOR THIS ITEM.

This bid includes turnkey installation by a Lincoln oven authorized installer. Turnkey installation to include the following:

- Delivery of this equipment to Heritage Middle School must be scheduled in advance with Tony Becerra, Liberty Schools, at 816-665-6204 and / or email antonio.becerra@lps53.org.
- The installer will receive this new equipment and handle any freight claims / damage if necessary.
- Equipment must be received in advance and delivery scheduled as noted above. Equipment can't be shipped directly to Heritage Middle School.
- No dock at this school so liftgate needed for delivery.
- Installation to include disconnect, removal and delivery to District Warehouse of existing double stack Lincoln conveyor ovens, stand, and existing gas hoses.
- Installation includes connecting new gas hoses specified above and supplied by KEC to the existing gas supply and new Lincoln Ovens.
- Installation to include plugging in each oven to 120-volt outlet behind the ovens.
- Installation is complete when new Lincoln ovens are in place and operational and startup has been performed by authorized service agency.
- All packaging and trash to be removed from school by the installer.
- Training on new ovens to be provided to kitchen staff by Kain McArthur.

Delivery and Install Location:

Heritage Middle School

600 W Kansas St

Liberty, MO 64068

(No loading dock at this location; lift gate will be needed)

Directions: from I-35 N take the Liberty exit for W Kansas St. Turn right onto W Kansas St and continue straight for approximately 1 mile. Heritage Middle School is on the left.



1100 Series Impinger® II Oven with easyTouch control

Project _____
 Item _____
 Quantity _____
 CSI Section 11400
 Approved _____
 Date _____

Models

- | | | | |
|--------------|--------------|--------------|--------------|
| • 1116-xxx-U | • 1131-xxx-U | • 1134-xxx-N | • 1157-xxx-N |
| • 1117-xxx-U | • 1132-xxx-U | • 1151-xxx-N | • 1164-xxx-E |
| • 1130-xxx-U | • 1133-xxx-U | • 1155-xxx-E | • 1158-xxx-N |



Lincoln Impinger Conveyor Ovens are the premier continuous cook platform for the food service industry. Using the latest advancements in air impingement technology, Impinger ovens allow for rapid heating, cooking, baking, and crisping of foods, typically done two to four times faster than conventional ovens.

Benefits

Faster Bake Times

- Improved Response to Customer
- Optional FastBake Technology Reduces Cook Time by Up to An Additional 30% With No Food Quality Loss or Noise Increase

New easyTouch controls

- 4.3" full color screen
- Displays up to 8 pre-set recipes – just press and go
- Intuitive, easy-to-use controls allow you to change belt direction, temperature or cook time and then save for future use

Easier Cleaning

- Front Load Conveyor
- Removable Door

Unparalleled Support

- Customer-specific Finger Setup for Menu Flexibility
- Research and Applications Team Help Achieve Ideal Cooking Results

Specifications

General

Stainless Steel Top, Front and Sides
 28" (711mm) Long Baking Chamber
 Front Removable Fingers
 Stackable Up To Three High
 Includes Oven Start-Up/Check-Out by Welbilt Authorized Service Agent

Conveyor

18" (457mm) Wide
 Front Removable
 Product Stop
 Twenty (20) seconds to Thirty (30) Minute Cook Time
 Reversible

Cooking

Customer Specific Finger Setup
 Temperature Range 250°F to 575°F (121°C to 302°C)
 Front Loading Glass Access Door with Cool to the Touch Handle
 Digital Controls

Optional

FastBake Technology Reduces Cook Time by Up to An Additional 35% With No Food Quality Loss or Noise Increase
 Entry and Exit Shelves
 Flexible Gas Connector
 Split Belt
 Ventless Electric models available



1200 Airport North Office Park
 STE. A&B, Fort Wayne, IN 46825

Tel: 844-724-2273
 E mail: info@lincolnfp.com

www.lincolnfp.com
 65648
 05/21



1100 Series Impinger® II Oven with easyTouch control



Gas Supply Pressure Recommendations

Gas Type	Supply (Inlet) Pressure (mbar)	Recommended Minimum Gas Pipe Size
Natural	7-12" WC (1.7 kPa / 17.4 mbar - 2.9 kPa / 29.9 mbar)	1½" (38 mm)
LP	11-12" WC (2.7 kPa / 27.36 mbar - 2.9 kPa / 29.9 mbar)	1½" (38 mm)

*Gas supply pressures are dependent on local gas type and on all applicable local codes. Agency approved flexible connection to each oven must be minimum ¼" (19 mm) NPT and length must not exceed six (6) feet (1829 mm).

Electrical Service

Each oven deck requires voltage, phase and hertz as indicated by model number. Neutral must be grounded at electrical service and receptacle properly polarized. Gas 120V units have a cord with NEMA 5-15 plug. All other models have terminal block connections. It is recommended that a separate circuit breaker be provided for each oven deck.

Recommended Minimum Clearances

Rear of oven to Combustible Surface: 6" (152mm). Additional clearance on right hand side from other cooking equipment: 24" (610mm). The conveyor is removable from the front.

Warranty

All new Impinger ovens installed in the United States and Canada come with a one (1) year parts and labor warranty starting from the date of start-up/check-out. All ovens installed in locations other than in the US and Canada are warranted for one (1) year parts and ninety (90) days labor starting from the date of start-up/check-out. Start-up must occur within 24 months of date of manufacture.


General Information

All 1100 Models	Length	Depth	Height Single	Height Double Stacked	Height Triple Stacked
	56" (1422 mm)	39" (991 mm)	42" (1067 mm)	59½" (1511 mm)	62" (1575 mm)

Model Number	Agency	Utility	Input Rate	Voltage	Amps	Hertz	Phase	Supply Wires
1116-xxx-U	UL EPH/CSA	Natural	40,000 BTU/Hr. 11.7 kW/42.2 MJ	120	7	60	1	3, 1 Pole+N+G
1157-xxx-N	UL EPH	Natural		220		60	1	3, 2 Pole+G
1117-xxx-U	UL EPH/CSA	LP		120	7	60	1	3, 1 Pole+N+G
1155-xxx-E	AGA/UL EPH/CE	LP		230	2	50	1	3, 2 Pole+G
1158-xxx-N	UL EPH	LP		220		60	1	3, 2 Pole+G
1130-xxx-U	UL EPH/UL/cUL	Electric	10 kW	120/208	48	60	1	3, 2 Pole+G
1131-xxx-U	UL EPH/UL/cUL	Electric		120/240	42	60	1	3, 2 Pole+G
1132-xxx-U	UL EPH/UL/cUL	Electric		208	28	60	3	4, 3 Pole+G
1133-xxx-U	UL EPH/UL/cUL	Electric		240	25	60	3	4, 3 Pole+G
1134-xxx-N	UL EPH	Electric		380/208		50	3	5, 3 Pole+N+G
1151-xxx-N	UL EPH	Electric		200	29	50/60	3	4, 3 Pole+G
1164-xxx-E	CE/UL EPH	Electric		400/230	15	50	3	5, 3 Pole+N+G






NOTE: Panel setups are added as kit numbers to the end of the model number to complete the oven order (Ex. 1116-000-U-K1837 is a 1116-000-U with Standard setup, Left to Right)





Conveyor Opening: 3" (76.2 mm)

Optional Split Belt (50/50):




Electric Models

Welbilt reserves the right to make changes to the design or specifications without prior notice.

Capacity Estimates | Pies Per Hour

Pie Size	BAKE TIME								
	3 min.	3½ min.	4 min.	4½ min.	5 min.	5½ min.	6 min.	6½ min.	7 min.
12" (30 cm)	53	46	40	35	32	29	26	25	23
14" (36 cm)	41	35	31	27	25	23	21	19	18
16" (41 cm)	35	30	26	24	21	19	18	16	15


Ventilation is required on all gas ovens. Ventilation is not required on electric models except when triple stacked. Local codes prevail. These are the "authority having jurisdiction" as stated by the National Fire Protection Association, Inc. in NFPA 96-1994. Estimates of CFM requirements can vary from 400 to as high as 2800 CFM exhaust. In all cases, the ambient temperature around the oven must not exceed 95°F (35°C) when the oven is operating. **In the case where a gas single or double stack oven is installed, the following information can be used as a guideline for ventilation.**



1. Double Stack: Range of 800-1200 cfm for double gas 1100 series oven. Single Stack: Range of 450-800 cfm for single gas 1100 series oven.
2. The capture velocity across the apron of canopy is to be 50-75 FPM at sides and front.
3. Double Stack: Width should be 72" (1828 mm) - inside dimensions. Depth should be 50" (1270 mm) - inside front to filters.
Single Stack: Width should be 48" (1219 mm) - inside dimension. Depth should be 50" (1270 mm) - inside front to filters.
4. The ovens are to be centered in the canopy space left-to-right and front-to-back if possible.
5. Room air diffusers must not be directed onto the oven and should be positioned a minimum of 3 feet from the perimeter of the hood to keep them from affecting the oven.
6. Bottom of canopy should be 78" (1981 mm) above finished floor (AFF).
7. Recommend 70% make-up air provided outside of the canopy through perf metal diffusers directed straight down... not at the oven; located at front, sides or both.
8. Use of a Type I or Type II application and overall final installation is determined per local codes.

Welbilt reserves the right to make changes to the design or specifications without prior notice.

Photos of Existing Qty. (2) Equipment to be Removed from Heritage Middle School



ITEM #3

QTY. (2 REQ'D)

Bidder to provide (2) each Lincoln Impinger II Express Conveyor Pizza Oven with Model 1116-000-U, gas conveyor ovens stacked together on a mobile stand provided by Lincoln Impinger.

Each 1116-000-U oven provided with 18" deep x 56" long conveyor belt with overall dimensions of 39" deep x 56" long. Conveyor belts to be reversible by operator.

Ovens to be stacked on a Lincoln model 1120-1 stainless steel stand with casters rated for double stack installation.

Each oven to have standard glass access window for front loading and Easy Touch controller that controls temperature, time, conveyor belt direction and cookbook.

- Oven to be provided with (2) each 1140, 12" exit shelves.
- Bidder to provide (2) each T&S model HG-4D-48SK gas hoses to be connected to each oven as part of turnkey installation.
- Natural gas operation.

PLEASE NOTE: ALTERNATE BRANDS WILL NOT BE ACCEPTED FOR THIS ITEM.

This bid includes turnkey installation by a Lincoln oven authorized installer. Turnkey installation to include the following:

- Delivery of this equipment to Liberty Middle School must be scheduled in advance with Tony Becerra, Liberty Schools, at 816-665-6204 and / or email antonio.becerra@lps53.org.
- The installer will receive this new equipment and handle any freight claims / damage if necessary.
- Equipment must be received in advance and delivery scheduled as noted above. Equipment can't be shipped directly to Liberty Middle School.
- No dock at this school so liftgate needed for delivery.
- Installation to include disconnect, removal and delivery to District Warehouse of existing double stack Lincoln conveyor ovens, stand, and existing gas hoses off school property.
- Installation includes connecting new gas hoses specified above and supplied by KEC to the existing gas supply and new Lincoln Ovens.
- Installation includes plugging in each oven into single 120-volt outlet behind the ovens.
- Installation is complete when new Lincoln ovens are in place and operational and startup has been performed by authorized service agency.
- All packaging and trash to be removed from school by the installer.
- Training on new ovens to be provided to kitchen staff by Kain McArthur.

Delivery and Install Location:

Liberty Middle School

1500 S Withers Rd

Liberty, MO 64068

(No loading dock at this location; lift gate will be needed)

Directions: from I-35 N take the Exit 13 toward Pleasant Valley/Liberty/Glenaire. Continue onto US-69. Turn right onto Liberty Pkwy/NE Pleasant Valley Rd. Continue for approximately 2 miles and turn left onto S Withers Rd. Follow S Withers Rd for approximately 1-½ miles and turn left onto Holt Dr to arrive at Liberty Middle School.



1100 Series Impinger® II Oven with easyTouch control

Project _____
Item _____
Quantity _____
CSI Section 11400
Approved _____
Date _____

Models

- | | | | |
|--------------|--------------|--------------|--------------|
| • 1116-xxx-U | • 1131-xxx-U | • 1134-xxx-N | • 1157-xxx-N |
| • 1117-xxx-U | • 1132-xxx-U | • 1151-xxx-N | • 1164-xxx-E |
| • 1130-xxx-U | • 1133-xxx-U | • 1155-xxx-E | • 1158-xxx-N |



Lincoln Impinger Conveyor Ovens are the premier continuous cook platform for the food service industry. Using the latest advancements in air impingement technology, Impinger ovens allow for rapid heating, cooking, baking, and crisping of foods, typically done two to four times faster than conventional ovens.

Benefits

Faster Bake Times

- Improved Response to Customer
- Optional FastBake Technology Reduces Cook Time by Up to An Additional 30% With No Food Quality Loss or Noise Increase

New easyTouch controls

- 4.3" full color screen
- Displays up to 8 pre-set recipes – just press and go
- Intuitive, easy-to-use controls allow you to change belt direction, temperature or cook time and then save for future use

Easier Cleaning

- Front Load Conveyor
- Removable Door

Unparalleled Support

- Customer-specific Finger Setup for Menu Flexibility
- Research and Applications Team Help Achieve Ideal Cooking Results

Specifications

General

Stainless Steel Top, Front and Sides
28" (711mm) Long Baking Chamber
Front Removable Fingers
Stackable Up To Three High
Includes Oven Start-Up/Check-Out by Welbilt Authorized Service Agent

Conveyor

18" (457mm) Wide
Front Removable
Product Stop
Twenty (20) seconds to Thirty (30) Minute Cook Time
Reversible

Cooking

Customer Specific Finger Setup
Temperature Range 250°F to 575°F (121°C to 302°C)
Front Loading Glass Access Door with Cool to the Touch Handle
Digital Controls

Optional

FastBake Technology Reduces Cook Time by Up to An Additional 35% With No Food Quality Loss or Noise Increase
Entry and Exit Shelves
Flexible Gas Connector
Split Belt
Ventless Electric models available



1200 Airport North Office Park
STE. A&B, Fort Wayne, IN 46825

Tel: 844-724-2273
E mail: info@lincolnfp.com

www.lincolnfp.com
65648
05/21



1100 Series Impinger® II Oven with easyTouch control

Gas Supply Pressure Recommendations

Gas Type	Supply (Inlet) Pressure (mbar)	Recommended Minimum Gas Pipe Size
Natural	7-12" WC (1.7 kPa / 17.4 mbar - 2.9 kPa / 29.9 mbar)	1½" (38 mm)
LP	11-12" WC (2.7 kPa / 27.36 mbar - 2.9 kPa / 29.9 mbar)	1½" (38 mm)

*Gas supply pressures are dependent on local gas type and on all applicable local codes. Agency approved flexible connection to each oven must be minimum ¼" (19 mm) NPT and length must not exceed six (6) feet (1829 mm).

Electrical Service

Each oven deck requires voltage, phase and hertz as indicated by model number. Neutral must be grounded at electrical service and receptacle properly polarized. Gas 120V units have a cord with NEMA 5-15 plug. All other models have terminal block connections. It is recommended that a separate circuit breaker be provided for each oven deck.

Recommended Minimum Clearances

Rear of oven to Combustible Surface: 6" (152mm). Additional clearance on right hand side from other cooking equipment: 24" (610mm). The conveyor is removable from the front.

Warranty


All new Impinger ovens installed in the United States and Canada come with a one (1) year parts and labor warranty starting from the date of start-up/check-out. All ovens installed in locations other than in the US and Canada are warranted for one (1) year parts and ninety (90) days labor starting from the date of start-up/check-out. Start-up must occur within 24 months of date of manufacture.

General Information

All 1100 Models	Length	Depth	Height Single	Height Double Stacked	Height Triple Stacked
	56" (1422 mm)	39" (991 mm)	42" (1067 mm)	59½" (1511 mm)	62" (1575 mm)






Model Number	Agency	Utility	Input Rate	Voltage	Amps	Hertz	Phase	Supply Wires
1116-xxx-U	UL EPH/CSA	Natural	40,000 BTU/Hr. 11.7 kW/42.2 MJ	120	7	60	1	3, 1 Pole+N+G
1157-xxx-N	UL EPH	Natural		220		60	1	3, 2 Pole+G
1117-xxx-U	UL EPH/CSA	LP		120	7	60	1	3, 1 Pole+N+G
1155-xxx-E	AGA/UL EPH/CE	LP		230	2	50	1	3, 2 Pole+G
1158-xxx-N	UL EPH	LP		220		60	1	3, 2 Pole+G
1130-xxx-U	UL EPH/UL/cUL	Electric	10 kW	120/208	48	60	1	3, 2 Pole+G
1131-xxx-U	UL EPH/UL/cUL	Electric		120/240	42	60	1	3, 2 Pole+G
1132-xxx-U	UL EPH/UL/cUL	Electric		208	28	60	3	4, 3 Pole+G
1133-xxx-U	UL EPH/UL/cUL	Electric		240	25	60	3	4, 3 Pole+G
1134-xxx-N	UL EPH	Electric		380/208		50	3	5, 3 Pole+N+G
1151-xxx-N	UL EPH	Electric		200	29	50/60	3	4, 3 Pole+G
1164-xxx-E	CE/UL EPH	Electric		400/230	15	50	3	5, 3 Pole+N+G

NOTE: Panel setups are added as kit numbers to the end of the model number to complete the oven order (Ex. 1116-000-U-K1837 is a 1116-000-U with Standard setup, Left to Right)



Conveyor Opening: 3" (76.2 mm)

Optional Split Belt (50/50):




Electric Models

Welbilt reserves the right to make changes to the design or specifications without prior notice.

Capacity Estimates | Pies Per Hour

Pie Size	BAKE TIME								
	3 min.	3½ min.	4 min.	4½ min.	5 min.	5½ min.	6 min.	6½ min.	7 min.
12" (30 cm)	53	46	40	35	32	29	26	25	23
14" (36 cm)	41	35	31	27	25	23	21	19	18
16" (41 cm)	35	30	26	24	21	19	18	16	15

Ventilation is required on all gas ovens. Ventilation is not required on electric models except when triple stacked. Local codes prevail. These are the "authority having jurisdiction" as stated by the National Fire Protection Association, Inc. in NFPA 96-1994. Estimates of CFM requirements can vary from 400 to as high as 2800 CFM exhaust. In all cases, the ambient temperature around the oven must not exceed 95°F (35°C) when the oven is operating. **In the case where a gas single or double stack oven is installed, the following information can be used as a guideline for ventilation.**



1. Double Stack: Range of 800-1200 cfm for double gas 1100 series oven. Single Stack: Range of 450-800 cfm for single gas 1100 series oven.
2. The capture velocity across the apron of canopy is to be 50-75 FPM at sides and front.
3. Double Stack: Width should be 72" (1828 mm) - inside dimensions. Depth should be 50" (1270 mm) - inside front to filters.
Single Stack: Width should be 48" (1219 mm) - inside dimension. Depth should be 50" (1270 mm) - inside front to filters.
4. The ovens are to be centered in the canopy space left-to-right and front-to-back if possible.
5. Room air diffusers must not be directed onto the oven and should be positioned a minimum of 3 feet from the perimeter of the hood to keep them from affecting the oven.
6. Bottom of canopy should be 78" (1981 mm) above finished floor (AFF).
7. Recommend 70% make-up air provided outside of the canopy through perf metal diffusers directed straight down... not at the oven; located at front, sides or both.
8. Use of a Type I or Type II application and overall final installation is determined per local codes.

Welbilt reserves the right to make changes to the design or specifications without prior notice.

1200 Airport North Office Park
STE. A&B, Fort Wayne, IN 46825

Tel: 844-724-2273
E mail: info@lincolnfp.com

www.lincolnfp.com
65648
05/21



Photos of Existing Qty. (2) Equipment to be Removed from Liberty Middle School



ITEM #4

QTY. (2 REQ'D)

Bidder to provide (2) each Lincoln Impinger II Express Conveyor Pizza Oven with Model 1116-000-U, gas conveyor ovens stacked together on a mobile stand provided by Lincoln Impinger.

Each 1116-000-U oven provided with 18" deep x 56" long conveyor belt with overall dimensions of 39" deep x 56" long. Conveyor belts to be reversible by operator.

Ovens to be stacked on a Lincoln model 1120-1 stainless steel stand with casters rated for double stack installation.

Each oven to have standard glass access window for front loading and Easy Touch controller that controls temperature, time, conveyor belt direction and cookbook.

- Oven to be provided with (2) each 1140, 12" exit shelves.
- Bidder to provide (2) each T&S model HG-4D-48SK gas hoses to be connected to each oven as part of turnkey installation.
- Natural gas operation.

PLEASE NOTE: ALTERNATE BRANDS WILL NOT BE ACCEPTED FOR THIS ITEM.

This bid includes turnkey installation by a Lincoln oven authorized installer. Turnkey installation to include the following:

- Delivery of this equipment to South Valley Middle School must be scheduled in advance with Tony Becerra, Liberty Schools, at 816-665-6204 and / or email antonio.becerra@lps53.org.
- The installer will receive this new equipment and handle any freight claims / damage if necessary.
- Equipment must be received in advance and delivery scheduled as noted above. Equipment can't be shipped directly to South Valley Middle School.
- School has a receiving dock for delivery of ovens.
- Installation includes disconnect, removal and delivery to District Warehouse of existing double stack Lincoln conveyor ovens, stand, and existing gas hoses school property.
- Installation includes connecting new gas hoses specified above and supplied by KEC to the existing gas supply and new Lincoln Ovens.
- Installation to include plugging in each oven to separate 120-volt outlet behind the ovens.
- Installation is complete when new Lincoln ovens are in place and operational and startup has been performed by authorized service agency.
- All packaging and trash to be removed from school by the installer.
- Training on new ovens to be provided to kitchen staff by Kain McArthur.

Delivery and Install Location:

South Valley Middle School

1000 Midjay Dr

Liberty, MO 64068

(Loading dock with direct access to the kitchen is available at this location.)

Directions: from I-35 N take the US 69 Exit – Exit 13 toward Pleasant Valley/Liberty/Glenaire. Turn left at the light onto US-69 N. Turn right onto W Liberty Dr. turn left onto Midjay Drive. Turn left onto the first street. This will take you to the back of the school, loading dock for South Valley Middle School and Discovery Middle School. South Valley Middle School is on the right.



1100 Series Impinger® II Oven with easyTouch control

Project _____
Item _____
Quantity _____
CSI Section 11400
Approved _____
Date _____

Models

- | | | | |
|--------------|--------------|--------------|--------------|
| • 1116-xxx-U | • 1131-xxx-U | • 1134-xxx-N | • 1157-xxx-N |
| • 1117-xxx-U | • 1132-xxx-U | • 1151-xxx-N | • 1164-xxx-E |
| • 1130-xxx-U | • 1133-xxx-U | • 1155-xxx-E | • 1158-xxx-N |



Lincoln Impinger Conveyor Ovens are the premier continuous cook platform for the food service industry. Using the latest advancements in air impingement technology, Impinger ovens allow for rapid heating, cooking, baking, and crisping of foods, typically done two to four times faster than conventional ovens.

Benefits

Faster Bake Times

- Improved Response to Customer
- Optional FastBake Technology Reduces Cook Time by Up to An Additional 30% With No Food Quality Loss or Noise Increase

New easyTouch controls

- 4.3" full color screen
- Displays up to 8 pre-set recipes – just press and go
- Intuitive, easy-to-use controls allow you to change belt direction, temperature or cook time and then save for future use

Easier Cleaning

- Front Load Conveyor
- Removable Door

Unparalleled Support

- Customer-specific Finger Setup for Menu Flexibility
- Research and Applications Team Help Achieve Ideal Cooking Results

Specifications

General

Stainless Steel Top, Front and Sides
28" (711mm) Long Baking Chamber
Front Removable Fingers
Stackable Up To Three High
Includes Oven Start-Up/Check-Out by Welbilt Authorized Service Agent

Conveyor

18" (457mm) Wide
Front Removable
Product Stop
Twenty (20) seconds to Thirty (30) Minute Cook Time
Reversible

Cooking

Customer Specific Finger Setup
Temperature Range 250°F to 575°F (121°C to 302°C)
Front Loading Glass Access Door with Cool to the Touch Handle
Digital Controls

Optional

FastBake Technology Reduces Cook Time by Up to An Additional 35% With No Food Quality Loss or Noise Increase
Entry and Exit Shelves
Flexible Gas Connector
Split Belt
Ventless Electric models available



1200 Airport North Office Park
STE. A&B, Fort Wayne, IN 46825

Tel: 844-724-2273
E mail: info@lincolnfp.com

www.lincolnfp.com
65648
05/21



1100 Series Impinger® II Oven with easyTouch control



Gas Supply Pressure Recommendations

Gas Type	Supply (Inlet) Pressure (mbar)	Recommended Minimum Gas Pipe Size
Natural	7-12" WC (1.7 kPa / 17.4 mbar - 2.9 kPa / 29.9 mbar)	1½" (38 mm)
LP	11-12" WC (2.7 kPa / 27.36 mbar - 2.9 kPa / 29.9 mbar)	1½" (38 mm)

*Gas supply pressures are dependent on local gas type and on all applicable local codes. Agency approved flexible connection to each oven must be minimum ¼" (19 mm) NPT and length must not exceed six (6) feet (1829 mm).

Electrical Service

Each oven deck requires voltage, phase and hertz as indicated by model number. Neutral must be grounded at electrical service and receptacle properly polarized. Gas 120V units have a cord with NEMA 5-15 plug. All other models have terminal block connections. It is recommended that a separate circuit breaker be provided for each oven deck.

Recommended Minimum Clearances

Rear of oven to Combustible Surface: 6" (152mm). Additional clearance on right hand side from other cooking equipment: 24" (610mm). The conveyor is removable from the front.

Warranty

All new Impinger ovens installed in the United States and Canada come with a one (1) year parts and labor warranty starting from the date of start-up/check-out. All ovens installed in locations other than in the US and Canada are warranted for one (1) year parts and ninety (90) days labor starting from the date of start-up/check-out. Start-up must occur within 24 months of date of manufacture.


General Information

All 1100 Models	Length	Depth	Height Single	Height Double Stacked	Height Triple Stacked
	56" (1422 mm)	39" (991 mm)	42" (1067 mm)	59½" (1511 mm)	62" (1575 mm)

Model Number	Agency	Utility	Input Rate	Voltage	Amps	Hertz	Phase	Supply Wires
1116-xxx-U	UL EPH/CSA	Natural	40,000 BTU/Hr. 11.7 kW/42.2 MJ	120	7	60	1	3, 1 Pole+N+G
1157-xxx-N	UL EPH	Natural		220		60	1	3, 2 Pole+G
1117-xxx-U	UL EPH/CSA	LP		120	7	60	1	3, 1 Pole+N+G
1155-xxx-E	AGA/UL EPH/CE	LP		230	2	50	1	3, 2 Pole+G
1158-xxx-N	UL EPH	LP		220		60	1	3, 2 Pole+G
1130-xxx-U	UL EPH/UL/cUL	Electric	10 kW	120/208	48	60	1	3, 2 Pole+G
1131-xxx-U	UL EPH/UL/cUL	Electric		120/240	42	60	1	3, 2 Pole+G
1132-xxx-U	UL EPH/UL/cUL	Electric		208	28	60	3	4, 3 Pole+G
1133-xxx-U	UL EPH/UL/cUL	Electric		240	25	60	3	4, 3 Pole+G
1134-xxx-N	UL EPH	Electric		380/208		50	3	5, 3 Pole+N+G
1151-xxx-N	UL EPH	Electric		200	29	50/60	3	4, 3 Pole+G
1164-xxx-E	CE/UL EPH	Electric		400/230	15	50	3	5, 3 Pole+N+G






NOTE: Panel setups are added as kit numbers to the end of the model number to complete the oven order (Ex. 1116-000-U-K1837 is a 1116-000-U with Standard setup, Left to Right)





Conveyor Opening: 3" (76.2 mm)

Optional Split Belt (50/50):




Electric Models

Welbilt reserves the right to make changes to the design or specifications without prior notice.

Capacity Estimates | Pies Per Hour

Pie Size	BAKE TIME								
	3 min.	3½ min.	4 min.	4½ min.	5 min.	5½ min.	6 min.	6½ min.	7 min.
12" (30 cm)	53	46	40	35	32	29	26	25	23
14" (36 cm)	41	35	31	27	25	23	21	19	18
16" (41 cm)	35	30	26	24	21	19	18	16	15

Ventilation is required on all gas ovens. Ventilation is not required on electric models except when triple stacked. Local codes prevail. These are the "authority having jurisdiction" as stated by the National Fire Protection Association, Inc. in NFPA 96-1994. Estimates of CFM requirements can vary from 400 to as high as 2800 CFM exhaust. In all cases, the ambient temperature around the oven must not exceed 95°F (35°C) when the oven is operating. **In the case where a gas single or double stack oven is installed, the following information can be used as a guideline for ventilation.**



1. Double Stack: Range of 800-1200 cfm for double gas 1100 series oven. Single Stack: Range of 450-800 cfm for single gas 1100 series oven.
2. The capture velocity across the apron of canopy is to be 50-75 FPM at sides and front.
3. Double Stack: Width should be 72" (1828 mm) - inside dimensions. Depth should be 50" (1270 mm) - inside front to filters.
Single Stack: Width should be 48" (1219 mm) - inside dimension. Depth should be 50" (1270 mm) - inside front to filters.
4. The ovens are to be centered in the canopy space left-to-right and front-to-back if possible.
5. Room air diffusers must not be directed onto the oven and should be positioned a minimum of 3 feet from the perimeter of the hood to keep them from affecting the oven.
6. Bottom of canopy should be 78" (1981 mm) above finished floor (AFF).
7. Recommend 70% make-up air provided outside of the canopy through perf metal diffusers directed straight down... not at the oven; located at front, sides or both.
8. Use of a Type I or Type II application and overall final installation is determined per local codes.

Welbilt reserves the right to make changes to the design or specifications without prior notice.

1200 Airport North Office Park
STE. A&B, Fort Wayne, IN 46825

Tel: 844-724-2273
E mail: info@lincolnfp.com

www.lincolnfp.com
65648
05/21



Photos of Existing Qty. (2) Equipment to be Removed from South Valley Middle School



ITEM #5

QTY. (2 REQ'D)

Bidder to provide two (2) each Lincoln Impinger II Express Conveyor Pizza Oven with Model 1130-000-U, electric conveyor ovens stacked together on a mobile stand provided by Lincoln Impinger.

Each 1130-000-U oven provided with 18" deep x 56" long conveyor belt with overall dimensions of 39" deep x 56" long. Conveyor belts to be reversible by operator.

Ovens to be stacked on a Lincoln model 1120-1 stainless steel stand with casters rated for double stack installation.

Each oven to have standard glass access window for front loading and Easy Touch controller that controls temperature, time, conveyor belt direction and cookbook.

Ovens provided with the following accessories:

- (2) each 1140, 12" exit shelves.
- (2) each 1138 Lincoln cord and plug sets for Lincoln 1130 ovens.
- Ovens to be 208 volt / 1 phase.

PLEASE NOTE: ALTERNATE BRANDS WILL NOT BE ACCEPTED FOR THIS ITEM.

This bid to include turnkey installation by a Lincoln oven authorized installer. Turnkey installation to include the following:

- Delivery of this equipment to Liberty North High School must be scheduled in advance with Tony Becerra, Liberty Schools, at 816-665-6204 and / or email antonio.becerra@lps53.org.
- The installer will receive this new equipment and handle any freight claims / damage if necessary.
- Equipment must be received in advance and delivery scheduled as noted above. Equipment can't be shipped directly to Liberty North High School.
- School has receiving dock or liftgate delivery available.
- Installation to include disconnect, removal and delivery to District Warehouse of existing double stack conveyor ovens (1 Blodgett and 1 Lincoln) and stand. Existing ovens are hard wired.
- Installation to include plugging in each oven to 208-volt outlet behind the ovens.
- District to disconnect existing electrical and install / provide new outlets for plugs provided with new ovens.
- Installation is complete when new Lincoln ovens are in place and operational and startup has been performed by authorized service agency.
- All packaging and trash to be removed from school by the installer.
- Training on new ovens to be provided to kitchen staff by Kain McArthur.

Delivery and Install Location:**Liberty North High School**

1000 NE 104th St

Liberty, MO 64068

(Loading dock with direct access to the kitchen is available at this location.)

Directions: from I-35 N take the Exit 19 toward I-435. Turn left onto Rte 291 N and . Turn right onto N Church Rd and continue for approximately 1 ½ miles. Turn right onto NE 104th St to arrive at Liberty North High School.



1100 Series Impinger® II Oven with easyTouch control

Project _____
Item _____
Quantity _____
CSI Section 11400
Approved _____
Date _____

Models

- | | | | |
|--------------|--------------|--------------|--------------|
| • 1116-xxx-U | • 1131-xxx-U | • 1134-xxx-N | • 1157-xxx-N |
| • 1117-xxx-U | • 1132-xxx-U | • 1151-xxx-N | • 1164-xxx-E |
| • 1130-xxx-U | • 1133-xxx-U | • 1155-xxx-E | • 1158-xxx-N |



Lincoln Impinger Conveyor Ovens are the premier continuous cook platform for the food service industry. Using the latest advancements in air impingement technology, Impinger ovens allow for rapid heating, cooking, baking, and crisping of foods, typically done two to four times faster than conventional ovens.

Benefits

Faster Bake Times

- Improved Response to Customer
- Optional FastBake Technology Reduces Cook Time by Up to An Additional 30% With No Food Quality Loss or Noise Increase

New easyTouch controls

- 4.3" full color screen
- Displays up to 8 pre-set recipes – just press and go
- Intuitive, easy-to-use controls allow you to change belt direction, temperature or cook time and then save for future use

Easier Cleaning

- Front Load Conveyor
- Removable Door

Unparalleled Support

- Customer-specific Finger Setup for Menu Flexibility
- Research and Applications Team Help Achieve Ideal Cooking Results

Specifications

General

Stainless Steel Top, Front and Sides
28" (711mm) Long Baking Chamber
Front Removable Fingers
Stackable Up To Three High
Includes Oven Start-Up/Check-Out by Welbilt Authorized Service Agent

Conveyor

18" (457mm) Wide
Front Removable
Product Stop
Twenty (20) seconds to Thirty (30) Minute Cook Time
Reversible

Cooking

Customer Specific Finger Setup
Temperature Range 250°F to 575°F (121°C to 302°C)
Front Loading Glass Access Door with Cool to the Touch Handle
Digital Controls

Optional

FastBake Technology Reduces Cook Time by Up to An Additional 35% With No Food Quality Loss or Noise Increase
Entry and Exit Shelves
Flexible Gas Connector
Split Belt
Ventless Electric models available



1200 Airport North Office Park
STE. A&B, Fort Wayne, IN 46825

Tel: 844-724-2273
E mail: info@lincolnfp.com

www.lincolnfp.com
65648
05/21



1100 Series Impinger® II Oven with easyTouch control



Gas Supply Pressure Recommendations

Gas Type	Supply (Inlet) Pressure (mbar)	Recommended Minimum Gas Pipe Size
Natural	7-12" WC (1.7 kPa / 17.4 mbar - 2.9 kPa / 29.9 mbar)	1½" (38 mm)
LP	11-12" WC (2.7 kPa / 27.36 mbar - 2.9 kPa / 29.9 mbar)	1½" (38 mm)

*Gas supply pressures are dependent on local gas type and on all applicable local codes. Agency approved flexible connection to each oven must be minimum ¼" (19 mm) NPT and length must not exceed six (6) feet (1829 mm).

Electrical Service

Each oven deck requires voltage, phase and hertz as indicated by model number. Neutral must be grounded at electrical service and receptacle properly polarized. Gas 120V units have a cord with NEMA 5-15 plug. All other models have terminal block connections. It is recommended that a separate circuit breaker be provided for each oven deck.

Recommended Minimum Clearances

Rear of oven to Combustible Surface: 6" (152mm). Additional clearance on right hand side from other cooking equipment: 24" (610mm). The conveyor is removable from the front.

Warranty

All new Impinger ovens installed in the United States and Canada come with a one (1) year parts and labor warranty starting from the date of start-up/check-out. All ovens installed in locations other than in the US and Canada are warranted for one (1) year parts and ninety (90) days labor starting from the date of start-up/check-out. Start-up must occur within 24 months of date of manufacture.


General Information

All 1100 Models	Length	Depth	Height Single	Height Double Stacked	Height Triple Stacked
	56" (1422 mm)	39" (991 mm)	42" (1067 mm)	59½" (1511 mm)	62" (1575 mm)

Model Number	Agency	Utility	Input Rate	Voltage	Amps	Hertz	Phase	Supply Wires
1116-xxx-U	UL EPH/CSA	Natural	40,000 BTU/Hr. 11.7 kW/42.2 MJ	120	7	60	1	3, 1 Pole+N+G
1157-xxx-N	UL EPH	Natural		220		60	1	3, 2 Pole+G
1117-xxx-U	UL EPH/CSA	LP		120	7	60	1	3, 1 Pole+N+G
1155-xxx-E	AGA/UL EPH/CE	LP		230	2	50	1	3, 2 Pole+G
1158-xxx-N	UL EPH	LP		220		60	1	3, 2 Pole+G
1130-xxx-U	UL EPH/UL/cUL	Electric	10 kW	120/208	48	60	1	3, 2 Pole+G
1131-xxx-U	UL EPH/UL/cUL	Electric		120/240	42	60	1	3, 2 Pole+G
1132-xxx-U	UL EPH/UL/cUL	Electric		208	28	60	3	4, 3 Pole+G
1133-xxx-U	UL EPH/UL/cUL	Electric		240	25	60	3	4, 3 Pole+G
1134-xxx-N	UL EPH	Electric		380/208		50	3	5, 3 Pole+N+G
1151-xxx-N	UL EPH	Electric		200	29	50/60	3	4, 3 Pole+G
1164-xxx-E	CE/UL EPH	Electric		400/230	15	50	3	5, 3 Pole+N+G






NOTE: Panel setups are added as kit numbers to the end of the model number to complete the oven order (Ex. 1116-000-U-K1837 is a 1116-000-U with Standard setup, Left to Right)





Conveyor Opening: 3" (76.2 mm)

Optional Split Belt (50/50):




Electric Models

Welbilt reserves the right to make changes to the design or specifications without prior notice.

Capacity Estimates | Pies Per Hour

Pie Size	BAKE TIME								
	3 min.	3½ min.	4 min.	4½ min.	5 min.	5½ min.	6 min.	6½ min.	7 min.
12" (30 cm)	53	46	40	35	32	29	26	25	23
14" (36 cm)	41	35	31	27	25	23	21	19	18
16" (41 cm)	35	30	26	24	21	19	18	16	15

Ventilation is required on all gas ovens. Ventilation is not required on electric models except when triple stacked. Local codes prevail. These are the "authority having jurisdiction" as stated by the National Fire Protection Association, Inc. in NFPA 96-1994. Estimates of CFM requirements can vary from 400 to as high as 2800 CFM exhaust. In all cases, the ambient temperature around the oven must not exceed 95°F (35°C) when the oven is operating. **In the case where a gas single or double stack oven is installed, the following information can be used as a guideline for ventilation.**



1. Double Stack: Range of 800-1200 cfm for double gas 1100 series oven. Single Stack: Range of 450-800 cfm for single gas 1100 series oven.
2. The capture velocity across the apron of canopy is to be 50-75 FPM at sides and front.
3. Double Stack: Width should be 72" (1828 mm) - inside dimensions. Depth should be 50" (1270 mm) - inside front to filters.
Single Stack: Width should be 48" (1219 mm) - inside dimension. Depth should be 50" (1270 mm) - inside front to filters.
4. The ovens are to be centered in the canopy space left-to-right and front-to-back if possible.
5. Room air diffusers must not be directed onto the oven and should be positioned a minimum of 3 feet from the perimeter of the hood to keep them from affecting the oven.
6. Bottom of canopy should be 78" (1981 mm) above finished floor (AFF).
7. Recommend 70% make-up air provided outside of the canopy through perf metal diffusers directed straight down... not at the oven; located at front, sides or both.
8. Use of a Type I or Type II application and overall final installation is determined per local codes.

Welbilt reserves the right to make changes to the design or specifications without prior notice.

1200 Airport North Office Park
STE. A&B, Fort Wayne, IN 46825

Tel: 844-724-2273
E mail: info@lincolnfp.com

www.lincolnfp.com
65648
05/21



Photos of Existing Qty. (2) Equipment to be Removed from Liberty North High School



ITEM #6

QTY. (1 REQ'D)

Bidder to provide one (1) each Electric Convection Oven, Vulcan Model VC44ED Dimensions: 70(h) x 40(w) x 42.25(d)

ITEM 1 - CONVECTION OVEN, ELECTRIC (1 REQ'D)**Vulcan Model VC44ED Dimensions: 70(h) x 40(w) x 42.25(d)**

Convection Oven, electric, double-deck, standard depth, solid state controls, temperature range 150° to 500°F, 60 minute timer with audible alarm per oven, oven cool switch for rapid cool down, independently operated stainless steel doors with double pane windows, porcelain enamel on steel oven interiors, (5) nickel plated racks per oven, stainless steel front, top, sides & 8"H legs, (2) 1/2 HP two speed oven blower-motors, 12 kW each section, NSF, cUL, UL, ENERGY STAR®



- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea K-12 School Nutrition extended warranty extends the warranty for 12 months beyond the 12 month Original Equipment Warranty, not to exceed 24 months from date of installation
- 2 ea (2) 480v/60/3-ph, 30 amps total, priced per oven
- 2 ea Simultaneous doors, both ovens
- 2 ea Model DRIPPAN-SSDD Drip Pan (per section), stainless steel
- 1 st Casters, set of (4) in lieu of standard legs

ELECTRICAL

	VOLTS	CYCLE	PHASE	CONN	AFF	NEMA	AMPS	KW	HP	MCA	MOCP
1				Direct				12	(2) 1/2		
2								12	1/2		
3	480	60	3				15.0				
4	480	60	3				15.0				

ELECTRICAL 3 REMARKS

Connection 1

ELECTRICAL 4 REMARKS

Connection 2

PLEASE NOTE: ALTERNATE BRANDS WILL NOT BE ACCEPTED FOR THIS ITEM.

This bid to include turnkey installation which shall include the following:

- **There is no existing equipment to be removed before placing/installing this item.**
- Delivery of this equipment to Liberty North High School must be scheduled in advance with Tony Becerra, Liberty Schools, at 816-665-6204 and / or email antonio.becerra@lps53.org.
- The installer will receive this new equipment and handle any freight claims / damage if necessary.
- Equipment must be received in advance and delivery scheduled as noted above. Equipment can't be shipped directly to Liberty North High School.
- School has receiving dock or liftgate delivery available.
- Installation to include plugging in each oven to outlet behind the ovens.
- District to install / provide new outlets for plugs provided with new oven.
- Installation is complete when the new Vulcan oven is in place and operational and startup has been performed by authorized service agency.
- All packaging and trash to be removed from school by the installer.

Delivery and Install Location:**Liberty North High School** (Loading dock with direct access to the kitchen is available at this location.)

1000 NE 104th St

Liberty, MO 64068

Directions: from I-35 N take the Exit 19 toward I-435. Turn left onto Rte 291 N and . Turn right onto N Church Rd and continue for approximately 1 ½ miles. Turn right onto NE 104th St to arrive at Liberty North High School.

Vulcan



VC44E SERIES

Double Deck Electric Convection Ovens



Model VC44ED
Shown on optional casters



SPECIFIER STATEMENT

Double section, electric convection oven, Vulcan Model No. (VC44ED) (VC44EC). Stainless steel front, sides, top and legs. Independently operated stainless steel doors with double pane windows. Non-sag insulation applied to the top, rear, sides, bottom and doors. Porcelain enamel on steel oven interiors measure 29" w x 22 1/2" d x 20" h. Two interior oven lights per section. Five nickel plated oven racks per section measure 28 3/4" x 20 1/2". Eleven position nickel plated rack guides with positive rack stops per section. Each section heated by electric solid sheath elements rated at 12 KW. Furnished with a two speed 1/2 H.P. oven blower-motor per section. Oven cool switch for rapid cool down. 208 or 240 volt, 60 Hz, 1 or 3 phase.

Exterior Dimensions:

40 1/2" W x 41 1/2" D (includes motor & door handles)

40 1/2" W x 37 3/4" D (includes motor only)

70" H on 8" legs.

NSF listed. UL listed. UL listed to Canadian safety standards.

VC44ED

Item#: 1

Project _____

AIA # _____ SIS # _____

Item # _____ Quantity _____ C.S.I. Section 114000

MODELS

- ☐ **VC44ED** Solid state temperature controls adjust from 150° to 500°F. 60 minute timer with audible alarm.
- ☐ **VC44EC** Computer controls with digital time and temperature readouts. 99-hour timer with audible alarm. Roast and Hold cycle. One hundred programmable menu selections. Shelf I.D. programming.

STANDARD FEATURES

- Stainless steel front, sides, top and legs
- Independently operated stainless steel doors with double pane windows
- 25 total KW
- 1/2 H.P. two speed oven blower-motor
- Moisture vent
- Oven cool switch for rapid cool down
- Porcelain enamel on steel oven interiors
- Five nickel plated grab-and-go oven racks with eleven rack positions per section (10 total racks)
- One year limited parts and labor warranty

OPTIONS

- ☐ Complete prison package
 - ☐ Security screws only
- ☐ Casters
- ☐ Simultaneous chain driven doors
- ☐ 480V/60 Hz/1 or 3 phase
- ☐ Second year extended limited parts and labor warranty

ACCESSORIES (PACKAGED AND SOLD SEPARATELY)

- ☐ Stainless steel rear motor enclosure
- ☐ Extra oven rack(s)
- ☐ Rack hanger(s)
- ☐ Stainless steel drip pan
- ☐ Down draft flue diverter for direct vent connection

VC44E SERIES – Double Deck Electric Convection Ovens

Approved by _____ Date _____ Approved by _____ Date _____

Printed in U.S.A. Vulcan • 3600 North Point Blvd, Baltimore, MD 21222 • Phone: 800-814-2028 • Fax: 800-444-0602 • www.vulcanequipment.com F32536 (05/23)



VC44E SERIES


Double Deck Electric Convection Ovens

OPTIONAL VOLTAGES

- ☐ 480 volt, 60 Hz, 3 phase
- ☐ 220/380 volt, 50 Hz, 1 phase, 3 wire
- ☐ 220/380 volt, 50 Hz, 3 phase, 4 wire
- ☐ 240/415 volt, 50 Hz, 3 phase, 4 wire

CLEARANCES

	Combustible	Non-Combustible
Rear	2"	2"
Right Side	4"	4"
Left Side	1"	1"




CAD and/or Revit Files Available

INSTALLATION MANUAL

40 $\frac{1}{4}$ " W x 41 $\frac{1}{2}$ " D (includes motor & door handles)

40 $\frac{1}{4}$ " W x 37 $\frac{3}{4}$ " D (includes motor only)

70" H on 8" legs



Nominal Amps per Line Wire

		3 Phase Load KW per Phase			1 Phase		3 Phase									Weight
							208 Volt			240 Volt			480 Volt			
Model	Total Conn.	X-Y	Y-Z	X-Z	208V	240V	X	Y	Z	X	Y	Z	X	Y	Z	
VC44E	25 kW	8	8	9	120	104	70	66	70	66	58	66	28	30	30	778 lbs (352 KG) without skids/package 880 lbs (400 KG) with skids/package

778 lbs (352 KG) without skids/packaging
880 lbs (400 KG) with skids/packaging

As continued product improvement is a policy of Vulcan, specifications are subject to change without notice.

F32536 (05/23) Vulcan • 3600 North Point Blvd, Baltimore, MD 21222 • Phone: 800-814-2028 • Fax: 800-444-0602 • www.vulcanequipment.com Printed In U.S.A.

Photo of Space for New Equipment - Liberty North High School (no existing equipment to remove)



BID RESPONSE FORM

ADDENDA ACKNOWLEDGEMENT:

The undersigned acknowledges receipt of the following addenda; list by number and the date appearing on Addenda. If Applicable.

#1 _____ Date: _____ #2 _____ Date: _____ #3 _____ Date: _____

COST PER ITEM AS DESCRIBED IN THE SPECIFICATIONS ABOVE:

ITEM #1 - QTY. (2) Lincoln Impinger II Express Conveyor Pizza Oven with Model 1116-000-U, Gas Conveyor Oven– Discovery Middle School

\$ _____ each \$ _____ extended

ESTIMATED LEAD TIME OF UNITS ARO _____

NAME OF DELIVERY AND INSTALL COMPANY: _____

ADDRESS: _____

ITEM #2 - QTY. (2) Lincoln Impinger II Express Conveyor Pizza Oven with Model 1116-000-U, Gas Conveyor Oven - Heritage Middle School

\$ _____ each \$ _____ extended

ESTIMATED LEAD TIME OF UNITS ARO _____

NAME OF DELIVERY AND INSTALL COMPANY: _____

ADDRESS: _____

ITEM #3 - QTY. (2) Lincoln Impinger II Express Conveyor Pizza Oven with Model 1116-000-U, Gas Conveyor Oven– Liberty Middle School

\$ _____ each \$ _____ extended

ESTIMATED LEAD TIME OF UNITS ARO _____

NAME OF DELIVERY AND INSTALL COMPANY: _____

ADDRESS: _____

ITEM #4 - QTY. (2) Lincoln Impinger II Express Conveyor Pizza Oven with Model 1116-000-U, Gas Conveyor Oven–South Valley Middle School

\$ _____ each \$ _____ extended

ESTIMATED LEAD TIME OF UNITS ARO _____

NAME OF DELIVERY AND INSTALL COMPANY: _____

ADDRESS: _____

ITEM #5 - QTY. (2) Lincoln Impinger II Express Conveyor Pizza Oven with Model 1130-000-U, electric conveyor oven— Liberty North High School

\$ _____ each \$ _____ extended

ESTIMATED LEAD TIME OF UNITS ARO _____

NAME OF DELIVERY AND INSTALL COMPANY: _____

ADDRESS: _____

ITEM #6 - QTY. (1) Electric Convection Oven, Vulcan Model VC44ED - Liberty North High School

\$ _____ each

ESTIMATED LEAD TIME OF UNITS ARO _____

NAME OF DELIVERY AND INSTALL COMPANY: _____

ADDRESS: _____

**NO BID RESPONSE FORM
PROJECT)**

**(ONLY PROVIDE IF NOT BIDDING THIS
PROJECT)**

This form is designed to assist the bidder in providing information necessary to confirm a “No Bid” response. To remain potentially involved in future opportunities, the bidder should state the reasons for declining such an invitation. Please submit to Procurement after completion and required signature.

BID NUMBER: CONVEYOR PIZZA OVEN REPLACEMENT; ITB 014-024

Company Name: _____

Contact Person: _____

Telephone No.: _____

E-Mail: _____

Please Note:

A no-bid response is a critical factor in remaining on the bidders list, and thus ensures future business opportunities. In addition, a no bid response demonstrates that, while you are not interested in bidding for a particular project, you are still interested in competing for future opportunities and want to stay on the prospective bidders list.

We, the undersigned have declined to submit a bid for the following reason(s):

- ____ Specifications are too rigid (i.e. geared toward one brand/manufacturer/service only (explain below).
- ____ Unable to meet deadline for responding to above bid number (IFB/RFP).
- ____ We do not offer this product or service.
- ____ Our schedule would not permit us to perform.
- ____ Unable to meet specifications.
- ____ Unable to meet Bond/Insurance requirement(s).
- ____ Specifications unclear (explain below).
- ____ Unable to meet insurance requirements.
- ____ Please remove us from your “Bidders List”.
- ____ Other (specify below).

COMMENTS: _____

I certify that the above information is true and correct, and that no other data, fact or consideration offered or given has influenced this response.

Submitted By: _____
Name (Printed)

Title/Department

Signature

Date