



LRC Indoor Testing and Research
140 Iowa Lane, Suite 102
Cary, NC 27511
(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools
Ian Adams
3020 S Wrightsville Ave.
Nags Head, NC

Project #: 24-2420
Project Location: Cape Hatteras Secondary
Project Type: IAQ
PO/Claim #: -

Table 1: Non-Viable Air Samples

Date Collected:	5/7/24	5/7/24	5/7/24	5/7/24	5/7/24
	1	2	3	4	5
Spore Identification	Hall at Admin.	Cafeteria	Hall at CR 302	CR 307	Hall at CR 318
<i>Cladosporium</i>	-	40	-	-	120
Ascospores	-	27	-	40	27
Basidiospores ²	40	13	40	13	-
Smuts, <i>Periconia</i> , <i>Myxomycetes</i> ⁴	-	-	-	-	-
<i>Penicillium/Aspergillus</i> Group ¹	-	-	-	-	-
Hyphal Elements ³	-	-	-	-	-
<i>Alternaria</i>	-	-	-	-	-
<i>Curvularia</i>	-	-	-	-	-
<i>Epicoccum</i>	-	-	-	-	-
<i>Cercospora</i>	-	-	-	-	-
<i>Arthrinium</i>	-	-	-	-	-
Clear Brown	-	-	-	-	-
Colorless	-	-	-	-	-
<i>Trichocladium</i>	-	-	-	-	-
Unidentified	-	-	-	-	-
<i>Ulocladium</i>	-	-	-	-	-
Torula	-	-	-	-	-
Pithomyces	-	-	-	-	-
Rust ⁵	-	-	-	-	-
<i>Drechslera/Bipolaris</i>	-	-	-	-	-
<i>Tetraploa</i>	-	-	-	-	-
<i>Chaetomium</i>	-	-	-	-	-
<i>Stachybotrys</i>	-	-	-	-	-
	-	-	-	-	-
Total Spores/m³	40	80	40	53	147
Particulate Level	low	low-moderate	low	low	low
Date Analyzed:	5/8/24	5/8/24	5/8/24	5/8/24	5/8/24

Analyzed by: Cathy A. Richmond, B.S.

The results reported by LRC are a record of the microbes identified by our laboratory staff. We assume responsibility over analysis conducted in the laboratory, but cannot assume responsibility for activities completed in the field by the client, other personnel associated with the samples submitted, or other activities beyond the laboratory. Any information given other than microbial information, is provided as general reference information from published sources and is not an extension of liability to LRC.



LRC Indoor Testing and Research
140 Iowa Lane, Suite 102
Cary, NC 27511
(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools
Ian Adams
3020 S Wrightsville Ave.
Nags Head, NC

Project #: 24-2420
Project Location: Cape Hatteras Secondary
Project Type: IAQ
PO/Claim #: -

Table 1: Non-Viable Air Samples

Date Collected:	5/7/24	5/7/24	5/7/24	5/7/24	5/7/24
	6	7	8	9	10
Spore Identification	CR 320	Hall at Media Center	Media Center	Hall at 153	Gym
<i>Cladosporium</i>	-	40	80	93	-
Ascospores	40	-	67	-	27
Basidiospores ²	-	-	-	13	13
Smuts, <i>Periconia</i> , <i>Myxomycetes</i> ⁴	-	-	-	-	-
<i>Penicillium/Aspergillus</i> Group ¹	-	-	-	27	-
Hyphal Elements ³	-	-	-	13	-
<i>Alternaria</i>	-	-	-	-	-
<i>Curvularia</i>	-	-	-	-	-
<i>Epicoccum</i>	-	-	-	-	-
<i>Cercospora</i>	-	-	-	-	-
<i>Arthrrium</i>	-	-	-	-	-
Clear Brown	-	-	-	-	-
Colorless	-	-	-	-	-
<i>Trichocladium</i>	-	-	-	-	-
Unidentified	-	-	-	-	-
<i>Ulocladium</i>	-	-	-	-	-
Torula	-	-	-	-	-
Pithomyces	-	-	-	-	-
Rust ⁵	-	-	-	-	-
<i>Drechslera/Bipolaris</i>	-	-	-	-	-
<i>Tetraploa</i>	-	-	-	-	-
<i>Chaetomium</i>	-	-	-	-	-
<i>Stachybotrys</i>	-	-	-	-	-
	-	-	-	-	-
Total Spores/m³	40	40	147	147	40
Particulate Level	low	low	low	low	low
Date Analyzed:	5/8/24	5/8/24	5/8/24	5/8/24	5/8/24

Analyzed by: Cathy A. Richmond, B.S.

The results reported by LRC are a record of the microbes identified by our laboratory staff. We assume responsibility over analysis conducted in the laboratory, but cannot assume responsibility for activities completed in the field by the client, other personnel associated with the samples submitted, or other activities beyond the laboratory. Any information given other than microbial information, is provided as general reference information from published sources and is not an extension of liability to LRC.



LRC Indoor Testing and Research
140 Iowa Lane, Suite 102
Cary, NC 27511
(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools
Ian Adams
3020 S Wrightsville Ave.
Nags Head, NC

Project #: 24-2420
Project Location: Cape Hatteras Secondary
Project Type: IAQ
PO/Claim #: -

Table 1: Non-Viable Air Samples

Date Collected:	5/7/24	5/7/24	5/7/24	5/7/24	5/7/24
	11	12	13	14	15
Spore Identification	Aux Gym	Hall at 151	CR 149	Music Room	Auditorium
<i>Cladosporium</i>	53	13	-	93	133
Ascospores	13	-	13	80	27
Basidiospores ²	-	-	-	107	27
Smuts, <i>Periconia</i> , <i>Myxomycetes</i> ⁴	-	-	-	-	-
<i>Penicillium/Aspergillus</i> Group ¹	13	-	-	-	-
Hyphal Elements ³	-	-	-	-	13
<i>Alternaria</i>	-	-	-	13	-
<i>Curvularia</i>	-	-	-	-	-
<i>Epicoccum</i>	-	-	-	-	-
<i>Cercospora</i>	-	-	-	-	-
<i>Arthrinium</i>	-	-	-	-	-
Clear Brown	-	-	-	-	-
Colorless	-	-	-	-	-
<i>Trichocladium</i>	-	-	-	-	-
Unidentified	-	-	-	-	-
<i>Ulocladium</i>	-	-	-	-	-
Torula	-	-	-	-	-
Pithomyces	-	-	-	-	-
Rust ⁵	-	-	-	-	-
<i>Drechslera/Bipolaris</i>	-	-	-	-	-
<i>Tetraploa</i>	-	-	-	-	-
<i>Chaetomium</i>	-	-	-	-	-
<i>Stachybotrys</i>	-	-	-	-	-
	-	-	-	-	-
Total Spores/m³	80	13	13	293	200
Particulate Level	low	low	low	low	low
Date Analyzed:	5/8/24	5/8/24	5/8/24	5/8/24	5/8/24

Analyzed by: Cathy A. Richmond, B.S.

The results reported by LRC are a record of the microbes identified by our laboratory staff. We assume responsibility over analysis conducted in the laboratory, but cannot assume responsibility for activities completed in the field by the client, other personnel associated with the samples submitted, or other activities beyond the laboratory. Any information given other than microbial information, is provided as general reference information from published sources and is not an extension of liability to LRC.



LRC Indoor Testing and Research
140 Iowa Lane, Suite 102
Cary, NC 27511
(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools
Ian Adams
3020 S Wrightsville Ave.
Nags Head, NC

Project #: 24-2420
Project Location: Cape Hatteras Secondary
Project Type: IAQ
PO/Claim #: -

Table 1: Non-Viable Air Samples

Date Collected:	5/7/24	5/7/24	5/7/24	5/7/24	5/7/24
	16	17	18	19	20
Spore Identification	Hall at CR 205	CR 209	Hall at 352	Hall at 359	CR 356
<i>Cladosporium</i>	40	-	280	13	13
Ascospores	40	13	53	27	27
Basidiospores ²	13	13	13	27	13
Smuts, <i>Periconia</i> , <i>Myxomycetes</i> ⁴	-	-	-	-	-
<i>Penicillium/Aspergillus</i> Group ¹	13	-	-	-	-
Hyphal Elements ³	-	-	-	-	-
<i>Alternaria</i>	-	-	-	-	-
<i>Curvularia</i>	-	-	-	-	-
<i>Epicoccum</i>	-	-	-	-	-
<i>Cercospora</i>	-	-	-	-	-
<i>Arthrrium</i>	-	-	-	-	-
Clear Brown	-	-	-	-	-
Colorless	-	-	-	-	-
<i>Trichocladium</i>	-	-	-	-	-
Unidentified	-	-	-	-	-
<i>Ulocladium</i>	-	-	-	-	-
Torula	-	-	-	-	-
Pithomyces	-	-	-	-	-
Rust ⁵	-	-	-	-	-
<i>Drechslera/Bipolaris</i>	-	-	-	-	-
<i>Tetraploa</i>	-	-	-	-	-
<i>Chaetomium</i>	-	-	-	-	-
<i>Stachybotrys</i>	-	-	-	-	-
	-	-	-	-	-
Total Spores/m³	107	27	347	67	53
Particulate Level	low	low	low	low	low
Date Analyzed:	5/8/24	5/8/24	5/8/24	5/8/24	5/8/24

Analyzed by: Cathy A. Richmond, B.S.

The results reported by LRC are a record of the microbes identified by our laboratory staff. We assume responsibility over analysis conducted in the laboratory, but cannot assume responsibility for activities completed in the field by the client, other personnel associated with the samples submitted, or other activities beyond the laboratory. Any information given other than microbial information, is provided as general reference information from published sources and is not an extension of liability to LRC.



LRC Indoor Testing and Research

140 Iowa Lane, Suite 102

Cary, NC 27511

(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools
Ian Adams
3020 S Wrightsville Ave.
Nags Head, NC

Project #: 24-2420

Project Location: Cape Hatteras Secondary

Project Type: IAQ

PO/Claim #: -

Table 1: Non-Viable Air Samples

Date Collected:	5/7/24	5/7/24	5/7/24	5/7/24
	21	22	23	24
Spore Identification	CR 361	Auditorium Dressing Area	Hall at weight Room	Outdoor Air
<i>Cladosporium</i>	-	13	53	453
Ascospores	13	80	40	653
Basidiospores ²	-	40	27	80
Smuts, <i>Periconia</i> , <i>Myxomycetes</i> ⁴	-	-	-	27
<i>Penicillium/Aspergillus</i> Group ¹	-	-	13	13
Hyphal Elements ³	-	-	13	13
<i>Alternaria</i>	-	-	-	13
<i>Curvularia</i>	-	-	-	-
<i>Epicoccum</i>	-	-	-	-
<i>Cercospora</i>	-	-	-	-
<i>Arthrrium</i>	-	-	-	-
Clear Brown	-	-	-	-
Colorless	-	-	-	-
<i>Trichocladium</i>	-	-	-	-
Unidentified	-	-	-	-
<i>Ulocladium</i>	-	-	-	-
Torula	-	-	-	-
Pithomyces	-	-	-	-
Rust ⁵	-	-	-	-
<i>Drechslera/Bipolaris</i>	-	-	-	-
<i>Tetraploa</i>	-	-	-	-
<i>Chaetomium</i>	-	-	-	-
<i>Stachybotrys</i>	-	-	-	-
	-	-	-	-
Total Spores/m³	13	133	147	1253
Particulate Level	low	low	low	low
Date Analyzed:	5/8/24	5/8/24	5/8/24	5/8/24

Analyzed by: Cathy A. Richmond, B.S.

The results reported by LRC are a record of the microbes identified by our laboratory staff. We assume responsibility over analysis conducted in the laboratory, but cannot assume responsibility for activities completed in the field by the client, other personnel associated with the samples submitted, or other activities beyond the laboratory. Any information given other than microbial information, is provided as general reference information from published sources and is not an extension of liability to LRC.



LRC Indoor Testing and Research

140 Iowa Lane, Suite 102

Cary, NC 27511

(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools

Ian Adams

3020 S Wrightsville Ave.

Nags Head, NC

—

Project #: 24-2420

Project Location:

Cape Hatteras Secondary

Project Type: — IAQ

PO/Claim #: —

Sample Number:

1

Sample Location:

Hall at Admin.

Date Collected:

5/7/24

Test Requested:

Non-viable spore trap analysis

Date Analyzed:

5/8/24

Volume (L):

75

Percentage of Slide Read:

100.0%

Detection Limit:

13.33

Particulate Level:

low

Notes:

—

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>		-	spores/m ³	-
Ascospores		-	spores/m ³	-
Basidiospores	3	40	spores/m ³	100%
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium/Aspergillus</i> Group		-	spores/m ³	-
Hyphal Elements		-	spores/m ³	-
<i>Alternaria</i>		-	spores/m ³	-
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoecum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrini</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera/Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	3	40	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



LRC Indoor Testing and Research

140 Iowa Lane, Suite 102

Cary, NC 27511

(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools

Ian Adams

3020 S Wrightsville Ave.

Nags Head, NC

—

Project #: 24-2420

Project Location:

Cape Hatteras Secondary

Project Type: IAQ

PO/Claim #: —

Sample Number: 2

Sample Location: Cafeteria

Date Collected: 5/7/24

Test Requested: Non-viable spore trap analysis

Date Analyzed: 5/8/24

Volume (L): 75

Percentage of Slide Read: 100.0%

Detection Limit: 13.33

Particulate Level: low-moderate

Notes: —

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>	3	40	spores/m ³	50%
Ascospores	2	27	spores/m ³	33%
Basidiospores	1	13	spores/m ³	17%
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium/Aspergillus</i> Group		-	spores/m ³	-
Hyphal Elements		-	spores/m ³	-
<i>Alternaria</i>		-	spores/m ³	-
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoecum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrimum</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera/Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	6	80	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



LRC Indoor Testing and Research

140 Iowa Lane, Suite 102

Cary, NC 27511

(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools

Ian Adams

3020 S Wrightsville Ave.

Nags Head, NC

—

Project #: 24-2420

Project Location:

Cape Hatteras Secondary

Project Type: IAQ

PO/Claim #: —

Sample Number:

3

Sample Location:

Hall at CR 302

Date Collected:

5/7/24

Test Requested:

Non-viable spore trap analysis

Date Analyzed:

5/8/24

Volume (L):

75

Percentage of Slide Read:

100.0%

Detection Limit:

13.33

Particulate Level:

low

Notes:

—

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>		-	spores/m ³	-
Ascospores		-	spores/m ³	-
Basidiospores	3	40	spores/m ³	100%
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium</i> / <i>Aspergillus</i> Group		-	spores/m ³	-
Hyphal Elements		-	spores/m ³	-
<i>Alternaria</i>		-	spores/m ³	-
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoecum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrimum</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera</i> / <i>Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	3	40	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



LRC Indoor Testing and Research

140 Iowa Lane, Suite 102

Cary, NC 27511

(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools

Ian Adams

3020 S Wrightsville Ave.

Nags Head, NC

—

Project #: 24-2420

Project Location:

Cape Hatteras Secondary

Project Type: IAQ

PO/Claim #: —

Sample Number:

4

Sample Location:

CR 307

Date Collected:

5/7/24

Test Requested:

Non-viable spore trap analysis

Date Analyzed:

5/8/24

Volume (L):

75

Percentage of Slide Read:

100.0%

Detection Limit:

13.33

Particulate Level:

low

Notes:

—

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>		-	spores/m ³	-
Ascospores	3	40	spores/m ³	75%
Basidiospores	1	13	spores/m ³	25%
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium/Aspergillus</i> Group		-	spores/m ³	-
Hyphal Elements		-	spores/m ³	-
<i>Alternaria</i>		-	spores/m ³	-
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoccum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrrium</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera/Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	4	53	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



LRC Indoor Testing and Research

140 Iowa Lane, Suite 102

Cary, NC 27511

(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools

Ian Adams

3020 S Wrightsville Ave.

Nags Head, NC

—

Project #: 24-2420

Project Location:

Cape Hatteras Secondary

Project Type: IAQ

PO/Claim #: —

Sample Number:

5

Sample Location:

Hall at CR 318

Date Collected:

5/7/24

Test Requested:

Non-viable spore trap analysis

Date Analyzed:

5/8/24

Volume (L):

75

Percentage of Slide Read:

100.0%

Detection Limit:

13.33

Particulate Level:

low

Notes:

—

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>	9	120	spores/m ³	82%
Ascospores	2	27	spores/m ³	18%
Basidiospores		-	spores/m ³	-
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium/Aspergillus</i> Group		-	spores/m ³	-
Hyphal Elements		-	spores/m ³	-
<i>Alternaria</i>		-	spores/m ³	-
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoccum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrrium</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera/Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	11	147	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



LRC Indoor Testing and Research

140 Iowa Lane, Suite 102

Cary, NC 27511

(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools

Ian Adams

3020 S Wrightsville Ave.

Nags Head, NC

—

Project #: 24-2420

Project Location:

Cape Hatteras Secondary

Project Type: IAQ

PO/Claim #: —

Sample Number:

6

Sample Location:

CR 320

Date Collected:

5/7/24

Test Requested:

Non-viable spore trap analysis

Date Analyzed:

5/8/24

Volume (L):

75

Percentage of Slide Read:

100.0%

Detection Limit:

13.33

Particulate Level:

low

Notes:

—

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>		-	spores/m ³	-
Ascospores	3	40	spores/m ³	100%
Basidiospores		-	spores/m ³	-
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium/Aspergillus</i> Group		-	spores/m ³	-
Hyphal Elements		-	spores/m ³	-
<i>Alternaria</i>		-	spores/m ³	-
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoecum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrimum</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera/Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	3	40	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



LRC Indoor Testing and Research

140 Iowa Lane, Suite 102

Cary, NC 27511

(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools

Ian Adams

3020 S Wrightsville Ave.

Nags Head, NC

—

Project #: 24-2420

Project Location:

Cape Hatteras Secondary

Project Type: IAQ

PO/Claim #: —

Sample Number: 7

Sample Location: Hall at Media Center

Date Collected: 5/7/24

Test Requested: Non-viable spore trap analysis

Date Analyzed: 5/8/24

Volume (L): 75

Percentage of Slide Read: 100.0%

Detection Limit: 13.33

Particulate Level: low

Notes:

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>	3	40	spores/m ³	100%
Ascospores		-	spores/m ³	-
Basidiospores		-	spores/m ³	-
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium/Aspergillus</i> Group		-	spores/m ³	-
Hyphal Elements		-	spores/m ³	-
<i>Alternaria</i>		-	spores/m ³	-
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoccum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrimum</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera/Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	3	40	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



LRC Indoor Testing and Research

140 Iowa Lane, Suite 102

Cary, NC 27511

(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools

Ian Adams

3020 S Wrightsville Ave.

Nags Head, NC

—

Project #: 24-2420

Project Location:

Cape Hatteras Secondary

Project Type: — IAQ

PO/Claim #: —

Sample Number:

8

Sample Location:

Media Center

Date Collected:

5/7/24

Test Requested:

Non-viable spore trap analysis

Date Analyzed:

5/8/24

Volume (L):

75

Percentage of Slide Read:

100.0%

Detection Limit:

13.33

Particulate Level:

low

Notes:

—

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>	6	80	spores/m ³	55%
Ascospores	5	67	spores/m ³	45%
Basidiospores		-	spores/m ³	-
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium/Aspergillus</i> Group		-	spores/m ³	-
Hyphal Elements		-	spores/m ³	-
<i>Alternaria</i>		-	spores/m ³	-
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoccum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrimum</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera/Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	11	147	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



LRC Indoor Testing and Research
 140 Iowa Lane, Suite 102
 Cary, NC 27511
 (919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools
Ian Adams
3020 S Wrightsville Ave.
Nags Head, NC
 —

Project #: 24-2420
Project Location: Cape Hatteras Secondary
Project Type: —
PO/Claim #: —

Sample Number: 9
Sample Location: Hall at 153
Date Collected: 5/7/24
Test Requested: Non-viable spore trap analysis
Date Analyzed: 5/8/24

Volume (L): 75
Percentage of Slide Read: 100.0%
Detection Limit: 13.33
Particulate Level: low
Notes: —

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>	7	93	spores/m ³	64%
Ascospores		-	spores/m ³	-
Basidiospores	1	13	spores/m ³	9%
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium/Aspergillus</i> Group	2	27	spores/m ³	18%
Hyphal Elements	1	13	spores/m ³	9%
<i>Alternaria</i>		-	spores/m ³	-
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoccum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrrium</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera/Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	11	147	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools

Ian Adams

3020 S Wrightsville Ave.

Nags Head, NC

—

Project #: 24-2420

Project Location:

Cape Hatteras Secondary

Project Type: IAQ

PO/Claim #: —

Sample Number: 10

Sample Location: Gym

Date Collected: 5/7/24

Test Requested: Non-viable spore trap analysis

Date Analyzed: 5/8/24

Volume (L): 75

Percentage of Slide Read: 100.0%

Detection Limit: 13.33

Particulate Level: low

Notes:

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>		-	spores/m ³	-
Ascospores	2	27	spores/m ³	67%
Basidiospores	1	13	spores/m ³	33%
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium</i> / <i>Aspergillus</i> Group		-	spores/m ³	-
Hyphal Elements		-	spores/m ³	-
<i>Alternaria</i>		-	spores/m ³	-
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoccum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrrium</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera</i> / <i>Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	3	40	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



LRC Indoor Testing and Research

140 Iowa Lane, Suite 102

Cary, NC 27511

(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools

Ian Adams

3020 S Wrightsville Ave.

Nags Head, NC

—

Project #: 24-2420

Project Location:

Cape Hatteras Secondary

Project Type: — IAQ

PO/Claim #: —

Sample Number:

11

Sample Location:

Aux Gym

Date Collected:

5/7/24

Test Requested:

Non-viable spore trap analysis

Date Analyzed:

5/8/24

Volume (L):

75

Percentage of Slide Read:

100.0%

Detection Limit:

13.33

Particulate Level:

low

Notes:

—

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>	4	53	spores/m ³	67%
Ascospores	1	13	spores/m ³	17%
Basidiospores		-	spores/m ³	-
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium/Aspergillus</i> Group	1	13	spores/m ³	17%
Hyphal Elements		-	spores/m ³	-
<i>Alternaria</i>		-	spores/m ³	-
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoecum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrrium</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera/Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	6	80	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools

Ian Adams

3020 S Wrightsville Ave.

Nags Head, NC

—

Project #: 24-2420

Project Location:

Cape Hatteras Secondary

Project Type: IAQ

PO/Claim #: —

Sample Number: 12

Sample Location: Hall at 151

Date Collected: 5/7/24

Test Requested: Non-viable spore trap analysis

Date Analyzed: 5/8/24

Volume (L): 75

Percentage of Slide Read: 100.0%

Detection Limit: 13.33

Particulate Level: low

Notes:

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>	1	13	spores/m ³	100%
Ascospores		-	spores/m ³	-
Basidiospores		-	spores/m ³	-
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium/Aspergillus</i> Group		-	spores/m ³	-
Hyphal Elements		-	spores/m ³	-
<i>Alternaria</i>		-	spores/m ³	-
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoccum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrimum</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera/Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	1	13	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



LRC Indoor Testing and Research

140 Iowa Lane, Suite 102

Cary, NC 27511

(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools

Ian Adams

3020 S Wrightsville Ave.

Nags Head, NC

—

Project #: 24-2420

Project Location:

Cape Hatteras Secondary

Project Type: IAQ

PO/Claim #: —

Sample Number: 13

Sample Location: CR 149

Date Collected: 5/7/24

Test Requested: Non-viable spore trap analysis

Date Analyzed: 5/8/24

Volume (L): 75

Percentage of Slide Read: 100.0%

Detection Limit: 13.33

Particulate Level: low

Notes:

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>		-	spores/m ³	-
Ascospores	1	13	spores/m ³	100%
Basidiospores		-	spores/m ³	-
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium/Aspergillus</i> Group		-	spores/m ³	-
Hyphal Elements		-	spores/m ³	-
<i>Alternaria</i>		-	spores/m ³	-
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoccum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrrium</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera/Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	1	13	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



LRC Indoor Testing and Research

140 Iowa Lane, Suite 102

Cary, NC 27511

(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools

Ian Adams

3020 S Wrightsville Ave.

Nags Head, NC

—

Project #: 24-2420

Project Location:

Cape Hatteras Secondary

Project Type: IAQ

PO/Claim #: —

Sample Number: 14

Sample Location: Music Room

Date Collected: 5/7/24

Test Requested: Non-viable spore trap analysis

Date Analyzed: 5/8/24

Volume (L): 75

Percentage of Slide Read: 100.0%

Detection Limit: 13.33

Particulate Level: low

Notes: —

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>	7	93	spores/m ³	32%
Ascospores	6	80	spores/m ³	27%
Basidiospores	8	107	spores/m ³	36%
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium/Aspergillus</i> Group		-	spores/m ³	-
Hyphal Elements		-	spores/m ³	-
<i>Alternaria</i>	1	13	spores/m ³	5%
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoccum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrinium</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera/Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	22	293	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



LRC Indoor Testing and Research

140 Iowa Lane, Suite 102

Cary, NC 27511

(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools

Ian Adams

3020 S Wrightsville Ave.

Nags Head, NC

—

Project #: 24-2420

Project Location:

Cape Hatteras Secondary

Project Type: — IAQ

PO/Claim #: —

Sample Number: 15

Sample Location: Auditorium

Date Collected: 5/7/24

Test Requested: Non-viable spore trap analysis

Date Analyzed: 5/8/24

Volume (L): 75

Percentage of Slide Read: 100.0%

Detection Limit: 13.33

Particulate Level: low

Notes: —

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>	10	133	spores/m ³	67%
Ascospores	2	27	spores/m ³	13%
Basidiospores	2	27	spores/m ³	13%
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium/Aspergillus</i> Group		-	spores/m ³	-
Hyphal Elements	1	13	spores/m ³	7%
<i>Alternaria</i>		-	spores/m ³	-
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoccum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrimum</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera/Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	15	200	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



LRC Indoor Testing and Research

140 Iowa Lane, Suite 102

Cary, NC 27511

(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools

Ian Adams

3020 S Wrightsville Ave.

Nags Head, NC

—

Project #: 24-2420

Project Location:

Cape Hatteras Secondary

Project Type: — IAQ

PO/Claim #: —

Sample Number: 16

Sample Location: Hall at CR 205

Date Collected: 5/7/24

Test Requested: Non-viable spore trap analysis

Date Analyzed: 5/8/24

Volume (L): 75

Percentage of Slide Read: 100.0%

Detection Limit: 13.33

Particulate Level: low

Notes: —

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>	3	40	spores/m ³	38%
Ascospores	3	40	spores/m ³	38%
Basidiospores	1	13	spores/m ³	13%
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium/Aspergillus</i> Group	1	13	spores/m ³	13%
Hyphal Elements		-	spores/m ³	-
<i>Alternaria</i>		-	spores/m ³	-
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoccum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrrium</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera/Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	8	107	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



LRC Indoor Testing and Research

140 Iowa Lane, Suite 102

Cary, NC 27511

(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools

Ian Adams

3020 S Wrightsville Ave.

Nags Head, NC

—

Project #: 24-2420

Project Location:

Cape Hatteras Secondary

Project Type: — IAQ

PO/Claim #: —

Sample Number: 17

Sample Location: CR 209

Date Collected: 5/7/24

Test Requested: Non-viable spore trap analysis

Date Analyzed: 5/8/24

Volume (L): 75

Percentage of Slide Read: 100.0%

Detection Limit: 13.33

Particulate Level: low

Notes:

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>		-	spores/m ³	-
Ascospores	1	13	spores/m ³	50%
Basidiospores	1	13	spores/m ³	50%
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium/Aspergillus</i> Group		-	spores/m ³	-
Hyphal Elements		-	spores/m ³	-
<i>Alternaria</i>		-	spores/m ³	-
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoccum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrrium</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera/Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	2	27	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



LRC Indoor Testing and Research

140 Iowa Lane, Suite 102

Cary, NC 27511

(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools

Ian Adams

3020 S Wrightsville Ave.

Nags Head, NC

—

Project #: 24-2420

Project Location:

Cape Hatteras Secondary

Project Type: — IAQ

PO/Claim #: —

Sample Number: 18

Sample Location: Hall at 352

Date Collected: 5/7/24

Test Requested: Non-viable spore trap analysis

Date Analyzed: 5/8/24

Volume (L): 75

Percentage of Slide Read: 100.0%

Detection Limit: 13.33

Particulate Level: low

Notes:

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>	21	280	spores/m ³	81%
Ascospores	4	53	spores/m ³	15%
Basidiospores	1	13	spores/m ³	4%
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium/Aspergillus</i> Group		-	spores/m ³	-
Hyphal Elements		-	spores/m ³	-
<i>Alternaria</i>		-	spores/m ³	-
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoccum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrrium</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera/Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	26	347	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



LRC Indoor Testing and Research

140 Iowa Lane, Suite 102

Cary, NC 27511

(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools

Ian Adams

3020 S Wrightsville Ave.

Nags Head, NC

—

Project #: 24-2420

Project Location:

Cape Hatteras Secondary

Project Type: IAQ

PO/Claim #: —

Sample Number: 19

Sample Location: Hall at 359

Date Collected: 5/7/24

Test Requested: Non-viable spore trap analysis

Date Analyzed: 5/8/24

Volume (L): 75

Percentage of Slide Read: 100.0%

Detection Limit: 13.33

Particulate Level: low

Notes:

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>	1	13	spores/m ³	20%
Ascospores	2	27	spores/m ³	40%
Basidiospores	2	27	spores/m ³	40%
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium/Aspergillus</i> Group		-	spores/m ³	-
Hyphal Elements		-	spores/m ³	-
<i>Alternaria</i>		-	spores/m ³	-
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoccum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrrium</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera/Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	5	67	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



LRC Indoor Testing and Research
 140 Iowa Lane, Suite 102
 Cary, NC 27511
 (919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools
Ian Adams
3020 S Wrightsville Ave.
Nags Head, NC
 —

Project #: 24-2420
Project Location: Cape Hatteras Secondary
Project Type: —
PO/Claim #: —

Sample Number: 20
Sample Location: CR 356
Date Collected: 5/7/24
Test Requested: Non-viable spore trap analysis
Date Analyzed: 5/8/24

Volume (L): 75
Percentage of Slide Read: 100.0%
Detection Limit: 13.33
Particulate Level: low
Notes: —

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>	1	13	spores/m ³	25%
Ascospores	2	27	spores/m ³	50%
Basidiospores	1	13	spores/m ³	25%
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium/Aspergillus</i> Group		-	spores/m ³	-
Hyphal Elements		-	spores/m ³	-
<i>Alternaria</i>		-	spores/m ³	-
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoccum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrrium</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera/Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	4	53	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



LRC Indoor Testing and Research

140 Iowa Lane, Suite 102

Cary, NC 27511

(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools

Ian Adams

3020 S Wrightsville Ave.

Nags Head, NC

—

Project #: 24-2420

Project Location:

Cape Hatteras Secondary

Project Type: IAQ

PO/Claim #: —

Sample Number: 21

Sample Location: CR 361

Date Collected: 5/7/24

Test Requested: Non-viable spore trap analysis

Date Analyzed: 5/8/24

Volume (L): 75

Percentage of Slide Read: 100.0%

Detection Limit: 13.33

Particulate Level: low

Notes:

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>		-	spores/m ³	-
Ascospores	1	13	spores/m ³	100%
Basidiospores		-	spores/m ³	-
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium/Aspergillus</i> Group		-	spores/m ³	-
Hyphal Elements		-	spores/m ³	-
<i>Alternaria</i>		-	spores/m ³	-
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoccum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrrium</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera/Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	1	13	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.

**Certificate of Laboratory Analysis**

Non-Viable Spore Trap Analysis

Dare County Schools

Ian Adams

3020 S Wrightsville Ave.

Nags Head, NC

-

Project #: 24-2420

Project Location:

Cape Hatteras Secondary

Project Type: IAQ

PO/Claim #: -

Sample Number: 22

Sample Location: Auditorium Dressing Area

Date Collected: 5/7/24

Test Requested: Non-viable spore trap analysis

Date Analyzed: 5/8/24

Volume (L): 75

Percentage of Slide Read: 100.0%

Detection Limit: 13.33

Particulate Level: low

Notes:

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>	1	13	spores/m ³	10%
Ascospores	6	80	spores/m ³	60%
Basidiospores	3	40	spores/m ³	30%
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium/Aspergillus</i> Group		-	spores/m ³	-
Hyphal Elements		-	spores/m ³	-
<i>Alternaria</i>		-	spores/m ³	-
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoccum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrrium</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera/Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	10	133	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



LRC Indoor Testing and Research

140 Iowa Lane, Suite 102

Cary, NC 27511

(919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools

Ian Adams

3020 S Wrightsville Ave.

Nags Head, NC

—

Project #: 24-2420

Project Location:

Cape Hatteras Secondary

Project Type: — IAQ

PO/Claim #: —

Sample Number: 23

Sample Location: Hall at weight Room

Date Collected: 5/7/24

Test Requested: Non-viable spore trap analysis

Date Analyzed: 5/8/24

Volume (L): 75

Percentage of Slide Read: 100.0%

Detection Limit: 13.33

Particulate Level: low

Notes:

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>	4	53	spores/m ³	36%
Ascospores	3	40	spores/m ³	27%
Basidiospores	2	27	spores/m ³	18%
Smuts, <i>Periconia</i> , Myxomycetes		-	spores/m ³	-
<i>Penicillium/Aspergillus</i> Group	1	13	spores/m ³	9%
Hyphal Elements	1	13	spores/m ³	9%
<i>Alternaria</i>		-	spores/m ³	-
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoccum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrrium</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera/Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	11	147	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



LRC Indoor Testing and Research
 140 Iowa Lane, Suite 102
 Cary, NC 27511
 (919) 342-4936

Certificate of Laboratory Analysis

Non-Viable Spore Trap Analysis

Dare County Schools
Ian Adams
3020 S Wrightsville Ave.
Nags Head, NC
 —

Project #: 24-2420
Project Location: Cape Hatteras Secondary
Project Type: —
PO/Claim #: —

Sample Number: 24
Sample Location: Outdoor Air
Date Collected: 5/7/24
Test Requested: Non-viable spore trap analysis
Date Analyzed: 5/8/24

Volume (L): 75
Percentage of Slide Read: 100.0%
Detection Limit: 13.33
Particulate Level: low
Notes: —

Spore Identification	Count	Results	Units	Percentage
<i>Cladosporium</i>	34	453	spores/m ³	36%
Ascospores	49	653	spores/m ³	52%
Basidiospores	6	80	spores/m ³	6%
Smuts, <i>Periconia</i> , Myxomycetes	2	27	spores/m ³	2%
<i>Penicillium/Aspergillus</i> Group	1	13	spores/m ³	1%
Hyphal Elements	1	13	spores/m ³	1%
<i>Alternaria</i>	1	13	spores/m ³	1%
<i>Curvularia</i>		-	spores/m ³	-
<i>Epicoccum</i>		-	spores/m ³	-
<i>Cercospora</i>		-	spores/m ³	-
<i>Arthrimum</i>		-	spores/m ³	-
Clear Brown		-	spores/m ³	-
Colorless		-	spores/m ³	-
<i>Trichocladium</i>		-	spores/m ³	-
Unidentified		-	spores/m ³	-
<i>Ulocladium</i>		-	spores/m ³	-
Torula		-	spores/m ³	-
<i>Pithomyces</i>		-	spores/m ³	-
Rust		-	spores/m ³	-
<i>Drechslera/Bipolaris</i>		-	spores/m ³	-
<i>Tetraploa</i>		-	spores/m ³	-
<i>Chaetomium</i>		-	spores/m ³	-
<i>Stachybotrys</i>		-	spores/m ³	-
		-	spores/m ³	-
Total Spores	94	1253	spores/m³	

Analyzed by: Cathy A. Richmond, B.S.



LRC Indoor Testing and Research

140 Iowa Lane, Suite 102

Cary, NC 27511

(919) 342-4936

Certificate of Laboratory Analysis

Project #: **24-2420**

Report Information:

DETECTION LIMITS (DL) for samples are the minimum number of spores or colonies forming units that can be satisfactorily identified for each sample type.

SPORE TRAP SAMPLES: Calculations based on volume of air sampled & percentage of slide counted, i.e. DL = 1000 L / 75 L if 100% of the slide is counted.

CODE 11: Fungal content and/or particulate level on slide too heavy to identify and enumerate fungal content.

Footnotes:

1. *Penicillium/Aspergillus* group spores are characterized by their small size, round to ovoid shape, being unicellular and usually colorless to lightly pigmented. There are numerous genera of fungi whose spore morphology is similar to that of the *Penicillium/Aspergillus* type. Several common examples would be *Acremonium*, *Paecilomyces*, and *Trichoderma*. Although the majority of spores placed in this group are *Penicillium*, *Aspergillus*, or a combination of both, these are not the only two possibilities.
2. Basidiospores are primarily transported indoors from outdoor sources and rarely grow indoors. A high basidiospore count indoors can be indicative of a wood decay problem or wet soil, and should be verified if and an outdoor source of the spores is not present.
3. Hyphae are the tubular filaments of fungi. Hyphae can fragment and become airborne much like spores and are potentially allergenic.
4. The Smut, *Periconia*, Myxomycete group is a group composed of three different types of organisms whose spores have similar morphologies. Smuts are plant pathogens, *Periconia* is a relatively uncommon mold indoors, and Myxomycetes are not fungi, but slime molds. Although these organisms do not typically proliferate indoors, their spores are potentially allergenic.
5. Rusts are plant pathogens. These fungi do not typically grow indoors unless an infected plant is present. Rust spores are potentially allergenic.

Chain of Custody available on request

Direct Microscopic Exam Reporting:

We use a 400x-600x magnification microscope.

Reporting Quantification Levels are as follows:

Reporting Level	Quantitative Description
Occasional	1-10 per square inch
Few	11-100 per square inch
Moderate	101-1000 per square inch
Numerous	More than 1,000 per square inch

Submitted By Analyst:

Cathy A. Richmond, BS

5/8/2024