

November 25, 2020

Kevin Storszberg  
Whitesboro Central School District  
65 Oriskany Boulevard  
Suite 1  
Whitesboro, NY 13492

RE: Project: MARCY ELEMENTARY  
Pace Project No.: 70154188

Dear Kevin Storszberg:

Enclosed are the analytical results for sample(s) received by the laboratory on November 19, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Nicolette M. Lovari  
nicolette.lovari@pacelabs.com  
(631)694-3040  
Project Manager

Enclosures

cc: Brian Bellair, Whitesboro Central School District



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

---

### **Pace Analytical Services Long Island**

575 Broad Hollow Rd, Melville, NY 11747

New York Certification #: 10478 Primary Accrediting Body

New Jersey Certification #: NY158

Pennsylvania Certification #: 68-00350

Connecticut Certification #: PH-0435

Maryland Certification #: 208

Rhode Island Certification #: LAO00340

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME1		Lab ID: 70154188001	Collected: 11/13/20 06:28	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>20.2</b>	ug/L	1.0	1		11/23/20 16:10	7439-92-1	M1

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME2		Lab ID: 70154188002	Collected: 11/13/20 06:27	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>34.4</b>	ug/L	1.0	1		11/23/20 16:12	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME3	Lab ID: 70154188003	Collected: 11/13/20 06:26	Received: 11/19/20 11:55	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>35.8</b>	ug/L	1.0	1		11/23/20 16:13	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME4		Lab ID: 70154188004	Collected: 11/13/20 06:24	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>45.4</b>	ug/L	1.0	1		11/23/20 16:14	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME5		Lab ID: 70154188005	Collected: 11/13/20 06:23	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>19.2</b>	ug/L	1.0	1		11/23/20 16:15	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME6		Lab ID: 70154188006	Collected: 11/13/20 06:21	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>12.1</b>	ug/L	1.0	1		11/23/20 16:18	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

<b>Sample: ME7</b>		<b>Lab ID: 70154188007</b>	Collected: 11/13/20 06:20	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>5.9</b>	ug/L	1.0	1		11/23/20 16:19	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY  
Pace Project No.: 70154188

Sample: ME8		Lab ID: 70154188008	Collected: 11/13/20 06:19	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.5</b>	ug/L	1.0	1		11/23/20 16:20	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME13		Lab ID: 70154188009		Collected: 11/13/20 06:16	Received: 11/19/20 11:55	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.7	ug/L	1.0	1		11/23/20 16:21	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME16		Lab ID: 70154188010	Collected: 11/13/20 06:17	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.4	ug/L	1.0	1		11/23/20 16:22	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME17		Lab ID: 70154188011	Collected: 11/13/20 06:14	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		11/23/20 16:25	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME18	Lab ID: 70154188012	Collected: 11/13/20 05:11	Received: 11/19/20 11:55	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>1.8</b>	ug/L	1.0	1		11/23/20 16:30	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME19		Lab ID: 70154188013		Collected: 11/13/20 05:12	Received: 11/19/20 11:55	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/23/20 16:31	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME20		Lab ID: 70154188014	Collected: 11/13/20 05:22	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>8.3</b>	ug/L	1.0	1		11/23/20 16:32	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME22		Lab ID: 70154188015	Collected: 11/13/20 05:24	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>8.5</b>	ug/L	1.0	1		11/23/20 16:33	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME23		Lab ID: 70154188016	Collected: 11/13/20 05:17	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>13.4</b>	ug/L	1.0	1		11/23/20 16:34	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME24		Lab ID: 70154188017	Collected: 11/13/20 05:14	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>10.1</b>	ug/L	1.0	1		11/23/20 16:34	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME25		Lab ID: 70154188018	Collected: 11/13/20 05:15	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>22.9</b>	ug/L	1.0	1		11/23/20 16:35	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME26		Lab ID: 70154188019	Collected: 11/13/20 05:16	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>7.5</b>	ug/L	1.0	1		11/23/20 16:37	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME27		Lab ID: 70154188020	Collected: 11/13/20 05:27	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.5	ug/L	1.0	1		11/23/20 16:37	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME28		Lab ID: 70154188021	Collected: 11/13/20 05:28	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>8.2</b>	ug/L	1.0	1		11/23/20 16:38	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME29		Lab ID: 70154188022		Collected: 11/13/20 05:29	Received: 11/19/20 11:55	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>8.7</b>	ug/L	1.0	1		11/23/20 16:43	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME30	Lab ID: 70154188023	Collected: 11/13/20 05:36	Received: 11/19/20 11:55	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>47.5</b>	ug/L	1.0	1		11/23/20 16:44	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME31		Lab ID: 70154188024	Collected: 11/13/20 05:37	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>18.3</b>	ug/L	1.0	1		11/23/20 16:45	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME32		Lab ID: 70154188025	Collected: 11/13/20 05:42	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>8.6</b>	ug/L	1.0	1		11/23/20 16:46	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME33	Lab ID: 70154188026	Collected: 11/13/20 05:44	Received: 11/19/20 11:55	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>6.6</b>	ug/L	1.0	1		11/23/20 16:47	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME34	Lab ID: 70154188027	Collected: 11/13/20 05:45	Received: 11/19/20 11:55	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>12.0</b>	ug/L	1.0	1		11/23/20 16:48	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME36		Lab ID: 70154188028	Collected: 11/13/20 06:38	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>15.7</b>	ug/L	1.0	1		11/23/20 16:49	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME37		Lab ID: 70154188029	Collected: 11/13/20 06:42	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/23/20 16:50	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME39		Lab ID: 70154188030	Collected: 11/13/20 06:52	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/23/20 16:53	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME40		Lab ID: 70154188031	Collected: 11/13/20 06:53	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/23/20 16:56	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME41	Lab ID: 70154188032	Collected: 11/13/20 06:44	Received: 11/19/20 11:55	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>6.0</b>	ug/L	1.0	1		11/23/20 16:58	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME42		Lab ID: 70154188033	Collected: 11/13/20 06:45	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/23/20 16:59	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME45		Lab ID: 70154188034	Collected: 11/13/20 06:47	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>21.2</b>	ug/L	1.0	1		11/23/20 17:00	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME46		Lab ID: 70154188035	Collected: 11/13/20 06:50	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/23/20 17:01	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME49		Lab ID: 70154188036	Collected: 11/13/20 06:08	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>10.5</b>	ug/L	1.0	1		11/23/20 17:04	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME50		Lab ID: 70154188037	Collected: 11/13/20 06:09	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>1.9</b>	ug/L	1.0	1		11/23/20 17:05	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME52		Lab ID: 70154188038	Collected: 11/13/20 06:04	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>12.3</b>	ug/L	1.0	1		11/23/20 17:06	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME53		Lab ID: 70154188039	Collected: 11/13/20 06:05	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>1.9</b>	ug/L	1.0	1		11/23/20 17:07	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME55		Lab ID: 70154188040	Collected: 11/13/20 06:10	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>27.5</b>	ug/L	1.0	1		11/23/20 17:08	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME56		Lab ID: 70154188041	Collected: 11/13/20 06:11	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>3.5</b>	ug/L	1.0	1		11/23/20 17:09	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

<b>Sample: ME58</b>		<b>Lab ID: 70154188042</b>		Collected: 11/13/20 06:02	Received: 11/19/20 11:55	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>31.2</b>	ug/L	1.0	1		11/23/20 17:12	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME59		Lab ID: 70154188043		Collected: 11/13/20 06:03	Received: 11/19/20 11:55	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.3	ug/L	1.0	1		11/23/20 17:13	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME63		Lab ID: 70154188044	Collected: 11/13/20 05:59	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	7.1	ug/L	1.0	1		11/23/20 17:16	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME64		Lab ID: 70154188045	Collected: 11/13/20 06:00	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/23/20 17:17	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME66		Lab ID: 70154188046	Collected: 11/13/20 05:57	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>64.7</b>	ug/L	1.0	1		11/23/20 17:18	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME67		Lab ID: 70154188047	Collected: 11/13/20 05:58	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.5</b>	ug/L	1.0	1		11/23/20 17:19	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME69		Lab ID: 70154188048	Collected: 11/13/20 05:52	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>28.7</b>	ug/L	1.0	1		11/23/20 17:20	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: ME70</b>								
<b>Lab ID: 70154188049</b>								
Collected: 11/13/20 05:53								
Received: 11/19/20 11:55								
Matrix: Drinking Water								
<b>200.8 MET ICPMS Drinking Water</b>								
Analytical Method: EPA 200.8								
Pace Analytical Services - Melville								
Lead	<b>2.3</b>	ug/L	1.0	1		11/23/20 17:21	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME72		Lab ID: 70154188050	Collected: 11/13/20 05:51	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>12.5</b>	ug/L	1.0	1		11/23/20 17:22	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME73		Lab ID: 70154188051	Collected: 11/13/20 05:49	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>1.2</b>	ug/L	1.0	1		11/23/20 17:24	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME75	Lab ID: 70154188052	Collected: 11/13/20 05:05	Received: 11/19/20 11:55	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>3.0</b>	ug/L	1.0	1		11/23/20 17:29	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME76		Lab ID: 70154188053	Collected: 11/13/20 05:07	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.1</b>	ug/L	1.0	1		11/23/20 17:30	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY  
Pace Project No.: 70154188

Sample: ME77		Lab ID: 70154188054	Collected: 11/13/20 04:57	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>3.7</b>	ug/L	1.0	1		11/23/20 17:31	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME78		Lab ID: 70154188055	Collected: 11/13/20 05:02	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>77.7</b>	ug/L	1.0	1		11/23/20 17:32	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

<b>Sample: ME79</b>		<b>Lab ID: 70154188056</b>	Collected: 11/13/20 04:59	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>44.7</b>	ug/L	1.0	1		11/23/20 17:33	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME80		Lab ID: 70154188057	Collected: 11/13/20 04:54	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>69.1</b>	ug/L	1.0	1		11/23/20 17:34	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME81		Lab ID: 70154188058		Collected: 11/13/20 04:25	Received: 11/19/20 11:55	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		11/23/20 17:35	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME83		Lab ID: 70154188059	Collected: 11/13/20 04:49	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>33.9</b>	ug/L	1.0	1		11/23/20 17:36	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME85		Lab ID: 70154188060	Collected: 11/13/20 04:34	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.3	ug/L	1.0	1		11/23/20 17:39	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME86		Lab ID: 70154188061	Collected: 11/13/20 04:29	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>15.0</b>	ug/L	1.0	1		11/23/20 17:40	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME87		Lab ID: 70154188062	Collected: 11/13/20 04:30	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>12.0</b>	ug/L	1.0	1		11/23/20 17:43	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME88		Lab ID: 70154188063	Collected: 11/13/20 04:31	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>11.0</b>	ug/L	1.0	1		11/23/20 17:44	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME89		Lab ID: 70154188064	Collected: 11/13/20 04:32	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>25.6</b>	ug/L	1.0	1		11/23/20 17:45	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME90		Lab ID: 70154188065	Collected: 11/13/20 04:33	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>9.8</b>	ug/L	1.0	1		11/23/20 17:46	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME91		Lab ID: 70154188066		Collected: 11/13/20 04:34	Received: 11/19/20 11:55	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	11.1	ug/L	1.0	1		11/23/20 17:46	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME92		Lab ID: 70154188067	Collected: 11/13/20 04:35	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>3.8</b>	ug/L	1.0	1		11/23/20 17:47	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME93		Lab ID: 70154188068	Collected: 11/13/20 04:36	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>11.3</b>	ug/L	1.0	1		11/23/20 17:50	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME97		Lab ID: 70154188069	Collected: 11/13/20 04:10	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.2</b>	ug/L	1.0	1		11/23/20 17:51	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

<b>Sample: ME98</b>		<b>Lab ID: 70154188070</b>		Collected: 11/13/20 04:24	Received: 11/19/20 11:55	Matrix: Drinking Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>1.8</b>	ug/L	1.0	1		11/23/20 17:52	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

Sample: ME99		Lab ID: 70154188071	Collected: 11/13/20 04:04	Received: 11/19/20 11:55	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<b>2.7</b>	ug/L	1.0	1		11/23/20 17:55	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: MARCY ELEMENTARY  
Pace Project No.: 70154188

QC Batch:	186938	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70154188001, 70154188002, 70154188003, 70154188004, 70154188005, 70154188006, 70154188007, 70154188008, 70154188009, 70154188010

METHOD BLANK: 916474 Matrix: Water  
Associated Lab Samples: 70154188001, 70154188002, 70154188003, 70154188004, 70154188005, 70154188006, 70154188007, 70154188008, 70154188009, 70154188010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/23/20 15:55	

LABORATORY CONTROL SAMPLE: 916475

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.9	102	85-115	

MATRIX SPIKE SAMPLE: 916479

Parameter	Units	70154188001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	20.2	4	26.8	166	70-130	M1

MATRIX SPIKE SAMPLE: 916734

Parameter	Units	70154141001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.2	4	6.7	111	70-130	

SAMPLE DUPLICATE: 916478

Parameter	Units	70154188001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	20.2	20.5	2	

SAMPLE DUPLICATE: 916733

Parameter	Units	70154141001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	2.2	2.2	3	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: MARCY ELEMENTARY  
Pace Project No.: 70154188

QC Batch:	186939	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70154188011, 70154188012, 70154188013, 70154188014, 70154188015, 70154188016, 70154188017, 70154188018, 70154188019, 70154188020, 70154188021, 70154188022, 70154188023, 70154188024, 70154188025, 70154188026, 70154188027, 70154188028, 70154188029, 70154188030

METHOD BLANK: 916480 Matrix: Water  
Associated Lab Samples: 70154188011, 70154188012, 70154188013, 70154188014, 70154188015, 70154188016, 70154188017, 70154188018, 70154188019, 70154188020, 70154188021, 70154188022, 70154188023, 70154188024, 70154188025, 70154188026, 70154188027, 70154188028, 70154188029, 70154188030

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/23/20 16:23	

LABORATORY CONTROL SAMPLE: 916481

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.6	101	85-115	

MATRIX SPIKE SAMPLE: 916483

Parameter	Units	70154188011 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	4	5.1	126	70-130	

MATRIX SPIKE SAMPLE: 916485

Parameter	Units	70154188021 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	8.2	4	13.1	121	70-130	

SAMPLE DUPLICATE: 916482

Parameter	Units	70154188011 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 916484

Parameter	Units	70154188021 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	8.2	8.3	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: MARCY ELEMENTARY  
Pace Project No.: 70154188

QC Batch:	186940	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70154188031, 70154188032, 70154188033, 70154188034, 70154188035, 70154188036, 70154188037, 70154188038, 70154188039, 70154188040, 70154188041, 70154188042, 70154188043, 70154188044, 70154188045, 70154188046, 70154188047, 70154188048, 70154188049, 70154188050		

METHOD BLANK:	916487	Matrix:	Water
Associated Lab Samples:	70154188031, 70154188032, 70154188033, 70154188034, 70154188035, 70154188036, 70154188037, 70154188038, 70154188039, 70154188040, 70154188041, 70154188042, 70154188043, 70154188044, 70154188045, 70154188046, 70154188047, 70154188048, 70154188049, 70154188050		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/23/20 16:54	

LABORATORY CONTROL SAMPLE:	916488					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.8	102	85-115	

MATRIX SPIKE SAMPLE:	916490						
Parameter	Units	70154188031 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	4	5.4	125	70-130	

MATRIX SPIKE SAMPLE:	916492						
Parameter	Units	70154188041 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	3.5	4	8.5	126	70-130	

SAMPLE DUPLICATE:	916489				
Parameter	Units	70154188031 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE:	916491				
Parameter	Units	70154188041 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	3.5	3.5	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: MARCY ELEMENTARY  
Pace Project No.: 70154188

QC Batch:	186941	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70154188051, 70154188052, 70154188053, 70154188054, 70154188055, 70154188056, 70154188057, 70154188058, 70154188059, 70154188060, 70154188061, 70154188062, 70154188063, 70154188064, 70154188065, 70154188066, 70154188067, 70154188068, 70154188069, 70154188070

METHOD BLANK: 916494 Matrix: Water  
Associated Lab Samples: 70154188051, 70154188052, 70154188053, 70154188054, 70154188055, 70154188056, 70154188057, 70154188058, 70154188059, 70154188060, 70154188061, 70154188062, 70154188063, 70154188064, 70154188065, 70154188066, 70154188067, 70154188068, 70154188069, 70154188070

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/23/20 17:23	

LABORATORY CONTROL SAMPLE: 916495

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.2	102	85-115	

MATRIX SPIKE SAMPLE: 916497

Parameter	Units	70154188051 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.2	4	6.3	128	70-130	

MATRIX SPIKE SAMPLE: 916499

Parameter	Units	70154188061 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	15.0	4	19.9	121	70-130	

SAMPLE DUPLICATE: 916496

Parameter	Units	70154188051 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.2	1.1	2	

SAMPLE DUPLICATE: 916498

Parameter	Units	70154188061 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	15.0	15.0	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: MARCY ELEMENTARY  
Pace Project No.: 70154188

QC Batch: 186942	Analysis Method: EPA 200.8
QC Batch Method: EPA 200.8	Analysis Description: 200.8 MET No Prep Drinking Water
	Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70154188071

METHOD BLANK: 916500 Matrix: Water

Associated Lab Samples: 70154188071

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	11/23/20 17:53	

LABORATORY CONTROL SAMPLE: 916501

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.7	101	85-115	

MATRIX SPIKE SAMPLE: 916503

Parameter	Units	70154188071 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.7	4	7.5	119	70-130	

SAMPLE DUPLICATE: 916502

Parameter	Units	70154188071 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	2.7	2.7	3	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: MARCY ELEMENTARY

Pace Project No.: 70154188

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### WORKORDER QUALIFIERS

WO: 70154188

[1] Did not receive sample "DE77 Bathroom Sink RM 29"

### ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: MARCY ELEMENTARY  
Pace Project No.: 70154188

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70154188001	ME1	EPA 200.8	186938		
70154188002	ME2	EPA 200.8	186938		
70154188003	ME3	EPA 200.8	186938		
70154188004	ME4	EPA 200.8	186938		
70154188005	ME5	EPA 200.8	186938		
70154188006	ME6	EPA 200.8	186938		
70154188007	ME7	EPA 200.8	186938		
70154188008	ME8	EPA 200.8	186938		
70154188009	ME13	EPA 200.8	186938		
70154188010	ME16	EPA 200.8	186938		
70154188011	ME17	EPA 200.8	186939		
70154188012	ME18	EPA 200.8	186939		
70154188013	ME19	EPA 200.8	186939		
70154188014	ME20	EPA 200.8	186939		
70154188015	ME22	EPA 200.8	186939		
70154188016	ME23	EPA 200.8	186939		
70154188017	ME24	EPA 200.8	186939		
70154188018	ME25	EPA 200.8	186939		
70154188019	ME26	EPA 200.8	186939		
70154188020	ME27	EPA 200.8	186939		
70154188021	ME28	EPA 200.8	186939		
70154188022	ME29	EPA 200.8	186939		
70154188023	ME30	EPA 200.8	186939		
70154188024	ME31	EPA 200.8	186939		
70154188025	ME32	EPA 200.8	186939		
70154188026	ME33	EPA 200.8	186939		
70154188027	ME34	EPA 200.8	186939		
70154188028	ME36	EPA 200.8	186939		
70154188029	ME37	EPA 200.8	186939		
70154188030	ME39	EPA 200.8	186939		
70154188031	ME40	EPA 200.8	186940		
70154188032	ME41	EPA 200.8	186940		
70154188033	ME42	EPA 200.8	186940		
70154188034	ME45	EPA 200.8	186940		
70154188035	ME46	EPA 200.8	186940		
70154188036	ME49	EPA 200.8	186940		
70154188037	ME50	EPA 200.8	186940		
70154188038	ME52	EPA 200.8	186940		
70154188039	ME53	EPA 200.8	186940		
70154188040	ME55	EPA 200.8	186940		
70154188041	ME56	EPA 200.8	186940		
70154188042	ME58	EPA 200.8	186940		
70154188043	ME59	EPA 200.8	186940		
70154188044	ME63	EPA 200.8	186940		
70154188045	ME64	EPA 200.8	186940		
70154188046	ME66	EPA 200.8	186940		
70154188047	ME67	EPA 200.8	186940		
70154188048	ME69	EPA 200.8	186940		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: MARCY ELEMENTARY  
Pace Project No.: 70154188

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70154188049	ME70	EPA 200.8	186940		
70154188050	ME72	EPA 200.8	186940		
70154188051	ME73	EPA 200.8	186941		
70154188052	ME75	EPA 200.8	186941		
70154188053	ME76	EPA 200.8	186941		
70154188054	ME77	EPA 200.8	186941		
70154188055	ME78	EPA 200.8	186941		
70154188056	ME79	EPA 200.8	186941		
70154188057	ME80	EPA 200.8	186941		
70154188058	ME81	EPA 200.8	186941		
70154188059	ME83	EPA 200.8	186941		
70154188060	ME85	EPA 200.8	186941		
70154188061	ME86	EPA 200.8	186941		
70154188062	ME87	EPA 200.8	186941		
70154188063	ME88	EPA 200.8	186941		
70154188064	ME89	EPA 200.8	186941		
70154188065	ME90	EPA 200.8	186941		
70154188066	ME91	EPA 200.8	186941		
70154188067	ME92	EPA 200.8	186941		
70154188068	ME93	EPA 200.8	186941		
70154188069	ME97	EPA 200.8	186941		
70154188070	ME98	EPA 200.8	186941		
70154188071	ME99	EPA 200.8	186942		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.









# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

<b>Section A</b>		<b>Section B</b>		<b>Section C</b>	
<b>Required Client Information:</b>		<b>Required Project Information:</b>		<b>Invoice Information:</b>	
Company:	Whitesboro Central School District	Report To:	Kevin Storszberg	Attention:	
Address:	65 Oriskany Boulevard	Copy To:		Company Name:	
Whitesboro, NY 13492		Purchase Order #:		Address:	
Email:	kstorszberg@wcbo.org	Project Name:	Marcy Elementary	Pace Project Manager:	nicollette.lovan@paceelabs.com
Phone:	315-266-3312	Project #:		Pace Quote:	
Requested Due Date:				Pace Profile #:	8638
				Regulatory Agency	
				State / Location	
				NY	

ITEM #	MATRIX CODE	COLLECTED	SAMPLE TYPE (G=GRAB C=COMP)	DATE	TIME	DATE	TIME	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS	Received on	Temp in C	Sealed	Cooler	Samples	Intact
37	ME37	Room 64	DW	11-13	0642															
38	ME38	Room 64 (out of service)	DW		0652															
39	ME39		DW		0653															
40	ME40		DW		0644															
41	ME41	Room 70	DW		0645															
42	ME42	Room 70	DW																	
43	ME43	Room 70 (out of service)	DW																	
44	ME44	out of service	DW																	
45	ME45	Room 69	DW		0647															
46	ME46	Room 67	DW		0652															
47	ME47	Room 67 (out of service)	DW																	
48	ME48	out of service	DW																	

**ADDITIONAL COMMENTS:**  
 Room #15 added to  
 replace teacher names  
 as they change over  
 time. 2/4 names have  
 new teacher names already

**SAMPLER NAME AND SIGNATURE:**  
 PRINT Name of SAMPLER: Chris Putzer  
 SIGNATURE of SAMPLER: [Signature]  
 DATE Signed: 11-13-2020







# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

**Section A**

Required Client Information:

Company: Whitesboro Central School District  
 Address: 65 Oniskany Boulevard  
 Whitesboro, NY 13492  
 Email: ktatorsberg@wcbo.org  
 Phone: 315-266-3312 Fax:  
 Requested Due Date:

**Section B**

Required Project Information:

Report To: Kevin Stonszberg  
 Copy To:  
 Purchase Order #:  
 Project Name: Marcy Elementary  
 Project #:

**Section C**

Invoice Information:

Attention:  
 Company Name:  
 Address:  
 Pace Quote:  
 Pace Project Manager: nicollette.lovati@paceelabs.com  
 Pace Profile #: 8638

Regulatory Agency  
 State / Location  
 NY

ITEM #	MATRIX	CODE	COLLECTED		SAMPLE TYPE (G=GRAB C=COMP)	MATRIX CODE (see valid codes to left)	# OF CONTAINERS	Preservatives										Y/N	Analyses Test	Residual Chlorine (Y/N)
			START	END				Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other	Lead				
	Drinking Water	DW	DATE	TIME																
73		DW	11-13	0549	DW															
74		DW			DW															
75		DW		0505	DW															
76		DW		0507	DW															
77		DW		0457	DW															
78		DW		0502	DW															
79		DW		0459	DW															
80		DW		0454	DW															
81		DW		0425	DW															
82		DW			DW															
83		DW		0449	DW															
84		DW			DW															

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
Inaccessible hooked up to fluoridation							
					11/6/20	11:56	

TEMP in C	Received on	ice (Y/N)	Sealed (Y/N)	Cooler (Y/N)	Samples Intact (Y/N)

SAMPLER NAME AND SIGNATURE  
 PRINT Name of SAMPLER: Chris P. [Signature]  
 SIGNATURE of SAMPLER: [Signature] DATE Signed: 11-13-2020





# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

**Section A**  
**Required Client Information:**  
 Company: Whitesboro Central School District  
 Address: 65 Oriskany Boulevard  
 Whitesboro, NY 13492  
 Email: kstorszberg@wboro.org  
 Phone: 315-266-3312 Fax:  
 Requested Due Date:

**Section B**  
**Required Project Information:**  
 Report To: Kevin Storszberg  
 Copy To:  
 Purchase Order #:  
 Project Name: Marcy Elementary  
 Project #:

**Section C**  
**Invoice Information:**  
 Attention:  
 Company Name:  
 Address:  
 Pace Quote:  
 Pace Project Manager: nicollette.livani@pacelabs.com,  
 Pace Profile #: 8638

**Regulatory Agency**  
 State / Location  
 NY

ITEM #	MATRIX	CODE	COLLECTED		SAMPLE TYPE (G=GRAB C=COMP)	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	TEMP in C	Received on	Ice (Y/N)	Sealed (Y/N)	Cooler (Y/N)	Samples Intact (Y/N)				
			START DATE	END DATE														DATE	TIME	DATE	TIME
85	ME85	DW	11-13	0434	DW																
86	ME86	DW		0429	DW																
87	ME87	DW		0430	DW																
88	ME88	DW		0431	DW																
89	ME89	DW		0432	DW																
90	ME90	DW		0433	DW																
91	ME91	DW		0434	DW																
92	ME92	DW		0435	DW																
93	ME93	DW		0436	DW																
94	CP	ME97 - Mens Bath by Main Ent.		0410	DW																
95	CP	ME98 - Womens Bath by Main Ent.		0404	DW																
96	CP	ME99 - Urisex bath across from		0704	DW																
ADDITIONAL COMMENTS																					
ME97-urisex bath across from CP																					
Dom 52																					
SAMPLER NAME AND SIGNATURE																					
PRINT Name of SAMPLER: Chris Putek																					
SIGNATURE of SAMPLER: [Signature]																					
DATE Signed: 1-13-2020																					



Sample Condition Upon Receipt

WO#: 70154188

Client Name: WCS D

Project

PM: NML

Due Date: 12/07/20

CLIENT: WBCSD

Courier: [X] Fed Ex [ ] UPS [ ] USPS [ ] Client [ ] Commercial [ ] Pace [ ] Other

Tracking #: 7721 2141 3467

Custody Seal on Cooler/Box Present: [X] Yes [ ] No Seals intact: [X] Yes [ ] No

Temperature Blank Present: [ ] Yes [X] No

Packing Material: [ ] Bubble Wrap [ ] Bubble Bags [ ] Ziploc [X] None [ ] Other

Type of Ice: Wet Blue [X] None

Thermometer Used: TH091

Correction Factor: -0.2

[ ] Samples on ice, cooling process has begun

Cooler Temperature (°C): 20.1

Cooler Temperature Corrected (°C): 19.9

Date/Time 5035A kits placed in freezer

Temp should be above freezing to 6.0°C

USDA Regulated Soil ( [ ] N/A, water sample)

Date and Initials of person examining contents: KW 11/19/20

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? [ ] YES [ ] NO

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? [ ] Yes [ ] No

If Yes to either question, fill out a Regulated Soil Checklist (F-LI-C-010) and include with SCUR/COC paperwork.

Table with 16 rows and 2 main columns: Description and COMMENTS. Includes checkboxes for Chain of Custody, Sample Labels, and various preservation checks.

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted:

Date/Time:

Comments/ Resolution: