



April 26, 2021

Zach Nannestad
Douglas County School District
2812 N. Highway 85
Castle Rock, CO 80109

**Re: Coyote Creek Elementary School
2861 Baneberry Court in Littleton, CO 80129
Radon Sampling Assessment**

Dear Mr. Nannestad:

Quality Environmental Services & Technologies Inc. (QUEST) is pleased to assist Douglas County School District with the ongoing radon survey of its schools. At your request, QUEST conducted radon testing at Coyote Creek Elementary School, located at 2861 Baneberry Court in Littleton, Colorado.

Sixty-seven (67) AirChek radon test kits were placed on April 19, 2021 and were retrieved on April 21, 2021. The attached laboratory report identifies all locations to be within the EPA guideline of 4 pCi/L for acceptable radon concentrations.

If you have any questions, or if we may be of additional assistance, please contact QUEST, Inc. at 303-935-1573. We look forward to our continued association.

Sincerely,

A handwritten signature in black ink, appearing to read "Robert A. Woellner".

Robert A. Woellner
Senior Scientist
NEHA: NRPP Certification #105324RT

A handwritten signature in black ink, appearing to read "Anatole Konowal".

Anatole Konowal
Project Manager

Attachment: Laboratory Report

P8643 / ROBERT WOELLNER

Kit Number	Start Date	Start Time	End Date	End Time	Temp.	Facility	Building	Room	Project ID	Floor	Result
9643330	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		MAIN OFFICE	2104100-07	1	< 0.3
9643331	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		514E	2104100-07	1	< 0.3
9643332	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		514D	2104100-07	1	< 0.3
9643333	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		514C	2104100-07	1	< 0.3
9643334	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		514B	2104100-07	1	< 0.3
9643335	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		514A	2104100-07	1	< 0.3
9643336	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		501 LIBRARY (DESK)	2104100-07	1	< 0.3
9643337	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		501 LIBRARY (BEHIND PROJECTOR)	2104100-07	1	< 0.3
9643338	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		501A	2104100-07	1	< 0.3
9643339	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		501A (DUP.)	2104100-07	1	< 0.3
9643340	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		502 ART RM	2104100-07	1	< 0.3
9643341	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		503A	2104100-07	1	< 0.3
9643342	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		101	2104100-07	1	< 0.3
9643343	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		503B	2104100-07	1	< 0.3
9643345	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		503C	2104100-07	1	0.8
9643346	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		107	2104100-07	1	< 0.3
9643347	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		102	2104100-07	1	< 0.3
9643348	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		103	2104100-07	1	< 0.3
9643349	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		103 (DUP.)	2104100-07	1	< 0.3
9643350	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		103 (BLANK)	2104100-07	1	< 0.3
9643351	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		504	2104100-07	1	< 0.3
9643352	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		506	2104100-07	1	< 0.3
9643353	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		507	2104100-07	1	< 0.3
9643354	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		508A	2104100-07	1	< 0.3
9643355	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		508	2104100-07	1	< 0.3
9643356	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		507/508 "HALL"	2104100-07	1	< 0.3
9643357	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		503	2104100-07	1	< 0.3
9643358	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		104	2104100-07	1	< 0.3
9643359	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		105	2104100-07	1	< 0.3
9643360	2021-04-19	12:00 pm	2021-04-21	12:00 pm	70	COYOTE CREEK E.S.		105 (DUP.)	2104100-07	1	< 0.3
9643361	2021-04-19	12:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		106	2104100-07	1	0.5
9643362	2021-04-19	12:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		509	2104100-07	1	< 0.3
9643363	2021-04-19	12:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		510	2104100-07	1	< 0.3
9643364	2021-04-19	12:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		201	2104100-07	1	< 0.3
9643365	2021-04-19	12:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		210 STORAGE RM (TABLE)	2104100-07	1	< 0.3

P8643 / ROBERT WOELLNER

Kit Number	Start Date	Start Time	End Date	End Time	Temp.	Facility	Building	Room	Project ID	Floor	Result
9643366	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		202	2104100-07	1	< 0.3
9643367	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		203	2104100-07	1	< 0.3
9643368	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		207	2104100-07	1	< 0.3
9643369	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		207 (DUP.)	2104100-07	1	< 0.3
9643370	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		207 (BLANK)	2104100-07	1	< 0.3
9643371	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		511	2104100-07	1	< 0.3
9643372	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		204	2104100-07	1	< 0.3
9643373	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		206	2104100-07	1	< 0.3
9643374	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		205	2104100-07	1	< 0.3
9643375	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		512	2104100-07	1	< 0.3
9643376	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		513	2104100-07	1	< 0.3
9643377	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		601	2104100-07	1	< 0.3
9643378	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		602 PRE-SCHOOL	2104100-07	1	< 0.3
9643379	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		603 PRE-SCHOOL	2104100-07	1	< 0.3
9643380	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		603 PRE-SCHOOL (DUP.)	2104100-07	1	< 0.3
9643381	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		301	2104100-07	1	< 0.3
9643382	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		302	2104100-07	1	< 0.3
9643383	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		303	2104100-07	1	< 0.3
9643384	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		307	2104100-07	1	< 0.3
9643385	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		304	2104100-07	1	< 0.3
9643386	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		305	2104100-07	1	< 0.3
9643387	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		306	2104100-07	1	< 0.3
9643388	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		404	2104100-07	1	< 0.3
9643389	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		404 (DUP.)	2104100-07	1	< 0.3
9643390	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		404 (BLANK)	2104100-07	1	< 0.3
9643391	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		11	2104100-07	1	< 0.3
9643392	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		401 GYM (N. BY GYM OFFICE WINDOW)	2104100-07	1	< 0.3
9643393	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		401 GYM (E. CORNOR BY CAFETERIA)	2104100-07	1	< 0.3
9643394	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		003 BUILDING ENGINEER OFFICE	2104100-07	1	< 0.3
9643395	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		402 COYOTE CAFé	2104100-07	1	< 0.3
9643396	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		403	2104100-07	1	< 0.3
9643397	2021-04-19	1:00 pm	2021-04-21	1:00 pm	70	COYOTE CREEK E.S.		KITCHEN (DESK)	2104100-07	1	< 0.3