

PROJECT TITLE:


WINDOW REPLACEMENTS AT:
HOP BROOK ELEMENTARY SCHOOL

75 CROWN STREET
NAUGATUCK, CT 06770

PROJECT LOCATION:



ARCHITECT
SILVER PETRUCELLI + ASSOCIATES
3190 WHITNEY AVENUE, HAMDEN CT 06518
311 STATE STREET NEW LONDON, CT 06320
PHONE 203 230 9007 silverpetrucelli.com



SILVER PETRUCELLI + ASSOCIATES

3190 WHITNEY AVENUE HAMDEN CT 06518
311 STATE STREET NEW LONDON CT 06320
203 230 9007 silverpetrucelli.com

ISSUED FOR BID: 05/30/2024

ARCHITECTURAL ABBREVIATIONS

A.B.	ANCHOR BOLT	LAM.	LAMINATE
A.C.P.	ASBESTOS CEMENT PIPE	L.F.	LINEAL FOOT
ADJ.	ADJUSTABLE	L.G.	LONG
A.F.F.	ABOVE FINISH FLOOR	L.O.C.	LOCATION
A.C.T.	ACOUSTICAL CEILING TILE	L.P.	LOW POINT
ALUM.	ALUMINUM	L.T.G.	LIGHTING
APPROX.	APPROXIMATE	L.V.L.	LEVEL
ARCH.	ARCHITECTURAL	M.	MINUTE
ASPH.	ASPHALT	MAS.	MASONRY
AVG.	AVERAGE	MAX.	MAXIMUM
		MECH.	MECHANICAL
BSMT.	BASEMENT	M.H.	MANHOLE
BD.	BOARD	MIN.	MINIMUM
BRK.	BRICK	MISC.	MISCELLANEOUS
BIT.	BITUMINOUS	M.O.	MASONRY OPENING
BLK.	BLOCK	MTD.	MOUNTED
BLDG.	BUILDING	MTL.	METAL
B.S.	BOTH SIDES	N.A.	NOT APPLICABLE
		N.I.C.	NOT IN CONTRACT
C.B.	CATCH BASIN	NO.	NUMBER
C.B.R.	CATCH BASIN TO BE REMOVED	NOM.	NOMINAL
C.I.	CAST IRON	N.P.S.	NOMINAL PIPE SIZE
C.I.P.	CAST IN PLACE CONCRETE	N.S.	NEAR SIDE
C.G.	CEILING	N.T.S.	NOT TO SCALE
Q.	CENTER LINE		
C.BD.	CHALK BOARD	O.C.	ON CENTER
C.O.	CLEAN OUT	O.C.C.	OCCUPANT
COL.	COLUMN	O.D.	OUTSIDE DIAMETER
CONC.	CONCRETE	OPNG.	OPENING
C.M.U.	CONCRETE MASONRY UNIT		
CONF.	CONFERENCE	P.C.B.	PAINTED CONCRETE BLOCK
CONSTR.	CONSTRUCTION	P.G.B.	PAINTED GYPSUM BOARD
CONT.	CONTINUOUS, CONTINUE	PL.	PLATE
C.J.	CONTRUOCONSTRUCTION JOINT	PLUMB.	PLUMBING
CONTR.	CONTRACTOR	P.L.Y.W.D.	PLYWOOD
C.C.	CURB CUT	PREP.	PREPARATION
		P.T.	PRESSURE TREATED
DET.	DETAIL	PTD.	PAINTED
DIA.	DIAMETER	P.V.C.	POLYVINYL CHLORIDE
DM.	DIMENSION		
DR.	DOOR	R.	RISER
DN.	DOWN	RADIUS.	RADIUS
DWG.	DRAWING	R.C.P.	REINFORCED CONCRETE PIPE
		R.D.	ROOF DRAIN
E.	ELECTRICAL	REINF.	REINFORCEMENT
EA.	EACH	REQD.	REQUIRED
ECTR.	EXISTING CEILING TO REMAIN	R.H.	ROOF HATCH
ED.	EDUCATION	R.L.	ROOF LEADER
ELEC.	ELECTRICAL	RM.	ROOM
E.F.	EACH FACE		
E.J.	EXPANSION JOINT	S.	STORM
EL.	ELEVATION	SAN.	SANITARY
ELEV.	ELEVATION	S.C.	SEALED CONCRETE
EMER.	EMERGENCY	SCHED.	SCHEDULE
ENCL.	ENCLOSURE	SECT.	SECTION
ENL.	ENLARGED	S.F.	STEP FOOTING
ENT.	ENTRANCE	SIM.	SIMILAR
EP.	EPOXY PAINT	S.O.G.	SLAB ON GRADE
EQ.	EQUAL	SPEC.	SPECIFICATIONS
ES.	EXPOSED STRUCTURE	SQ.	SQUARE
E.T.R.	EXISTING TO REMAIN	SQ. FT.	SQUARE FEET
E.W.	EACH WAY	STL.	STEEL
E.W.E.F.	EACH WAY/EACH FACE	STRUC.	STRUCTURAL
EXAM.	EXAMINATION	SUSP.	SUSPENDED, SUSPENSION
EXIST.	EXISTING	S.W.	SHEAR WALL
EXP.	EXPANSION	S.W.F.	SHEAR WALL FOOTING
EXT.	EXTERIOR	SYS., SYST.	SYSTEM
FDN.	FOUNDATION	T.	TELEPHONE
F.F.	FINISHED FLOOR	T&B	TOP & BOTTOM
F.P.	FOLDING PARTITION	TECH.	TECHNOLOGY
FIN.	FINISH, FINISHED	T.O.	TOP OF
FIXT.	FIXTURE	T.O.F.	TOP OF FRAME
FL.	FLOOR	T.O.S.	TOP OF STEEL
FT.	FOOT	TIS	TOP OF SLAB
F.S.	FAR SIDE	TIW	TOP OF WALL
FTG.	FOOTING	T.T.F.	TRIM TO FIT
		TYP.	TYPICAL
G.	GAS	U.O.N.	UNLESS OTHERWISE NOTED
GA.	GAGE, GAUGE		
GEN.	GENERAL	V.B.	VINYL BASE
G.C.	GENERAL CONTRACTOR	V.C.T.	VINYL COMPOSITE TILE
GYP.	GYPSUM	VERT.	VERTICAL
GYP. BD.	GYPSUM BOARD	V.I.F.	VERIFY IN FIELD
H.C.	HANDICAPPED	W.	WATER
HD.	HEADED	WI	WITH
HDWR.	HARDWARE	WJ	WALL CONTROL JOINT
HGT.	HEIGHT	WD	WOOD
H.P.	HIGH POINT	WF	WIDE FLANGE
H.M.	HOLLOW METAL	WIDW.	WINDOW
HORIZ.	HORIZONTAL, HORIZONTALLY	W.W.F.	WELDED WIRE FABRIC
H.B.	HOSE BIBB	W.W.M.	WELDED WIRE MESH
HR.	HOUR	@	AT
HYD.	HYDRANT	Ø	DIAMETER
INSUL.	INSULATION, INSULATED		
INT.	INTERIOR		
INV.	INVERT		
JAN.	JANITOR		
K.P.	KICK PLATE		

RCP DRAWING SYMBOLS

	2X2 LIGHT FIXTURE		EXHAUST DIFFUSER
	SUPPLY DIFFUSER		RETURN DIFFUSER
	RECESSED LIGHT FIXTURE		SPRINKLER HEAD

WALL INDICATIONS

	TYPICAL WALL
	WALL TO BE REMOVED
	TYPICAL WINDOW
	EXISTING CONSTRUCTION
	NEW CONSTRUCTION
	WINDOW WALL
	RECESSED ITEM

MATERIAL CONVENTIONS

	BRICK
	CONCRETE MASONRY UNIT (CMU)
	CONCRETE (CAST-IN-PLACE)
	CONCRETE (PRE-CAST)
	RIGID BOARD INSULATION
	INSULATION (BATT)
	EARTH
	GYPSUM BOARD
	PLYWOOD
	WOOD FRAMING (THRU MEMBER)
	WD FRAMING (UNINTERRUPTED MEMBER)
	WD TRIM/FINISH
	ACOUSTICAL TILE OR PANEL

DOOR INDICATIONS

	EXISTING DOOR
	EX. DOOR TO BE REMOVED
	NEW DOOR
	DOUBLE LEAF DOOR
	DOOR W/ 180 HOLD OPEN
	VARYING LEAF DOOR
	TWO-WAY DOOR
	POCKET DOOR
	BI-FOLDING DOOR
	SLIDING DOOR
	DOUBLE ACTING DOOR

GRAPHIC SYMBOLS

	OFFICE	ROOM IDENTIFICATION
	OFFICE	CEILING PLAN
	OFFICE	FINISH FLOOR PLAN
	E-01	EQUIPMENT SYMBOL
	###	DOOR NUMBER
	D01	DEMOLITION NOTE
	D01	DEMOLITION NOTE
	X#	WINDOW TYPE
	1	DETAIL NUMBER
	A500	DRAWING NUMBER
	8	SECTION/DETAIL
	A501	DRAWING NUMBER
	8	WALL SECTION
	A501	DRAWING NUMBER
	8	BUILDING SECTION
	A501	DRAWING NUMBER
	7	EXTERIOR ELEVATION
	A501	DRAWING NUMBER
	4	WALL TYPE
	1	REVISION MARK
	X	COLUMNS (EXISTING)
	1	DETAIL CALL OUT
	A500	DRAWING NUMBER
	FLOOR	ELEVATION MARKER
	EL. ##-##	SPOT ELEVATION
		REVISION CLOUD

GENERAL NOTES

- CONTRACTOR IS RESPONSIBLE TO FIELD VERIFY ALL EXIST. CONDITIONS & DIMENSIONS PRIOR TO CONSTRUCTION.
- CONTRACTOR IS RESPONSIBLE TO REPAIR OR REPLACE ANY AREAS DAMAGED OUTSIDE THE SCOPE OF WORK RETURNING THEM TO THEIR ORIGINAL CONDITION AT NO EXPENSE TO THE OWNER.
- PATCH ALL EXIST. MATERIALS AFFECTED BY NEW CONSTRUCTION IN THIS PROJECT (MATCH EXISTING).
- ALL MATERIALS & EQUIPMENT ARE NEW UNLESS OTHERWISE NOTED AS "EXISTING".
- REMOVE ALL DEMOLISHED MATERIALS FROM SITE. LEAVE SITE CLEAN OF ALL CONSTRUCTION DUST & DEBRIS AT THE END OF EACH DAY. CONTRACTOR WILL BE RESPONSIBLE FOR ALL CUSTODIAL TIME ASSOC. WITH CLEANING NOT PERFORMED BY CONTRACTOR.
- CONTRACTOR IS RESPONSIBLE FOR REMOVING, RELOCATING & RECONNECTING ANY & ALL ELECTRONIC EQUIP., DEVICES, CONDUIT, SECURITY &/OR WIRING AFFECTED BY THE SCOPE OF WORK PRIOR TO DEMOLITION & UPON COMPLETION OF CONSTRUCTION CONTRACTOR TO VERIFY ALL ASSOCIATED COMPONENTS AFFECTED W/ARCH & OWNER.
- CONTRACTOR IS RESPONSIBLE TO SURVEY & DOCUMENT ALL LOCATIONS OF INTERIOR SCOPE OF WORK PRIOR TO BID. CONTRACTOR IS RESPONSIBLE TO CARRY ALL TRADES IN BID REQUIRED TO REMOVE/REINSTALL ALL CONDITIONS AFFECTED BY SCOPE OF WORK.
- ANY DEMOLITION/CONSTRUCTION ACTIVITY WHICH WOULD IMPACT LEAD, ASBESTOS &/OR OTHER (TOXIC/NON-TOXIC) MUST BE CONDUCTED WITHIN COMPLIANCE & CODE REQUIREMENTS. (SEE PROJ. MAN. FOR ADD. INFO.)
- ALL DIMENSIONS ARE TO OUTSIDE FACE OF GYPSUM WALLBOARD & MASONRY.



DRAWING LIST:

G100	General & Code Information
D100	Demolition Plans
A100	Ground Floor Perimeter Plan
A110	First & Second Floor Perimeter Plans
A200	Exterior Elevations
A300	Window Elevations & Door Schedule
A301	Window Details
A302	Entry Door Details

CODE INFORMATION

- PROJECT DESCRIPTION:
WINDOW REPLACEMENT.
SCOPE OF WORK INCLUDES REMOVAL OF EXISTING WINDOWS & SOME DOORS, INSTALLATION OF NEW WINDOWS & DOORS & ASSOCIATED DETAILS.
- CLASSIFICATION OF WORK:
LEVEL TWO (2) ALTERATION
- DATE OF ORIGINAL CONSTRUCTION
1916
DATE OF CURRENT CONSTRUCTION
2024
- APPLICABLE BUILDING CODES:
 - CONNECTICUT STATE BUILDING CODE (2021 ICC) 2022
 - CONNECTICUT STATE FIRE PREVENTION CODE 2022
 - INTERNATIONAL EXISTING BUILDING CODE 2021
 - INTERNATIONAL BUILDING CODE 2021
 - INTERNATIONAL ENERGY CONSERVATION CODE 2021

- ALL CODE SECTION REFERENCES ARE TO BE CSBC UNLESS OTHERWISE NOTED

KEY PLAN
SCALE: NONE

Project Title:

WINDOW REPLACEMENTS AT:

HOP BROOK SCHOOL
75 CROWN STREET
NAUGATUCK, CONNECTICUT 06770



SILVER PETRUCCELLI + ASSOCIATES

3190 WHITNEY AVENUE HAMDEN CT 06518
311 STATE STREET NEW LONDON CT 06320
203 230 9007 silverpetrucci.com

Revision: Description: Date: Revised By:

Drawing Title:

GENERAL & CODE INFORMATION

Date:

04-05-2024

Scale:

AS NOTED

Drawn By:


MCM

Project Number:


22.245

Drawing Number:


G100




3 SECOND FLOOR DEMOLITION PLAN
1/16"=1'-0"



2 FIRST FLOOR DEMOLITION PLAN
1/16"=1'-0"



4 MUSIC BUILDING DEMOLITION PLANS
1/16"=1'-0"





1 BASEMENT DEMOLITION PLAN
1/16"=1'-0"

GENERAL NOTES

1. CONTRACTOR IS RESPONSIBLE TO FIELD VERIFY ALL EXIST. CONDITIONS & DIMENSIONS PRIOR TO CONSTRUCTION.
2. CONTRACTOR IS RESPONSIBLE TO REPAIR OR REPLACE ANY AREAS DAMAGED OUTSIDE THE SCOPE OF WORK RETURNING THEM TO THEIR ORIGINAL CONDITION AT NO EXPENSE TO THE OWNER.
3. PATCH ALL EXIST. MATERIALS AFFECTED BY NEW CONSTRUCTION IN THIS PROJECT (MATCH EXISTING).
4. ALL MATERIALS AND EQUIPMENT ARE NEW UNLESS OTHERWISE NOTED AS "EXISTING".
5. REMOVE ALL DEMOLISHED MATERIALS FROM SITE. LEAVE SITE CLEAN OF ALL CONSTRUCTION DUST & DEBRIS AT THE END OF EACH DAY. CONTRACTOR WILL BE RESPONSIBLE FOR ALL CUSTODIAL TIME ASSOC. WITH CLEANING NOT PERFORMED BY CONTRACTOR.
6. CONTRACTOR IS RESPONSIBLE FOR REMOVING, RELOCATING AND RECONNECTING ANY AND ALL ELECTRONIC EQUIP., DEVICES, CONDUIT, SECURITY AND/OR WIRING AFFECTED BY THE SCOPE OF WORK PRIOR TO DEMOLITION AND UPON COMPLETION OF CONSTRUCTION CONTRACTOR TO VERIFY ALL ASSOCIATED COMPONENTS AFFECTED W/ARCH & OWNER.
7. CONTRACTOR TO PROVIDE FLUSH CONDITION AT ALL MASONRY OPENINGS- CUT BACK EXISTING STEEL, MASONRY, WOOD &/OR OTHER TO RECEIVE NEW.
8. CONTRACTOR IS RESPONSIBLE TO SURVEY AND DOCUMENT ALL LOCATIONS OF EXTERIOR & INTERIOR SCOPE OF WORK PRIOR TO BID. CONTRACTOR IS RESPONSIBLE TO CARRY ALL TRADES IN BID REQUIRED TO REMOVE/REINSTALL ALL CONDITIONS AFFECTED BY SCOPE OF WORK (MEP/FFR/ROOFING/CIVIL).
9. CONTRACTOR IS TO VERIFY ALL COLUMN SPACING/ DIMENSIONS RELATED TO WINDOW INSTALLATION & LAYOUT PRIOR TO BID & CONSTRUCTION.
10. ANY DEMOLITION/CONSTRUCTION ACTIVITY WHICH WOULD IMPACT LEAD, ASBESTOS &/OR OTHER (TOXIC/NON-TOXIC) MUST BE CONDUCTED WITHIN COMPLIANCE & CODE REQUIREMENTS (SEE PROJ. MAN. FOR ADD. INFO.).
11. PROTECT EXISTING-TO-REMAIN SUSPENDED CEILING ASSEMBLY: REMOVE, RETAIN & REINSTALL. RECONFIGURE EXISTING TO RECEIVE NEW CONSTRUCTION.

DEMOLITION NOTES

1. REMOVE EXISTING WINDOW ASSEMBLY:
 - FRAME, GLAZING, WD. BLOCKING, SILL, STOOL, HARDWARE, BLINDS, PANEL & ALL ASSOCIATED MATERIALS BACK TO EXISTING MASONRY OPENING AFFECTED BY SCOPE OF WORK (V.I.F.) PREP OPENING FOR NEW WORK. SUPPORT REMAINING AS REQUIRED.
 - REMOVE CEILING GRID & TILES AS REQUIRED TO ACCESS WINDOW HEADS.
 - REFER TO PROJECT MANUAL & HAZMAT DWGS. FOR ADDITIONAL INFORMATION.
2. REMOVE ENTRY DOOR ASSEMBLY:
 - FRAME, GLAZING & ALL ASSOCIATED MATERIALS TO EXISTING MASONRY



KEY PLAN
SCALE: NONE

Project Title:
WINDOW REPLACEMENTS AT:
HOP BROOK SCHOOL
75 CROWN STREET
NAUGATUCK, CONNECTICUT 06770




SILVER PETRUCCELLI + ASSOCIATES
3190 WHITNEY AVENUE HAMDEN CT 06518
311 STATE STREET NEW LONDON CT 06320
203 230 9007 silverpetrucelli.com

Revision:	Description:	Date:	Revised By:


Drawing Title:
DEMOLITION PLANS

Date:
04-05-2024
Scale:
1/16" = 1'-0"
Drawn By:
MCM
Project Number:
22.245


D100




3 SECOND FLOOR PERIMETER PLAN
1/16"=1'-0"



2 FIRST FLOOR PERIMETER PLAN
1/16"=1'-0"



4 MUSIC BUILDING PERIMETER PLANS
1/16"=1'-0"





1 BASEMENT PERIMETER PLAN
1/16"=1'-0"

GENERAL NOTES

- CONTRACTOR IS RESPONSIBLE TO FIELD VERIFY ALL EXIST. CONDITIONS & DIMENSIONS PRIOR TO CONSTRUCTION.
- CONTRACTOR IS RESPONSIBLE TO REPAIR OR REPLACE ANY AREAS DAMAGED OUTSIDE THE SCOPE OF WORK RETURNING THEM TO THEIR ORIGINAL CONDITION AT NO EXPENSE TO THE OWNER.
- PATCH ALL EXIST. MATERIALS AFFECTED BY NEW CONSTRUCTION IN THIS PROJECT (MATCH EXISTING).
- ALL MATERIALS AND EQUIPMENT ARE NEW UNLESS OTHERWISE NOTED AS 'EXISTING'.
- REMOVE ALL DEMOLISHED MATERIALS FROM SITE. LEAVE SITE CLEAN OF ALL CONSTRUCTION DUST & DEBRIS AT THE END OF EACH DAY. CONTRACTOR WILL BE RESPONSIBLE FOR ALL CUSTODIAL TIME ASSOC. WITH CLEANING NOT PERFORMED BY CONTRACTOR.
- CONTRACTOR IS RESPONSIBLE FOR REMOVING, RELOCATING AND RECONNECTING ANY AND ALL ELECTRONIC EQUIP., DEVICES, CONDUIT, SECURITY AND/OR WIRING AFFECTED BY THE SCOPE OF WORK PRIOR TO DEMOLITION AND UPON COMPLETION OF CONSTRUCTION CONTRACTOR TO VERIFY ALL ASSOCIATED COMPONENTS AFFECTED W/ARCH & OWNER.
- CONTRACTOR TO PROVIDE FLUSH CONDITION AT ALL MASONRY OPENINGS- CUT BACK EXISTING STEEL, MASONRY, WOOD &/OR OTHER TO RECEIVE NEW.
- CONTRACTOR IS RESPONSIBLE TO SURVEY AND DOCUMENT ALL LOCATIONS OF EXTERIOR & INTERIOR SCOPE OF WORK PRIOR TO BID. CONTRACTOR IS RESPONSIBLE TO CARRY ALL TRADES IN BID REQUIRED TO REMOVE/REINSTALL ALL CONDITIONS AFFECTED BY SCOPE OF WORK (ME/P/PROOFING/CIVIL).
- CONTRACTOR IS TO VERIFY ALL COLUMN SPACING/ DIMENSIONS RELATED TO WINDOW INSTALLATION & LAYOUT PRIOR TO BID & CONSTRUCTION.
- ANY DEMOLITION/CONSTRUCTION ACTIVITY WHICH WOULD IMPACT LEAD, ASBESTOS &/OR OTHER (TOXIC/NON-TOXIC) MUST BE CONDUCTED WITHIN COMPLIANCE & CODE REQUIREMENTS (SEE PROJ. MAN. FOR ADD. INFO.)
- PROTECT EXISTING-TO-REMAIN SUSPENDED CEILING ASSEMBLY: REMOVE, RETAIN & REINSTALL. RECONFIGURE EXISTING TO RECEIVE NEW CONSTRUCTION.

CONSTRUCTION NOTES

- THERMALLY BROKEN ALUMINUM WINDOW SYSTEM/ ASSEMBLY:
 - FRAME, SILL, GLAZING, OPERABLE/EGRESS WINDOW, TRIM, BLOCKING & ASSOCIATED COMPONENTS (PER MANUFACTURER). SEE WINDOW TYPES, DETAILS & PROJECT MANUAL FOR ADDITIONAL INFORMATION.
 - SAND, PRIME & PAINT EXPOSED STL. LINTEL AS REQ'D
- REINSTALL ALL AGT AND/OR HARDWARE AS REQ'D PER INSTALLATION OF NEW WINDOW SYSTEM. PATCH & REPAIR INTERIOR FINISHES DISTURBED BY NEW CONSTRUCTION.
- DISCONNECT/RECONNECT ELECTRIFIED HARDWARE.
- THERMALLY BROKED ALUMINUM STOREFRONT ENTRY SYSTEM:
 - FRAME, SILL, GLAZING, HARDWARE, TRIM, BLOCKING & ASSOCIATED COMPONENTS (PER MANUFACTURER). SEE DOOR TYPES, DETAILS & PROJECT MANUAL FOR ADDITIONAL INFORMATION.
 - SAND, PRIME & PAINT EXPOSED STL. LINTEL AS REQ'D



KEY PLAN

SCALE: NONE

Project Title:

WINDOW REPLACEMENTS AT:

HOP BROOK SCHOOL

75 CROWN STREET
NAUGATUCK, CONNECTICUT 06770



SILVER PETRUCELLI + ASSOCIATES

3190 WHITNEY AVENUE HAMDEN CT 06518
311 STATE STREET NEW LONDON CT 06320
203 230 9007 silverpetrucelli.com

Revision: Description: Date: Revised By:

Revision	Description	Date	Revised By

Drawing Title:

PERIMETER PLANS

Date:

04-05-2024

Drawing Number:

Scale:

1/16"=1'-0"


Drawn By:

MCM

Project Number:

22.245

A100




6 SOUTH ELEVATION - MUSIC BUILDING
1/8"=1'-0"



5 EAST ELEVATION - MUSIC BUILDING
1/8"=1'-0"



4 NORTH ELEVATION - MUSIC BUILDING
1/8"=1'-0"



3 WEST ELEVATION - MUSIC BUILDING
1/8"=1'-0"



2 SOUTH ELEVATION
1/8"=1'-0"



1 EAST ELEVATION
1/8"=1'-0"

Project Title:
WINDOW REPLACEMENTS AT:
HOP BROOK SCHOOL
75 CROWN STREET
NAUGATUCK, CONNECTICUT 06770




SILVER PETRUCCELLI + ASSOCIATES
3190 WHITNEY AVENUE HAMDEN CT 06518
311 STATE STREET NEW LONDON CT 06320
203 230 9007 silverpetrucelli.com

Revision	Description	Date	Revised By

Drawing Title:
EXTERIOR ELEVATIONS

Date:
04-05-2024
Scale:
1/8"=1'-0"
Drawn By:
MCM
Project Number:
22.245

A200




WINDOW TYPES

SCALE: 1/4" = 1'-0"

DOOR SCHEDULE

DOOR										FRAME				FIRE		HARDWARE - SEE PROJECT MANUAL										REMARKS
DOOR NUMBER	SIZE				SPECIAL - SEE REMARKS TYPE - SEE ELEVATIONS				DETAIL/SHEET #				RATING	FIRE CODE	DISABLED REQUIREMENTS										● - INDICATES NEW WORK ○ - INDICATES EXISTING TO REMAIN	
	SINGLE LEAF	DOUBLE LEAF	WIDTH	HEIGHT																						
																SIGNAGE MOUNTING HEIGHT: 48" A.F.F.										



Project Title:
WINDOW REPLACEMENTS AT:
HOP BROOK SCHOOL
75 CROWN STREET
NAUGATUCK, CONNECTICUT 06770







SILVER PETRUCCELLI + ASSOCIATES
3190 WHITNEY AVENUE HAMDEN CT 06518
311 STATE STREET NEW LONDON CT 06320
203 230 9007 silverpetrucelli.com

Revision	Description	Date	Revised By

Drawing Title:
WINDOW DETAILS

Date:
04-05-2024
Scale:
AS NOTED
Drawn By:
MCM
Project Number:
22.245

A301




1 DOOR TRANSOM HEAD DETAIL
3"=1'-0"


2 DOOR HEAD DETAIL
3"=1'-0"

3 DOOR JAMB DETAIL
3"=1'-0"


4 DOOR SILL DETAIL
3"=1'-0"



7 DOOR JAMB DETAIL
3"=1'-0"



6 DOOR HEAD DETAIL
3"=1'-0"



5 DOOR MULLION DETAIL
3"=1'-0"

Project Title:
WINDOW REPLACEMENTS AT:
HOP BROOK SCHOOL
75 CROWN STREET
NAUGATUCK, CONNECTICUT 06770



SILVER PETRUCCELLI + ASSOCIATES
3190 WHITNEY AVENUE HAMDEN CT 06518
311 STATE STREET NEW LONDON CT 06320
203 230 9007 silverpetrucelli.com

Revision:	Description:	Date:	Revised By:

Drawing Title:
ENTRY DOOR DETAILS

Date:
04-05-2024
Scale:
3"=1'-0"
Drawn By:
MCM
Project Number:
22.245

A302