

Fort Worth Independent School District
2015 Youth Risk Behavior Survey Results

This Summary Report of the 2015 Fort Worth Independent School District Youth Risk Behavior Survey contains information regarding priority health risk behaviors of FWISD students in relation to:

- Emotional and Mental Health.....pg. 3
- Nutrition and Physical Activity.....pg. 9
- Tobacco, Alcohol, and Other Drug Prevention.....pg. 39
- Violence and Injury Prevention pg. 78
- Personal and and Reproductive Health pg. 95

Emotional and Mental Health

Emotional and Mental Health

Depression and Suicide-Related Behaviors

Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey)

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	29.0	(27.2 - 30.9)	2,590	17.7	(15.8 - 19.9)	1,250	40.2	(37.3 - 43.2)	1,325
	15 or younger	25.8	(23.2 - 28.7)	1,026	13.5	(10.9 - 16.6)	473	37.9	(33.7 - 42.4)	549
	16 or 17	30.2	(27.2 - 33.3)	1,205	18.3	(15.2 - 21.7)	584	42.1	(37.3 - 47.0)	615
	18 or older	32.8	(27.4 - 38.8)	353	26.5	(19.9 - 34.3)	191	40.0	(31.6 - 49.1)	161
Grade	9th	26.4	(23.6 - 29.3)	831	13.3	(10.6 - 16.7)	392	40.0	(35.1 - 45.2)	436
	10th	28.3	(25.0 - 31.9)	703	19.9	(15.9 - 24.5)	339	36.6	(31.4 - 42.2)	360
	11th	32.9	(28.2 - 38.1)	535	17.6	(13.3 - 23.0)	245	47.9	(40.2 - 55.8)	287
	12th	29.6	(25.4 - 34.2)	507	22.2	(17.4 - 28.0)	266	36.9	(30.2 - 44.3)	240
Race/Ethnicity										
	Black*	28.8	(25.0 - 32.8)	466	14.1	(9.9 - 19.7)	215	41.9	(35.1 - 49.1)	247
	Hispanic/Latino	28.2	(26.0 - 30.5)	1,562	18.1	(15.7 - 20.8)	759	38.8	(35.1 - 42.6)	797
	White*	33.9	(29.1 - 39.0)	362	22.8	(16.7 - 30.3)	173	44.4	(38.0 - 50.9)	188
	All other races*	-	-	83	-	-	43	-	-	40
	Multiple races*	-	-	82	-	-	38	-	-	44

Emotional and Mental Health

Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Age									
Total	13.8	(12.3 - 15.5)	2,584	7.7	(6.3 - 9.4)	1,245	19.8	(17.3 - 22.6)	1,324
15 or younger	13.0	(10.6 - 15.8)	1,025	4.6	(2.8 - 7.3)	472	21.1	(17.2 - 25.5)	549
16 or 17	14.1	(11.9 - 16.6)	1,201	8.6	(6.5 - 11.2)	581	19.6	(16.3 - 23.4)	614
18 or older	14.7	(11.0 - 19.3)	352	12.7	(8.5 - 18.5)	190	16.9	(10.9 - 25.3)	161
Grade									
9th	14.1	(11.4 - 17.2)	829	6.1	(4.0 - 9.2)	390	22.2	(17.5 - 27.8)	436
10th	12.9	(10.6 - 15.7)	703	6.6	(4.5 - 9.6)	340	19.2	(15.3 - 23.7)	359
11th	12.8	(9.6 - 16.8)	533	7.4	(4.6 - 11.7)	242	18.1	(13.5 - 23.8)	288
12th	15.5	(12.0 - 19.7)	505	11.9	(8.3 - 16.9)	265	19.0	(13.0 - 27.0)	239
Race/Ethnicity									
Black*	18.1	(14.9 - 21.9)	467	9.3	(6.1 - 14.0)	215	26.1	(20.2 - 33.0)	248
Hispanic/Latino	11.9	(10.2 - 13.9)	1,555	7.7	(6.0 - 9.8)	755	16.4	(13.6 - 19.6)	794
White*	15.8	(11.6 - 21.2)	363	5.3	(2.5 - 10.9)	173	25.7	(18.9 - 33.8)	189
All other races*	-	-	82	-	-	42	-	-	40
Multiple races*	-	-	82	-	-	38	-	-	44

Emotional and Mental Health

Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	11.6	(10.2 - 13.2)	2,585	7.1	(5.7 - 8.8)	1,248	16.2	(13.9 - 18.9)	1,322
Age									
15 or younger	10.7	(8.6 - 13.1)	1,023	4.6	(2.9 - 7.4)	472	16.5	(13.1 - 20.4)	547
16 or 17	11.9	(9.9 - 14.4)	1,204	7.9	(5.9 - 10.4)	584	16.1	(12.7 - 20.2)	614
18 or older	13.1	(9.9 - 17.2)	352	10.6	(6.4 - 17.1)	190	15.9	(10.6 - 23.3)	161
Grade									
9th	12.0	(9.5 - 15.1)	828	6.4	(4.1 - 9.8)	390	17.7	(13.7 - 22.5)	435
10th	9.7	(7.6 - 12.4)	702	7.0	(4.6 - 10.4)	340	12.5	(9.4 - 16.5)	358
11th	12.9	(9.9 - 16.7)	535	6.4	(4.2 - 9.6)	245	19.4	(14.4 - 25.5)	287
12th	12.4	(9.5 - 16.1)	506	9.3	(5.9 - 14.3)	265	15.5	(10.5 - 22.4)	240
Race/Ethnicity									
Black*	13.6	(11.0 - 16.8)	467	7.3	(4.3 - 12.1)	215	19.2	(14.3 - 25.3)	248
Hispanic/Latino	10.6	(9.0 - 12.5)	1,557	7.2	(5.5 - 9.3)	758	14.2	(11.6 - 17.2)	793
White*	13.4	(9.6 - 18.4)	362	5.2	(2.4 - 10.9)	173	21.0	(15.1 - 28.5)	188
All other races*	-	-	82	-	-	42	-	-	40
Multiple races*	-	-	82	-	-	38	-	-	44

Emotional and Mental Health

Percentage of students who attempted suicide (one or more times during the 12 months before the survey)

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	7.8	(6.6 9.3)	2,227	3.9	(2.9 - 5.3)	1,090	11.8	(9.7 - 14.3)	1,126
Age									
15 or younger	7.8	(6.2 9.9)	883	3.1	(1.8 - 5.2)	412	12.3	(9.7 - 15.5)	468
16 or 17	7.6	(5.8 10.0)	1,049	3.7	(2.3 - 6.1)	516	11.6	(8.6 - 15.5)	529
18 or older	8.5	(5.6 12.8)	290	6.3	(2.9 - 13.5)	160	11.1	(6.4 - 18.4)	129
Grade									
9th	9.4	(7.4 11.9)	700	4.4	(2.7 - 7.2)	336	14.5	(11.2 - 18.6)	362
10th	6.6	(4.7 9.4)	609	2.6	(1.1 - 5.8)	297	10.7	(7.6 - 14.8)	309
11th	6.4	(4.0 10.0)	471	2.7	(1.1 - 6.6)	216	10.0	(5.9 - 16.2)	253
12th	9.0	(6.4 12.4)	434	6.4	(3.5 - 11.6)	233	11.6	(7.3 - 17.9)	200
Race/Ethnicity									
Black*	11.2	(8.5 14.7)	388	4.7	(2.3 - 9.5)	175	16.3	(11.9 - 22.0)	211
Hispanic/Latino	6.6	(5.1 8.5)	1,335	3.7	(2.4 - 5.7)	666	9.7	(7.3 - 12.9)	664
White*	8.5	(5.5 12.8)	341	2.6	(0.9 - 7.4)	162	13.7	(8.5 - 21.5)	178
All other races*	-	-	63	-	-	34	-	-	29
Multiple races*	-	-	76	-	-	37	-	-	39

Emotional and Mental Health

Percentage of students who attempted suicide that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	2.9	(2.3 3.7)	2,192	1.7	(1.0 - 2.8)	1,063	3.9	(2.8 - 5.4)	1,117
Age									
15 or younger	2.6	(1.8 3.9)	871	1.4	(0.6 - 3.3)	403	3.5	(2.2 - 5.7)	464
16 or 17	2.7	(1.8 4.1)	1,031	1.0	(0.4 - 2.5)	501	4.4	(2.8 - 6.8)	526
18 or older	3.9	(1.9 7.9)	285	4.4	(1.5 - 12.3)	157	3.3	(1.1 - 9.3)	127
Grade									
9th	3.2	(2.1 4.8)	690	1.5	(0.7 - 3.5)	329	4.6	(2.8 - 7.4)	358
10th	1.4	(0.7 2.8)	598	1.0	(0.2 - 4.0)	287	1.8	(0.8 - 4.0)	308
11th	3.3	(1.9 5.7)	462	1.5	(0.4 - 5.1)	210	4.8	(2.4 - 9.3)	250
12th	4.0	(2.3 7.1)	429	3.1	(1.2 - 8.0)	229	5.0	(2.5 - 9.7)	199
Race/Ethnicity									
Black*	4.8	(3.0 7.5)	386	2.6	(0.8 - 8.0)	172	6.1	(3.7 - 9.9)	211
Hispanic/Latino	2.3	(1.5 3.5)	1,310	1.6	(0.9 - 3.0)	648	3.1	(1.8 - 5.2)	657
White*	2.4	(1.0 5.6)	338	0.0	-	160	4.4	(1.7 - 10.5)	177
All other races*	-	-	60	-	-	32	-	-	28
Multiple races*	-	-	76	-	-	37	-	-	39

Nutrition and Physical Activity

Nutrition and Physical Activity

Overweight and Obesity

Percentage of students who were overweight ($\geq$ 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	18.9	(17.1 - 20.8)	2,314	16.7	(14.4 - 19.2)	1,134	21.2	(18.5 - 24.2)	1,180
	15 or younger	18.6	(15.9 - 21.6)	905	17.7	(13.8 - 22.4)	420	19.4	(15.6 - 24.0)	485
	16 or 17	20.0	(17.6 - 22.7)	1,082	16.2	(13.5 - 19.3)	537	23.9	(20.1 - 28.2)	545
	18 or older	15.9	(12.1 - 20.7)	327	15.5	(10.2 - 23.0)	177	16.3	(10.9 - 23.6)	150
Grade	9th	18.5	(15.4 - 21.9)	730	17.9	(13.5 - 23.4)	347	19.1	(14.7 - 24.4)	383
	10th	19.7	(16.6 - 23.1)	618	15.1	(10.7 - 20.8)	306	24.3	(19.4 - 30.0)	312
	11th	18.7	(15.8 - 22.1)	484	16.2	(12.3 - 21.1)	224	21.2	(16.1 - 27.4)	260
	12th	18.6	(14.9 - 23.0)	476	17.2	(12.8 - 22.8)	253	20.0	(14.5 - 26.8)	223
Race/Ethnicity										
	Black*	19.9	(15.3 - 25.4)	421	17.5	(12.4 - 24.1)	202	22.2	(15.8 - 30.1)	219
	Hispanic/Latino	19.8	(17.6 - 22.2)	1,385	16.8	(14.0 - 20.1)	679	22.9	(19.3 - 26.9)	706
	White*	14.4	(10.5 - 19.3)	339	14.5	(9.7 - 21.1)	161	14.3	(9.0 - 21.8)	178
	All other races*	-	-	71	-	-	37	-	-	34
	Multiple races*	-	-	77	-	-	37	-	-	40

Nutrition and Physical Activity

Percentage of students who described themselves as slightly or very overweight.

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	34.1	(32.0 - 36.3)	2,539	28.3	(25.5 - 31.4)	1,226	39.7	(36.9 - 42.6)	1,299
	15 or younger	31.8	(28.8 - 35.0)	1,002	28.0	(23.7 - 32.7)	461	35.4	(30.6 - 40.4)	538
	16 or 17	36.4	(33.3 - 39.7)	1,183	28.3	(24.0 - 33.1)	574	44.5	(40.8 - 48.2)	603
	18 or older	32.1	(26.9 - 37.8)	347	29.6	(23.3 - 36.8)	189	34.8	(26.5 - 44.2)	158
Grade										
	9th	30.2	(26.8 - 33.9)	800	25.5	(21.1 - 30.5)	375	34.7	(29.5 - 40.3)	423
	10th	38.2	(34.5 - 42.0)	695	31.6	(26.2 - 37.5)	337	44.2	(39.0 - 49.6)	354
	11th	34.0	(29.2 - 39.3)	526	26.1	(19.8 - 33.6)	241	42.4	(37.1 - 47.8)	282
	12th	34.7	(29.8 - 39.9)	503	31.2	(25.1 - 38.0)	265	38.1	(31.7 - 45.0)	238
Race/Ethnicity										
	Black*	24.6	(20.4 - 29.4)	462	15.0	(10.0 - 21.8)	213	33.3	(27.9 - 39.1)	247
	Hispanic/Latino	38.0	(35.1 - 41.1)	1,526	31.8	(28.3 - 35.6)	741	44.2	(40.1 - 48.5)	779
	White*	31.3	(26.6 - 36.3)	360	32.6	(26.6 - 39.2)	173	30.1	(22.9 - 38.3)	186
	All other races*	-	-	78	-	-	41	-	-	37
	Multiple races*	-	-	83	-	-	39	-	-	44

Nutrition and Physical Activity

Percentage of students who were trying to lose weight.

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	51.3	(48.8 - 53.8)	2,540	41.2	(37.7 - 44.9)	1,223	61.3	(58.3 - 64.2)	1,302
	15 or younger	50.8	(47.1 - 54.5)	1,005	41.6	(36.2 - 47.3)	461	59.7	(55.3 - 63.9)	541
	16 or 17	52.8	(49.1 - 56.5)	1,187	41.0	(35.9 - 46.4)	574	64.4	(60.0 - 68.6)	607
	18 or older	47.2	(41.7 - 52.8)	340	41.3	(33.7 - 49.2)	186	53.8	(47.2 - 60.4)	154
Grade										
	9th	49.6	(45.5 - 53.8)	806	40.7	(34.8 - 46.8)	376	58.6	(53.9 - 63.1)	428
	10th	54.6	(49.9 - 59.2)	695	44.4	(37.3 - 51.6)	336	64.2	(59.0 - 69.1)	355
	11th	51.6	(46.0 - 57.2)	525	36.7	(29.4 - 44.6)	241	66.8	(60.7 - 72.5)	281
	12th	48.9	(44.0 - 53.8)	498	42.8	(35.2 - 50.8)	262	54.9	(48.7 - 61.0)	236
Race/Ethnicity										
	Black*	42.4	(37.5 - 47.5)	457	29.3	(23.6 - 35.7)	209	54.2	(48.1 - 60.2)	246
	Hispanic/Latino	55.7	(52.5 - 58.9)	1,525	46.6	(42.3 - 50.9)	740	64.9	(60.9 - 68.7)	779
	White*	47.9	(42.2 - 53.5)	361	36.4	(29.6 - 43.7)	173	59.2	(51.3 - 66.6)	187
	All other races*	-	-	79	-	-	41	-	-	38
	Multiple races*	-	-	83	-	-	39	-	-	44

Nutrition and Physical Activity

Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	20.6	(19.1 - 22.3)	2,562	18.4	(16.6 - 20.5)	1,238	22.9	(20.4 - 25.6)	1,310
	15 or younger	20.8	(18.3 - 23.6)	1,010	20.3	(16.3 - 25.0)	465	21.4	(18.0 - 25.4)	542
	16 or 17	20.1	(17.7 - 22.8)	1,197	17.2	(14.3 - 20.5)	581	22.8	(19.1 - 26.9)	610
	18 or older	22.3	(18.2 - 27.0)	349	17.5	(12.8 - 23.4)	190	27.7	(21.1 - 35.4)	158
Grade	9th	20.4	(17.6 - 23.5)	811	19.1	(15.0 - 24.0)	381	21.9	(18.1 - 26.3)	428
	10th	20.5	(17.6 - 23.7)	699	18.2	(14.7 - 22.3)	338	22.9	(18.5 - 28.0)	357
	11th	21.7	(17.4 - 26.6)	532	18.8	(14.4 - 24.2)	244	23.7	(17.4 - 31.4)	285
	12th	20.4	(17.2 - 24.1)	506	17.4	(13.4 - 22.3)	267	23.5	(18.2 - 29.8)	238
Race/Ethnicity										
	Black*	16.4	(13.5 - 19.7)	464	19.6	(15.2 - 25.0)	215	12.9	(9.4 - 17.5)	246
	Hispanic/Latino	19.3	(17.2 - 21.5)	1,542	15.8	(13.4 - 18.4)	749	22.8	(19.4 - 26.6)	787
	White*	30.1	(25.7 - 34.8)	363	24.8	(18.8 - 31.8)	174	35.3	(28.6 - 42.6)	188
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	81	-	-	39	-	-	42

Nutrition and Physical Activity

Percentage of students who did not eat fruit (one or more times during the 7 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	10.4	(9.1 - 11.9)	2,563	12.0	(10.1 - 14.1)	1,240	9.0	(7.4 - 10.9)	1,309
	15 or younger	9.4	(7.6 - 11.6)	1,010	12.4	(9.4 - 16.3)	466	6.4	(4.7 - 8.7)	541
	16 or 17	10.5	(8.6 - 12.8)	1,197	10.8	(7.9 - 14.6)	582	10.4	(7.8 - 13.7)	609
	18 or older	13.0	(9.7 - 17.4)	350	14.4	(9.8 - 20.7)	190	11.6	(7.3 - 17.9)	159
Grade	9th	9.6	(7.9 - 11.6)	812	12.4	(9.6 - 15.9)	383	6.7	(4.8 - 9.3)	427
	10th	10.2	(8.0 - 12.9)	697	10.2	(7.5 - 13.8)	338	10.3	(7.1 - 14.6)	355
	11th	10.5	(7.6 - 14.4)	533	12.0	(7.7 - 18.2)	244	9.2	(6.1 - 13.6)	286
	12th	11.8	(8.8 - 15.7)	507	13.0	(9.1 - 18.4)	267	10.7	(7.2 - 15.5)	239
Race/Ethnicity										
	Black*	15.9	(12.9 - 19.3)	462	17.6	(12.7 - 23.7)	214	14.5	(10.5 - 19.7)	245
	Hispanic/Latino	8.2	(6.9 - 9.7)	1,543	9.6	(8.0 - 11.6)	751	6.8	(5.1 - 8.9)	786
	White*	10.7	(7.5 - 15.1)	363	12.2	(7.1 - 20.1)	174	9.3	(5.2 - 16.1)	188
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	81	-	-	39	-	-	42

Nutrition and Physical Activity

Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	5.0	(4.1 - 6.1)	2,555	6.3	(5.0 - 7.9)	1,236	3.7	(2.6 - 5.2)	1,305
	15 or younger	4.5	(3.3 - 6.1)	1,007	6.8	(4.7 - 9.7)	464	2.3	(1.3 - 4.0)	540
	16 or 17	4.6	(3.5 - 6.2)	1,193	5.2	(3.5 - 7.7)	580	4.1	(2.6 - 6.5)	607
	18 or older	7.3	(4.8 - 10.9)	349	8.1	(4.8 - 13.2)	190	6.5	(3.4 - 11.9)	158
Grade	9th	5.3	(4.0 - 7.0)	809	7.5	(5.3 - 10.4)	381	3.0	(1.6 - 5.3)	426
	10th	5.2	(3.6 - 7.4)	696	5.8	(3.7 - 9.0)	337	4.7	(2.8 - 7.9)	355
	11th	3.4	(1.9 - 5.9)	530	3.7	(2.1 - 6.7)	243	3.1	(1.4 - 6.5)	284
	12th	5.9	(4.0 - 8.5)	506	7.6	(4.8 - 12.0)	267	4.1	(2.4 - 7.0)	238
Race/Ethnicity										
	Black*	6.8	(4.9 - 9.3)	462	9.4	(6.2 - 14.1)	214	4.4	(2.3 - 8.0)	245
	Hispanic/Latino	3.8	(2.9 - 4.9)	1,537	4.8	(3.5 - 6.5)	748	2.7	(1.6 - 4.5)	783
	White*	5.6	(3.5 - 9.0)	363	6.3	(3.3 - 11.8)	174	5.0	(2.3 - 10.7)	188
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	81	-	-	39	-	-	42

Nutrition and Physical Activity

Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	64.4	(62.3 - 66.4)	2,555	67.0	(64.3 - 69.6)	1,236	61.7	(58.7 - 64.6)	1,305
	15 or younger	65.1	(61.7 - 68.3)	1,007	65.8	(60.8 - 70.4)	464	64.4	(59.3 - 69.1)	540
	16 or 17	64.9	(61.6 - 68.0)	1,193	68.9	(64.8 - 72.8)	580	60.9	(56.2 - 65.4)	607
	18 or older	60.8	(55.2 - 66.1)	349	64.4	(57.3 - 71.0)	190	56.7	(48.6 - 64.4)	158
Grade	9th	66.2	(62.2 - 70.0)	809	67.0	(61.0 - 72.4)	381	65.3	(59.5 - 70.6)	426
	10th	65.4	(61.5 - 69.1)	696	70.3	(65.3 - 74.9)	337	60.6	(54.9 - 66.0)	355
	11th	61.9	(56.4 - 67.0)	530	65.9	(60.3 - 71.1)	243	58.5	(49.8 - 66.7)	284
	12th	63.1	(59.1 - 67.0)	506	65.0	(59.6 - 70.1)	267	61.2	(54.6 - 67.3)	238
Race/Ethnicity										
	Black*	63.3	(58.7 - 67.6)	462	65.1	(59.2 - 70.5)	214	61.7	(53.9 - 68.9)	245
	Hispanic/Latino	65.6	(62.8 - 68.3)	1,537	68.3	(64.4 - 71.9)	748	63.0	(58.8 - 66.9)	783
	White*	62.9	(58.6 - 67.1)	363	66.8	(59.4 - 73.4)	174	59.1	(53.0 - 64.9)	188
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	81	-	-	39	-	-	42

Nutrition and Physical Activity

Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	34.5	(32.3 - 36.8)	2,555	37.4	(34.1 - 40.8)	1,236	31.6	(28.6 - 34.8)	1,305
	15 or younger	33.8	(30.8 - 36.9)	1,007	34.9	(30.8 - 39.4)	464	32.6	(28.4 - 37.0)	540
	16 or 17	35.1	(31.7 - 38.7)	1,193	39.0	(34.3 - 44.0)	580	31.5	(26.5 - 36.9)	607
	18 or older	34.4	(29.3 - 39.9)	349	38.8	(31.1 - 47.1)	190	29.6	(23.8 - 36.0)	158
Grade	9th	36.5	(33.1 - 40.0)	809	39.1	(34.4 - 43.9)	381	33.6	(28.5 - 39.0)	426
	10th	34.4	(30.7 - 38.3)	696	37.5	(31.9 - 43.5)	337	31.6	(26.2 - 37.6)	355
	11th	31.3	(26.4 - 36.8)	530	34.4	(27.6 - 41.8)	243	28.7	(20.7 - 38.3)	284
	12th	34.9	(30.4 - 39.6)	506	38.2	(31.8 - 45.0)	267	31.6	(25.7 - 38.3)	238
Race/Ethnicity										
	Black*	34.8	(30.2 - 39.8)	462	37.5	(30.8 - 44.7)	214	32.3	(25.8 - 39.4)	245
	Hispanic/Latino	36.0	(33.0 - 39.2)	1,537	39.7	(35.6 - 44.1)	748	32.4	(28.3 - 36.7)	783
	White*	29.3	(24.5 - 34.6)	363	30.1	(22.1 - 39.5)	174	28.7	(22.1 - 36.3)	188
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	81	-	-	39	-	-	42

Nutrition and Physical Activity

Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	24.6	(22.8 - 26.6)	2,555	27.4	(24.5 - 30.4)	1,236	22.0	(19.5 - 24.6)	1,305
	15 or younger	24.0	(21.4 - 26.9)	1,007	25.2	(21.1 - 29.8)	464	22.8	(19.0 - 27.0)	540
	16 or 17	24.9	(21.9 - 28.1)	1,193	29.2	(25.0 - 33.8)	580	20.7	(16.9 - 25.2)	607
	18 or older	25.7	(21.2 - 30.8)	349	27.1	(20.7 - 34.6)	190	24.2	(18.9 - 30.5)	158
Grade	9th	27.3	(24.2 - 30.6)	809	29.7	(25.0 - 34.9)	381	24.5	(20.0 - 29.6)	426
	10th	23.6	(20.5 - 26.9)	696	27.4	(22.5 - 32.8)	337	19.9	(15.7 - 24.8)	355
	11th	21.8	(17.2 - 27.1)	530	24.6	(18.9 - 31.3)	243	19.3	(13.0 - 27.8)	284
	12th	25.1	(21.4 - 29.3)	506	26.6	(21.5 - 32.3)	267	23.8	(18.7 - 29.7)	238
Race/Ethnicity										
	Black*	27.4	(23.3 - 32.0)	462	30.2	(23.6 - 37.7)	214	24.7	(20.2 - 29.7)	245
	Hispanic/Latino	25.7	(23.3 - 28.2)	1,537	28.6	(25.2 - 32.4)	748	22.7	(19.5 - 26.3)	783
	White*	16.7	(13.2 - 20.9)	363	18.0	(12.1 - 25.9)	174	15.5	(10.4 - 22.5)	188
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	81	-	-	39	-	-	42

Nutrition and Physical Activity

Percentage of students who did not eat salad (during the 7 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	47.7	(45.2 - 50.2)	2,565	52.5	(48.6 - 56.3)	1,240	42.8	(39.8 - 45.9)	1,311
	15 or younger	51.0	(47.6 - 54.4)	1,011	57.9	(52.5 - 63.1)	466	44.2	(39.5 - 49.1)	542
	16 or 17	46.1	(42.4 - 49.8)	1,199	49.3	(43.8 - 54.8)	582	42.8	(38.1 - 47.7)	611
	18 or older	43.9	(37.9 - 50.2)	349	48.4	(40.5 - 56.5)	190	38.7	(31.4 - 46.6)	158
Grade	9th	52.2	(48.2 - 56.1)	812	59.1	(53.2 - 64.6)	382	44.8	(39.0 - 50.7)	428
	10th	46.5	(42.6 - 50.5)	699	49.3	(42.6 - 55.9)	339	43.7	(38.4 - 49.2)	356
	11th	46.4	(41.2 - 51.6)	534	51.2	(43.2 - 59.1)	245	41.5	(35.0 - 48.4)	286
	12th	43.2	(38.2 - 48.4)	506	46.0	(38.6 - 53.5)	266	40.4	(35.2 - 45.8)	239
Race/Ethnicity										
	Black*	48.7	(43.7 - 53.7)	463	53.7	(46.0 - 61.2)	215	43.3	(37.0 - 50.0)	245
	Hispanic/Latino	49.2	(46.1 - 52.3)	1,543	53.5	(49.2 - 57.9)	751	44.8	(40.9 - 48.7)	786
	White*	37.5	(31.8 - 43.5)	363	42.0	(33.3 - 51.3)	174	33.2	(25.9 - 41.5)	188
	All other races*	-	-	79	-	-	40	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Nutrition and Physical Activity

Percentage of students who did not eat potatoes (during the 7 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	34.6	(32.4 - 36.8)	2,561	33.3	(30.3 - 36.4)	1,239	35.7	(32.8 - 38.8)	1,308
	15 or younger	35.1	(31.9 - 38.5)	1,008	35.9	(30.5 - 41.7)	466	34.3	(30.4 - 38.5)	539
	16 or 17	34.9	(31.6 - 38.4)	1,198	33.3	(29.1 - 37.8)	582	36.3	(31.7 - 41.3)	610
	18 or older	31.7	(25.9 - 38.2)	349	26.1	(20.5 - 32.6)	189	37.7	(28.8 - 47.5)	159
Grade	9th	34.9	(31.4 - 38.5)	811	35.9	(30.1 - 42.0)	383	33.6	(29.6 - 37.9)	426
	10th	33.8	(30.5 - 37.3)	697	31.2	(26.7 - 36.1)	339	36.4	(31.7 - 41.3)	354
	11th	38.2	(33.2 - 43.5)	533	37.5	(30.7 - 44.8)	243	38.7	(32.6 - 45.1)	287
	12th	31.1	(26.1 - 36.5)	506	26.9	(22.3 - 32.1)	266	35.0	(27.4 - 43.4)	239
Race/Ethnicity										
	Black*	35.7	(31.1 - 40.6)	463	32.3	(25.8 - 39.5)	214	38.1	(31.8 - 44.8)	246
	Hispanic/Latino	35.2	(32.3 - 38.3)	1,542	35.2	(31.2 - 39.4)	752	35.4	(31.6 - 39.4)	784
	White*	29.8	(24.7 - 35.5)	363	24.1	(18.4 - 30.9)	174	35.2	(27.7 - 43.5)	188
	All other races*	-	-	79	-	-	41	-	-	38
	Multiple races*	-	-	81	-	-	38	-	-	43

Nutrition and Physical Activity

Percentage of students who did not eat carrots (during the 7 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	56.3	(53.9 - 58.6)	2,569	56.8	(53.4 - 60.2)	1,242	55.8	(52.5 - 58.9)	1,313
	15 or younger	56.7	(52.6 - 60.6)	1,013	57.6	(52.3 - 62.7)	467	55.9	(50.8 - 60.9)	543
	16 or 17	56.6	(52.8 - 60.4)	1,200	57.5	(52.3 - 62.6)	583	55.6	(50.5 - 60.5)	611
	18 or older	54.3	(48.5 - 60.0)	350	52.6	(44.0 - 61.0)	190	56.0	(48.6 - 63.2)	159
Grade	9th	55.5	(51.5 - 59.5)	814	54.8	(49.1 - 60.5)	383	56.5	(51.4 - 61.5)	429
	10th	55.8	(50.8 - 60.6)	699	58.1	(51.6 - 64.3)	339	53.2	(46.4 - 59.9)	356
	11th	57.8	(51.4 - 64.0)	535	62.4	(53.4 - 70.6)	245	53.3	(45.8 - 60.7)	287
	12th	56.3	(51.2 - 61.3)	507	51.9	(45.0 - 58.7)	267	60.6	(54.4 - 66.4)	239
Race/Ethnicity										
	Black*	69.4	(64.4 - 74.0)	464	70.8	(64.0 - 76.8)	215	68.2	(61.6 - 74.2)	246
	Hispanic/Latino	53.3	(50.1 - 56.6)	1,546	54.2	(49.9 - 58.4)	752	52.5	(48.3 - 56.6)	788
	White*	47.1	(40.8 - 53.5)	363	43.7	(36.2 - 51.4)	174	50.3	(40.9 - 59.7)	188
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	82	-	-	39	-	-	43

Nutrition and Physical Activity

Percentage of students who did not eat other vegetables (during the 7 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	23.3	(21.3 - 25.5)	2,564	24.2	(21.2 - 27.6)	1,238	22.4	(19.6 - 25.4)	1,312
	15 or younger	24.5	(21.4 - 28.0)	1,010	25.7	(21.2 - 30.8)	466	23.4	(18.9 - 28.6)	541
	16 or 17	23.2	(20.4 - 26.3)	1,198	23.2	(19.0 - 28.1)	580	22.8	(18.9 - 27.1)	612
	18 or older	20.7	(17.0 - 25.1)	350	23.5	(17.5 - 30.8)	190	17.8	(12.9 - 23.9)	159
Grade	9th	26.1	(22.4 - 30.1)	810	27.3	(21.8 - 33.7)	381	24.8	(20.0 - 30.3)	427
	10th	23.8	(19.6 - 28.5)	698	22.5	(17.5 - 28.3)	338	24.7	(19.0 - 31.4)	356
	11th	22.0	(17.8 - 27.0)	536	24.3	(17.3 - 33.0)	245	19.5	(14.8 - 25.2)	288
	12th	19.9	(16.4 - 24.0)	506	21.3	(15.9 - 28.0)	266	18.6	(14.0 - 24.2)	239
Race/Ethnicity										
	Black*	22.5	(18.5 - 27.1)	463	21.9	(15.9 - 29.5)	214	22.8	(17.5 - 29.2)	246
	Hispanic/Latino	26.0	(23.6 - 28.6)	1,543	27.7	(24.1 - 31.5)	750	24.2	(20.5 - 28.3)	787
	White*	13.2	(9.4 - 18.3)	362	11.6	(7.2 - 18.3)	173	14.8	(9.8 - 21.8)	188
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44



Nutrition and Physical Activity

Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total		9.9	(8.5 - 11.5)	2,550	10.9	(9.0 - 13.3)	1,232	8.9	(7.1 - 11.0)	1,304
Age										
15 or younger		10.8	(8.7 - 13.5)	1,004	12.8	(9.5 - 16.9)	464	9.0	(6.5 - 12.3)	537
16 or 17		9.6	(7.6 - 11.9)	1,192	9.7	(6.9 - 13.3)	577	9.2	(6.7 - 12.5)	609
18 or older		8.7	(6.0 - 12.4)	348	10.0	(6.1 - 16.1)	189	7.2	(4.2 - 12.0)	158
Grade										
9th		11.7	(9.5 - 14.4)	805	13.7	(10.0 - 18.5)	379	9.6	(6.8 - 13.5)	424
10th		8.3	(6.4 - 10.8)	696	8.2	(5.3 - 12.6)	338	8.4	(5.7 - 12.2)	354
11th		11.0	(7.8 - 15.2)	531	12.5	(8.1 - 18.9)	243	9.0	(5.6 - 14.0)	285
12th		8.2	(5.9 - 11.1)	504	8.1	(5.0 - 12.8)	264	8.3	(5.3 - 12.7)	239
Race/Ethnicity										
Black*		10.8	(8.0 - 14.5)	461	12.2	(8.0 - 18.0)	213	9.2	(5.8 - 14.2)	245
Hispanic/Latino		10.6	(9.0 - 12.4)	1,536	11.6	(9.2 - 14.4)	748	9.6	(7.5 - 12.2)	782
White*		4.4	(2.6 - 7.5)	362	3.1	(1.3 - 7.0)	173	5.7	(2.9 - 10.9)	188
All other races*		-	-	78	-	-	40	-	-	38
Multiple races*		-	-	81	-	-	38	-	-	43



Nutrition and Physical Activity

Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey).

	Percentage	Total		N	Percentage	Male		N	Percentage	Female		N
		95% confidence interval				95% confidence interval				95% confidence interval		
Total	55.1	(52.9 - 57.4)		2,550	56.0	(53.0 - 59.0)		1,232	54.3	(50.8 - 57.9)		1,304
Age												
15 or younger	51.3	(47.7 - 54.8)		1,004	50.3	(45.7 - 54.9)		464	52.6	(46.5 - 58.6)		537
16 or 17	56.2	(53.0 - 59.4)		1,192	59.1	(54.7 - 63.4)		577	53.5	(48.5 - 58.4)		609
18 or older	62.2	(56.5 - 67.6)		348	61.5	(55.2 - 67.5)		189	62.8	(54.0 - 70.9)		158
Grade												
9th	52.7	(48.9 - 56.4)		805	53.8	(48.7 - 58.8)		379	51.8	(44.9 - 58.6)		424
10th	53.4	(49.1 - 57.5)		696	53.9	(48.6 - 59.1)		338	53.3	(46.8 - 59.6)		354
11th	55.5	(50.3 - 60.5)		531	57.1	(50.3 - 63.8)		243	53.8	(46.7 - 60.9)		285
12th	61.2	(56.0 - 66.2)		504	62.0	(56.0 - 67.6)		264	60.3	(52.3 - 67.8)		239
Race/Ethnicity												
Black*	54.6	(49.9 - 59.2)		461	58.8	(52.6 - 64.8)		213	51.1	(44.3 - 57.9)		245
Hispanic/Latino	52.6	(49.7 - 55.6)		1,536	53.7	(49.8 - 57.5)		748	51.7	(46.8 - 56.6)		782
White*	66.6	(59.6 - 72.9)		362	64.8	(56.3 - 72.4)		173	68.2	(58.9 - 76.3)		188
All other races*	-	-		78	-	-		40	-	-		38
Multiple races*	-	-		81	-	-		38	-	-		43

Nutrition and Physical Activity

Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	26.2	(23.9 - 28.7)	2,550	28.0	(25.1 - 31.1)	1,232	24.4	(21.5 - 27.5)	1,304
	15 or younger	24.8	(22.1 - 27.8)	1,004	26.0	(22.1 - 30.3)	464	23.9	(19.9 - 28.4)	537
	16 or 17	25.5	(22.2 - 29.0)	1,192	27.8	(23.8 - 32.3)	577	23.3	(18.6 - 28.8)	609
	18 or older	32.3	(26.1 - 39.2)	348	34.6	(26.3 - 43.9)	189	29.9	(23.2 - 37.5)	158
Grade	9th	26.3	(23.3 - 29.4)	805	28.3	(24.1 - 33.0)	379	24.2	(19.9 - 29.2)	424
	10th	25.0	(20.9 - 29.5)	696	27.1	(21.7 - 33.3)	338	22.9	(18.0 - 28.6)	354
	11th	25.7	(20.4 - 31.8)	531	26.8	(20.7 - 34.0)	243	24.9	(17.8 - 33.6)	285
	12th	28.0	(22.6 - 34.0)	504	30.2	(23.4 - 37.9)	264	25.9	(19.8 - 33.0)	239
Race/Ethnicity										
	Black*	25.8	(20.9 - 31.5)	461	28.6	(21.8 - 36.5)	213	23.6	(17.9 - 30.3)	245
	Hispanic/Latino	25.8	(23.0 - 28.9)	1,536	27.9	(24.4 - 31.6)	748	23.9	(20.0 - 28.3)	782
	White*	27.6	(23.3 - 32.4)	362	28.1	(22.2 - 34.8)	173	27.3	(21.1 - 34.5)	188
	All other races*	-	-	78	-	-	40	-	-	38
	Multiple races*	-	-	81	-	-	38	-	-	43

Nutrition and Physical Activity

Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	16.4	(14.5 - 18.4)	2,550	17.8	(15.4 - 20.5)	1,232	14.8	(12.4 - 17.7)	1,304
	15 or younger	15.5	(13.4 - 18.0)	1,004	16.1	(12.9 - 19.8)	464	15.1	(12.0 - 18.8)	537
	16 or 17	16.3	(13.5 - 19.5)	1,192	17.5	(14.0 - 21.6)	577	15.1	(11.1 - 20.3)	609
	18 or older	18.7	(14.7 - 23.4)	348	23.9	(17.7 - 31.3)	189	13.0	(9.1 - 18.2)	158
Grade	9th	17.4	(15.0 - 20.1)	805	18.8	(15.2 - 23.1)	379	16.0	(12.3 - 20.5)	424
	10th	16.0	(12.8 - 19.9)	696	18.2	(14.1 - 23.2)	338	13.8	(9.8 - 19.1)	354
	11th	16.5	(12.0 - 22.2)	531	15.2	(10.3 - 21.9)	243	17.9	(11.4 - 26.9)	285
	12th	14.6	(11.5 - 18.3)	504	18.4	(13.9 - 23.9)	264	10.9	(8.1 - 14.5)	239
Race/Ethnicity										
	Black*	17.2	(13.1 - 22.2)	461	19.4	(14.2 - 25.9)	213	15.4	(10.6 - 21.7)	245
	Hispanic/Latino	16.7	(14.4 - 19.3)	1,536	18.7	(15.9 - 21.8)	748	14.7	(11.5 - 18.7)	782
	White*	13.5	(9.6 - 18.5)	362	13.9	(8.1 - 22.9)	173	13.1	(8.8 - 19.1)	188
	All other races*	-	-	78	-	-	40	-	-	38
	Multiple races*	-	-	81	-	-	38	-	-	43

Nutrition and Physical Activity

Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	18.9	(17.3 - 20.6)	2,564	18.2	(16.0 - 20.7)	1,239	19.3	(16.8 - 22.1)	1,311
	15 or younger	18.4	(15.4 - 21.7)	1,010	16.8	(13.3 - 21.1)	467	19.7	(15.5 - 24.7)	540
	16 or 17	18.9	(16.5 - 21.6)	1,200	19.5	(16.2 - 23.4)	582	17.9	(14.6 - 21.9)	612
	18 or older	20.2	(16.2 - 24.8)	348	17.4	(13.0 - 22.9)	188	23.3	(17.0 - 31.1)	159
Grade	9th	17.9	(14.6 - 21.9)	811	18.1	(14.1 - 22.9)	382	17.5	(13.0 - 23.1)	427
	10th	14.7	(12.1 - 17.8)	698	11.9	(8.4 - 16.5)	339	17.7	(13.2 - 23.2)	355
	11th	24.8	(21.0 - 29.0)	536	26.5	(21.5 - 32.3)	245	22.3	(16.5 - 29.3)	288
	12th	19.1	(15.3 - 23.7)	505	17.3	(12.9 - 22.9)	265	21.0	(16.4 - 26.4)	239
Race/Ethnicity										
	Black*	18.1	(14.9 - 21.7)	464	20.7	(15.4 - 27.3)	215	14.7	(10.9 - 19.6)	246
	Hispanic/Latino	17.9	(16.0 - 20.1)	1,541	16.2	(13.6 - 19.1)	749	19.7	(16.5 - 23.3)	786
	White*	22.3	(17.7 - 27.8)	363	19.6	(14.9 - 25.4)	174	25.0	(18.0 - 33.7)	188
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Nutrition and Physical Activity

Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	26.2	(24.2 - 28.3)	2,564	29.0	(26.2 - 31.9)	1,239	23.6	(21.1 - 26.2)	1,311
	15 or younger	25.0	(21.9 - 28.4)	1,010	25.1	(20.8 - 29.9)	467	24.9	(21.1 - 29.2)	540
	16 or 17	26.2	(23.4 - 29.2)	1,200	30.0	(25.9 - 34.5)	582	22.6	(19.0 - 26.6)	612
	18 or older	29.5	(24.9 - 34.6)	348	34.9	(28.0 - 42.6)	188	23.3	(17.3 - 30.6)	159
Grade	9th	27.9	(24.1 - 32.0)	811	28.6	(23.8 - 34.0)	382	27.1	(22.4 - 32.4)	427
	10th	26.0	(22.9 - 29.4)	698	29.5	(25.1 - 34.4)	339	22.8	(18.2 - 28.1)	355
	11th	21.5	(17.7 - 25.9)	536	26.1	(20.6 - 32.4)	245	17.3	(12.0 - 24.2)	288
	12th	29.0	(24.9 - 33.6)	505	32.0	(26.2 - 38.4)	265	26.0	(20.6 - 32.2)	239
Race/Ethnicity										
	Black*	28.0	(24.4 - 31.9)	464	26.7	(21.3 - 32.9)	215	29.4	(24.1 - 35.4)	246
	Hispanic/Latino	27.2	(24.5 - 30.0)	1,541	31.1	(27.5 - 35.0)	749	23.2	(19.9 - 26.9)	786
	White*	22.5	(18.3 - 27.3)	363	27.7	(21.4 - 35.1)	174	17.6	(12.6 - 24.0)	188
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Nutrition and Physical Activity

Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	17.7	(15.9 - 19.8)	2,564	19.2	(16.8 - 21.8)	1,239	16.4	(14.1 - 18.9)	1,311
	15 or younger	15.4	(13.3 - 17.9)	1,010	14.1	(11.1 - 17.7)	467	16.9	(13.8 - 20.6)	540
	16 or 17	18.4	(15.8 - 21.3)	1,200	21.0	(17.5 - 24.9)	582	16.0	(12.6 - 20.0)	612
	18 or older	21.2	(16.5 - 26.8)	348	25.6	(19.1 - 33.4)	188	16.1	(10.7 - 23.5)	159
Grade	9th	18.2	(15.5 - 21.2)	811	17.8	(14.2 - 22.0)	382	18.6	(15.0 - 22.9)	427
	10th	16.8	(14.1 - 19.8)	698	18.6	(14.8 - 23.2)	339	15.2	(11.5 - 19.9)	355
	11th	15.1	(12.1 - 18.8)	536	17.9	(14.0 - 22.7)	245	12.6	(7.8 - 19.7)	288
	12th	20.8	(16.0 - 26.6)	505	23.1	(17.2 - 30.3)	265	18.3	(12.8 - 25.6)	239
Race/Ethnicity										
	Black*	20.7	(17.1 - 24.7)	464	18.0	(13.0 - 24.3)	215	23.3	(18.3 - 29.0)	246
	Hispanic/Latino	17.8	(15.4 - 20.6)	1,541	20.3	(17.1 - 24.0)	749	15.4	(12.4 - 19.0)	786
	White*	15.3	(11.5 - 20.0)	363	18.5	(13.4 - 25.1)	174	12.2	(7.7 - 18.7)	188
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Nutrition and Physical Activity

Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	10.0	(8.7 - 11.4)	2,564	10.0	(8.4 - 11.9)	1,239	10.0	(8.1 - 12.2)	1,311
	15 or younger	9.0	(7.3 - 11.0)	1,010	7.8	(5.6 - 10.9)	467	10.1	(7.7 - 13.2)	540
	16 or 17	10.4	(8.5 - 12.6)	1,200	10.5	(8.1 - 13.4)	582	10.4	(7.5 - 14.1)	612
	18 or older	11.2	(8.1 - 15.3)	348	13.7	(9.4 - 19.6)	188	8.1	(4.7 - 13.9)	159
Grade	9th	10.4	(8.2 - 13.0)	811	8.7	(5.9 - 12.5)	382	12.2	(9.3 - 15.8)	427
	10th	9.9	(7.8 - 12.5)	698	10.7	(8.1 - 14.0)	339	9.2	(6.3 - 13.3)	355
	11th	8.8	(6.3 - 12.2)	536	9.6	(7.2 - 12.6)	245	8.1	(4.0 - 15.8)	288
	12th	10.5	(7.7 - 14.0)	505	11.2	(7.8 - 15.6)	265	9.6	(6.0 - 15.0)	239
Race/Ethnicity										
	Black*	12.6	(9.9 - 16.0)	464	10.6	(6.9 - 16.1)	215	14.4	(10.9 - 18.9)	246
	Hispanic/Latino	9.9	(8.2 - 11.9)	1,541	10.2	(8.1 - 12.8)	749	9.6	(7.0 - 13.1)	786
	White*	7.5	(5.2 - 10.7)	363	8.8	(5.5 - 13.8)	174	6.2	(3.4 - 11.1)	188
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Nutrition and Physical Activity

Percentage of students who did not drink milk (during the 7 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	22.5	(20.6 - 24.6)	2,565	16.9	(14.5 - 19.7)	1,241	28.2	(25.2 - 31.4)	1,310
	15 or younger	20.5	(17.7 - 23.5)	1,009	15.9	(12.1 - 20.6)	466	25.2	(21.4 - 29.4)	540
	16 or 17	22.9	(19.8 - 26.3)	1,200	16.8	(13.4 - 20.9)	583	28.8	(24.0 - 34.1)	611
	18 or older	26.8	(22.6 - 31.6)	350	19.6	(14.4 - 26.0)	190	35.0	(27.9 - 42.8)	159
Grade	9th	20.6	(17.4 - 24.1)	811	16.8	(12.6 - 22.0)	383	24.7	(20.5 - 29.5)	426
	10th	18.3	(15.3 - 21.9)	698	14.5	(10.7 - 19.6)	338	22.1	(17.3 - 27.7)	356
	11th	26.3	(21.5 - 31.7)	535	18.6	(13.7 - 24.9)	245	33.5	(26.7 - 41.0)	287
	12th	26.8	(23.5 - 30.4)	507	17.6	(13.3 - 22.9)	267	36.0	(29.6 - 43.0)	239
Race/Ethnicity										
	Black*	29.2	(24.5 - 34.3)	463	25.1	(19.7 - 31.5)	215	32.8	(27.0 - 39.2)	245
	Hispanic/Latino	18.5	(16.3 - 21.0)	1,544	14.0	(11.2 - 17.4)	751	23.3	(19.6 - 27.3)	787
	White*	25.9	(21.1 - 31.5)	363	14.1	(9.2 - 21.0)	174	37.2	(30.1 - 44.9)	188
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	82	-	-	39	-	-	43

Nutrition and Physical Activity

Percentage of students who drank one or more glasses per day of milk (during the 7 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	32.0	(29.9 - 34.1)	2,565	39.9	(37.1 - 42.8)	1,241	23.8	(21.3 - 26.4)	1,310
	15 or younger	33.0	(29.6 - 36.6)	1,009	40.4	(35.3 - 45.8)	466	25.5	(21.1 - 30.4)	540
	16 or 17	30.8	(27.6 - 34.2)	1,200	38.5	(34.6 - 42.7)	583	22.9	(18.8 - 27.7)	611
	18 or older	33.4	(29.0 - 38.1)	350	43.9	(37.6 - 50.4)	190	21.9	(16.1 - 29.1)	159
Grade	9th	34.0	(30.4 - 37.9)	811	41.7	(36.1 - 47.5)	383	25.6	(21.0 - 30.7)	426
	10th	33.9	(30.4 - 37.6)	698	42.6	(36.8 - 48.6)	338	25.7	(21.1 - 30.9)	356
	11th	27.7	(23.0 - 33.0)	535	33.9	(29.0 - 39.1)	245	21.4	(14.5 - 30.4)	287
	12th	31.1	(27.0 - 35.6)	507	41.3	(35.7 - 47.2)	267	21.1	(16.1 - 27.0)	239
Race/Ethnicity										
	Black*	27.5	(23.1 - 32.5)	463	33.5	(26.6 - 41.1)	215	21.8	(17.1 - 27.5)	245
	Hispanic/Latino	33.6	(31.0 - 36.3)	1,544	41.1	(37.5 - 44.9)	751	25.8	(22.3 - 29.5)	787
	White*	33.9	(28.0 - 40.3)	363	49.1	(41.0 - 57.4)	174	19.2	(13.4 - 26.7)	188
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	82	-	-	39	-	-	43

Nutrition and Physical Activity

Percentage of students who drank two or more glasses per day of milk (during the 7 days before the survey)

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	18.0	(16.2 - 19.9)	2,565	23.3	(20.7 - 26.0)	1,241	12.5	(10.4 - 15.0)	1,310
	15 or younger	20.2	(17.6 - 23.2)	1,009	25.8	(21.4 - 30.8)	466	14.4	(11.4 - 18.2)	540
	16 or 17	16.8	(14.0 - 20.1)	1,200	21.7	(18.4 - 25.6)	583	11.6	(8.1 - 16.4)	611
	18 or older	16.3	(12.6 - 20.7)	350	21.9	(17.0 - 27.8)	190	10.1	(6.0 - 16.6)	159
Grade	9th	22.0	(19.0 - 25.4)	811	27.3	(22.4 - 32.9)	383	16.0	(12.7 - 20.0)	426
	10th	18.2	(15.0 - 22.0)	698	23.4	(18.5 - 29.2)	338	13.1	(9.7 - 17.5)	356
	11th	15.1	(11.0 - 20.4)	535	18.9	(14.3 - 24.6)	245	10.9	(5.3 - 21.0)	287
	12th	14.9	(11.2 - 19.5)	507	21.6	(17.2 - 26.7)	267	8.1	(4.8 - 13.4)	239
Race/Ethnicity										
	Black*	14.8	(11.9 - 18.2)	463	19.8	(15.1 - 25.5)	215	9.8	(6.3 - 14.9)	245
	Hispanic/Latino	19.3	(17.2 - 21.7)	1,544	24.2	(21.0 - 27.8)	751	14.1	(11.2 - 17.6)	787
	White*	20.5	(15.7 - 26.4)	363	28.9	(21.8 - 37.2)	174	12.5	(7.8 - 19.4)	188
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	82	-	-	39	-	-	43

Nutrition and Physical Activity

Percentage of students who drank three or more glasses per day of milk (during the 7 days before the survey)

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	9.1	(7.9 - 10.5)	2,565	12.0	(10.2 - 14.0)	1,241	6.3	(4.9 - 8.0)	1,310
	15 or younger	10.6	(8.9 - 12.6)	1,009	13.2	(10.4 - 16.7)	466	7.7	(5.6 - 10.6)	540
	16 or 17	8.7	(6.8 - 11.0)	1,200	11.7	(9.1 - 14.9)	583	5.8	(3.8 - 8.7)	611
	18 or older	6.9	(4.4 - 10.6)	350	9.7	(6.4 - 14.3)	190	3.8	(1.5 - 9.5)	159
Grade	9th	11.8	(9.8 - 14.3)	811	14.9	(11.3 - 19.3)	383	8.3	(6.0 - 11.4)	426
	10th	10.5	(8.2 - 13.4)	698	14.0	(10.2 - 18.9)	338	7.3	(4.9 - 10.9)	356
	11th	6.5	(4.2 - 9.8)	535	8.4	(5.4 - 12.8)	245	4.6	(1.9 - 10.8)	287
	12th	6.1	(3.8 - 9.5)	507	8.5	(5.8 - 12.4)	267	3.6	(1.6 - 8.2)	239
Race/Ethnicity										
	Black*	7.7	(5.6 - 10.6)	463	9.3	(6.0 - 14.3)	215	5.8	(3.4 - 9.6)	245
	Hispanic/Latino	9.9	(8.3 - 11.8)	1,544	12.7	(10.3 - 15.6)	751	7.1	(5.3 - 9.4)	787
	White*	10.1	(7.0 - 14.5)	363	15.5	(10.8 - 21.8)	174	4.9	(2.4 - 9.7)	188
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	82	-	-	39	-	-	43

Nutrition and Physical Activity

Percentage of students who did not eat breakfast (during the 7 days before the survey)

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	17.8	(16.1 - 19.6)	2,569	18.3	(16.1 - 20.8)	1,243	17.5	(15.1 - 20.2)	1,310
	15 or younger	16.3	(14.0 - 18.8)	1,010	16.8	(13.1 - 21.3)	467	15.9	(13.1 - 19.2)	539
	16 or 17	18.4	(16.1 - 21.1)	1,201	19.3	(15.8 - 23.3)	584	17.8	(14.4 - 21.7)	611
	18 or older	19.9	(15.1 - 25.9)	351	18.8	(13.1 - 26.2)	190	21.3	(14.7 - 29.9)	160
Grade	9th	17.5	(14.9 - 20.4)	809	18.0	(13.7 - 23.2)	383	17.1	(14.0 - 20.8)	423
	10th	16.6	(13.9 - 19.8)	701	16.8	(13.1 - 21.3)	340	16.7	(12.9 - 21.3)	357
	11th	17.1	(13.4 - 21.6)	536	16.7	(12.1 - 22.7)	245	17.7	(12.3 - 24.7)	288
	12th	20.6	(16.6 - 25.2)	508	22.4	(17.0 - 28.9)	267	18.9	(13.0 - 26.7)	240
Race/Ethnicity										
	Black*	14.3	(11.3 - 17.9)	465	12.4	(8.7 - 17.4)	215	16.3	(12.3 - 21.2)	246
	Hispanic/Latino	19.8	(17.6 - 22.2)	1,546	20.6	(18.0 - 23.4)	753	19.2	(15.9 - 23.0)	787
	White*	10.3	(7.4 - 14.1)	361	9.9	(5.7 - 16.7)	174	10.7	(6.5 - 17.1)	186
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Nutrition and Physical Activity

Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	31.0	(28.8 - 33.3)	2,569	33.1	(30.2 - 36.2)	1,243	28.7	(25.9 - 31.7)	1,310
	15 or younger	34.2	(30.7 - 37.9)	1,010	37.7	(33.1 - 42.6)	467	30.3	(25.3 - 35.7)	539
	16 or 17	28.6	(25.7 - 31.6)	1,201	30.7	(26.8 - 34.9)	584	26.7	(23.4 - 30.3)	611
	18 or older	30.8	(25.6 - 36.5)	351	29.6	(24.0 - 36.0)	190	31.9	(24.3 - 40.6)	160
Grade	9th	36.5	(32.8 - 40.3)	809	39.8	(34.8 - 45.0)	383	32.5	(26.6 - 39.1)	423
	10th	28.5	(24.7 - 32.6)	701	30.2	(24.6 - 36.5)	340	26.6	(22.4 - 31.4)	357
	11th	28.0	(23.5 - 32.9)	536	32.2	(26.4 - 38.7)	245	24.1	(18.9 - 30.1)	288
	12th	29.2	(25.4 - 33.4)	508	27.3	(21.9 - 33.3)	267	31.1	(25.2 - 37.6)	240
Race/Ethnicity										
	Black*	31.9	(27.1 - 37.2)	465	36.3	(29.5 - 43.7)	215	27.3	(21.8 - 33.6)	246
	Hispanic/Latino	29.0	(26.2 - 31.9)	1,546	30.3	(26.6 - 34.2)	753	27.7	(24.0 - 31.6)	787
	White*	40.9	(35.9 - 46.2)	361	45.2	(37.8 - 52.9)	174	36.9	(28.8 - 45.7)	186
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Nutrition and Physical Activity

Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	15.8	(13.9 - 17.9)	2,563	12.0	(9.8 - 14.5)	1,239	19.8	(17.3 - 22.6)	1,311
	15 or younger	14.9	(11.7 - 18.7)	1,010	11.1	(7.8 - 15.6)	467	18.5	(14.2 - 23.6)	540
	16 or 17	15.9	(13.7 - 18.3)	1,198	11.1	(8.3 - 14.6)	581	20.9	(17.8 - 24.3)	611
	18 or older	18.3	(13.9 - 23.9)	350	16.9	(11.7 - 24.0)	189	19.9	(13.7 - 28.2)	160
Grade	9th	15.3	(11.4 - 20.3)	809	12.7	(8.8 - 18.0)	383	18.2	(12.9 - 25.0)	424
	10th	14.9	(11.7 - 18.9)	701	9.9	(6.9 - 13.9)	340	19.7	(15.1 - 25.4)	357
	11th	15.6	(12.6 - 19.3)	533	10.5	(6.5 - 16.4)	242	20.9	(16.5 - 26.1)	288
	12th	18.0	(14.3 - 22.4)	507	15.0	(10.9 - 20.3)	266	21.0	(15.8 - 27.4)	240
Race/Ethnicity										
	Black*	16.4	(13.0 - 20.5)	464	11.0	(7.3 - 16.4)	214	21.5	(15.9 - 28.4)	247
	Hispanic/Latino	15.3	(13.3 - 17.6)	1,543	11.9	(9.5 - 14.9)	751	18.8	(16.0 - 21.8)	786
	White*	12.3	(9.0 - 16.6)	362	10.6	(6.9 - 15.9)	174	14.0	(9.5 - 20.2)	187
	All other races*	-	-	79	-	-	40	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Nutrition and Physical Activity

Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey)).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	24.5	(22.5 - 26.7)	2,563	32.5	(29.4 - 35.8)	1,239	16.5	(14.4 - 18.9)	1,311
	15 or younger	25.6	(22.1 - 29.6)	1,010	32.7	(27.3 - 38.5)	467	18.8	(15.4 - 22.7)	540
	16 or 17	24.1	(21.6 - 26.9)	1,198	33.8	(29.8 - 38.0)	581	14.4	(11.6 - 17.8)	611
	18 or older	22.8	(19.4 - 26.6)	350	27.6	(22.1 - 33.8)	189	17.6	(12.4 - 24.2)	160
Grade	9th	26.2	(22.0 - 30.8)	809	33.1	(27.2 - 39.6)	383	18.9	(14.8 - 23.7)	424
	10th	23.1	(19.4 - 27.3)	701	31.9	(25.5 - 39.0)	340	14.7	(11.3 - 19.1)	357
	11th	24.6	(21.0 - 28.7)	533	34.9	(29.5 - 40.6)	242	14.4	(10.3 - 19.8)	288
	12th	22.9	(19.8 - 26.4)	507	28.4	(23.4 - 34.1)	266	17.5	(12.8 - 23.5)	240
Race/Ethnicity										
	Black*	25.2	(21.1 - 29.8)	464	32.3	(25.9 - 39.5)	214	18.9	(14.0 - 25.0)	247
	Hispanic/Latino	24.0	(21.4 - 26.7)	1,543	32.5	(28.4 - 36.8)	751	15.1	(12.7 - 17.9)	786
	White*	28.2	(23.3 - 33.7)	362	36.2	(29.4 - 43.5)	174	20.5	(14.7 - 28.0)	187
	All other races*	-	-	79	-	-	40	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Tobacco, Alcohol, and Other Drug Prevention



Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who ever tried cigarette smoking (even one or two puffs).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	32.7	(30.2 - 35.3)	2,559	35.7	(32.5 - 39.0)	1,228	30.0	(27.0 - 33.1)	1,316
	15 or younger	25.4	(22.0 - 29.1)	1,020	25.5	(20.9 - 30.8)	469	25.4	(21.3 - 30.1)	547
	16 or 17	34.7	(31.6 - 37.9)	1,184	39.8	(35.5 - 44.3)	569	29.8	(25.7 - 34.4)	610
	18 or older	46.4	(38.8 - 54.1)	348	48.6	(40.0 - 57.2)	188	44.2	(34.7 - 54.1)	159
Grade	9th	28.1	(23.9 - 32.8)	825	29.0	(23.3 - 35.3)	390	27.4	(22.3 - 33.3)	432
	10th	29.5	(24.7 - 34.9)	694	34.7	(29.4 - 40.3)	331	25.0	(18.9 - 32.2)	359
	11th	33.2	(29.3 - 37.4)	526	34.5	(28.0 - 41.7)	238	32.1	(26.5 - 38.2)	286
	12th	43.4	(37.2 - 49.9)	500	49.0	(42.1 - 56.0)	261	38.0	(30.1 - 46.6)	238
Race/Ethnicity										
	Black*	24.5	(20.7 - 28.9)	462	27.4	(22.4 - 33.0)	212	22.2	(17.1 - 28.3)	247
	Hispanic/Latino	35.3	(32.2 - 38.6)	1,538	38.1	(33.6 - 42.8)	742	32.9	(29.3 - 36.6)	790
	White*	35.8	(29.1 - 43.1)	363	40.3	(32.2 - 49.1)	174	31.2	(24.5 - 38.8)	188
	All other races*	-	-	78	-	-	40	-	-	38
	Multiple races*	-	-	83	-	-	39	-	-	44

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who smoked a whole cigarette before age 13 years (for the first time).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	5.9	(4.9 - 7.1)	2,463	7.8	(6.1 - 9.9)	1,180	4.1	(3.1 - 5.4)	1,270
	15 or younger	5.4	(3.9 - 7.6)	980	6.8	(4.4 - 10.6)	452	4.1	(2.6 - 6.3)	525
	16 or 17	5.6	(4.4 - 7.2)	1,142	7.1	(4.9 - 10.1)	546	4.2	(2.8 - 6.3)	591
	18 or older	8.3	(5.9 - 11.4)	335	12.3	(8.1 - 18.2)	180	3.9	(1.7 - 8.6)	154
Grade	9th	7.5	(5.3 - 10.4)	789	9.5	(6.0 - 14.6)	373	5.4	(3.5 - 8.1)	414
	10th	5.2	(3.6 - 7.3)	672	7.6	(5.0 - 11.2)	321	2.9	(1.5 - 5.8)	347
	11th	4.5	(2.9 - 7.0)	509	4.6	(2.4 - 8.8)	226	4.4	(2.2 - 8.3)	281
	12th	6.3	(4.6 - 8.6)	481	9.0	(6.0 - 13.3)	253	3.6	(2.0 - 6.7)	227
Race/Ethnicity										
	Black*	3.7	(2.3 - 6.1)	440	4.2	(2.1 - 8.4)	199	3.4	(1.6 - 7.0)	239
	Hispanic/Latino	6.7	(5.4 - 8.3)	1,486	9.4	(7.1 - 12.5)	719	4.0	(2.7 - 5.8)	761
	White*	5.0	(3.1 - 7.9)	355	5.4	(2.7 - 10.4)	170	4.6	(2.3 - 8.9)	184
	All other races*	-	-	69	-	-	35	-	-	34
	Multiple races*	-	-	82	-	-	39	-	-	43

Note: 141 students were excluded from this analysis.

*Non-Hispanic.

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	9.0	(7.5 - 10.6)	2,508	10.9	(8.7 - 13.7)	1,204	7.1	(5.5 - 9.1)	1,289
	15 or younger	4.0	(2.8 - 5.6)	998	3.9	(2.2 - 6.9)	459	4.0	(2.5 - 6.5)	535
	16 or 17	10.1	(8.2 - 12.4)	1,161	12.7	(9.7 - 16.5)	558	7.5	(5.3 - 10.6)	597
	18 or older	19.3	(14.0 - 25.9)	343	23.6	(16.8 - 32.2)	185	14.5	(8.4 - 23.8)	157
Grade	9th	6.1	(4.4 - 8.6)	808	6.8	(4.1 - 11.1)	382	5.5	(3.4 - 8.7)	423
	10th	6.4	(4.5 - 9.0)	678	8.9	(6.0 - 12.8)	326	4.1	(2.2 - 7.6)	348
	11th	8.5	(6.0 - 11.9)	518	10.3	(6.7 - 15.4)	233	6.7	(3.7 - 11.8)	282
	12th	17.8	(13.7 - 22.8)	490	21.7	(16.1 - 28.6)	255	14.1	(9.5 - 20.3)	234
Race/Ethnicity										
	Black*	3.3	(1.9 - 5.7)	452	4.4	(2.1 - 8.8)	206	2.5	(1.0 - 6.1)	242
	Hispanic/Latino	10.0	(8.0 - 12.4)	1,508	12.5	(9.5 - 16.4)	728	7.4	(5.3 - 10.2)	774
	White*	14.3	(10.5 - 19.3)	358	14.7	(8.9 - 23.4)	172	13.7	(9.3 - 19.6)	185
	All other races*	-	-	77	-	-	39	-	-	38
	Multiple races*	-	-	80	-	-	38	-	-	42

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	1.7	(1.2 - 2.4)	2,508	2.2	(1.4 - 3.4)	1,204	1.2	(0.7 - 2.1)	1,289
	15 or younger	0.2	(0.1 - 0.9)	998	0.3	(0.0 - 1.9)	459	0.2	(0.0 - 1.5)	535
	16 or 17	1.7	(1.0 - 2.8)	1,161	2.2	(1.2 - 4.3)	558	1.2	(0.5 - 2.5)	597
	18 or older	5.5	(3.4 - 8.9)	343	6.8	(3.4 - 12.9)	185	4.2	(1.7 - 9.7)	157
Grade	9th	0.4	(0.1 - 1.2)	808	0.5	(0.1 - 2.1)	382	0.3	(0.0 - 1.8)	423
	10th	0.9	(0.3 - 2.4)	678	1.3	(0.4 - 4.2)	326	0.5	(0.1 - 3.3)	348
	11th	2.2	(1.2 - 4.1)	518	3.2	(1.4 - 7.1)	233	1.3	(0.5 - 3.5)	282
	12th	4.3	(2.8 - 6.6)	490	5.2	(2.8 - 9.5)	255	3.5	(1.7 - 6.9)	234
Race/Ethnicity										
	Black*	0.7	(0.2 - 2.4)	452	0.8	(0.1 - 5.2)	206	0.7	(0.2 - 2.8)	242
	Hispanic/Latino	1.6	(1.0 - 2.5)	1,508	2.5	(1.4 - 4.3)	728	0.7	(0.3 - 1.8)	774
	White*	4.0	(2.2 - 7.2)	358	3.9	(1.7 - 8.7)	172	4.2	(1.7 - 9.9)	185
	All other races*	-	-	77	-	-	39	-	-	38
	Multiple races*	-	-	80	-	-	38	-	-	42

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	1.2	(0.8 - 1.8)	2,508	1.8	(1.1 - 3.0)	1,204	0.6	(0.3 - 1.2)	1,289
	15 or younger	0.2	(0.1 - 0.9)	998	0.3	(0.0 - 1.9)	459	0.2	(0.0 - 1.5)	535
	16 or 17	1.2	(0.7 - 2.1)	1,161	1.6	(0.7 - 3.6)	558	0.8	(0.3 - 1.6)	597
	18 or older	3.7	(1.9 - 6.9)	343	5.9	(2.8 - 12.0)	185	1.2	(0.3 - 4.8)	157
Grade	9th	0.4	(0.1 - 1.2)	808	0.5	(0.1 - 2.1)	382	0.3	(0.0 - 1.8)	423
	10th	0.6	(0.2 - 2.0)	678	1.0	(0.2 - 4.2)	326	0.2	(0.0 - 1.5)	348
	11th	1.5	(0.7 - 3.2)	518	2.4	(0.9 - 5.9)	233	0.7	(0.2 - 2.0)	282
	12th	2.9	(1.7 - 5.1)	490	4.3	(2.1 - 8.7)	255	1.6	(0.6 - 3.9)	234
Race/Ethnicity										
	Black*	0.6	(0.1 - 2.3)	452	0.8	(0.1 - 5.2)	206	0.4	(0.1 - 2.8)	242
	Hispanic/Latino	1.1	(0.6 - 2.0)	1,508	1.9	(1.0 - 3.7)	728	0.4	(0.1 - 1.1)	774
	White*	2.9	(1.5 - 5.6)	358	3.9	(1.7 - 8.7)	172	2.0	(0.7 - 5.5)	185
	All other races*	-	-	77	-	-	39	-	-	38
	Multiple races*	-	-	80	-	-	38	-	-	42

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	3.1	(1.4 - 6.7)	213	3.6	(1.3 - 9.4)	127	-	-	85
	15 or younger	-	-	39	-	-	17	-	-	22
	16 or 17	1.4	(0.4 - 5.0)	110	-	-	67	-	-	42
	18 or older	-	-	63	-	-	42	-	-	21
Grade	9th	-	-	46	-	-	24	-	-	22
	10th	-	-	39	-	-	25	-	-	14
	11th	-	-	44	-	-	26	-	-	17
	12th	-	-	84	-	-	52	-	-	32
Race/Ethnicity										
	Black*	-	-	14	-	-	8	-	-	6
	Hispanic/Latino	1.9	(0.7 - 5.2)	138	-	-	86	-	-	52
	White*	-	-	46	-	-	24	-	-	21
	All other races*	-	-	2	-	-	2	-	-	0
	Multiple races*	-	-	10	-	-	5	-	-	5

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	31.7	(23.9 - 40.7)	138	-	-	81	-	-	56
	15 or younger	-	-	35	-	-	16	-	-	19
	16 or 17	34.4	(25.7 - 44.3)	103	-	-	65	-	-	37
	18 or older	-	-	0	-	-	0	-	-	0
Grade	9th	-	-	40	-	-	21	-	-	19
	10th	-	-	38	-	-	25	-	-	13
	11th	-	-	42	-	-	24	-	-	17
	12th	-	-	18	-	-	11	-	-	7
Race/Ethnicity										
	Black*	-	-	8	-	-	3	-	-	5
	Hispanic/Latino	-	-	95	-	-	61	-	-	34
	White*	-	-	26	-	-	12	-	-	13
	All other races*	-	-	1	-	-	1	-	-	0
	Multiple races*	-	-	7	-	-	4	-	-	3

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who usually obtained their own cigarettes by buying on the internet (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	1.7	(0.4 - 6.9)	138	-	-	81	-	-	56
	15 or younger	-	-	35	-	-	16	-	-	19
	16 or 17	0.8	(0.1 - 5.6)	103	-	-	65	-	-	37
	18 or older	-	-	0	-	-	0	-	-	0
Grade										
9th		-	-	40	-	-	21	-	-	19
10th		-	-	38	-	-	25	-	-	13
11th		-	-	42	-	-	24	-	-	17
12th		-	-	18	-	-	11	-	-	7
Race/Ethnicity										
Black*		-	-	8	-	-	3	-	-	5
Hispanic/Latino		-	-	95	-	-	61	-	-	34
White*		-	-	26	-	-	12	-	-	13
All other races*		-	-	1	-	-	1	-	-	0
Multiple races*		-	-	7	-	-	4	-	-	3

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age										
Total		48.7	(39.6 - 57.9)	205	44.1	(32.5 - 56.4)	125	-	-	79
15 or younger		-	-	35	-	-	16	-	-	19
16 or 17		51.3	(39.5 - 63.0)	106	-	-	66	-	-	39
18 or older		-	-	63	-	-	42	-	-	21
Grade										
9th		-	-	42	-	-	23	-	-	19
10th		-	-	38	-	-	25	-	-	13
11th		-	-	43	-	-	25	-	-	17
12th		-	-	82	-	-	52	-	-	30
Race/Ethnicity										
Black*		-	-	13	-	-	8	-	-	5
Hispanic/Latino		52.0	(42.0 - 61.8)	135	-	-	86	-	-	49
White*		-	-	43	-	-	23	-	-	19
All other races*		-	-	2	-	-	2	-	-	0
Multiple races*		-	-	10	-	-	5	-	-	5

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	3.2	(2.4 - 4.2)	2,577	5.0	(3.7 - 6.8)	1,243	1.4	(0.8 - 2.6)	1,320
	15 or younger	1.8	(1.1 - 2.8)	1,021	1.8	(1.0 - 3.2)	469	1.8	(0.8 - 3.8)	549
	16 or 17	3.5	(2.3 - 5.3)	1,199	5.8	(3.7 - 9.0)	581	1.2	(0.5 - 2.8)	612
	18 or older	6.1	(3.8 - 9.6)	351	10.6	(6.5 - 16.7)	191	1.1	(0.3 - 4.1)	159
Grade	9th	2.3	(1.5 - 3.6)	824	2.9	(1.7 - 4.9)	388	1.8	(0.7 - 4.3)	434
	10th	2.4	(1.4 - 4.0)	699	3.8	(2.2 - 6.4)	336	1.1	(0.3 - 3.7)	359
	11th	3.8	(1.9 - 7.6)	533	5.8	(2.5 - 12.9)	244	1.9	(0.7 - 5.3)	286
	12th	4.7	(3.1 - 7.0)	507	8.6	(5.7 - 12.8)	267	0.8	(0.3 - 2.8)	239
Race/Ethnicity										
	Black*	1.1	(0.5 - 2.6)	468	1.7	(0.6 - 4.4)	216	0.5	(0.1 - 3.8)	249
	Hispanic/Latino	3.1	(2.3 - 4.3)	1,550	4.2	(2.9 - 6.0)	754	2.0	(1.1 - 3.9)	790
	White*	7.0	(3.9 - 12.5)	363	14.1	(8.5 - 22.4)	173	0.3	(0.0 - 2.1)	189
	All other races*	-	-	79	-	-	40	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	9.0	(7.8 - 10.5)	2,579	10.4	(8.5 - 12.7)	1,245	7.8	(6.2 - 9.7)	1,320
	15 or younger	6.1	(4.8 - 7.8)	1,024	5.4	(3.6 - 8.2)	473	6.9	(4.8 - 9.8)	548
	16 or 17	9.6	(7.8 - 11.8)	1,198	11.2	(8.5 - 14.7)	579	8.1	(5.9 - 11.1)	613
	18 or older	15.3	(11.0 - 20.8)	351	20.9	(15.0 - 28.3)	191	9.1	(4.7 - 16.7)	159
Grade	9th	7.3	(5.7 - 9.3)	825	7.2	(4.9 - 10.3)	390	7.4	(5.0 - 11.0)	433
	10th	9.8	(7.5 - 12.8)	701	11.3	(8.1 - 15.4)	338	8.5	(5.8 - 12.4)	359
	11th	7.2	(5.1 - 10.0)	533	8.1	(5.1 - 12.5)	243	6.3	(3.6 - 10.9)	287
	12th	13.3	(9.7 - 17.8)	506	17.7	(13.0 - 23.6)	266	8.9	(5.3 - 14.5)	239
Race/Ethnicity										
	Black*	7.6	(5.3 - 10.9)	466	7.5	(4.3 - 12.6)	216	7.9	(4.7 - 13.1)	247
	Hispanic/Latino	9.0	(7.3 - 11.1)	1,551	10.2	(7.8 - 13.3)	753	7.9	(5.9 - 10.4)	792
	White*	10.6	(6.8 - 16.1)	364	15.8	(9.7 - 24.6)	174	5.6	(2.8 - 10.8)	189
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who ever used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e- hookahs, and hookah pens such as blu, NJOY, or Starbuzz).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	42.6	(40.3 - 44.8)	2,574	45.4	(42.1 - 48.7)	1,242	39.7	(36.6 - 42.8)	1,317
	15 or younger	36.6	(33.4 - 39.9)	1,021	36.9	(32.1 - 41.9)	470	36.3	(31.2 - 41.7)	547
	16 or 17	44.1	(40.9 - 47.3)	1,199	48.7	(44.0 - 53.4)	581	39.2	(34.7 - 43.8)	612
	18 or older	54.2	(47.6 - 60.7)	348	56.5	(47.9 - 64.8)	189	51.9	(43.7 - 60.0)	158
Grade	9th	37.6	(33.5 - 42.0)	822	40.1	(34.2 - 46.4)	388	34.8	(28.8 - 41.4)	431
	10th	43.2	(38.5 - 48.0)	702	47.6	(42.1 - 53.2)	339	38.7	(32.6 - 45.3)	359
	11th	42.1	(36.8 - 47.6)	534	43.0	(35.5 - 50.9)	243	40.9	(34.3 - 48.0)	288
	12th	50.2	(44.3 - 56.0)	502	53.6	(45.9 - 61.0)	264	46.9	(39.7 - 54.3)	237
Race/Ethnicity										
	Black*	36.4	(32.1 - 41.0)	466	39.1	(32.4 - 46.3)	214	33.4	(27.3 - 40.2)	248
	Hispanic/Latino	46.5	(43.9 - 49.2)	1,549	48.6	(44.6 - 52.7)	754	44.4	(41.1 - 47.8)	789
	White*	40.1	(33.8 - 46.7)	363	47.6	(38.5 - 56.8)	174	32.7	(25.6 - 40.7)	188
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who currently used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	19.9	(17.9 - 22.1)	2,575	21.2	(18.7 - 24.0)	1,242	18.7	(16.1 - 21.7)	1,319
	15 or younger	16.3	(14.0 - 18.9)	1,022	13.8	(10.8 - 17.4)	470	18.6	(15.1 - 22.6)	549
	16 or 17	20.5	(17.9 - 23.3)	1,199	22.7	(19.2 - 26.7)	581	18.3	(14.4 - 23.1)	612
	18 or older	28.2	(22.6 - 34.6)	348	35.4	(28.2 - 43.3)	189	20.4	(14.5 - 27.9)	158
Grade	9th	18.3	(14.9 - 22.4)	823	16.8	(12.6 - 22.0)	388	19.7	(15.3 - 25.0)	433
	10th	19.7	(16.4 - 23.4)	702	23.0	(18.9 - 27.7)	338	16.7	(12.4 - 22.1)	360
	11th	17.7	(13.3 - 23.2)	533	16.9	(12.1 - 23.0)	244	18.5	(12.3 - 27.0)	286
	12th	25.3	(21.2 - 29.9)	503	30.5	(24.6 - 37.2)	264	20.2	(16.0 - 25.1)	238
Race/Ethnicity										
	Black*	16.2	(12.7 - 20.4)	467	18.0	(13.2 - 24.0)	215	14.2	(9.9 - 20.0)	249
	Hispanic/Latino	21.6	(19.0 - 24.3)	1,549	22.2	(19.0 - 25.8)	753	21.1	(17.7 - 24.9)	790
	White*	21.8	(17.4 - 27.1)	363	24.7	(17.7 - 33.5)	174	18.8	(13.3 - 25.9)	188
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who currently used tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	25.6	(23.4 - 28.0)	2,547	28.2	(25.1 - 31.5)	1,227	23.2	(20.5 - 26.1)	1,306
	15 or younger	20.0	(17.6 - 22.6)	1,007	16.9	(13.5 - 21.0)	464	22.8	(19.3 - 26.8)	540
	16 or 17	26.9	(23.9 - 30.1)	1,186	31.9	(27.5 - 36.7)	571	22.2	(18.3 - 26.6)	609
	18 or older	37.1	(30.8 - 43.9)	348	44.9	(37.1 - 52.9)	190	28.4	(20.8 - 37.5)	157
Grade	9th	22.2	(18.6 - 26.3)	816	20.5	(15.6 - 26.5)	386	23.7	(19.3 - 28.8)	428
	10th	25.1	(21.6 - 29.0)	691	30.1	(25.7 - 34.9)	333	20.6	(16.3 - 25.6)	354
	11th	23.0	(18.2 - 28.7)	526	24.7	(18.3 - 32.5)	238	21.5	(15.1 - 29.7)	285
	12th	34.9	(29.9 - 40.3)	500	41.9	(35.8 - 48.3)	262	28.0	(21.9 - 35.1)	237
Race/Ethnicity										
	Black*	22.3	(18.4 - 26.8)	456	24.0	(18.7 - 30.2)	211	20.4	(15.6 - 26.3)	242
	Hispanic/Latino	26.7	(23.6 - 30.0)	1,537	29.0	(24.7 - 33.6)	747	24.5	(20.9 - 28.5)	784
	White*	29.0	(23.9 - 34.8)	362	34.6	(26.3 - 43.9)	173	23.5	(18.0 - 29.9)	188
	All other races*	-	-	77	-	-	38	-	-	39
	Multiple races*	-	-	82	-	-	38	-	-	44

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	14.0	(12.3 - 15.8)	2,524	16.6	(14.0 - 19.6)	1,213	11.4	(9.6 - 13.6)	1,297
	15 or younger	8.6	(7.0 - 10.5)	1,000	8.1	(5.6 - 11.5)	460	9.1	(6.7 - 12.2)	537
	16 or 17	15.4	(13.2 - 17.9)	1,172	19.3	(15.7 - 23.6)	563	11.6	(8.9 - 14.9)	603
	18 or older	24.3	(18.7 - 31.0)	346	29.9	(22.2 - 38.9)	188	18.0	(11.4 - 27.3)	157
Grade	9th	10.3	(8.1 - 12.8)	808	10.9	(7.5 - 15.7)	382	9.6	(6.7 - 13.6)	424
	10th	13.0	(10.3 - 16.3)	686	16.5	(12.5 - 21.3)	329	9.9	(7.1 - 13.8)	353
	11th	12.8	(9.8 - 16.6)	519	15.3	(10.8 - 21.3)	235	10.4	(6.5 - 16.1)	281
	12th	22.4	(18.0 - 27.5)	497	27.4	(21.2 - 34.5)	259	17.6	(12.4 - 24.2)	237
Race/Ethnicity										
	Black*	9.5	(6.8 - 13.1)	452	9.9	(6.0 - 15.9)	207	9.2	(5.8 - 14.3)	242
	Hispanic/Latino	14.2	(12.0 - 16.9)	1,520	17.1	(13.7 - 21.3)	737	11.4	(9.0 - 14.2)	777
	White*	20.4	(16.0 - 25.6)	361	25.4	(17.8 - 34.9)	172	15.3	(10.8 - 21.2)	188
	All other races*	-	-	77	-	-	38	-	-	39
	Multiple races*	-	-	81	-	-	38	-	-	43

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	12.9	(11.4 - 14.7)	2,526	15.0	(12.5 - 17.9)	1,214	11.0	(9.2 - 13.1)	1,298
	15 or younger	7.4	(5.9 - 9.3)	1,002	6.8	(4.5 - 10.0)	462	8.1	(5.9 - 11.2)	537
	16 or 17	14.4	(12.2 - 16.9)	1,173	17.5	(14.0 - 21.6)	563	11.4	(8.8 - 14.7)	604
	18 or older	23.6	(17.9 - 30.3)	345	28.5	(20.9 - 37.6)	187	18.0	(11.4 - 27.3)	157
Grade	9th	9.2	(7.2 - 11.8)	810	9.6	(6.3 - 14.4)	383	8.8	(6.1 - 12.6)	425
	10th	12.2	(9.4 - 15.6)	686	15.2	(11.3 - 20.2)	330	9.4	(6.6 - 13.2)	352
	11th	11.9	(9.2 - 15.4)	520	13.9	(10.0 - 18.8)	235	10.0	(6.2 - 15.6)	282
	12th	21.5	(17.1 - 26.6)	496	25.5	(19.5 - 32.6)	258	17.6	(12.4 - 24.2)	237
Race/Ethnicity										
	Black*	9.1	(6.5 - 12.7)	451	9.2	(5.5 - 14.8)	206	9.2	(5.8 - 14.3)	242
	Hispanic/Latino	13.3	(11.1 - 15.9)	1,521	16.1	(12.6 - 20.2)	737	10.6	(8.3 - 13.4)	778
	White*	17.6	(13.8 - 22.2)	361	19.7	(13.5 - 27.9)	172	15.3	(10.8 - 21.2)	188
	All other races*	-	-	78	-	-	39	-	-	39
	Multiple races*	-	-	81	-	-	38	-	-	43



Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who did not currently use tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total		76.5	(74.1 - 78.7)	2,483	74.1	(70.8 - 77.2)	1,189	78.7	(75.8 - 81.3)	1,280
Age										
15 or younger		81.8	(79.0 - 84.3)	987	84.9	(80.9 - 88.2)	453	78.9	(74.8 - 82.4)	531
16 or 17		75.4	(72.1 - 78.5)	1,151	70.5	(65.5 - 75.0)	551	80.1	(75.5 - 84.0)	594
18 or older		65.2	(58.8 - 71.1)	339	58.0	(50.2 - 65.4)	183	73.0	(64.1 - 80.4)	155
Grade										
9th		79.8	(75.9 - 83.3)	796	81.4	(75.4 - 86.3)	375	78.4	(73.9 - 82.2)	419
10th		76.6	(72.7 - 80.2)	675	72.0	(67.1 - 76.5)	323	80.8	(75.6 - 85.1)	348
11th		79.8	(74.7 - 84.1)	512	77.9	(69.8 - 84.2)	231	81.6	(74.2 - 87.2)	278
12th		67.2	(61.8 - 72.1)	486	60.9	(54.7 - 66.7)	252	73.2	(66.3 - 79.1)	233
Race/Ethnicity										
Black*		79.4	(75.0 - 83.2)	447	78.6	(72.0 - 83.9)	204	80.4	(74.6 - 85.1)	240
Hispanic/Latino		75.9	(72.5 - 78.9)	1,492	73.8	(69.1 - 78.0)	719	77.8	(73.8 - 81.3)	767
White*		71.6	(65.7 - 76.8)	358	65.6	(56.3 - 74.0)	172	77.6	(71.1 - 83.0)	185
All other races*		-	-	75	-	-	37	-	-	38
Multiple races*		-	-	80	-	-	38	-	-	42

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who did not currently use cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	87.3	(85.5 - 89.0)	2,490	84.8	(81.8 - 87.4)	1,193	89.8	(87.6 - 91.6)	1,283
	15 or younger	92.6	(90.7 - 94.2)	990	92.9	(89.5 - 95.3)	455	92.2	(89.3 - 94.4)	532
	16 or 17	86.1	(83.5 - 88.3)	1,152	82.3	(78.0 - 85.9)	551	89.7	(86.4 - 92.2)	595
	18 or older	76.8	(70.3 - 82.3)	342	71.6	(62.7 - 79.0)	185	82.5	(73.2 - 89.1)	156
Grade	9th	90.9	(88.2 - 93.0)	799	90.2	(85.3 - 93.6)	377	91.6	(87.9 - 94.3)	420
	10th	88.3	(85.0 - 90.9)	675	85.0	(80.2 - 88.8)	323	91.3	(87.5 - 94.1)	348
	11th	88.6	(84.6 - 91.6)	513	86.2	(80.1 - 90.7)	231	90.8	(85.3 - 94.4)	279
	12th	79.0	(73.9 - 83.3)	489	74.2	(67.1 - 80.2)	254	83.6	(77.2 - 88.4)	234
Race/Ethnicity										
	Black*	91.2	(87.6 - 93.8)	448	90.5	(84.6 - 94.3)	205	91.7	(86.8 - 94.9)	240
	Hispanic/Latino	87.3	(84.7 - 89.6)	1,497	84.7	(80.5 - 88.2)	721	89.9	(87.0 - 92.2)	770
	White*	80.2	(74.8 - 84.6)	358	74.6	(65.1 - 82.2)	172	85.9	(79.9 - 90.3)	185
	All other races*	-	-	75	-	-	37	-	-	38
	Multiple races*	-	-	80	-	-	38	-	-	42

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who did not currently smoke cigarettes or cigars (on at least 1 day during the 30 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	88.3	(86.4 - 89.9)	2,495	86.3	(83.4 - 88.9)	1,196	90.1	(87.9 - 91.9)	1,285
	15 or younger	93.5	(91.5 - 95.1)	994	94.1	(90.7 - 96.3)	458	92.9	(89.8 - 95.1)	533
	16 or 17	87.1	(84.5 - 89.3)	1,153	84.2	(80.0 - 87.6)	551	89.9	(86.6 - 92.4)	596
	18 or older	77.4	(70.9 - 82.8)	342	72.7	(63.9 - 80.1)	185	82.5	(73.2 - 89.1)	156
Grade	9th	91.9	(89.1 - 94.0)	802	91.4	(86.3 - 94.7)	379	92.4	(88.6 - 95.0)	421
	10th	88.9	(85.5 - 91.6)	676	86.3	(81.3 - 90.1)	324	91.3	(87.5 - 94.1)	348
	11th	89.5	(85.9 - 92.3)	514	87.7	(82.7 - 91.4)	231	91.2	(85.9 - 94.6)	280
	12th	79.8	(74.8 - 84.0)	489	75.9	(68.9 - 81.8)	254	83.6	(77.2 - 88.4)	234
Race/Ethnicity										
	Black*	91.4	(87.9 - 94.0)	448	91.0	(85.4 - 94.6)	205	91.7	(86.8 - 94.9)	240
	Hispanic/Latino	88.1	(85.4 - 90.4)	1,500	85.8	(81.5 - 89.2)	722	90.4	(87.4 - 92.8)	772
	White*	83.0	(78.3 - 86.8)	358	80.3	(72.1 - 86.5)	172	85.9	(79.9 - 90.3)	185
	All other races*	-	-	76	-	-	38	-	-	38
	Multiple races*	-	-	80	-	-	38	-	-	42

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who ever drank alcohol (at least one drink of alcohol on at least 1 day during their life).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	59.7	(57.3 - 62.0)	2,530	56.2	(53.2 - 59.2)	1,218	63.2	(59.9 - 66.5)	1,295
	15 or younger	50.3	(46.7 - 53.9)	1,007	46.2	(41.2 - 51.3)	463	54.5	(49.5 - 59.4)	540
	16 or 17	64.3	(61.1 - 67.4)	1,174	61.1	(56.0 - 66.0)	570	67.5	(63.0 - 71.7)	598
	18 or older	69.8	(65.3 - 74.0)	341	66.5	(59.8 - 72.5)	183	73.7	(67.1 - 79.3)	157
Grade	9th	48.6	(44.4 - 52.8)	811	46.9	(41.2 - 52.6)	381	50.4	(44.7 - 56.1)	427
	10th	62.7	(58.3 - 66.9)	686	60.5	(54.4 - 66.2)	332	64.9	(59.7 - 69.7)	350
	11th	62.3	(57.9 - 66.5)	524	54.4	(47.1 - 61.7)	238	70.0	(63.1 - 76.1)	283
	12th	70.5	(66.1 - 74.4)	493	68.0	(61.4 - 74.0)	259	73.0	(66.9 - 78.4)	233
Race/Ethnicity										
	Black*	50.8	(45.8 - 55.8)	455	46.4	(39.6 - 53.3)	212	54.7	(47.7 - 61.6)	239
	Hispanic/Latino	62.9	(60.1 - 65.7)	1,519	59.3	(55.6 - 62.9)	736	66.8	(62.8 - 70.7)	777
	White*	62.3	(57.3 - 67.1)	361	60.2	(53.4 - 66.6)	172	64.3	(56.7 - 71.2)	188
	All other races*	-	-	79	-	-	40	-	-	39
	Multiple races*	-	-	82	-	-	39	-	-	43

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	15.9	(14.4 - 17.5)	2,546	18.9	(16.4 - 21.7)	1,229	12.8	(11.0 - 14.7)	1,301
	15 or younger	17.8	(15.4 - 20.6)	1,006	19.0	(14.9 - 24.0)	461	16.5	(13.3 - 20.3)	541
	16 or 17	14.5	(12.3 - 16.9)	1,187	18.3	(14.9 - 22.2)	578	10.8	(8.5 - 13.5)	603
	18 or older	14.7	(11.1 - 19.3)	346	19.8	(14.1 - 27.0)	188	9.1	(5.8 - 14.0)	157
Grade	9th	19.2	(16.4 - 22.2)	808	19.9	(15.2 - 25.6)	379	18.2	(14.5 - 22.5)	426
	10th	16.3	(13.7 - 19.2)	694	21.7	(17.9 - 26.1)	338	11.1	(8.4 - 14.5)	352
	11th	13.1	(9.6 - 17.5)	530	15.0	(9.6 - 22.6)	241	11.4	(7.9 - 16.2)	286
	12th	13.2	(10.5 - 16.4)	499	17.9	(13.4 - 23.5)	263	8.4	(5.9 - 12.0)	235
Race/Ethnicity										
	Black*	13.6	(10.6 - 17.1)	461	18.1	(13.4 - 24.0)	212	9.0	(5.7 - 13.9)	245
	Hispanic/Latino	16.8	(14.9 - 18.9)	1,535	19.6	(16.7 - 23.0)	747	14.0	(11.6 - 16.9)	782
	White*	13.9	(10.5 - 18.2)	356	16.0	(11.2 - 22.3)	170	12.0	(7.8 - 17.9)	185
	All other races*	-	-	77	-	-	40	-	-	37
	Multiple races*	-	-	83	-	-	39	-	-	44

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	28.1	(26.1 - 30.3)	2,358	25.9	(23.2 - 28.7)	1,131	30.3	(27.5 - 33.3)	1,212
	15 or younger	19.8	(17.3 - 22.6)	939	14.8	(11.5 - 18.9)	428	24.6	(20.6 - 29.1)	508
	16 or 17	30.9	(28.1 - 33.9)	1,090	30.9	(26.7 - 35.4)	528	31.3	(27.3 - 35.7)	557
	18 or older	40.9	(34.2 - 47.9)	321	38.3	(30.5 - 46.7)	173	44.0	(35.3 - 53.0)	147
Grade	9th	21.4	(18.1 - 25.0)	759	18.6	(14.2 - 23.9)	354	24.0	(19.5 - 29.1)	403
	10th	27.8	(24.2 - 31.8)	637	26.4	(21.3 - 32.2)	307	29.6	(25.0 - 34.6)	326
	11th	27.6	(24.1 - 31.4)	480	26.8	(22.2 - 32.0)	218	28.7	(22.7 - 35.5)	260
	12th	39.3	(34.3 - 44.5)	467	35.9	(30.2 - 42.2)	245	42.7	(36.2 - 49.6)	221
Race/Ethnicity										
	Black*	22.9	(19.1 - 27.2)	425	20.3	(15.7 - 25.8)	201	25.2	(19.6 - 31.7)	221
	Hispanic/Latino	29.1	(26.5 - 31.8)	1,404	27.3	(23.4 - 31.7)	674	31.1	(27.4 - 35.1)	724
	White*	33.7	(28.9 - 38.9)	348	30.6	(24.6 - 37.5)	167	36.7	(30.6 - 43.3)	181
	All other races*	-	-	75	-	-	38	-	-	37
	Multiple races*	-	-	76	-	-	36	-	-	40

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	14.5	(13.0 - 16.2)	2,507	14.6	(12.4 - 17.1)	1,198	14.1	(11.9 - 16.7)	1,293
	15 or younger	9.1	(7.3 - 11.3)	997	7.4	(5.2 - 10.3)	452	10.6	(7.8 - 14.1)	541
	16 or 17	15.6	(13.6 - 17.8)	1,168	17.2	(13.8 - 21.3)	565	14.1	(11.4 - 17.3)	597
	18 or older	24.8	(19.4 - 31.1)	335	24.7	(18.2 - 32.5)	179	25.0	(17.9 - 33.7)	155
Grade	9th	10.2	(8.2 - 12.7)	804	9.7	(6.8 - 13.5)	375	10.5	(7.4 - 14.6)	426
	10th	12.5	(10.1 - 15.4)	681	14.7	(11.2 - 19.0)	326	10.6	(7.6 - 14.7)	351
	11th	13.6	(10.8 - 17.0)	518	13.9	(9.8 - 19.4)	236	13.5	(9.6 - 18.7)	279
	12th	24.2	(20.1 - 28.9)	489	23.9	(19.3 - 29.3)	253	24.6	(18.4 - 32.1)	235
Race/Ethnicity										
	Black*	8.8	(6.5 - 11.8)	454	9.2	(6.2 - 13.5)	207	8.0	(4.9 - 12.9)	243
	Hispanic/Latino	16.0	(14.0 - 18.1)	1,499	16.2	(13.2 - 19.6)	722	15.9	(12.9 - 19.4)	771
	White*	18.7	(14.5 - 23.9)	361	18.9	(13.4 - 26.0)	173	18.6	(13.0 - 26.0)	187
	All other races*	-	-	79	-	-	40	-	-	39
	Multiple races*	-	-	82	-	-	38	-	-	44



Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours during the 30 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	3.4	(2.7 - 4.4)	2,357	5.1	(3.8 - 6.8)	1,131	1.8	(1.2 - 2.9)	1,211
	15 or younger	1.3	(0.7 - 2.5)	940	1.7	(0.6 - 4.2)	430	1.0	(0.4 - 2.3)	506
	16 or 17	3.8	(2.7 - 5.3)	1,086	5.8	(4.0 - 8.4)	526	1.9	(1.0 - 3.4)	555
	18 or older	8.0	(5.7 - 11.2)	324	11.6	(7.6 - 17.3)	173	4.4	(1.9 - 9.7)	150
Grade	9th	1.2	(0.5 - 2.7)	760	1.4	(0.4 - 4.8)	357	1.0	(0.4 - 2.4)	400
	10th	3.4	(2.1 - 5.3)	637	5.0	(2.9 - 8.5)	306	1.8	(0.9 - 3.9)	327
	11th	4.3	(2.6 - 7.0)	476	6.9	(3.9 - 12.0)	218	1.7	(0.7 - 4.3)	256
	12th	6.1	(4.4 - 8.4)	470	9.6	(6.5 - 13.8)	243	2.8	(1.2 - 6.3)	226
Race/Ethnicity	Black*	1.6	(0.8 - 3.1)	426	2.8	(1.4 - 5.8)	198	0.5	(0.1 - 3.2)	224
	Hispanic/Latino	3.7	(2.7 - 5.1)	1,403	5.3	(3.6 - 7.5)	675	2.2	(1.3 - 3.9)	722
	White*	5.7	(3.4 - 9.4)	348	8.3	(4.4 - 15.3)	168	3.0	(1.4 - 6.4)	180
	All other races*	-	-	75	-	-	38	-	-	37
	Multiple races*	-	-	75	-	-	35	-	-	40

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	39.9	(35.9 - 44.1)	646	32.1	(27.4 - 37.3)	286	46.0	(40.2 - 51.9)	356
	15 or younger	36.3	(29.2 - 44.1)	182	-	-	63	41.6	(31.9 - 51.9)	118
	16 or 17	39.8	(33.7 - 46.1)	332	34.7	(28.0 - 42.0)	155	44.6	(35.6 - 54.0)	177
	18 or older	44.1	(36.1 - 52.4)	127	-	-	66	-	-	61
Grade	9th	34.8	(27.2 - 43.3)	153	-	-	63	-	-	89
	10th	38.0	(30.7 - 45.9)	171	-	-	75	-	-	96
	11th	43.3	(34.6 - 52.5)	132	-	-	58	-	-	74
	12th	42.5	(35.5 - 49.7)	183	-	-	88	-	-	95
Race/Ethnicity										
	Black*	-	-	92	-	-	37	-	-	54
	Hispanic/Latino	36.1	(31.7 - 40.8)	389	29.6	(24.2 - 35.7)	176	41.9	(35.1 - 49.0)	213
	White*	43.4	(32.2 - 55.4)	116	-	-	52	-	-	64
	All other races*	-	-	12	-	-	7	-	-	5
	Multiple races*	-	-	29	-	-	11	-	-	18

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who ever used marijuana (one or more times during their life).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	39.3	(36.7 - 41.9)	2,533	41.3	(38.2 - 44.5)	1,219	37.3	(33.8 - 41.0)	1,298
	15 or younger	29.8	(26.3 - 33.6)	1,007	31.1	(26.7 - 35.9)	465	28.5	(23.6 - 33.8)	538
	16 or 17	42.7	(39.2 - 46.3)	1,174	46.4	(41.8 - 51.1)	568	39.4	(34.7 - 44.3)	600
	18 or older	53.6	(47.3 - 59.8)	345	52.0	(44.5 - 59.4)	184	55.5	(47.7 - 63.1)	160
Grade	9th	31.5	(27.3 - 36.0)	814	33.8	(28.4 - 39.6)	384	28.9	(23.6 - 34.8)	427
	10th	35.5	(30.7 - 40.6)	685	40.5	(34.6 - 46.8)	333	31.1	(24.8 - 38.1)	348
	11th	42.4	(37.8 - 47.1)	521	42.8	(37.0 - 48.8)	237	42.3	(35.8 - 49.1)	281
	12th	52.6	(47.9 - 57.3)	498	53.0	(47.8 - 58.1)	257	52.4	(44.8 - 59.9)	240
Race/Ethnicity										
	Black*	44.4	(39.3 - 49.6)	454	46.7	(40.4 - 53.1)	208	42.5	(34.3 - 51.0)	242
	Hispanic/Latino	39.0	(35.9 - 42.3)	1,521	41.1	(36.9 - 45.4)	738	37.2	(33.1 - 41.6)	777
	White*	33.3	(28.8 - 38.0)	363	35.0	(27.7 - 43.1)	174	31.4	(25.0 - 38.5)	188
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	81	-	-	38	-	-	43

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who tried marijuana before age 13 years (for the first time).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	9.0	(7.7 - 10.5)	2,536	11.8	(9.7 - 14.2)	1,217	6.2	(4.8 - 7.8)	1,304
	15 or younger	9.1	(6.9 - 11.8)	1,009	12.3	(9.1 - 16.5)	462	5.6	(3.8 - 8.3)	543
	16 or 17	9.1	(7.4 - 11.2)	1,176	11.2	(8.5 - 14.7)	568	7.1	(5.2 - 9.6)	602
	18 or older	8.4	(5.4 - 12.7)	345	12.0	(7.6 - 18.3)	185	4.5	(1.8 - 11.1)	159
Grade	9th	11.6	(8.8 - 15.1)	811	15.9	(11.5 - 21.6)	379	6.7	(4.3 - 10.1)	429
	10th	8.4	(6.3 - 11.1)	691	11.6	(8.5 - 15.8)	334	5.4	(3.2 - 8.8)	353
	11th	6.7	(4.7 - 9.5)	523	6.6	(3.9 - 10.8)	238	7.0	(4.4 - 10.9)	282
	12th	8.5	(6.3 - 11.4)	497	11.4	(7.6 - 16.7)	258	5.7	(3.1 - 10.3)	238
Race/Ethnicity										
	Black*	9.6	(7.4 - 12.5)	457	12.2	(8.7 - 16.9)	208	6.9	(4.3 - 11.0)	245
	Hispanic/Latino	9.5	(7.7 - 11.6)	1,523	12.4	(9.6 - 15.9)	737	6.6	(4.9 - 8.9)	780
	White*	4.8	(2.9 - 8.0)	362	7.1	(3.8 - 13.2)	173	2.6	(1.0 - 6.7)	188
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	81	-	-	38	-	-	43

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who currently used marijuana (one or more times during the 30 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	19.1	(17.1 - 21.2)	2,553	20.7	(17.8 - 23.9)	1,232	17.4	(14.9 - 20.2)	1,305
	15 or younger	13.9	(11.5 - 16.7)	1,012	14.5	(11.2 - 18.6)	468	13.1	(9.9 - 17.1)	541
	16 or 17	20.7	(17.9 - 23.8)	1,184	23.6	(19.6 - 28.0)	574	17.9	(14.4 - 22.1)	604
	18 or older	27.7	(22.2 - 34.0)	349	27.4	(20.4 - 35.8)	188	28.2	(21.1 - 36.5)	160
Grade	9th	16.2	(13.0 - 20.0)	818	18.3	(13.3 - 24.6)	387	13.6	(9.8 - 18.4)	429
	10th	17.0	(13.4 - 21.3)	688	20.9	(15.6 - 27.3)	334	13.5	(9.9 - 18.1)	350
	11th	21.0	(17.3 - 25.1)	527	21.8	(17.9 - 26.4)	240	20.2	(15.1 - 26.6)	284
	12th	23.9	(19.9 - 28.3)	504	23.1	(17.5 - 29.8)	263	24.7	(19.2 - 31.1)	240
Race/Ethnicity										
	Black*	21.9	(18.2 - 26.0)	458	23.5	(18.2 - 29.8)	211	20.1	(15.3 - 26.0)	244
	Hispanic/Latino	17.8	(15.2 - 20.8)	1,535	19.7	(16.0 - 24.1)	747	16.0	(13.0 - 19.5)	782
	White*	20.7	(16.8 - 25.2)	363	21.3	(15.2 - 29.0)	174	19.8	(14.7 - 26.2)	188
	All other races*	-	-	79	-	-	40	-	-	39
	Multiple races*	-	-	82	-	-	39	-	-	43

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	5.6	(4.5 - 6.9)	2,580	7.4	(5.9 - 9.4)	1,242	3.8	(2.7 - 5.3)	1,323
	15 or younger	3.1	(2.2 - 4.4)	1,020	3.9	(2.6 - 6.0)	469	2.4	(1.4 - 4.2)	548
	16 or 17	5.6	(4.3 - 7.4)	1,202	6.9	(4.8 - 9.7)	581	4.5	(2.7 - 7.4)	615
	18 or older	12.4	(8.1 - 18.4)	351	18.5	(12.1 - 27.2)	190	5.7	(2.7 - 11.6)	160
Grade	9th	4.1	(2.8 - 5.9)	821	5.2	(3.3 - 7.9)	386	3.0	(1.7 - 5.2)	433
	10th	5.3	(3.5 - 8.1)	700	7.4	(4.7 - 11.4)	336	3.4	(1.8 - 6.5)	360
	11th	5.1	(3.4 - 7.5)	536	4.8	(2.6 - 8.5)	245	5.4	(2.8 - 10.2)	288
	12th	9.0	(6.2 - 13.0)	508	14.5	(9.8 - 20.9)	267	3.6	(1.8 - 7.0)	240
Race/Ethnicity										
	Black*	1.5	(0.7 - 3.5)	470	2.4	(0.9 - 6.3)	217	0.7	(0.2 - 3.3)	250
	Hispanic/Latino	7.3	(5.7 - 9.2)	1,549	9.5	(7.2 - 12.3)	751	5.1	(3.5 - 7.4)	792
	White*	4.0	(2.3 - 6.9)	363	4.8	(2.6 - 9.0)	173	3.2	(1.1 - 8.8)	189
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	5.8	(4.8 - 6.9)	2,579	5.5	(4.3 - 7.1)	1,244	6.0	(4.6 - 7.6)	1,320
	15 or younger	5.0	(3.7 - 6.6)	1,021	3.6	(2.2 - 5.9)	470	6.4	(4.4 - 9.1)	548
	16 or 17	5.6	(4.3 - 7.3)	1,201	5.8	(4.0 - 8.3)	582	5.5	(3.9 - 7.8)	613
	18 or older	7.9	(5.2 - 11.7)	350	9.3	(5.3 - 15.8)	190	6.3	(3.4 - 11.4)	159
Grade	9th	5.9	(4.4 - 7.9)	823	4.7	(2.8 - 7.7)	388	7.2	(4.8 - 10.7)	433
	10th	4.4	(3.1 - 6.2)	699	4.7	(3.0 - 7.3)	336	4.1	(2.4 - 7.1)	359
	11th	6.3	(4.5 - 8.8)	535	5.4	(3.2 - 8.9)	245	7.4	(4.8 - 11.0)	287
	12th	6.6	(4.7 - 9.2)	507	8.3	(5.1 - 13.1)	267	4.9	(2.7 - 8.9)	239
Race/Ethnicity										
	Black*	5.1	(3.1 - 8.2)	470	4.5	(2.3 - 8.4)	217	5.8	(2.9 - 11.2)	250
	Hispanic/Latino	5.8	(4.6 - 7.2)	1,548	5.6	(4.0 - 7.8)	752	6.1	(4.6 - 8.0)	790
	White*	4.5	(2.7 - 7.3)	363	4.1	(1.9 - 8.4)	174	4.9	(2.3 - 10.1)	188
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	1.5	(1.0 - 2.3)	2,578	2.5	(1.6 - 4.0)	1,242	0.5	(0.2 - 1.2)	1,320
	15 or younger	0.9	(0.5 - 1.8)	1,022	0.8	(0.3 - 2.1)	470	1.0	(0.4 - 2.8)	548
	16 or 17	1.2	(0.6 - 2.2)	1,198	2.1	(1.1 - 4.1)	580	0.2	(0.0 - 1.5)	612
	18 or older	4.3	(2.2 - 8.3)	351	8.2	(4.1 - 15.8)	190	0.0	-	160
Grade	9th	1.4	(0.7 - 2.7)	824	2.0	(0.9 - 4.3)	388	0.8	(0.3 - 2.5)	433
	10th	0.8	(0.3 - 2.2)	699	1.0	(0.3 - 3.6)	336	0.6	(0.1 - 4.0)	359
	11th	1.4	(0.6 - 3.2)	533	2.4	(1.0 - 5.7)	244	0.5	(0.1 - 3.3)	286
	12th	2.9	(1.5 - 5.5)	507	5.7	(2.9 - 10.9)	266	0.0	-	240
Race/Ethnicity										
	Black*	1.5	(0.5 - 4.3)	471	2.6	(0.8 - 8.4)	217	0.5	(0.1 - 3.7)	250
	Hispanic/Latino	1.4	(0.9 - 2.4)	1,545	2.3	(1.2 - 4.2)	750	0.6	(0.2 - 1.6)	789
	White*	1.7	(0.7 - 4.5)	364	3.1	(1.2 - 8.1)	174	0.4	(0.1 - 2.6)	189
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	2.7	(2.0 - 3.6)	2,577	3.3	(2.3 - 4.6)	1,242	2.2	(1.4 - 3.4)	1,320
	15 or younger	2.5	(1.7 - 3.6)	1,019	2.0	(1.1 - 3.6)	468	3.0	(1.8 - 5.0)	548
	16 or 17	2.1	(1.3 - 3.4)	1,200	2.6	(1.3 - 5.1)	582	1.6	(0.8 - 3.4)	612
	18 or older	5.2	(3.0 - 9.1)	351	8.5	(4.8 - 14.8)	190	1.6	(0.5 - 5.3)	160
Grade	9th	2.6	(1.7 - 3.9)	822	2.6	(1.3 - 4.8)	387	2.6	(1.4 - 4.6)	433
	10th	2.4	(1.4 - 4.0)	698	2.3	(1.1 - 4.7)	335	2.4	(1.1 - 5.4)	359
	11th	2.2	(1.2 - 4.1)	534	2.6	(1.1 - 6.0)	245	1.7	(0.6 - 5.2)	286
	12th	4.0	(2.4 - 6.5)	508	6.6	(3.9 - 11.0)	267	1.4	(0.5 - 3.8)	240
Race/Ethnicity										
	Black*	1.3	(0.5 - 3.1)	470	1.6	(0.5 - 5.1)	217	0.9	(0.2 - 3.8)	250
	Hispanic/Latino	3.0	(2.1 - 4.4)	1,545	3.7	(2.4 - 5.7)	750	2.3	(1.3 - 4.1)	789
	White*	1.9	(0.8 - 4.7)	364	1.4	(0.4 - 4.7)	174	2.4	(0.7 - 8.0)	189
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	5.4	(4.4 - 6.7)	2,575	7.6	(6.0 - 9.6)	1,242	3.3	(2.3 - 4.6)	1,318
	15 or younger	4.2	(2.9 - 6.1)	1,017	5.7	(3.6 - 8.8)	468	2.8	(1.6 - 4.8)	546
	16 or 17	5.5	(4.2 - 7.1)	1,200	7.2	(5.1 - 10.0)	582	3.7	(2.2 - 6.2)	612
	18 or older	8.6	(5.5 - 13.3)	351	13.6	(8.4 - 21.3)	190	3.1	(1.4 - 6.8)	160
Grade	9th	4.8	(3.2 - 7.0)	820	7.1	(4.5 - 10.9)	387	2.3	(1.3 - 4.3)	431
	10th	5.6	(3.9 - 8.1)	698	6.6	(4.3 - 10.0)	335	4.8	(2.8 - 8.1)	359
	11th	4.4	(3.0 - 6.5)	534	5.7	(3.3 - 9.7)	245	3.0	(1.3 - 6.6)	286
	12th	7.4	(5.2 - 10.4)	508	11.6	(8.1 - 16.5)	267	3.1	(1.7 - 5.5)	240
Race/Ethnicity										
	Black*	3.4	(1.8 - 6.3)	470	5.3	(2.5 - 10.8)	217	1.7	(0.6 - 4.4)	250
	Hispanic/Latino	5.9	(4.6 - 7.5)	1,545	8.1	(6.0 - 10.7)	751	3.7	(2.4 - 5.7)	788
	White*	5.5	(3.4 - 8.8)	363	8.0	(4.4 - 14.1)	174	2.8	(1.1 - 6.8)	188
	All other races*	-	-	79	-	-	40	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who ever used synthetic marijuana (also called "K2", "Spice", "fake weed", "King Kong", "Yucatan Fire", "Skunk", or "Moon Rocks", one or more times during their life).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	9.9	(8.6 - 11.4)	2,574	11.3	(9.3 - 13.6)	1,239	8.7	(7.0 - 10.8)	1,319
	15 or younger	7.7	(5.7 - 10.3)	1,017	7.1	(4.6 - 11.0)	467	8.3	(5.6 - 12.3)	546
	16 or 17	11.0	(9.0 - 13.4)	1,199	12.6	(10.0 - 15.8)	580	9.5	(6.9 - 12.9)	613
	18 or older	12.5	(8.7 - 17.5)	351	17.4	(11.4 - 25.7)	190	7.0	(3.9 - 12.4)	160
Grade	9th	9.5	(7.2 - 12.3)	822	9.6	(6.5 - 14.0)	387	9.4	(6.4 - 13.8)	432
	10th	10.7	(8.4 - 13.5)	696	12.7	(9.3 - 17.3)	333	8.8	(6.0 - 12.7)	359
	11th	8.8	(6.4 - 12.0)	533	7.8	(5.2 - 11.5)	244	10.0	(6.3 - 15.5)	286
	12th	11.2	(8.3 - 14.8)	508	16.4	(11.3 - 23.1)	267	6.0	(3.8 - 9.4)	240
Race/Ethnicity										
	Black*	6.8	(4.7 - 9.7)	471	8.0	(4.8 - 13.2)	217	5.7	(3.2 - 9.9)	250
	Hispanic/Latino	11.8	(10.0 - 13.9)	1,543	12.6	(10.0 - 15.6)	749	11.2	(8.7 - 14.2)	788
	White*	6.4	(4.3 - 9.4)	364	8.8	(5.2 - 14.5)	174	4.0	(2.0 - 8.1)	189
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	81	-	-	37	-	-	44

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who ever took steroids without a doctor's prescription (pills or shots, one or more times during their life).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	3.0	(2.4 - 3.8)	2,578	3.5	(2.5 - 4.8)	1,242	2.6	(1.8 - 3.7)	1,320
	15 or younger	2.4	(1.6 - 3.6)	1,019	2.7	(1.6 - 4.6)	468	2.1	(1.1 - 4.1)	547
	16 or 17	3.2	(2.3 - 4.5)	1,200	3.2	(2.0 - 5.2)	581	3.2	(1.9 - 5.2)	613
	18 or older	4.0	(1.8 - 8.7)	352	6.0	(2.8 - 12.3)	191	1.8	(0.5 - 6.7)	160
Grade	9th	3.3	(2.3 - 4.6)	821	3.2	(1.9 - 5.6)	386	3.3	(1.8 - 5.9)	432
	10th	2.6	(1.6 - 4.2)	700	3.2	(1.6 - 6.2)	336	2.1	(1.0 - 4.2)	360
	11th	3.2	(1.9 - 5.3)	534	3.3	(1.7 - 6.5)	245	2.9	(1.2 - 6.5)	286
	12th	3.2	(1.6 - 6.1)	508	4.5	(2.3 - 8.6)	267	1.9	(0.6 - 5.3)	240
Race/Ethnicity										
	Black*	2.1	(0.9 - 4.5)	470	2.1	(0.8 - 5.5)	216	2.0	(0.8 - 5.2)	250
	Hispanic/Latino	3.2	(2.4 - 4.2)	1,548	3.3	(2.2 - 4.9)	753	3.1	(2.0 - 4.7)	789
	White*	2.7	(1.5 - 5.0)	363	4.1	(1.8 - 9.0)	173	1.1	(0.3 - 3.3)	189
	All other races*	-	-	79	-	-	40	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during their life).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	13.6	(12.0 - 15.4)	2,575	15.0	(12.8 - 17.6)	1,241	12.1	(10.3 - 14.1)	1,318
	15 or younger	8.8	(7.1 - 11.0)	1,020	8.6	(6.2 - 11.8)	470	9.0	(6.8 - 11.7)	546
	16 or 17	15.1	(12.9 - 17.7)	1,197	17.5	(14.6 - 20.9)	579	12.8	(10.1 - 16.2)	612
	18 or older	21.3	(16.7 - 26.8)	351	23.5	(17.0 - 31.6)	190	18.9	(13.9 - 25.2)	160
Grade	9th	8.7	(6.6 - 11.4)	822	8.5	(5.8 - 12.2)	388	8.9	(6.4 - 12.4)	431
	10th	14.1	(11.2 - 17.6)	698	16.8	(12.7 - 21.9)	335	11.4	(7.9 - 16.1)	359
	11th	15.5	(12.0 - 19.8)	532	16.4	(12.3 - 21.6)	243	14.6	(10.2 - 20.5)	286
	12th	18.7	(15.8 - 22.1)	508	22.3	(18.2 - 27.0)	267	15.2	(11.4 - 19.9)	240
Race/Ethnicity										
	Black*	14.6	(11.3 - 18.5)	470	18.8	(13.6 - 25.3)	217	10.9	(7.5 - 15.5)	249
	Hispanic/Latino	12.3	(10.3 - 14.7)	1,545	13.0	(10.6 - 15.9)	750	11.6	(9.1 - 14.6)	789
	White*	18.0	(13.8 - 23.0)	362	17.9	(12.2 - 25.5)	173	17.8	(12.1 - 25.6)	188
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body one or more times during their life).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	1.6	(1.1 - 2.3)	2,576	2.4	(1.6 - 3.6)	1,242	0.8	(0.4 - 1.6)	1,319
	15 or younger	0.5	(0.2 - 1.2)	1,022	0.8	(0.3 - 2.3)	471	0.2	(0.0 - 0.8)	548
	16 or 17	1.7	(1.0 - 2.7)	1,195	2.0	(1.0 - 3.8)	578	1.4	(0.6 - 3.1)	611
	18 or older	3.9	(2.0 - 7.3)	352	7.4	(3.9 - 13.9)	191	0.0	-	160
Grade	9th	1.2	(0.6 - 2.4)	821	1.5	(0.6 - 3.7)	387	0.9	(0.3 - 2.8)	432
	10th	0.8	(0.3 - 2.0)	700	1.2	(0.4 - 3.7)	337	0.5	(0.1 - 1.9)	359
	11th	1.5	(0.7 - 3.4)	531	2.0	(0.8 - 4.8)	242	1.1	(0.2 - 5.6)	286
	12th	3.2	(1.9 - 5.4)	509	5.9	(3.4 - 10.1)	268	0.5	(0.1 - 2.2)	240
Race/Ethnicity	Black*	1.4	(0.6 - 3.6)	468	3.0	(1.2 - 7.3)	216	0.0	-	249
	Hispanic/Latino	1.7	(1.0 - 2.7)	1,548	2.4	(1.4 - 4.1)	753	1.0	(0.4 - 2.4)	789
	White*	0.9	(0.3 - 2.7)	362	1.3	(0.3 - 5.2)	172	0.6	(0.2 - 2.7)	189
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Tobacco, Alcohol, and Other Drug Prevention

Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	21.5	(19.8 - 23.4)	2,567	22.7	(20.4 - 25.2)	1,237	20.2	(17.8 - 22.8)	1,314
	15 or younger	19.6	(17.2 - 22.2)	1,018	19.2	(16.1 - 22.8)	468	20.2	(16.7 - 24.1)	546
	16 or 17	22.1	(19.2 - 25.3)	1,191	23.8	(19.6 - 28.5)	577	19.9	(16.6 - 23.6)	608
	18 or older	24.9	(19.9 - 30.7)	351	28.0	(21.2 - 36.1)	190	21.5	(15.8 - 28.6)	160
Grade	9th	19.8	(16.6 - 23.5)	820	20.9	(17.5 - 24.9)	385	18.9	(14.5 - 24.2)	432
	10th	23.0	(18.9 - 27.8)	697	26.8	(21.0 - 33.5)	337	19.5	(14.9 - 25.0)	356
	11th	21.1	(17.4 - 25.2)	527	15.7	(11.4 - 21.4)	240	25.3	(20.4 - 30.8)	284
	12th	22.9	(19.0 - 27.3)	508	28.2	(22.7 - 34.5)	267	17.6	(13.0 - 23.5)	240
Race/Ethnicity										
	Black*	15.5	(12.1 - 19.8)	465	14.0	(9.8 - 19.5)	213	16.7	(11.9 - 22.9)	248
	Hispanic/Latino	24.8	(22.2 - 27.5)	1,542	26.7	(23.4 - 30.2)	750	22.7	(19.5 - 26.2)	786
	White*	18.6	(14.8 - 23.1)	364	19.8	(14.6 - 26.2)	174	17.2	(12.0 - 24.0)	189
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	82	-	-	39	-	-	43

Violence and Injury Prevention

Violence and Injury Prevention

Vehicle-Related Behaviors

Percentage of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle during the 12 months before the survey)

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	89.8	(87.7 - 91.5)	1,480	91.8	(89.1 - 93.9)	807	87.1	(84.0 - 89.7)	667
	15 or younger	89.8	(86.6 - 92.3)	594	93.3	(89.4 - 95.8)	317	85.0	(79.8 - 89.0)	276
	16 or 17	89.9	(86.8 - 92.3)	705	91.3	(87.3 - 94.1)	380	88.0	(82.3 - 92.0)	322
	18 or older	89.6	(84.0 - 93.4)	178	88.8	(80.8 - 93.8)	108	-	-	69
Grade										
	9th	90.1	(86.3 - 92.9)	505	92.2	(87.0 - 95.4)	274	86.9	(81.6 - 90.8)	230
	10th	91.5	(88.4 - 93.9)	403	94.2	(89.5 - 96.8)	216	88.2	(82.8 - 92.1)	186
	11th	88.2	(81.4 - 92.7)	301	91.4	(83.3 - 95.8)	158	83.5	(72.0 - 90.9)	141
	12th	88.6	(83.5 - 92.3)	263	87.5	(80.3 - 92.3)	153	90.0	(82.1 - 94.6)	109
Race/Ethnicity										
	Black*	90.5	(84.8 - 94.3)	250	92.6	(85.7 - 96.4)	144	87.1	(77.7 - 92.9)	104
	Hispanic/Latino	93.4	(91.4 - 95.0)	890	95.3	(92.8 - 97.0)	482	90.8	(86.7 - 93.8)	406
	White*	75.3	(68.5 - 81.1)	223	75.1	(66.2 - 82.3)	109	75.3	(64.5 - 83.7)	113
	All other races*	-	-	50	-	-	32	-	-	18
	Multiple races*	-	-	49	-	-	26	-	-	23

Violence and Injury Prevention

Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else)

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	5.5	(4.5 - 6.7)	2,602	6.2	(4.8 - 8.0)	1,257	4.7	(3.6 - 6.1)	1,328
	15 or younger	4.4	(3.2 - 6.1)	1,031	4.5	(2.8 - 7.2)	476	4.1	(2.7 - 6.2)	551
	16 or 17	5.9	(4.6 - 7.6)	1,210	7.0	(5.1 - 9.7)	588	4.8	(3.3 - 7.0)	616
	18 or older	7.1	(4.6 - 10.8)	353	7.9	(4.4 - 13.9)	191	6.3	(3.6 - 10.8)	161
Grade	9th	4.4	(3.0 - 6.4)	833	4.9	(2.8 - 8.3)	394	3.6	(2.1 - 6.1)	436
	10th	6.3	(4.4 - 8.9)	707	7.0	(4.4 - 11.0)	341	5.7	(3.5 - 9.0)	362
	11th	4.7	(2.8 - 7.6)	538	4.9	(2.6 - 9.3)	246	4.5	(2.5 - 8.0)	289
	12th	6.9	(4.6 - 10.2)	508	8.4	(4.8 - 14.4)	268	5.4	(3.1 - 9.4)	239
Race/Ethnicity										
	Black*	5.4	(3.6 - 8.0)	472	4.4	(2.0 - 9.2)	218	6.1	(3.6 - 10.0)	250
	Hispanic/Latino	5.7	(4.4 - 7.4)	1,563	6.5	(4.7 - 8.9)	761	5.0	(3.6 - 6.9)	796
	White*	3.6	(2.0 - 6.4)	364	6.1	(3.0 - 11.9)	174	1.2	(0.4 - 3.5)	189
	All other races*	-	-	83	-	-	43	-	-	40
	Multiple races*	-	-	83	-	-	39	-	-	44



Violence and Injury Prevention

Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle one or more times during the 30 days before the survey)

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	26.2	(24.1 - 28.4)	2,599	23.5	(21.0 - 26.3)	1,256	28.9	(26.2 - 31.7)	1,327
	15 or younger	22.9	(20.3 - 25.8)	1,027	18.0	(14.8 - 21.8)	475	27.9	(23.8 - 32.5)	549
	16 or 17	27.6	(24.7 - 30.8)	1,211	25.7	(21.7 - 30.3)	588	29.3	(25.8 - 33.2)	617
	18 or older	30.2	(24.3 - 36.9)	353	30.5	(22.7 - 39.6)	191	30.0	(22.4 - 39.0)	161
Grade	9th	25.0	(21.5 - 28.8)	829	20.7	(17.0 - 25.0)	393	29.7	(24.4 - 35.7)	434
	10th	25.5	(21.9 - 29.5)	708	24.8	(20.2 - 30.1)	341	26.0	(21.4 - 31.2)	363
	11th	26.7	(22.2 - 31.7)	537	22.1	(16.8 - 28.4)	246	31.0	(24.8 - 38.1)	288
	12th	29.0	(24.0 - 34.7)	509	28.8	(22.5 - 36.0)	268	29.4	(22.4 - 37.5)	240
Race/Ethnicity	Black*	22.0	(18.3 - 26.3)	470	20.5	(16.1 - 25.7)	218	23.2	(17.8 - 29.6)	249
	Hispanic/Latino	29.3	(26.5 - 32.3)	1,563	26.5	(22.9 - 30.4)	760	32.2	(28.7 - 35.9)	797
	White*	21.3	(16.9 - 26.5)	363	16.4	(11.7 - 22.4)	174	26.1	(19.6 - 33.8)	188
	All other races*	-	-	83	-	-	43	-	-	40
	Multiple races*	-	-	83	-	-	39	-	-	44



Violence and Injury Prevention

Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey).

	Percentage	Total	N	Percentage	Male	N	Percentage	Female	N
		95% confidence interval			95% confidence interval			95% confidence interval	
Age									
Total	9.7	(7.8 - 12.1)	1,413	11.6	(8.7 - 15.3)	734	7.7	(5.6 - 10.5)	669
15 or younger	5.2	(3.4 - 7.9)	411	4.8	(2.7 - 8.4)	203	5.8	(3.0 - 11.0)	205
16 or 17	10.0	(7.5 - 13.3)	732	12.0	(8.3 - 17.2)	383	7.7	(5.1 - 11.5)	347
18 or older	16.4	(11.3 - 23.2)	264	21.5	(13.7 - 32.0)	147	10.5	(5.8 - 18.3)	117
Grade									
9th	7.3	(4.7 - 11.3)	331	9.8	(5.7 - 16.3)	174	4.0	(1.8 - 8.6)	155
10th	7.4	(4.8 - 11.2)	369	9.7	(5.9 - 15.6)	187	5.0	(2.5 - 9.9)	181
11th	10.0	(6.7 - 14.6)	334	9.9	(6.2 - 15.2)	166	10.3	(5.7 - 18.0)	166
12th	14.4	(10.5 - 19.5)	369	17.5	(12.0 - 24.8)	203	11.0	(6.6 - 17.8)	166
Race/Ethnicity									
Black*	4.5	(2.5 - 7.9)	261	6.5	(3.4 - 12.4)	140	1.9	(0.6 - 6.2)	118
Hispanic/Latino	11.4	(8.8 - 14.6)	849	13.5	(9.6 - 18.7)	453	8.8	(6.1 - 12.7)	394
White*	12.0	(8.3 - 17.0)	215	-	-	92	11.3	(6.3 - 19.3)	123
All other races*	-	-	29	-	-	20	-	-	9
Multiple races*	-	-	36	-	-	17	-	-	19

Violence and Injury Prevention

Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	36.1	(33.0 - 39.3)	1,437	36.2	(31.9 - 40.7)	756	36.0	(31.4 - 40.8)	672
	15 or younger	23.9	(19.1 - 29.5)	419	24.0	(17.9 - 31.3)	211	24.3	(17.7 - 32.5)	205
	16 or 17	36.8	(33.1 - 40.6)	749	37.2	(31.9 - 42.7)	395	36.2	(30.6 - 42.2)	352
	18 or older	53.8	(46.8 - 60.6)	264	53.5	(42.4 - 64.3)	149	54.0	(44.3 - 63.5)	115
Grade										
	9th	24.8	(19.8 - 30.7)	339	27.8	(21.4 - 35.3)	182	20.9	(13.4 - 31.0)	155
	10th	25.0	(20.1 - 30.7)	376	22.8	(16.6 - 30.4)	193	27.6	(20.8 - 35.6)	182
	11th	39.6	(34.6 - 44.8)	340	39.1	(32.2 - 46.5)	170	39.9	(32.1 - 48.1)	168
	12th	54.8	(49.0 - 60.4)	373	55.7	(47.7 - 63.5)	207	53.6	(44.3 - 62.7)	166
Race/Ethnicity										
	Black*	27.5	(21.1 - 34.9)	263	26.4	(18.5 - 36.2)	142	28.4	(20.1 - 38.5)	118
	Hispanic/Latino	36.2	(32.7 - 39.9)	866	37.1	(32.0 - 42.6)	469	35.4	(29.9 - 41.2)	395
	White*	51.4	(44.1 - 58.7)	218	-	-	93	49.8	(38.9 - 60.7)	125
	All other races*	-	-	31	-	-	22	-	-	9
	Multiple races*	-	-	36	-	-	17	-	-	19

Violence and Injury Prevention

Violence and Intimidation on School Property

Percentage of students who were bullied on school property (during the 12 months before the survey).

	Percentage	Total	N	Percentage	Male	N	Percentage	Female	N
		95% confidence interval			95% confidence interval			95% confidence interval	
Total	12.9	(11.4 - 14.5)	2,596	11.2	(9.2 - 13.5)	1,251	14.6	(12.5 - 16.9)	1,329
Age									
15 or younger	14.7	(12.5 - 17.4)	1,028	13.2	(10.0 - 17.3)	473	16.4	(12.9 - 20.5)	551
16 or 17	12.1	(10.1 - 14.4)	1,208	10.3	(7.6 - 13.8)	585	13.8	(11.1 - 17.0)	617
18 or older	10.1	(7.3 - 13.9)	353	8.4	(5.1 - 13.4)	191	12.1	(7.6 - 18.8)	161
Grade									
9th	16.9	(14.4 - 19.8)	830	15.0	(11.5 - 19.5)	391	19.0	(14.8 - 24.2)	436
10th	11.7	(9.4 - 14.5)	705	11.1	(7.9 - 15.2)	339	12.2	(9.0 - 16.5)	362
11th	11.1	(8.1 - 15.2)	538	7.5	(3.9 - 13.8)	246	14.8	(10.5 - 20.3)	289
12th	10.2	(7.6 - 13.4)	508	9.5	(6.0 - 14.7)	267	10.8	(7.1 - 16.3)	240
Race/Ethnicity									
Black*	12.6	(9.4 - 16.6)	469	10.5	(6.3 - 17.1)	216	14.8	(10.7 - 20.0)	249
Hispanic/Latino	11.4	(9.8 - 13.3)	1,563	9.9	(8.0 - 12.3)	759	13.0	(10.7 - 15.6)	798
White*	20.6	(16.4 - 25.5)	363	18.5	(13.0 - 25.6)	173	22.3	(16.6 - 29.2)	189
All other races*	-	-	83	-	-	43	-	-	40
Multiple races*	-	-	82	-	-	38	-	-	44

Violence and Injury Prevention

Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	8.8	(7.6 - 10.1)	2,593	5.6	(4.5 - 7.0)	1,252	12.1	(10.1 - 14.3)	1,326
	15 or younger	9.3	(7.6 - 11.5)	1,028	6.5	(4.7 - 9.0)	474	12.2	(9.3 - 15.9)	550
	16 or 17	8.6	(7.1 - 10.4)	1,208	4.8	(3.5 - 6.8)	586	12.4	(9.8 - 15.7)	616
	18 or older	8.0	(5.3 - 11.9)	351	6.0	(3.3 - 10.6)	190	10.1	(5.8 - 17.1)	160
Grade	9th	10.4	(8.4 - 12.9)	830	8.3	(5.9 - 11.4)	392	12.8	(9.7 - 16.9)	435
	10th	8.7	(6.8 - 11.0)	706	4.0	(2.4 - 6.6)	340	13.3	(10.1 - 17.2)	362
	11th	8.4	(6.2 - 11.4)	537	5.1	(3.4 - 7.7)	246	11.7	(7.6 - 17.6)	288
	12th	6.9	(4.8 - 9.9)	506	4.2	(2.4 - 7.4)	266	9.6	(6.1 - 14.8)	239
Race/Ethnicity										
	Black*	8.7	(6.4 - 11.8)	469	5.4	(3.1 - 9.2)	216	11.9	(8.3 - 16.8)	249
	Hispanic/Latino	8.1	(6.7 - 9.8)	1,561	5.3	(3.9 - 7.2)	759	11.1	(8.8 - 14.1)	796
	White*	13.0	(9.5 - 17.6)	363	7.1	(4.2 - 11.8)	174	18.5	(13.0 - 25.7)	188
	All other races*	-	-	83	-	-	43	-	-	40
	Multiple races*	-	-	82	-	-	38	-	-	44

Violence and Injury Prevention

Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	29.0	(27.2 - 30.9)	2,590	17.7	(15.8 - 19.9)	1,250	40.2	(37.3 - 43.2)	1,325
	15 or younger	25.8	(23.2 - 28.7)	1,026	13.5	(10.9 - 16.6)	473	37.9	(33.7 - 42.4)	549
	16 or 17	30.2	(27.2 - 33.3)	1,205	18.3	(15.2 - 21.7)	584	42.1	(37.3 - 47.0)	615
	18 or older	32.8	(27.4 - 38.8)	353	26.5	(19.9 - 34.3)	191	40.0	(31.6 - 49.1)	161
Grade	9th	26.4	(23.6 - 29.3)	831	13.3	(10.6 - 16.7)	392	40.0	(35.1 - 45.2)	436
	10th	28.3	(25.0 - 31.9)	703	19.9	(15.9 - 24.5)	339	36.6	(31.4 - 42.2)	360
	11th	32.9	(28.2 - 38.1)	535	17.6	(13.3 - 23.0)	245	47.9	(40.2 - 55.8)	287
	12th	29.6	(25.4 - 34.2)	507	22.2	(17.4 - 28.0)	266	36.9	(30.2 - 44.3)	240
Race/Ethnicity										
	Black*	28.8	(25.0 - 32.8)	466	14.1	(9.9 - 19.7)	215	41.9	(35.1 - 49.1)	247
	Hispanic/Latino	28.2	(26.0 - 30.5)	1,562	18.1	(15.7 - 20.8)	759	38.8	(35.1 - 42.6)	797
	White*	33.9	(29.1 - 39.0)	362	22.8	(16.7 - 30.3)	173	44.4	(38.0 - 50.9)	188
	All other races*	-	-	83	-	-	43	-	-	40
	Multiple races*	-	-	82	-	-	38	-	-	44



Violence and Injury Prevention

Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey).

	Percentage	Total	N	Percentage	Male	N	Percentage	Female	N
		95% confidence interval			95% confidence interval			95% confidence interval	
Total	3.0	(2.3 - 3.8)	2,579	3.7	(2.7 - 4.9)	1,237	2.3	(1.5 - 3.5)	1,325
Age									
15 or younger	2.0	(1.2 - 3.2)	1,022	2.9	(1.7 - 5.1)	469	1.0	(0.4 - 2.4)	549
16 or 17	3.4	(2.5 - 4.6)	1,201	3.8	(2.5 - 5.8)	579	3.1	(1.8 - 5.1)	616
18 or older	4.1	(1.9 - 8.5)	348	4.8	(2.3 - 9.7)	187	3.3	(0.9 - 10.9)	160
Grade									
9th	2.5	(1.6 - 4.1)	825	3.7	(2.2 - 6.3)	387	1.3	(0.5 - 3.0)	435
10th	2.3	(1.4 - 3.8)	702	3.6	(2.0 - 6.3)	336	1.1	(0.4 - 2.9)	362
11th	3.0	(1.8 - 4.8)	536	3.4	(1.9 - 6.2)	245	2.6	(1.1 - 6.1)	288
12th	4.6	(2.8 - 7.6)	500	4.2	(2.4 - 7.1)	261	5.1	(2.4 - 10.6)	238
Race/Ethnicity									
Black*	3.2	(1.9 - 5.3)	468	2.9	(1.4 - 6.0)	215	3.5	(1.7 - 7.3)	249
Hispanic/Latino	3.0	(2.2 - 4.0)	1,548	4.1	(2.9 - 5.9)	747	1.9	(1.1 - 3.3)	795
White*	2.3	(1.2 - 4.3)	363	2.6	(1.0 - 6.4)	173	2.0	(0.6 - 6.8)	189
All other races*	-	-	81	-	-	42	-	-	39
Multiple races*	-	-	83	-	-	39	-	-	44



Violence and Injury Prevention

Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey).

	Percentage	Total		N	Percentage	Male		N	Percentage	Female		N
		95% confidence interval				95% confidence interval				95% confidence interval		
Total	7.0	(5.9 - 8.4)	2,598		6.8	(5.3 - 8.7)	1,255		7.2	(5.6 - 9.1)	1,326	
Age												
15 or younger	6.9	(5.3 - 9.1)	1,027		6.0	(3.9 - 9.1)	475		7.4	(5.2 - 10.5)	548	
16 or 17	6.9	(5.4 - 8.8)	1,211		7.1	(5.1 - 10.0)	588		6.7	(4.8 - 9.3)	617	
18 or older	8.0	(5.3 - 11.9)	352		8.0	(4.9 - 13.0)	190		8.0	(4.2 - 14.7)	161	
Grade												
9th	7.8	(5.8 - 10.3)	831		6.7	(4.4 - 10.0)	393		8.4	(5.5 - 12.5)	435	
10th	7.4	(5.3 - 10.3)	708		8.0	(5.0 - 12.7)	341		7.0	(4.5 - 10.7)	363	
11th	5.8	(3.5 - 9.4)	537		5.0	(2.0 - 12.1)	246		6.6	(3.9 - 11.0)	288	
12th	6.9	(4.8 - 9.9)	506		7.6	(4.7 - 12.1)	267		6.2	(3.4 - 11.0)	238	
Race/Ethnicity												
Black*	7.2	(5.1 - 10.0)	471		5.3	(3.0 - 9.1)	218		8.2	(4.8 - 13.6)	249	
Hispanic/Latino	7.3	(5.8 - 9.0)	1,562		7.9	(5.9 - 10.5)	759		6.6	(4.9 - 9.0)	797	
White*	5.3	(3.0 - 8.9)	363		3.8	(1.6 - 8.6)	174		6.7	(3.6 - 12.1)	188	
All other races*	-	-	82		-	-	43		-	-	39	
Multiple races*	-	-	83		-	-	39		-	-	44	



Violence and Injury Prevention

Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club one or more times during the 12 months before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	5.4	(4.5 - 6.5)	2,600	6.1	(4.7 - 7.8)	1,254	4.7	(3.6 - 6.0)	1,329
	15 or younger	4.6	(3.5 - 5.9)	1,029	4.1	(2.7 - 6.1)	475	4.8	(3.3 - 6.8)	550
	16 or 17	5.8	(4.3 - 7.6)	1,211	7.0	(5.0 - 9.7)	587	4.6	(3.0 - 6.9)	618
	18 or older	6.8	(4.2 - 10.7)	352	8.7	(5.2 - 14.3)	190	4.7	(2.2 - 9.6)	161
Grade	9th	5.3	(3.9 - 7.2)	831	5.2	(3.2 - 8.4)	393	5.1	(3.4 - 7.6)	435
	10th	5.5	(3.8 - 7.8)	707	6.9	(4.4 - 10.7)	340	4.2	(2.3 - 7.5)	363
	11th	4.9	(3.2 - 7.6)	538	4.8	(2.7 - 8.6)	246	5.1	(2.8 - 9.2)	289
	12th	6.2	(4.2 - 8.9)	508	8.2	(5.6 - 11.9)	267	4.2	(2.3 - 7.5)	240
Race/Ethnicity										
	Black*	6.2	(4.5 - 8.5)	471	6.4	(3.6 - 11.1)	217	5.6	(3.2 - 9.6)	250
	Hispanic/Latino	5.2	(4.0 - 6.7)	1,563	5.8	(4.2 - 8.0)	759	4.6	(3.2 - 6.7)	798
	White*	5.0	(2.8 - 8.6)	363	6.5	(3.0 - 13.6)	174	3.4	(1.3 - 8.7)	188
	All other races*	-	-	83	-	-	43	-	-	40
	Multiple races*	-	-	83	-	-	39	-	-	44



Violence and Injury Prevention

Percentage of students who were in a physical fight (one or more times during the 12 months before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	23.8	(21.7 - 26.1)	2,550	29.5	(26.6 - 32.7)	1,224	18.3	(15.8 - 21.2)	1,309
Age										
	15 or younger	22.9	(19.9 - 26.1)	1,014	27.4	(23.3 - 32.0)	468	18.5	(14.9 - 22.7)	542
	16 or 17	25.2	(22.1 - 28.6)	1,187	31.8	(27.2 - 36.8)	572	18.9	(15.2 - 23.3)	609
	18 or older	21.6	(16.4 - 27.9)	341	27.2	(20.8 - 34.7)	182	15.8	(10.2 - 23.7)	158
Grade										
	9th	29.0	(25.2 - 33.0)	818	34.4	(29.2 - 40.0)	386	23.4	(18.9 - 28.5)	429
	10th	20.7	(17.6 - 24.2)	691	27.4	(21.5 - 34.1)	330	14.6	(11.1 - 19.1)	357
	11th	23.2	(18.6 - 28.6)	532	28.1	(22.4 - 34.6)	243	18.6	(13.5 - 25.1)	286
	12th	20.7	(16.4 - 25.8)	493	26.2	(21.1 - 32.0)	257	15.5	(10.8 - 21.8)	235
Race/Ethnicity										
	Black*	30.1	(25.3 - 35.3)	462	34.2	(28.6 - 40.4)	212	26.8	(20.8 - 33.8)	246
	Hispanic/Latino	22.8	(20.1 - 25.8)	1,532	28.7	(24.5 - 33.3)	738	17.1	(14.3 - 20.4)	708
	White*	20.3	(15.6 - 26.0)	361	29.3	(22.7 - 37.0)	174	11.4	(6.9 - 18.1)	186
	All other races*	-	-	78	-	-	41	-	-	37
	Multiple races*	-	-	81	-	-	38	-	-	43



Violence and Injury Prevention

Percentage of students who were injured in a physical fight (one or more times during the 12 months before the survey; injuries had to be treated by a doctor or nurse).

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	3.1	(2.4 3.9)	2,581	4.6	(3.5 - 6.1)	1,246	1.6	(0.9 - 2.6)	1,319
Age									
15 or younger	2.0	(1.2 3.3)	1,023	2.0	(0.9 - 4.3)	473	2.0	(1.1 - 3.7)	546
16 or 17	3.3	(2.4 4.5)	1,205	5.9	(4.1 - 8.3)	585	0.8	(0.3 - 2.0)	614
18 or older	5.3	(3.3 8.3)	346	7.4	(4.2 - 12.6)	186	3.0	(1.2 - 7.5)	159
Grade									
9th	3.0	(2.0 4.6)	826	4.3	(2.5 - 7.2)	391	1.7	(0.9 - 3.5)	432
10th	3.4	(2.2 5.3)	703	5.1	(3.1 - 8.5)	338	1.9	(0.6 - 5.4)	361
11th	1.8	(1.0 3.3)	535	3.1	(1.5 - 6.0)	245	0.6	(0.2 - 2.3)	287
12th	4.2	(2.8 6.2)	502	6.4	(4.0 - 10.2)	264	1.9	(0.7 - 5.0)	237
Race/Ethnicity									
Black*	3.4	(2.0 5.8)	471	5.0	(2.6 - 9.6)	217	2.0	(0.8 - 4.9)	250
Hispanic/Latino	2.9	(2.1 4.1)	1,553	4.5	(3.2 - 6.3)	753	1.4	(0.7 - 3.0)	794
White*	2.2	(1.1 4.1)	361	3.9	(1.9 - 7.9)	174	0.5	(0.1 - 3.5)	186
All other races*	-	-	79	-	-	42	-	-	37
Multiple races*	-	-	82	-	-	39	-	-	43



Violence and Injury Prevention

Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total		9.4	(8.1 - 10.8)	2,564	11.6	(9.7 - 13.8)	1,228	7.2	(5.6 - 9.3)	1,320
Age										
15 or younger		8.2	(6.6 - 10.1)	1,015	10.8	(8.0 - 14.4)	465	5.7	(3.9 - 8.2)	546
16 or 17	10.3		(8.3 - 12.7)	1,199	12.3	(9.7 - 15.5)	579	8.4	(5.7 - 12.1)	614
18 or older		9.4	(6.2 - 14.0)	343	11.0	(7.0 - 17.0)	182	7.7	(4.3 - 13.5)	160
Grade										
9th	11.7		(9.3 - 14.6)	821	15.2	(11.2 - 20.3)	385	8.1	(5.6 - 11.7)	433
10th		8.4	(6.2 - 11.3)	697	11.5	(8.0 - 16.3)	334	5.6	(3.2 - 9.8)	359
11th		8.8	(6.3 - 12.1)	534	9.4	(6.4 - 13.8)	243	8.3	(4.8 - 13.8)	288
12th		7.8	(5.0 - 12.0)	497	8.7	(5.5 - 13.7)	258	7.0	(4.2 - 11.4)	238
Race/Ethnicity										
Black*	13.9		(11.1 - 17.3)	461	15.0	(11.0 - 20.1)	211	13.2	(9.1 - 18.7)	246
Hispanic/Latino		8.6	(6.9 - 10.5)	1,541	10.4	(7.9 - 13.6)	742	6.7	(5.0 - 9.0)	793
White*		5.1	(3.3 - 7.9)	364	9.9	(6.4 - 14.9)	174	0.5	(0.1 - 3.4)	189
All other races*		-	-	81	-	-	42	-	-	39
Multiple races*		-	-	82	-	-	38	-	-	44



Violence and Injury Prevention

Dating Violence and Forced Sexual Intercourse

Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to).

	Percentage	Total	N	Percentage	Male	N	Percentage	Female	N
		95% confidence interval			95% confidence interval			95% confidence interval	
Total	5.5	(4.6 - 6.6)	2,583	3.5	(2.5 - 4.7)	1,252	7.5	(6.0 - 9.3)	1,316
Age									
15 or younger	3.9	(2.9 - 5.3)	1,021	1.9	(1.0 - 3.5)	473	5.7	(4.1 - 7.9)	544
16 or 17	6.0	(4.6 - 7.7)	1,207	3.5	(2.3 - 5.2)	588	8.5	(6.1 - 11.6)	613
18 or older	8.4	(5.8 - 12.0)	349	7.8	(4.5 - 13.4)	189	9.0	(5.1 - 15.2)	159
Grade									
9th	4.8	(3.4 - 6.7)	823	3.5	(2.0 - 6.0)	391	5.9	(4.0 - 8.8)	429
10th	4.2	(2.9 - 6.2)	704	1.3	(0.6 - 2.9)	341	7.2	(4.9 - 10.4)	359
11th	5.9	(4.1 - 8.6)	536	3.6	(2.0 - 6.3)	245	8.2	(5.0 - 13.1)	288
12th	7.7	(5.3 - 11.0)	506	6.3	(3.7 - 10.6)	267	9.1	(5.8 - 14.1)	238
Race/Ethnicity									
Black*	7.5	(5.3 - 10.5)	470	5.3	(3.1 - 9.1)	217	9.2	(5.9 - 14.2)	249
Hispanic/Latino	4.8	(3.7 - 6.1)	1,555	2.6	(1.7 - 4.0)	759	7.1	(5.4 - 9.5)	790
White*	5.7	(3.1 - 10.1)	359	3.3	(1.1 - 9.9)	174	7.8	(3.8 - 15.0)	184
All other races*	-	-	82	-	-	42	-	-	40
Multiple races*	-	-	83	-	-	39	-	-	44

Violence and Injury Prevention

Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	8.3	(6.9 - 10.0)	1,718	6.2	(4.7 - 8.2)	822	10.4	(8.4 - 12.9)	888
	15 or younger	6.8	(4.9 - 9.3)	643	3.7	(2.2 - 6.2)	288	9.7	(6.7 - 13.8)	353
	16 or 17	8.4	(6.7 - 10.5)	815	6.3	(4.3 - 9.1)	393	10.5	(8.0 - 13.7)	418
	18 or older	12.1	(7.7 - 18.5)	257	12.1	(7.4 - 19.0)	139	12.3	(6.9 - 20.8)	117
Grade	9th	7.1	(4.9 - 10.1)	524	5.1	(2.9 - 8.7)	242	9.2	(6.0 - 13.8)	281
	10th	6.9	(5.1 - 9.4)	457	4.6	(2.4 - 8.6)	225	9.3	(6.4 - 13.3)	230
	11th	9.0	(6.4 - 12.4)	367	6.6	(3.9 - 10.9)	159	11.0	(7.0 - 17.0)	205
	12th	11.0	(7.6 - 15.9)	362	9.1	(5.9 - 13.8)	191	13.1	(8.1 - 20.5)	170
Race/Ethnicity										
	Black*	10.3	(7.1 - 14.7)	338	7.6	(4.4 - 13.0)	162	13.1	(8.4 - 19.8)	173
	Hispanic/Latino	7.6	(6.0 - 9.5)	1,031	5.5	(3.9 - 7.8)	486	9.6	(7.2 - 12.6)	542
	White*	5.9	(2.9 - 11.5)	240	3.2	(1.3 - 8.0)	113	7.9	(3.2 - 18.1)	126
	All other races*	-	-	35	-	-	20	-	-	15
	Multiple races*	-	-	52	-	-	24	-	-	28

Personal and Reproductive Health

Personal and Reproductive Health

Health

Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work during the 12 months before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	65.6	(63.4 - 67.8)	2,556	64.5	(61.0 - 67.9)	1,236	66.6	(64.0 - 69.1)	1,305
	15 or younger	67.1	(63.5 - 70.6)	1,006	64.3	(59.1 - 69.2)	464	70.2	(66.1 - 73.9)	538
	16 or 17	65.9	(62.8 - 68.9)	1,194	66.3	(61.5 - 70.8)	580	65.3	(60.8 - 69.5)	608
	18 or older	60.3	(54.4 - 65.9)	350	59.7	(50.5 - 68.2)	190	61.2	(53.0 - 68.8)	159
Grade	9th	64.9	(60.5 - 69.1)	806	62.6	(56.1 - 68.6)	380	67.8	(63.3 - 71.9)	423
	10th	68.5	(64.6 - 72.1)	696	65.7	(60.1 - 70.8)	338	71.0	(66.3 - 75.2)	354
	11th	67.3	(62.0 - 72.2)	534	71.5	(63.2 - 78.5)	244	62.8	(56.4 - 68.8)	287
	12th	61.0	(56.2 - 65.6)	506	59.0	(51.9 - 65.7)	266	63.1	(57.1 - 68.7)	239
Race/Ethnicity										
	Black*	66.2	(61.2 - 70.9)	464	68.0	(59.5 - 75.4)	214	65.2	(58.5 - 71.2)	246
	Hispanic/Latino	64.2	(61.5 - 66.7)	1,538	62.2	(57.8 - 66.3)	748	66.0	(62.9 - 68.9)	784
	White*	74.4	(68.1 - 79.7)	361	74.3	(65.5 - 81.5)	174	74.3	(66.3 - 81.0)	186
	All other races*	-	-	79	-	-	40	-	-	39
	Multiple races*	-	-	82	-	-	39	-	-	43

Personal and Reproductive Health

Percentage of students who had ever been told by a doctor or nurse that they had asthma.

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	19.0	(17.3 - 20.7)	2,558	18.6	(16.2 - 21.3)	1,235	19.4	(17.0 - 21.9)	1,308
	15 or younger	18.7	(16.1 - 21.6)	1,007	19.1	(15.6 - 23.2)	464	17.9	(14.3 - 22.4)	539
	16 or 17	19.3	(16.5 - 22.4)	1,195	18.2	(14.5 - 22.7)	580	20.5	(17.1 - 24.4)	609
	18 or older	18.9	(15.2 - 23.4)	350	18.8	(14.0 - 24.7)	189	19.2	(13.8 - 26.1)	160
Grade	9th	17.1	(14.4 - 20.3)	807	18.1	(14.1 - 23.0)	379	15.7	(11.7 - 20.8)	425
	10th	21.7	(18.5 - 25.3)	696	22.0	(17.1 - 27.8)	339	21.7	(17.3 - 27.0)	353
	11th	19.5	(15.6 - 24.1)	535	18.4	(12.9 - 25.6)	244	20.7	(15.4 - 27.3)	288
	12th	17.7	(14.4 - 21.6)	506	15.5	(11.9 - 19.9)	265	19.9	(14.6 - 26.6)	240
Race/Ethnicity										
	Black*	30.8	(25.9 - 36.3)	463	27.5	(20.8 - 35.5)	214	33.9	(27.7 - 40.7)	245
	Hispanic/Latino	13.6	(12.0 - 15.3)	1,538	14.3	(12.0 - 16.9)	747	12.9	(10.6 - 15.5)	785
	White*	25.5	(21.0 - 30.7)	361	24.0	(17.4 - 32.1)	173	27.2	(21.0 - 34.4)	187
	All other races*	-	-	80	-	-	41	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Personal and Reproductive Health

Percentage of students who had 8 or more hours of sleep (on an average school night).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	31.3	(28.8 - 33.8)	2,550	32.1	(29.0 - 35.5)	1,227	30.4	(27.4 - 33.5)	1,308
	15 or younger	38.0	(34.3 - 41.9)	1,003	39.8	(34.9 - 44.9)	459	36.4	(31.5 - 41.6)	540
	16 or 17	28.7	(25.6 - 32.0)	1,193	29.4	(25.1 - 34.1)	578	27.9	(23.7 - 32.5)	609
	18 or older	21.5	(16.8 - 27.1)	348	21.5	(15.5 - 29.1)	188	21.6	(15.6 - 29.1)	159
Grade	9th	41.9	(37.8 - 46.2)	802	44.9	(40.0 - 49.9)	373	39.2	(33.2 - 45.5)	426
	10th	32.3	(28.6 - 36.3)	698	31.3	(26.0 - 37.0)	340	32.9	(27.8 - 38.4)	354
	11th	23.3	(19.5 - 27.6)	532	25.4	(19.8 - 32.0)	242	21.0	(16.3 - 26.6)	287
	12th	22.5	(18.5 - 27.1)	505	21.0	(16.4 - 26.4)	265	24.0	(18.9 - 30.0)	239
Race/Ethnicity										
	Black*	31.2	(26.4 - 36.4)	463	28.7	(23.1 - 35.0)	214	33.5	(26.9 - 40.8)	245
	Hispanic/Latino	31.9	(29.3 - 34.7)	1,532	32.9	(29.1 - 36.9)	741	30.9	(27.6 - 34.4)	785
	White*	28.1	(22.3 - 34.8)	362	35.4	(24.5 - 47.9)	174	21.1	(15.5 - 28.2)	187
	All other races*	-	-	78	-	-	39	-	-	39
	Multiple races*	-	-	83	-	-	39	-	-	44

Personal and Reproductive Health

Sexual Related Behavior

Percentage of students who ever had sexual intercourse.

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	39.5	(36.2 - 42.8)	2,457	43.9	(39.7 - 48.1)	1,170	35.1	(31.4 - 39.1)	1,273
	15 or younger	23.1	(19.8 - 26.7)	974	26.9	(22.2 - 32.2)	446	19.2	(15.4 - 23.5)	525
	16 or 17	46.7	(42.8 - 50.7)	1,144	52.6	(46.8 - 58.3)	541	41.3	(36.8 - 45.9)	597
	18 or older	60.3	(54.9 - 65.4)	333	60.3	(52.7 - 67.5)	181	60.0	(52.1 - 67.4)	151
Grade	9th	23.3	(19.1 - 28.1)	779	29.2	(23.0 - 36.2)	362	16.9	(12.7 - 22.0)	415
	10th	36.4	(32.0 - 41.1)	671	43.4	(37.9 - 49.1)	321	30.3	(24.3 - 37.0)	346
	11th	47.0	(39.3 - 54.7)	508	49.8	(38.7 - 60.9)	225	44.1	(36.4 - 52.1)	280
	12th	60.2	(54.8 - 65.3)	485	61.4	(54.8 - 67.5)	254	58.9	(50.9 - 66.6)	230
Race/Ethnicity										
	Black*	50.3	(44.7 - 55.8)	438	54.5	(46.4 - 62.3)	199	45.8	(38.4 - 53.4)	236
	Hispanic/Latino	37.9	(34.2 - 41.8)	1,488	43.0	(38.2 - 48.0)	712	33.2	(29.0 - 37.6)	770
	White*	31.7	(26.6 - 37.2)	349	33.4	(26.3 - 41.4)	167	29.8	(23.0 - 37.5)	181
	All other races*	-	-	71	-	-	36	-	-	35
	Multiple races*	-	-	81	-	-	38	-	-	43

Personal and Reproductive Health

Percentage of students who had sexual intercourse before age 13 years (for the first time).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	4.9	(3.8 - 6.2)	2,448	8.2	(6.3 - 10.6)	1,165	1.7	(1.1 - 2.6)	1,270
	15 or younger	3.8	(2.6 - 5.5)	972	6.6	(4.4 - 9.8)	444	1.2	(0.6 - 2.5)	525
	16 or 17	5.7	(4.0 - 8.1)	1,139	9.5	(6.4 - 14.0)	540	2.2	(1.2 - 3.9)	593
	18 or older	4.5	(2.4 - 8.3)	332	7.6	(3.7 - 15.1)	179	1.3	(0.3 - 4.7)	152
Grade	9th	4.9	(3.4 - 7.0)	775	8.2	(5.5 - 12.0)	359	1.5	(0.7 - 3.1)	414
	10th	4.5	(3.2 - 6.4)	670	7.3	(4.8 - 11.1)	321	1.9	(0.8 - 4.5)	345
	11th	5.6	(3.1 - 10.0)	508	9.5	(4.6 - 18.6)	225	2.0	(0.8 - 5.2)	280
	12th	4.6	(2.8 - 7.5)	482	8.1	(4.5 - 14.0)	252	1.3	(0.4 - 3.7)	229
Race/Ethnicity										
	Black*	11.0	(7.5 - 16.0)	437	19.5	(13.3 - 27.8)	198	3.6	(1.9 - 6.6)	236
	Hispanic/Latino	3.3	(2.5 - 4.5)	1,483	5.5	(3.9 - 7.7)	708	1.3	(0.6 - 2.5)	769
	White*	2.6	(1.2 - 5.5)	347	4.2	(1.7 - 9.6)	167	1.0	(0.1 - 6.9)	179
	All other races*	-	-	71	-	-	36	-	-	35
	Multiple races*	-	-	81	-	-	38	-	-	43

Personal and Reproductive Health

Percentage of students who had sexual intercourse with four or more persons (during their life).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	10.7	(9.3 - 12.2)	2,438	16.5	(14.2 - 19.0)	1,152	5.1	(3.9 - 6.6)	1,272
	15 or younger	5.2	(3.9 - 6.8)	972	8.8	(6.4 - 11.9)	443	1.8	(0.9 - 3.3)	526
	16 or 17	12.9	(10.9 - 15.3)	1,130	19.8	(16.3 - 23.8)	530	6.6	(4.6 - 9.3)	594
	18 or older	18.4	(15.1 - 22.4)	330	26.6	(21.5 - 32.4)	177	9.5	(6.0 - 14.7)	152
Grade	9th	5.6	(4.1 - 7.5)	775	9.4	(6.9 - 12.8)	358	1.7	(0.8 - 3.6)	415
	10th	9.4	(7.4 - 11.9)	668	16.2	(13.2 - 19.8)	318	3.2	(1.6 - 6.4)	346
	11th	13.6	(10.8 - 16.9)	503	21.2	(15.5 - 28.2)	220	6.6	(4.0 - 10.9)	280
	12th	16.9	(13.8 - 20.4)	478	22.7	(18.1 - 28.1)	248	11.1	(7.8 - 15.6)	229
Race/Ethnicity										
	Black*	16.6	(13.0 - 20.9)	431	25.3	(19.2 - 32.5)	192	9.2	(6.1 - 13.5)	236
	Hispanic/Latino	9.1	(7.8 - 10.7)	1,479	14.9	(12.5 - 17.6)	703	3.5	(2.4 - 5.2)	770
	White*	7.9	(5.3 - 11.6)	347	11.5	(7.2 - 17.9)	166	4.1	(1.9 - 8.4)	180
	All other races*	-	-	70	-	-	35	-	-	35
	Multiple races*	-	-	81	-	-	38	-	-	43

Personal and Reproductive Health

Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	27.1	(24.5 - 29.8)	2,444	28.9	(25.9 - 32.1)	1,159	25.3	(22.2 - 28.7)	1,273
	15 or younger	13.5	(11.0 - 16.3)	973	15.2	(11.6 - 19.5)	444	11.9	(9.0 - 15.6)	526
	16 or 17	32.5	(29.5 - 35.7)	1,137	35.3	(30.9 - 40.0)	536	29.9	(25.9 - 34.1)	595
	18 or older	46.9	(41.1 - 52.8)	329	45.1	(37.9 - 52.6)	177	48.8	(40.9 - 56.7)	152
Grade	9th	14.7	(11.6 - 18.4)	776	17.1	(12.9 - 22.5)	359	12.2	(8.9 - 16.5)	415
	10th	22.3	(19.1 - 25.9)	669	26.8	(22.6 - 31.4)	319	18.4	(14.5 - 23.1)	346
	11th	33.5	(28.7 - 38.6)	506	36.5	(29.3 - 44.3)	223	30.3	(23.9 - 37.6)	280
	12th	46.0	(40.4 - 51.6)	480	43.0	(36.3 - 50.0)	250	48.8	(41.2 - 56.4)	230
Race/Ethnicity										
	Black*	32.4	(27.6 - 37.6)	434	36.0	(29.1 - 43.4)	195	29.1	(22.4 - 36.9)	237
	Hispanic/Latino	25.9	(23.0 - 29.1)	1,481	27.6	(24.0 - 31.6)	705	24.5	(20.8 - 28.5)	770
	White*	25.5	(21.0 - 30.7)	348	25.7	(19.9 - 32.5)	167	25.2	(18.7 - 33.0)	180
	All other races*	-	-	71	-	-	36	-	-	35
	Multiple races*	-	-	81	-	-	38	-	-	43

Personal and Reproductive Health

Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	18.2	(15.2 - 21.7)	633	22.2	(17.3 - 27.9)	333	14.1	(10.1 - 19.3)	297
	15 or younger	15.0	(9.2 - 23.7)	123	-	-	66	-	-	57
	16 or 17	19.2	(15.4 - 23.6)	352	24.0	(18.0 - 31.1)	183	14.1	(8.8 - 21.8)	167
	18 or older	18.8	(13.5 - 25.5)	157	-	-	84	-	-	73
Grade										
9th		20.2	(13.1 - 30.0)	104	-	-	58	-	-	46
10th		22.7	(16.7 - 30.1)	142	-	-	82	-	-	60
11th		15.4	(10.4 - 22.2)	163	-	-	84	-	-	77
12th		16.4	(12.0 - 21.9)	220	17.2	(10.7 - 26.5)	108	15.6	(9.3 - 25.1)	112
Race/Ethnicity										
Black*		12.8	(8.0 - 19.9)	136	-	-	68	-	-	67
Hispanic/Latino		19.8	(15.8 - 24.6)	365	24.0	(18.0 - 31.3)	196	15.2	(10.0 - 22.3)	169
White*		-	-	89	-	-	44	-	-	44
All other races*		-	-	11	-	-	7	-	-	4
Multiple races*		-	-	25	-	-	12	-	-	13

Personal and Reproductive Health

Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	55.4	(51.1 - 59.7)	621	65.9	(60.2 - 71.2)	325	43.7	(36.9 - 50.7)	293
	15 or younger	56.6	(46.7 - 65.9)	121	-	-	64	-	-	57
	16 or 17	54.5	(48.3 - 60.6)	346	66.8	(59.1 - 73.7)	179	40.8	(31.7 - 50.5)	165
	18 or older	56.4	(47.9 - 64.6)	153	-	-	82	-	-	71
Grade	9th	49.3	(38.6 - 60.0)	102	-	-	56	-	-	46
	10th	64.7	(53.9 - 74.1)	143	-	-	84	-	-	59
	11th	54.6	(45.6 - 63.3)	158	-	-	79	-	-	77
	12th	52.4	(46.2 - 58.6)	214	63.4	(51.7 - 73.7)	105	43.1	(32.9 - 54.0)	109
Race/Ethnicity										
	Black*	60.1	(51.4 - 68.2)	132	-	-	66	-	-	65
	Hispanic/Latino	54.5	(48.7 - 60.1)	356	63.8	(55.4 - 71.3)	190	44.3	(35.2 - 53.7)	166
	White*	-	-	90	-	-	44	-	-	45
	All other races*	-	-	11	-	-	7	-	-	4
	Multiple races*	-	-	25	-	-	12	-	-	13



Personal and Reproductive Health

Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total		11.1	(8.4 - 14.5)	605	10.2	(6.9 - 14.7)	316	12.1	(8.5 - 16.9)	286
Age										
15 or younger		3.7	(1.3 - 10.1)	120	-	-	63	-	-	57
16 or 17		13.1	(9.4 - 18.1)	336	13.5	(8.6 - 20.7)	174	12.6	(8.1 - 19.2)	160
18 or older		12.4	(7.7 - 19.3)	148	-	-	79	-	-	69
Grade										
9th		1.5	(0.2 - 9.5)	101	-	-	56	-	-	45
10th		10.6	(6.2 - 17.8)	138	-	-	80	-	-	58
11th		11.2	(6.4 - 18.6)	153	-	-	77	-	-	74
12th		16.5	(11.0 - 23.9)	209	16.0	(9.8 - 25.1)	102	16.9	(9.8 - 27.4)	107
Race/Ethnicity										
Black*		11.7	(7.0 - 18.9)	126	-	-	62	-	-	63
Hispanic/Latino		7.8	(4.9 - 12.2)	348	7.9	(4.4 - 13.7)	185	7.7	(4.2 - 13.9)	163
White*		-	-	88	-	-	44	-	-	43
All other races*		-	-	11	-	-	7	-	-	4
Multiple races*		-	-	25	-	-	12	-	-	13

Personal and Reproductive Health

Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	1.2	(0.6 - 2.4)	605	0.5	(0.1 - 1.8)	316	2.0	(0.9 - 4.4)	286
	15 or younger	1.5	(0.4 - 6.1)	120	-	-	63	-	-	57
	16 or 17	0.9	(0.3 - 2.6)	336	0.0	-	174	1.8	(0.6 - 5.3)	160
	18 or older	1.6	(0.5 - 5.2)	148	-	-	79	-	-	69
Grade	9th	1.6	(0.4 - 6.3)	101	-	-	56	-	-	45
	10th	1.5	(0.4 - 6.1)	138	-	-	80	-	-	58
	11th	0.3	(0.0 - 2.0)	153	-	-	77	-	-	74
	12th	1.5	(0.5 - 4.0)	209	0.8	(0.1 - 5.6)	102	2.0	(0.6 - 6.4)	107
Race/Ethnicity										
	Black*	1.4	(0.3 - 5.4)	126	-	-	62	-	-	63
	Hispanic/Latino	0.3	(0.1 - 1.2)	348	0.0	-	185	0.6	(0.1 - 2.6)	163
	White*	-	-	88	-	-	44	-	-	43
	All other races*	-	-	11	-	-	7	-	-	4
	Multiple races*	-	-	25	-	-	12	-	-	13

Personal and Reproductive Health

Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	2.5	(1.4 - 4.5)	605	1.1	(0.4 - 3.4)	316	4.0	(2.0 - 8.0)	286
	15 or younger	1.7	(0.4 - 7.0)	120	-	-	63	-	-	57
	16 or 17	2.8	(1.4 - 5.8)	336	1.3	(0.3 - 5.4)	174	4.5	(1.9 - 10.3)	160
	18 or older	2.3	(0.8 - 6.7)	148	-	-	79	-	-	69
Grade	9th	2.6	(0.7 - 9.5)	101	-	-	56	-	-	45
	10th	1.6	(0.4 - 6.5)	138	-	-	80	-	-	58
	11th	0.3	(0.0 - 2.3)	153	-	-	77	-	-	74
	12th	4.8	(2.3 - 9.9)	209	2.2	(0.6 - 8.3)	102	7.1	(2.8 - 16.4)	107
Race/Ethnicity										
	Black*	5.3	(2.4 - 11.1)	126	-	-	62	-	-	63
	Hispanic/Latino	1.3	(0.4 - 4.1)	348	1.3	(0.3 - 5.0)	185	1.3	(0.2 - 8.6)	163
	White*	-	-	88	-	-	44	-	-	43
	All other races*	-	-	11	-	-	7	-	-	4
	Multiple races*	-	-	25	-	-	12	-	-	13



Personal and Reproductive Health

Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	14.8	(11.7 - 18.5)	605	11.7	(8.2 - 16.5)	316	18.0	(13.6 - 23.5)	286
	15 or younger	6.9	(3.5 - 13.3)	120	-	-	63	-	-	57
	16 or 17	16.9	(12.6 - 22.1)	336	14.8	(9.7 - 22.1)	174	19.0	(13.2 - 26.6)	160
	18 or older	16.4	(10.6 - 24.3)	148	-	-	79	-	-	69
Grade	9th	5.8	(2.6 - 12.1)	101	-	-	56	-	-	45
	10th	13.7	(8.3 - 21.8)	138	-	-	80	-	-	58
	11th	11.8	(7.0 - 19.2)	153	-	-	77	-	-	74
	12th	22.8	(16.1 - 31.1)	209	19.0	(11.7 - 29.3)	102	26.0	(17.9 - 36.0)	107
Race/Ethnicity										
	Black*	18.4	(12.2 - 26.7)	126	-	-	62	-	-	63
	Hispanic/Latino	9.4	(6.1 - 14.1)	348	9.1	(5.4 - 15.0)	185	9.6	(5.5 - 16.2)	163
	White*	-	-	88	-	-	44	-	-	43
	All other races*	-	-	11	-	-	7	-	-	4
	Multiple races*	-	-	25	-	-	12	-	-	13



Personal and Reproductive Health

Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active).

	Percentage	Total		N	Percentage	Male		N	Percentage	Female		N
		95% confidence interval				95% confidence interval				95% confidence interval		
Total	5.7	(3.8 - 8.4)		605	5.7	(3.5 - 9.4)		316	5.7	(3.3 - 9.7)		286
Age												
15 or younger	1.9	(0.4 - 7.9)		120	-	-		63	-	-		57
16 or 17	6.9	(4.3 - 10.8)		336	7.6	(4.3 - 13.3)		174	6.1	(3.0 - 12.1)		160
18 or older	6.0	(2.8 - 12.3)		148	-	-		79	-	-		69
Grade												
9th	1.5	(0.2 - 9.5)		101	-	-		56	-	-		45
10th	3.7	(1.6 - 8.4)		138	-	-		80	-	-		58
11th	3.7	(1.6 - 8.5)		153	-	-		77	-	-		74
12th	10.8	(6.5 - 17.3)		209	10.6	(5.6 - 19.1)		102	11.0	(5.6 - 20.4)		107
Race/Ethnicity												
Black*	6.9	(3.5 - 13.1)		126	-	-		62	-	-		63
Hispanic/Latino	4.1	(2.3 - 7.2)		348	5.1	(2.6 - 9.6)		185	3.0	(1.2 - 7.3)		163
White*	-	-		88	-	-		44	-	-		43
All other races*	-	-		11	-	-		7	-	-		4
Multiple races*	-	-		25	-	-		12	-	-		13



Personal and Reproductive Health

Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	22.0	(18.0 - 26.6)	605	13.8	(9.6 - 19.5)	316	31.1	(24.8 - 38.1)	286
	15 or younger	18.8	(11.8 - 28.6)	120	-	-	63	-	-	57
	16 or 17	23.3	(17.9 - 29.7)	336	13.0	(8.3 - 19.7)	174	34.8	(26.0 - 44.8)	160
	18 or older	21.6	(15.3 - 29.5)	148	-	-	79	-	-	69
Grade	9th	26.0	(18.2 - 35.6)	101	-	-	56	-	-	45
	10th	15.6	(9.8 - 24.1)	138	-	-	80	-	-	58
	11th	22.9	(15.7 - 32.1)	153	-	-	77	-	-	74
	12th	23.1	(17.0 - 30.6)	209	16.7	(8.6 - 30.0)	102	28.5	(20.8 - 37.7)	107
Race/Ethnicity	Black*	20.3	(14.1 - 28.5)	126	-	-	62	-	-	63
	Hispanic/Latino	25.4	(20.2 - 31.5)	348	16.6	(11.0 - 24.2)	185	35.0	(26.5 - 44.5)	163
	White*	-	-	88	-	-	44	-	-	43
	All other races*	-	-	11	-	-	7	-	-	4
	Multiple races*	-	-	25	-	-	12	-	-	13

Personal and Reproductive Health

Percentage of students who were ever tested for HIV (not including tests done when donating blood).

		Total			Male			Female		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age	Total	7.7	(6.4 - 9.2)	2,549	7.6	(6.1 - 9.3)	1,231	7.8	(6.2 - 9.7)	1,303
	15 or younger	4.6	(3.4 - 6.0)	1,005	4.0	(2.6 - 6.1)	462	5.2	(3.6 - 7.3)	539
	16 or 17	7.6	(5.9 - 9.7)	1,189	7.4	(5.6 - 9.8)	578	7.9	(5.5 - 11.2)	605
	18 or older	16.5	(12.2 - 21.9)	349	17.7	(11.8 - 25.8)	189	15.2	(10.1 - 22.3)	159
Grade	9th	5.1	(3.8 - 6.8)	804	6.0	(4.2 - 8.5)	378	4.2	(2.7 - 6.4)	423
	10th	6.4	(4.4 - 9.2)	695	5.5	(3.3 - 9.0)	338	7.3	(4.7 - 11.1)	353
	11th	7.8	(4.7 - 12.7)	531	7.5	(4.6 - 11.9)	241	8.3	(4.4 - 15.1)	287
	12th	12.9	(10.2 - 16.3)	506	13.1	(9.6 - 17.6)	267	12.8	(8.9 - 18.1)	238
Race/Ethnicity										
	Black*	10.4	(7.5 - 14.3)	462	11.0	(7.2 - 16.5)	212	10.1	(6.7 - 14.9)	246
	Hispanic/Latino	6.5	(5.1 - 8.3)	1,533	5.8	(4.3 - 7.8)	746	7.4	(5.5 - 9.8)	781
	White*	7.3	(4.9 - 10.6)	361	10.2	(6.9 - 14.9)	174	4.4	(2.0 - 9.3)	186
	All other races*	-	-	79	-	-	40	-	-	39
	Multiple races*	-	-	82	-	-	39	-	-	43

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ft. Worth, TX High School Survey Summary Tables - Weighted Data

Percentage of students who watched television 3 or more hours per day (on an average school day)

	Percentage	Total		Percentage	Male		Percentage	Female	
		95% confidence interval	N		95% confidence interval	N		95% confidence interval	N
Age									
Total	31.7	(29.5 - 33.9)	2,562	32.5	(29.6 - 35.5)	1,240	30.9	(28.0 - 34.0)	1,308
15 or younger	33.3	(29.7 - 37.1)	1,008	34.3	(30.0 - 38.8)	466	32.5	(27.9 - 37.5)	538
16 or 17	31.5	(28.5 - 34.6)	1,199	32.7	(28.6 - 37.1)	582	30.4	(26.3 - 34.9)	611
18 or older	27.7	(22.1 - 34.1)	350	27.3	(20.6 - 35.3)	190	27.8	(19.7 - 37.8)	159
Grade									
9th	34.9	(30.8 - 39.2)	808	34.6	(29.9 - 39.7)	382	35.3	(30.1 - 41.0)	423
10th	31.6	(28.7 - 34.6)	699	34.6	(29.8 - 39.8)	339	28.8	(23.7 - 34.5)	356
11th	29.0	(24.5 - 33.9)	536	31.5	(24.6 - 39.4)	245	26.8	(22.1 - 32.2)	288
12th	29.3	(24.5 - 34.6)	506	27.0	(21.2 - 33.8)	266	31.3	(24.4 - 39.1)	239
Race/Ethnicity									
Black*	45.4	(41.2 - 49.6)	464	49.4	(43.7 - 55.1)	214	42.1	(35.8 - 48.8)	246
Hispanic/Latino	30.1	(27.8 - 32.5)	1,544	30.0	(26.7 - 33.6)	752	30.2	(26.8 - 33.8)	786
White*	19.1	(15.3 - 23.4)	362	18.9	(14.0 - 24.9)	174	19.3	(14.1 - 25.9)	187
All other races*	-	-	79	-	-	40	-	-	39
Multiple races*	-	-	82	-	-	39	-	-	43

Note: 42 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.

2015 YOUTH RISK BEHAVIOR SURVEY RESULTS

Ft. Worth, TX High School Survey Summary Tables - Weighted Data

Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day)

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Age									
Total	42.9	(40.3 - 45.6)	2,561	42.3	(38.3 - 46.4)	1,239	43.5	(40.3 - 46.7)	1,309
15 or younger	45.4	(40.7 - 50.3)	1,008	44.0	(37.9 - 50.3)	466	46.8	(40.9 - 52.7)	539
16 or 17	42.0	(38.8 - 45.2)	1,198	42.9	(37.9 - 48.1)	582	41.1	(36.9 - 45.4)	610
18 or older	39.6	(33.4 - 46.1)	350	36.3	(26.8 - 46.9)	189	43.0	(36.4 - 49.8)	160
Grade									
9th	49.2	(43.6 - 54.9)	809	48.2	(40.8 - 55.6)	383	50.5	(43.8 - 57.1)	424
10th	39.6	(35.6 - 43.7)	698	40.5	(35.0 - 46.4)	338	38.4	(33.5 - 43.6)	356
11th	40.7	(35.7 - 45.8)	534	39.2	(31.3 - 47.6)	244	42.5	(36.2 - 49.0)	287
12th	39.8	(34.2 - 45.7)	507	38.5	(29.8 - 48.1)	266	40.9	(33.9 - 48.3)	240
Race/Ethnicity									
Black*	46.9	(41.2 - 52.7)	463	47.2	(39.3 - 55.3)	214	47.1	(39.9 - 54.3)	246
Hispanic/Latino	43.1	(40.0 - 46.2)	1,543	41.1	(36.9 - 45.4)	750	45.0	(40.8 - 49.2)	787
White*	36.7	(31.0 - 42.8)	361	39.2	(30.4 - 48.8)	174	34.0	(26.5 - 42.3)	186
All other races*	-	-	80	-	-	41	-	-	39
Multiple races*	-	-	82	-	-	39	-	-	43

Note: 43 students were excluded from this analysis.

*Non-Hispanic.

N = Number of students in this subgroup.

- = Fewer than 100 students in this subgroup.