

Anaphylaxis Emergency Action Plan

Patient Name: _____ Age: _____

Allergies: _____

Asthma ☐ Yes (*high risk for severe reaction*) ☐ No

Additional health problems besides anaphylaxis: _____

Concurrent medications: _____

	Symptoms of Anaphylaxis
MOUTH	itching, swelling of lips and/or tongue
THROAT*	itching, tightness/closure, hoarseness
SKIN	itching, hives, redness, swelling
GUT	vomiting, diarrhea, cramps
LUNG*	shortness of breath, cough, wheeze
HEART*	weak pulse, dizziness, passing out

Only a few symptoms may be present. Severity of symptoms can change quickly.
**Some symptoms can be life-threatening. ACT FAST!*

Emergency Action Steps - DO NOT HESITATE TO GIVE EPINEPHRINE!

1. Inject epinephrine in thigh using (check one):
- | | |
|--|---|
| ☐ Adrenaclick (0.15 mg) | ☐ Adrenaclick (0.3 mg) |
| ☐ Auvi-Q (0.15 mg) | ☐ Auvi-Q (0.3 mg) |
| ☐ EpiPen Jr (0.15 mg) | ☐ EpiPen (0.3 mg) |
| Epinephrine Injection, USP Auto-injector- authorized generic | |
| ☐ (0.15 mg) | ☐ (0.3 mg) |
| ☐ Other (0.15 mg) | ☐ Other (0.3 mg) |

Specify others: _____

IMPORTANT: ASTHMA INHALERS AND/OR ANTIHISTAMINES CAN'T BE DEPENDED ON IN ANAPHYLAXIS.

2. Call 911 or rescue squad (before calling contact)

3. Emergency contact #1: home _____ work _____ cell _____

Emergency contact #2: home _____ work _____ cell _____

Emergency contact #3: home _____ work _____ cell _____

Comments: _____

 Doctor's Signature/Date/Phone Number

 Parent's Signature (for individuals under age 18 yrs)/Date