

acc. to 29 CFR 1910.1200 App D

Certified A/C PRO Auto Air Conditioning R-134a Ester Oil Charge with Ice32 Perfomance Enhancer

Version number: 5.0 Revision: 2020-10-21

Replaces version of: 2020-09-23 (4)

SECTION 1: Identification

1.1 Product identifier

Trade name Certified A/C PRO Auto Air Conditioning R-134a

Ester Oil Charge with Ice32 Perfomance Enhan-

cer

Alternative number(s) 048168452453

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

Uses advised against Do not use for squirting or spraying.

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. Westlake OH 44145 United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)

Website: http://data.energizer.com

Energizer Trading Ltd.

Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376

e-mail: ConsumerServiceEU@energizer.com

1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727

This number is only available during the following

office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.1I	acute toxicity (inhal.)	1	Acute Tox. 1	H330
B.5	gases under pressure	С	Press. Gas C	H280

For full text of abbreviations: see SECTION 16.

United States: en Page: 1 / 18



acc. to 29 CFR 1910.1200 App D

Certified A/C PRO Auto Air Conditioning R-134a Ester Oil Charge with Ice32 Perfomance Enhancer

Version number: 5.0 Revision: 2020-10-21 Replaces version of: 2020-09-23 (4)

The most important adverse physicochemical, human health and environmental effects

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS04, GHS06



Contains gas under pressure; may explode if heated.

- Hazard statements

H280 Contains gas under pressure; may explode if heated.

H330 Fatal if inhaled.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P271 Use only outdoors or in a well-ventilated area.

P284 In case of inadequate ventilation wear respiratory protection.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a poison center/doctor.
P320 Specific treatment is urgent (see on this label).

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

P501 Dispose of contents/container in accordance with local/regional/national/international regula-

tions.

2.3 Other hazards

Hazards not otherwise classified

May be harmful if swallowed (GHS category 5: acutely toxic - oral).

May be harmful in contact with skin (GHS category 5: acutely toxic - dermal).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

United States: en Page: 2 / 18



acc. to 29 CFR 1910.1200 App D

Certified A/C PRO Auto Air Conditioning R-134a Ester Oil Charge with Ice32 Perfomance Enhancer

Version number: 5.0 Revision: 2020-10-21

Replaces version of: 2020-09-23 (4)

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Fatty acids, C14-18 and C16-18-unsatd.	CAS No Proprietary	25 - < 50	Acute Tox. 1 / H330	
R-134a	CAS No 811-97-2	25 - < 50	Press. Gas C / H280	\langle

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first- aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Thaw frosted parts with lukewarm water. Do not rub affected area.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

United States: en Page: 3 / 18



acc. to 29 CFR 1910.1200 App D

Certified A/C PRO Auto Air Conditioning R-134a Ester Oil Charge with Ice32 Perfomance Enhancer

Version number: 5.0 Revision: 2020-10-21 Replaces version of: 2020-09-23 (4)

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Contact with the product can cause burns and/or frostbite. Contains gas under pressure; may explode if heated.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United States: en Page: 4 / 18



acc. to 29 CFR 1910.1200 App D

Certified A/C PRO Auto Air Conditioning R-134a Ester Oil Charge with Ice32 Perfomance Enhancer

Version number: 5.0 Revision: 2020-10-21

Replaces version of: 2020-09-23 (4)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Level 1 Aerosol.

Managing of associated risks

- Flammability hazards

Protect from sunlight.

- Ventilation requirements

Keep any substance that emits harmful vapors or gases in a place that allows these to be permanently extracted.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

This information is not available.

Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Fatty acids, C14-18 and C16-18-unsatd.	Proprietary	DNEL	17.63 mg/ m³	human, inhalatory	worker (industry)	chronic - system- ic effects
Fatty acids, C14-18 and C16-18-unsatd.	Proprietary	DNEL	10 mg/kg bw/day	human, dermal	worker (industry)	chronic - system- ic effects
R-134a	811-97-2	DNEL	13,936 mg/ m³	human, inhalatory	worker (industry)	chronic - system- ic effects

United States: en Page: 5 / 18



acc. to 29 CFR 1910.1200 App D

Certified A/C PRO Auto Air Conditioning R-134a Ester Oil Charge with Ice32 Perfomance Enhancer

Version number: 5.0 Revision: 2020-10-21

Replaces version of: 2020-09-23 (4)

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
R-134a	811-97-2	PNEC	0.1 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
R-134a	811-97-2	PNEC	0.01 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
R-134a	811-97-2	PNEC	73 ^{mg} / _l	aquatic organisms	sewage treat- ment plant (STP)	short-term (single instance)
R-134a	811-97-2	PNEC	0.75 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

During spraying wear suitable respiratory equipment.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Appearance

United States: en Page: 6 / 18



acc. to 29 CFR 1910.1200 App D

Certified A/C PRO Auto Air Conditioning R-134a Ester Oil Charge with Ice32 Perfomance Enhancer

Version number: 5.0 Revision: 2020-10-21 Replaces version of: 2020-09-23 (4)

Physical state	aerosol (spray aerosol)
Color	various
Odor	characteristic

Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	225 °C at 10 mbar
Flash point	not determined
Evaporation rate	not determined
Flammability (solid, gas)	
Explosive limits	not determined
Vapor pressure	5.74 bar at 20 °C
Density	not determined
Vapor density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	>250 °C (auto-ignition temperature (liquids and gases))
Viscosity	not relevant (aerosol)
Explosive properties	none
Oxidizing properties	none

United States: en Page: 7 / 18



acc. to 29 CFR 1910.1200 App D

Certified A/C PRO Auto Air Conditioning R-134a Ester Oil Charge with Ice32 Perfomance Enhancer

Version number; 5.0 Revision: 2020-10-21

Replaces version of: 2020-09-23 (4)

9.2 Other information

Propellant content	33.33 %
Temperature class (USA, acc. to NEC 500)	T2C (maximum permissible surface temperature on the equipment: 230°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Gas under pressure.

If heated:

Danger of explosion, Gas under pressure, Danger of bursting container

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

Protect from sunlight.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Fatal if inhaled.

United States: en Page: 8 / 18



acc. to 29 CFR 1910.1200 App D

Certified A/C PRO Auto Air Conditioning R-134a Ester Oil Charge with Ice32 Perfomance Enhancer

Version number: 5.0 Revision: 2020-10-21 Replaces version of: 2020-09-23 (4)

GHS of the United Nations, annex 4: May be harmful if swallowed or in contact with skin.

- Acute toxicity estimate (ATE)

Inhalation: vapor 0.324 ^{mg}/_I/4h Inhalation: dust/mist 0.01 ^{mg}/_I/4h

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Fatty acids, C14-18 and C16-18-unsatd.	Proprietary	inhalation: vapor	0.162 ^{mg} / _l /4h
Fatty acids, C14-18 and C16-18-unsatd.	Proprietary	inhalation: dust/mist	0.005 ^{mg} / _l /4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

United States: en Page: 9 / 18



acc. to 29 CFR 1910.1200 App D

Certified A/C PRO Auto Air Conditioning R-134a Ester Oil Charge with Ice32 Perfomance Enhancer

Version number: 5.0 Revision: 2020-10-21 Replaces version of: 2020-09-23 (4)

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number 3159

14.2 UN proper shipping name Refrigerant gas R 134a

14.3 Transport hazard class(es)

Class 2.2 (gases)

14.4 Packing group not assigned to a packing group

United States: en Page: 10 / 18



acc. to 29 CFR 1910.1200 App D

Certified A/C PRO Auto Air Conditioning R-134a Ester Oil Charge with Ice32 Perfomance Enhancer

Version number: 5.0 Revision: 2020-10-21

Replaces version of: 2020-09-23 (4)

non-environmentally hazardous acc. to the danger-

ous goods regulations

14.5.1 Additional information DOT-SP 10232

14.6 Special precautions for user

Environmental hazards

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT)

Index number 3159

Proper shipping name Refrigerant gas R 134a

- Particulars in the shipper's declaration UN3159, Refrigerant gas R 134a, 2.2

- Reportable quantity (RQ) 1,589,992 lbs (721,856 kg) (phosphoric acid)

Class 2.2 Danger label(s) 2.2



Special provisions (SP) T50, DOT-SP 10232

ERG No 126

International Maritime Dangerous Goods Code (IMDG)

UN number 3159

Proper shipping name 1,1,1,2-TETRAFLUOROETHANE

- Particulars in the shipper's declaration UN3159, 1,1,1,2-TETRAFLUOROETHANE, 2.2

Class 2.2 Marine pollutant -

Danger label(s) 2.2



Special provisions (SP)

Excepted quantities (EQ) E1

Limited quantities (LQ) 120 mL

United States: en Page: 11 / 18



acc. to 29 CFR 1910.1200 App D

Certified A/C PRO Auto Air Conditioning R-134a Ester Oil Charge with Ice32 Perfomance Enhancer

Version number: 5.0 Revision: 2020-10-21 Replaces version of: 2020-09-23 (4)

(4)

EmS F-C, S-V

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR)

UN number 1950

Proper shipping name Aerosols, non-flammable, containing substances in

division 6.1, packing group III and substances in

class 8, packing group III

- Particulars in the shipper's declaration UN1950, Aerosols, non-flammable, containing sub-

stances in division 6.1, packing group III and substances in class 8, packing group III, 2.2 (6.1+8)

Class 2.2 Subsidiary risk(s) 6.1+8

Danger label(s) 2.2+6.1+8

Special provisions (SP) A145, A167

Excepted quantities (EQ) E0
Limited quantities (LQ) 30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) all ingredients are listed

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

Clean Air Act

none of the ingredients are listed

United States: en Page: 12 / 18



acc. to 29 CFR 1910.1200 App D

Certified A/C PRO Auto Air Conditioning R-134a Ester Oil Charge with Ice32 Perfomance Enhancer

Version number: 5.0 Revision: 2020-10-21 Replaces version of: 2020-09-23 (4)

Right to Know Hazardous Substance List

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	Name acc. to inventory	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Thres hold	De Minimis Concentra- tion Threshold
phosphoric acid	Phosphoric acid	7664-38-2				1.0 %

- Hazardous Substances List (MN-ERTK)

Name of substance	Name acc. to inventory	CAS No	References	Remarks
R-134a	1,1,1,2-Tetrafluoroethane	811-97-2	I	

Legend

- Hazardous Substance List (NJ-RTK)

Name of substance	Name acc. to inventory	CAS No	Remarks	Classifications
phosphoric acid	phosphoric acid	7664-38-2		СО

Legend

CO Corrosive

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name of substance	Name acc. to inventory	CAS No	Classification
phosphoric acid	PHOSPHORIC ACID	7664-38-2	Е

Legend

Environmental hazard

- Hazardous Substance List (RI-RTK)

Name of substance	Name acc. to inventory	CAS No	References
phosphoric acid	Orthophosphoric acid	7664-38-2	T, F

Legend

F Flammability (NFPA®)
T Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

United States: en Page: 13 / 18

I American Industrial Hygiene Association (AIHA), "Workplace Environmental Exposure Level Guides" (1992), available from AIHA



acc. to 29 CFR 1910.1200 App D

Certified A/C PRO Auto Air Conditioning R-134a Ester Oil Charge with Ice32 Perfomance Enhancer

Version number: 5.0 Revision: 2020-10-21 Replaces version of: 2020-09-23 (4)

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	4	life-threatening; major or permanent damage may result from single or repeated over- exposures
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	4	material that, under emergency conditions, can be lethal
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed

United States: en Page: 14 / 18



acc. to 29 CFR 1910.1200 App D

Certified A/C PRO Auto Air Conditioning R-134a Ester Oil Charge with Ice32 **Perfomance Enhancer**

Version number: 5.0 Revision: 2020-10-21

Replaces version of: 2020-09-23 (4)

Country	Inventory	Status
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AICS Australian Inventory of Chemical Substances

Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) CICR CSCL-ENCS

DSL Domestic Substances List (DSL)

ECSI

EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances **IECSC**

INSQ ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory

NDSL Non-domestic Substances List (NDSL) NZIoC

New Zealand Inventory of Chemicals Philippine Inventory of Chemicals and Chemical Substances (PICCS) **PICCS**

REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory TCSI

TSCA **Toxic Substance Control Act**

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.7	UN number: 1950	UN number: 3159	yes
14.7	Proper shipping name: AEROSOLS	Proper shipping name: 1,1,1,2-TETRAFLUOROETHANE	yes
14.7	Particulars in the shipper's declaration: UN1950, AEROSOLS, 2.2 (6.1+8)	Particulars in the shipper's declaration: UN3159, 1,1,1,2-TETRAFLUOROETHANE, 2.2	yes

United States: en Page: 15 / 18



acc. to 29 CFR 1910.1200 App D

Certified A/C PRO Auto Air Conditioning R-134a Ester Oil Charge with Ice32 Perfomance Enhancer

Version number: 5.0 Revision: 2020-10-21 Replaces version of: 2020-09-23 (4)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.7	Subsidiary risk(s): 6.1+8		yes
14.7	Danger label(s): 2.2+6.1+8	Danger label(s): 2.2	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): 63, 190, 277, 327, 344, 381, 959	Special provisions (SP): -	yes
14.7	Excepted quantities (EQ): E0	Excepted quantities (EQ): E1	yes
14.7	EmS: F-D, S-U	EmS: F-C, S-V	yes
14.7	Stowage category: -	Stowage category: A	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ERG No	Emergency Response Guidebook - Number
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations

United States: en Page: 16 / 18



acc. to 29 CFR 1910.1200 App D

Certified A/C PRO Auto Air Conditioning R-134a Ester Oil Charge with Ice32 Perfomance Enhancer

Version number: 5.0 Revision: 2020-10-21

Replaces version of: 2020-09-23 (4)

Abbr.	Descriptions of used abbreviations
HHS	Higher hazard substance
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LHS	Lower hazard substance
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NFPA®	National Fire Protection Association (United States)
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
Press. Gas	Gas under pressure
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H280	Contains gas under pressure; may explode if heated.
H330	Fatal if inhaled.

United States: en Page: 17 / 18



acc. to 29 CFR 1910.1200 App D

Certified A/C PRO Auto Air Conditioning R-134a Ester Oil Charge with Ice32 Perfomance Enhancer

Version number: 5.0 Revision: 2020-10-21 Replaces version of: 2020-09-23 (4)

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 18 / 18