



**Professional
Laboratory
Services**

13035 SW Pacific Hwy
Tigard, OR 97223
Tel.: (503) 639-9311 Fax: (503) 684-1588

ANALYSIS REPORT

Reported: 12/26/2023
Received: 12/08/2023
Sampled By: Jose Godinez
Work Order: 3346031

C **Apex Environmental**
L Attn: Tulla Stocker
I PO Box 1445
E Wilsonville OR, 97070
N Phone: (503) 682-9737
T

Project:
Project # : N/A
Sample Type :

Sampling Location: Durham

Lab Number

	Code	Method	Result	Units	MRL	EPA MCL*	Analysis Date/ Time
3346031-01	Sample Name: D-01 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-02	Sample Name: D-02 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-03	Sample Name: D-03 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	4	ppb	1	15 ppb	12/13/23 18:07
3346031-04	Sample Name: D-04 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-05	Sample Name: D-05 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-06	Sample Name: D-06 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-07	Sample Name: D-07 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-08	Sample Name: D-08 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-09	Sample Name: D-09 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-10	Sample Name: D-10 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	2	ppb	1	15 ppb	12/13/23 18:07



**Professional
Laboratory
Services**

13035 SW Pacific Hwy
Tigard, OR 97223
Tel.: (503) 639-9311 Fax: (503) 684-1588

ANALYSIS REPORT

Reported: 12/26/2023
Received: 12/08/2023
Sampled By: Jose Godinez
Work Order: 3346031

C **Apex Environmental**
L Attn: Tulla Stocker
I PO Box 1445
E Wilsonville OR, 97070
N Phone: (503) 682-9737
T

Project:
Project # : N/A
Sample Type :

Sampling Location: Durham

Lab Number

	Code	Method	Result	Units	MRL	EPA MCL*	Analysis Date/ Time
3346031-11	Sample Name: D-11 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	6	ppb	1	15 ppb	12/13/23 18:07
3346031-12	Sample Name: D-12 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	1	ppb	1	15 ppb	12/13/23 18:07
3346031-13	Sample Name: D-13 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-14	Sample Name: D-14 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-15	Sample Name: D-15 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-16	Sample Name: D-16 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-17	Sample Name: D-17 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-18	Sample Name: D-18 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-19	Sample Name: D-19 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-20	Sample Name: D-20 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07



**Professional
Laboratory
Services**

13035 SW Pacific Hwy
Tigard, OR 97223
Tel.: (503) 639-9311 Fax: (503) 684-1588

ANALYSIS REPORT

Reported: 12/26/2023
Received: 12/08/2023
Sampled By: Jose Godinez
Work Order: 3346031

C Apex Environmental
L Attn: Tulla Stocker
I PO Box 1445
E Wilsonville OR, 97070
N Phone: (503) 682-9737
T

Project:
Project # : N/A
Sample Type :

Sampling Location: Durham

Lab Number

	Code	Method	Result	Units	MRL	EPA MCL*	Analysis Date/ Time
3346031-21	Sample Name: D-21 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-22	Sample Name: D-22 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-23	Sample Name: D-23 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	2	ppb	1	15 ppb	12/13/23 18:07
3346031-24	Sample Name: D-24 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-25	Sample Name: D-25 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-26	Sample Name: D-26 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-27	Sample Name: D-27 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	4	ppb	1	15 ppb	12/13/23 18:07
3346031-28	Sample Name: D-28 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-29	Sample Name: D-29 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-30	Sample Name: D-30 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07



**Professional
Laboratory
Services**

13035 SW Pacific Hwy
Tigard, OR 97223
Tel.: (503) 639-9311 Fax: (503) 684-1588

ANALYSIS REPORT

Reported: 12/26/2023
Received: 12/08/2023
Sampled By: Jose Godinez
Work Order: 3346031

C Apex Environmental
L Attn: Tulla Stocker
I PO Box 1445
E Wilsonville OR, 97070
N Phone: (503) 682-9737
T

Project:
Project # : N/A
Sample Type :

Sampling Location: Durham

Lab Number

Lab Number	Code	Method	Result	Units	MRL	EPA MCL*	Analysis Date/ Time
3346031-31	Sample Name: D-31 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-32	Sample Name: D-32 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-33	Sample Name: D-33 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-34	Sample Name: D-34 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-35	Sample Name: D-35 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-36	Sample Name: D-36 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-37	Sample Name: D-37 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-38	Sample Name: D-38 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	2	ppb	1	15 ppb	12/13/23 18:07
3346031-39	Sample Name: D-39 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-40	Sample Name: D-40 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	2	ppb	1	15 ppb	12/13/23 18:07



**Professional
Laboratory
Services**

13035 SW Pacific Hwy
Tigard, OR 97223
Tel.: (503) 639-9311 Fax: (503) 684-1588

ANALYSIS REPORT

Reported: 12/26/2023
Received: 12/08/2023
Sampled By: Jose Godinez
Work Order: 3346031

C **Apex Environmental**
L Attn: Tulla Stocker
I PO Box 1445
E Wilsonville OR, 97070
N Phone: (503) 682-9737
T

Project:
Project # : N/A
Sample Type :

Sampling Location: Durham

Lab Number

	Code	Method	Result	Units	MRL	EPA MCL*	Analysis Date/ Time
3346031-41	Sample Name: D-41 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	19	ppb	1	15 ppb	12/13/23 18:07 MCLE
3346031-42	Sample Name: D-42 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	5	ppb	1	15 ppb	12/13/23 18:07
3346031-43	Sample Name: D-43 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	4	ppb	1	15 ppb	12/13/23 18:07
3346031-44	Sample Name: D-44 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-45	Sample Name: D-45 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	4	ppb	1	15 ppb	12/13/23 18:07
3346031-46	Sample Name: D-46 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	1	ppb	1	15 ppb	12/13/23 18:07
3346031-47	Sample Name: D-47 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	5	ppb	1	15 ppb	12/13/23 18:07
3346031-48	Sample Name: D-48 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-49	Sample Name: D-49 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	2	ppb	1	15 ppb	12/13/23 18:07
3346031-50	Sample Name: D-50 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07



**Professional
Laboratory
Services**

13035 SW Pacific Hwy
Tigard, OR 97223
Tel.: (503) 639-9311 Fax: (503) 684-1588

ANALYSIS REPORT

Reported: 12/26/2023
Received: 12/08/2023
Sampled By: Jose Godinez
Work Order: 3346031

C Apex Environmental
L Attn: Tulla Stocker
I PO Box 1445
E Wilsonville OR, 97070
N Phone: (503) 682-9737
T

Project:
Project # : N/A
Sample Type :

Sampling Location: Durham

Lab Number

	Code	Method	Result	Units	MRL	EPA MCL*	Analysis Date/ Time
3346031-51	Sample Name: D-51 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	2	ppb	1	15 ppb	12/13/23 18:07
3346031-52	Sample Name: D-52 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	1	ppb	1	15 ppb	12/13/23 18:07
3346031-53	Sample Name: D-53 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-54	Sample Name: D-54 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-55	Sample Name: D-55 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-56	Sample Name: D-56 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	2	ppb	1	15 ppb	12/13/23 18:07
3346031-57	Sample Name: D-57 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-58	Sample Name: D-58 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-59	Sample Name: D-59 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-60	Sample Name: D-60 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07



**Professional
Laboratory
Services**

13035 SW Pacific Hwy
Tigard, OR 97223
Tel.: (503) 639-9311 Fax: (503) 684-1588

ANALYSIS REPORT

Reported: 12/26/2023
Received: 12/08/2023
Sampled By: Jose Godinez
Work Order: 3346031

C **Apex Environmental**
L Attn: Tulla Stocker
I PO Box 1445
E Wilsonville OR, 97070
N Phone: (503) 682-9737
T

Project:
Project # : N/A
Sample Type :

Sampling Location: Durham

Lab Number

	Code	Method	Result	Units	MRL	EPA MCL*	Analysis Date/ Time
3346031-61	Sample Name: D-61 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-62	Sample Name: D-62 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-63	Sample Name: D-63 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-64	Sample Name: D-64 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-65	Sample Name: D-65 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07
3346031-66	Sample Name: D-66 Sampled: 12/2/23 14:00		Matrix: Drinking Water				
+Lead	1030	EPA 200.9	ND	ppb	1	15 ppb	12/13/23 18:07

MCL This analyte exceeds the MCL limit.

ND = None detected at the MRL **MRL** = Minimum Reporting Limit **MCL** = Maximum Contamination Limit

†All procedures for this analysis are in accordance with NELAP standards.

* The EPA MCL for Lead in Public Drinking Water Systems is 15 ppb; this is a maximum contamination level for lead in samples, this is not an acceptance level for health based exposure.

Note: Please make sure to send your results to the appropriate agency; Alexin Analytical does not forward these results to any program or person other than the above listed client. It is your responsibility to make sure these results get sent to whichever agency, city, or organization has requested them if these results are for compliance purposes.

Approved by: 
Adriana Gonzalez-Gray
Laboratory Director



**Professional
Laboratory
Services**

13035 SW Pacific Hwy Tigard, OR 97223 ph: 503.639.9311 fax: 503.684.1588 email: mail@alexinlabs.com

Chain of Custody Record

Laboratory Job Number: 33410031-01-66

Client Contact Information	Results Reporting Information	Invoicing Information
Company/Client Name: <u>Apex Environmental</u>	Project Manager: <u>Tulla Stoker</u>	Accounts Payable Contact: <u>Same</u>
Address: <u>Po Box 1445</u>	Mailing Address: <u>Same</u>	Mailing Address:
City/State/Zip: <u>Wilsonville OR 97170</u>	City/State/Zip:	City/State/Zip:
Phone: <u>503 784 4185</u>	Phone:	Phone:
Fax or email: <u>Tulla.stoker@apexenviro.com</u>	Fax or email:	Fax or email:

SAMPLING INFORMATION

Sampling Location: Orphan P.O. #: _____ PWSID #: _____
 Sampled By: Ray Adams Project Name: _____ Permit #: _____
 Send results to OR State Health Division? (Please circle) Yes No Analysis Requested**

Lab ID	Sample Identification	Date Collected	Time Collected (Begin/End if comp.)	Sample Matrix*	# of cont. rec'd	Analysis Requested**	Sample Specific Notes/Field Data for each WW sample, specify <u>Grab / Composite</u> for each DW sample, specify <u>Raw / Treated</u> , <u>Source / Distribution</u> , <u>Single / Combined</u> WHERE APPLICABLE
	<u>Please see attached spreadsheet D-01 -> D-06</u>			<u>Water</u>			<u>SEE ATTACHED</u>

Relinquished By (print): Ray Adams Company: Apex Environmental Date/Time: _____ Signature: _____
 Relinquished By (print): _____ Company: _____ Date/Time: _____ Signature: _____

The most current revision of SOP-10-003 was used when these samples were collected Received by Laboratory Log In Staff: MS Date/Time: 12-8-03 1:30 Temp. on receipt: _____ °C On ice? X N
 * Drinking water (DW), effluent (EFF), ground water (GW), influent (INF), non-aqueous liquid (NAL), paint chips, raw water (RW), sludge, soil, solid, source water (SOURCE), spring, stormwater (SW), surface water, wastewater (WW), well water (WELL)
 ** Analyses for SOC, Radon, and Asbestos are subcontracted out to other accredited laboratories.

Sample #	Date	Location	TIME
D-01	01	12/2/2023 18	1400
D-02	02	12/2/2023 18	1400
D-03	03	12/2/2023 room outside 18	1400
D-04	04	12/2/2023 17	1400
D-05	05	12/2/2023 17	1400
D-06	06	12/2/2023 16	1400
D-07	07	12/2/2023 16	1400
D-08	08	12/2/2023 20	1400
D-09	09	12/2/2023 20	1400
D-10	10	12/2/2023 Main office	1400
D-11	11	12/2/2023 19	1400
D-12	12	12/2/2023 19	1400
D-13	13	12/2/2023 1	1400
D-14	14	12/2/2023 1	1400
D-15	15	12/2/2023 21	1400
D-16	16	12/2/2023 21	1400
D-17	17	12/2/2023 cafeteria	1400
D-18	18	12/2/2023 cafeteria	1400
D-19	19	12/2/2023 Kitchen	1400
D-20	20	12/2/2023 Kitchen	1400
D-21	21	12/2/2023 Kitchen	1400
D-22	22	12/2/2023 22	1400
D-23	23	12/2/2023 22	1400
D-24	24	12/2/2023 23	1400
D-25	25	12/2/2023 23	1400
D-26	26	12/2/2023 24	1400
D-27	27	12/2/2023 24	1400
D-28	28	12/2/2023 outside 24	1400
D-29	29	12/2/2023 25	1400
D-30	30	12/2/2023 25	1400
D-31	31	12/2/2023 26	1400
D-32	32	12/2/2023 26	1400
D-33	33	12/2/2023 27	1400
D-34	34	12/2/2023 27	1400
D-35	35	12/2/2023 gym	1400
D-36	36	12/2/2023 gym	1400
D-37	37	12/2/2023 health	1400
D-38	38	12/2/2023 3	1400
D-39	39	12/2/2023 3	1400
D-40	40	12/2/2023 4	1400
D-41	41	12/2/2023 4	1400
D-42	42	12/2/2023 outside 4	1400

D-43	43	12/2/2023	outside 4	1400
D-44	44	12/2/2023	6	1400
D-45	45	12/2/2023	6	1400
D-46	46	12/2/2023	5	1400
D-47	47	12/2/2023	5	1400
D-48	48	12/2/2023	7	1400
D-49	49	12/2/2023	7	1400
D-50	50	12/2/2023	8	1400
D-51	51	12/2/2023	8	1400
D-52	52	12/2/2023	6	1400
D-53	53	12/2/2023	6	1400
D-54	54	12/2/2023	office outside 10	1400
D-55	55	12/2/2023	10	1400
D-56	56	12/2/2023	10	1400
D-57	57	12/2/2023	11	1400
D-58	58	12/2/2023	11	1400
D-59	59	12/2/2023	12	1400
D-60	60	12/2/2023	12	1400
D-61	61	12/2/2023	13	1400
D-62	62	12/2/2023	13	1400
D-63	63	12/2/2023	14	1400
D-64	64	12/2/2023	14	1400
D-65	65	12/2/2023	15	1400
D-66	66	12/2/2023	15	1400